PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 :
C12N 15/31, C07K 14/315, 16/12, C12Q 1/68

A2

(11) International Publication Number: **WO 98/18931**

(43) International Publication Date: 7 May 1998 (07.05.98)

(21) International Application Number: PCT/US97/19588

(22) International Filing Date: 30 October 1997 (30.10.97)

(30) Priority Data:
60/029,960 31 October 1996 (31.10.96) US

(71) Applicant *(for all designated States except US)*: HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: KUNSCH, Charles, A. [US/US]; 2398B Dunwoody Crossing, Atlanta, GA 30338 (US). CHOI, Gil, H. [KR/US]; 11429 Potomac Oaks Drive, Rockville, MD 20850 (US). DILLON, Patrick, J. [US/US]; 1055 Snipe Court, Carlsbad, CA 92009 (US). ROSEN, Craig, A. [US/US]; 22400 Rolling Hill Road, Laytonsville, MD 20882 (US). BARASH, Steven, C. [US/US]; 582 College Parkway #303, Rockville, MD 20850 (US). FANNON, Michael [US/US]; 13501 Rippling Brook Drive, Silver Spring, MD 20850 (US). DOUGHERTY, Brian, A. [US/US]; 708 Meadow Field Court, Mount Airy, MD 21771 (US).

(74) Agents: BROOKES, A., Anders et al.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published
Without international search report and to be republished upon receipt of that report.

(54) Title: *STREPTOCOCCUS PNEUMONIAE* POLYNUCLEOTIDES AND SEQUENCES



(57) Abstract

The present invention provides polynucleotide sequences of the genome of *Streptococcus pneumoniae*, polypeptide sequences encoded by the polynucleotide sequences, corresponding polynucleotides and polypeptides, vectors and hosts comprising the polynucleotides, and assays and other uses thereof. The present invention further provides polynucleotide and polypeptide sequence information stored on computer readable media, and computer-based systems and methods which facilitate its use.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania
AM	Armenia
AT	Austria
AU	Australia
AZ	Azerbaijan
BA	Bosnia and Herzegovina
BB	Barbados
BE	Belgium
BF	Burkina Faso
BG	Bulgaria
BJ	Benin
BR	Brazil
BY	Belarus
CA	Canada
CF	Central African Republic
CG	Congo
CH	Switzerland
CI	Côte d'Ivoire
CM	Cameroon
CN	China
CU	Cuba
CZ	Czech Republic
DE	Germany
DK	Denmark
EE	Estonia
ES	Spain
FI	Finland
FR	France
GA	Gabon
GB	United Kingdom
GE	Georgia
GH	Ghana
GN	Guinea
GR	Greece
HU	Hungary
IE	Ireland
IL	Israel
IS	Iceland
IT	Italy
JP	Japan
KE	Kenya
KG	Kyrgyzstan
KP	Democratic People's Republic of Korea
KR	Republic of Korea
KZ	Kazakstan
LC	Saint Lucia
LI	Liechtenstein
LK	Sri Lanka
LR	Liberia
LS	Lesotho
LT	Lithuania
LU	Luxembourg
LV	Latvia
MC	Monaco
MD	Republic of Moldova
MG	Madagascar
MK	The former Yugoslav Republic of Macedonia
ML	Mali
MN	Mongolia
MR	Mauritania
MW	Malawi
MX	Mexico
NE	Niger
NL	Netherlands
NO	Norway
NZ	New Zealand
PL	Poland
PT	Portugal
RO	Romania
RU	Russian Federation
SD	Sudan
SE	Sweden
SG	Singapore
SI	Slovenia
SK	Slovakia
SN	Senegal
SZ	Swaziland
TD	Chad
TG	Togo
TJ	Tajikistan
TM	Turkmenistan
TR	Turkey
TT	Trinidad and Tobago
UA	Ukraine
UG	Uganda
US	United States of America
UZ	Uzbekistan
VN	Viet Nam
YU	Yugoslavia
ZW	Zimbabwe

Streptococcus pneumoniae Polynucleotides and Sequences

FIELD OF THE INVENTION

The present invention relates to the field of molecular biology. In particular, it relates to, among other things, nucleotide sequences of *Streptococcus pneumoniae*, contigs, ORFs, fragments, probes, primers and related polynucleotides thereof, peptides and polypeptides encoded by the sequences, and uses of the polynucleotides and sequences thereof, such as in fermentation, polypeptide production, assays and pharmaceutical development, among others.

BACKGROUND OF THE INVENTION

Streptococcus pneumoniae has been one of the most extensively studied microorganisms since its first isolation in 1881. It was the object of many investigations that led to important scientific discoveries. In 1928, Griffith observed that when heat-killed encapsulated pneumococci and live strains constitutively lacking any capsule were concomitantly injected into mice, the nonencapsulated could be converted into encapsulated pneumococci with the same capsular type as the heat-killed strain. Years later, the nature of this "transforming principle," or carrier of genetic information, was shown to be DNA. (Avery, O.T., *et al.*, *J. Exp. Med.*, *79:*137-157 (1944)).

In spite of the vast number of publications on *S. pneumoniae* many questions about its virulence are still unanswered, and this pathogen remains a major causative agent of serious human disease, especially community-acquired pneumonia. (Johnston, R.B., *et al.*, *Rev. Infect. Dis.* *13*(Suppl. 6):S509-517 (1991)). In addition, in developing countries, the pneumococcus is responsible for the death of a large number of children under the age of 5 years from pneumococcal pneumonia. The incidence of pneumococcal disease is highest in infants under 2 years of age and in people over 60 years of age. Pneumococci are the second most frequent cause (after *Haemophilus influenzae* type b) of bacterial meningitis and otitis media in children. With the recent introduction of conjugate vaccines for *H. influenzae* type b, pneumococcal meningitis is likely to become increasingly prominent. *S. pneumoniae* is the most important etiologic agent of community-acquired pneumonia in adults and is the second most common cause of bacterial meningitis behind *Neisseria meningitidis.*

The antibiotic generally prescribed to treat *S. pneumoniae* is benzylpenicillin, although resistance to this and to other antibiotics is found occasionally. Pneumococcal resistance to penicillin results from mutations in its penicillin-binding proteins. In uncomplicated pneumococcal pneumonia caused by a sensitive strain, treatment with penicillin is usually successful unless started too late. Erythromycin or clindamycin can be used to treat pneumonia in patients hypersensitive to penicillin, but resistant strains to these drugs exist. Broad spectrum antibiotics (e.g., the tetracyclines) may also be effective, although tetracycline-resistant strains are not rare. In spite of the availability of antibiotics, the mortality of pneumococcal bacteremia in the last four decades has remained stable between 25 and 29%. (Gillespie, S.H., *et al., J. Med. Microbiol. 28:*237-248 (1989).

S. pneumoniae is carried in the upper respiratory tract by many healthy individuals. It has been suggested that attachment of pneumococci is mediated by a disaccharide receptor on fibronectin, present on human pharyngeal epithelial cells. (Anderson, B.J., *et al., J. Immunol. 142*:2464-2468 (1989). The mechanisms by which pneumococci translocate from the nasopharynx to the lung, thereby causing pneumonia, or migrate to the blood, giving rise to bacteremia or septicemia, are poorly understood. (Johnston, R.B., *et al., Rev. Infect. Dis. 13*(Suppl. 6):S509-517 (1991).

Various proteins have been suggested to be involved in the pathogenicity of *S. pneumoniae*, however, only a few of them have actually been confirmed as virulence factors. Pneumococci produce an IgA1 protease that might interfere with host defense at mucosal surfaces. (Kornfield, S.J., *et al., Rev. Inf. Dis. 3*:521-534 (1981). *S. pneumoniae* also produces neuraminidase, an enzyme that may facilitate attachment to epithelial cells by cleaving sialic acid from the host glycolipids and gangliosides. Partially purified neuraminidase was observed to induce meningitis-like symptoms in mice; however, the reliability of this finding has been questioned because the neuraminidase preparations used were probably contaminated with cell wall products. Other pneumococcal proteins besides neuraminidase are involved in the adhesion of pneumococci to epithelial and endothelial cells. These pneumococcal proteins have as yet not been identified. Recently, Cundell *et. al.*, reported that peptide permeases can modulate pneumococcal adherence to epithelial and endothelial cells. It was, however, unclear whether these permeases function directly as adhesions or whether they enhance adherence by modulating the expression of pneumococcal adhesions. (DeVelasco, E.A., *et al.*, *Micro. Rev.* *59*:591-603 (1995). A better understanding of the virulence factors determining its pathogenicity will need to be developed to cope with the devastating effects of pneumococcal disease in humans.

Ironically, despite the prominent role of *S. pneumoniae* in the discovery of DNA, little is known about the molecular genetics of the organism. The *S. pneumoniae* genome consists of one circular, covalently closed, double-stranded DNA and a collection of so-called variable accessory elements, such as prophages, plasmids, transposons and the like. Most physical characteristics and almost all of the genes of *S. pneumoniae* are unknown. Among the few that have been identified, most have not been physically mapped or characterized in detail. Only a few genes of this organism have been sequenced. (See, for instance current versions of GENBANK and other nucleic acid databases, and references that relate to the genome of *S. pneumoniae* such as those set out elsewhere herein.)

It is clear that the etiology of diseases mediated or exacerbated by *S. pneumoniae*, infection involves the programmed expression of *S. pneumoniae* genes, and that characterizing the genes and their patterns of expression would add dramatically to our understanding of the organism and its host interactions. Knowledge of *S. pneumoniae* genes and genomic organization would improve our understanding of disease etiology and lead to improved and new ways of preventing, ameliorating, arresting and reversing diseases. Moreover, characterized genes and genomic fragments of *S. pneumoniae* would provide reagents for, among other things, detecting, characterizing and controlling *S. pneumoniae* infections. There is a need to characterize the genome of *S. pneumoniae* and for polynucleotides of this organism.

SUMMARY OF THE INVENTION

The present invention is based on the sequencing of fragments of the *Streptococcus pneumoniae* genome. The primary nucleotide sequences which were generated are provided in SEQ ID NOS:1-391.

The present invention provides the nucleotide sequence of several hundred contigs of the *Streptococcus pneumoniae* genome, which are listed in tables below and set out in the Sequence Listing submitted herewith, and representative fragments thereof, in a form which can be readily used, analyzed, and interpreted by a skilled artisan. In one embodiment, the present invention is provided as contiguous strings of primary sequence information corresponding to the nucleotide sequences depicted in SEQ ID NOS:1-391.

The present invention further provides nucleotide sequences which are at least 95% identical to the nucleotide sequences of SEQ ID NOS:1-391.

The nucleotide sequence of SEQ ID NOS:1-391, a representative fragment thereof, or a nucleotide sequence which is at least 95% identical to the nucleotide sequence of SEQ ID NOS:1-391 may be provided in a variety of mediums to facilitate its use. In one application of this embodiment, the sequences of the present invention are recorded on computer readable media. Such media includes, but is not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media.

The present invention further provides systems, particularly computer-based systems which contain the sequence information herein described stored in a data storage means. Such systems are designed to identify commercially important fragments of the *Streptococcus pneumoniae* genome.

Another embodiment of the present invention is directed to fragments of the *Streptococcus pneumoniae* genome having particular structural or functional attributes. Such fragments of the *Streptococcus pneumoniae* genome of the present invention include, but are not limited to, fragments which encode peptides, hereinafter referred to as open reading frames or ORFs, fragments which modulate the expression of an operably linked ORF, hereinafter referred to as expression modulating fragments or EMFs, and fragments which can be used to diagnose the presence of *Streptococcus pneumoniae* in a sample, hereinafter referred to as diagnostic fragments or DFs.

Each of the ORFs in fragments of the *Streptococcus pneumoniae* genome disclosed in Tables 1-3, and the EMFs found 5' to the ORFs, can be used in numerous ways as polynucleotide reagents. For instance, the sequences can be used as diagnostic probes or amplification primers for detecting or determining the presence of a specific microbe in a sample, to selectively control gene expression in a host and in the production of polypeptides, such as polypeptides encoded by ORFs of the present invention, particular those polypeptides that have a pharmacological activity.

The present invention further includes recombinant constructs comprising one or more fragments of the *Streptococcus pneumoniae* genome of the present invention. The recombinant constructs of the present invention comprise vectors, such as a plasmid or viral vector, into which a fragment of the *Streptococcus pneumoniae* has been inserted.

The present invention further provides host cells containing any of the isolated fragments of the *Streptococcus pneumoniae* genome of the present invention. The host cells can be a higher eukaryotic host cell, such as a mammalian cell, a lower eukaryotic cell, such as a yeast cell, or a procaryotic cell such as a bacterial cell.

The present invention is further directed to isolated polypeptides and proteins encoded by ORFs of the present invention. A variety of methods, well known to those of skill in the art, routinely may be utilized to obtain any of the polypeptides and proteins of the present invention. For instance, polypeptides and proteins of the present invention having relatively short, simple amino acid sequences readily can be synthesized using commercially available automated peptide synthesizers. Polypeptides and proteins of the present invention also may be purified from bacterial cells which naturally produce the protein. Yet another alternative is to purify polypeptide and proteins of the present invention from cells which have been altered to express them.

The invention further provides methods of obtaining homologs of the fragments of the *Streptococcus pneumoniae* genome of the present invention and homologs of the proteins encoded by the ORFs of the present invention. Specifically, by using the nucleotide and amino acid sequences disclosed herein as a probe or as primers, and techniques such as PCR cloning and colony/plaque hybridization, one skilled in the art can obtain homologs.

The invention further provides antibodies which selectively bind polypeptides and proteins of the present invention. Such antibodies include both monoclonal and polyclonal antibodies.

The invention further provides hybridomas which produce the above-described antibodies. A hybridoma is an immortalized cell line which is capable of secreting a specific monoclonal antibody.

The present invention further provides methods of identifying test samples derived from cells which express one of the ORFs of the present invention, or a homolog thereof. Such methods comprise incubating a test sample with one or more of the antibodies of the present invention, or one or more of the DFs of the present invention, under conditions which allow a skilled artisan to determine if the sample contains the ORF or product produced therefrom.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the above-described assays.

Specifically, the invention provides a compartmentalized kit to receive, in close confinement, one or more containers which comprises: (a) a first container comprising one of the antibodies, or one of the DFs of the present invention; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of bound antibodies or hybridized DFs.

Using the isolated proteins of the present invention, the present invention further provides methods of obtaining and identifying agents capable of binding to a polypeptide or protein encoded by one of the ORFs of the present invention. Specifically, such agents include, as further described below, antibodies, peptides, carbohydrates, pharmaceutical agents and the like. Such methods comprise steps of: (a) contacting an agent with an isolated protein encoded by one of the ORFs of the present invention; and (b) determining whether the agent binds to said protein.

The present genomic sequences of *Streptococcus pneumoniae* will be of great value to all laboratories working with this organism and for a variety of commercial purposes. Many fragments of the *Streptococcus pneumoniae* genome will be immediately identified by similarity searches against GenBank or protein databases and will be of immediate value to *Streptococcus pneumoniae* researchers and for immediate commercial value for the production of proteins or to control gene expression.

The methodology and technology for elucidating extensive genomic sequences of bacterial and other genomes has and will greatly enhance the ability to analyze and understand chromosomal organization. In particular, sequenced contigs and genomes will provide the models for developing tools for the analysis of chromosome structure and function, including the ability to identify genes within large segments of genomic DNA, the structure, position, and spacing of regulatory elements, the identification of genes with potential industrial applications, and the ability to do comparative genomic and molecular phylogeny.

DESCRIPTION OF THE FIGURES

FIGURE 1 is a block diagram of a computer system (102) that can be used to implement computer-based systems of present invention.

FIGURE 2 is a schematic diagram depicting the data flow and computer programs used to collect, assemble, edit and annotate the contigs of the *Streptococcus pneumoniae* genome of the present invention. Both Macintosh and Unix platforms are used to handle the AB 373 and 377 sequence data files, largely as described in Kerlavage *et al.*, *Proceedings of the Twenty-Sixth Annual Hawaii International Conference on System Sciences*, 585, IEEE Computer Society Press, Washington D.C. (1993). Factura (AB) is a Macintosh program designed for automatic vector sequence removal and end-trimming of sequence files. The program Loadis runs on a Macintosh platform and parses the feature data extracted from the sequence files by Factura to the Unix based *Streptococcus pneumoniae* relational database. Assembly of contigs (and whole genome sequences) is accomplished by retrieving a specific set of sequence files and their associated features using Extrseq, a Unix utility for retrieving sequences from an SQL database. The resulting sequence file is processed by seq_filter to trim portions of the sequences with more than 2% ambiguous nucleotides. The sequence files were assembled using TIGR Assembler, an assembly engine designed at The Institute for Genomic Research (TIGR) for rapid and accurate assembly of thousands of sequence fragments. The collection of contigs generated by the assembly step is loaded into the database with the lassie program. Identification of open reading frames (ORFs) is accomplished by processing contigs with zorf or GenMark. The ORFs are searched against *S. pneumoniae* sequences from GenBank and against all protein sequences using the BLASTN and BLASTP programs, described in Altschul *et al.*, *J. Mol. Biol. 215:* 403-410 (1990)). Results of the ORF determination and similarity searching steps were loaded into the database. As described below, some results of the determination and the searches are set out in Tables 1-3.

DETAILED DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The present invention is based on the sequencing of fragments of the *Streptococcus pneumoniae* genome and analysis of the sequences. The primary nucleotide sequences generated by sequencing the fragments are provided in SEQ ID NOS:1-391. (As used herein, the "primary sequence" refers to the nucleotide sequence represented by the IUPAC nomenclature system.)

In addition to the aforementioned *Streptococcus pneumoniae* polynucleotide and polynucleotide sequences, the present invention provides the nucleotide sequences of SEQ ID NOS:1-391, or representative fragments thereof, in a form which can be readily used, analyzed, and interpreted by a skilled artisan.

As used herein, a "representative fragment of the nucleotide sequence depicted in SEQ ID NOS:1-391" refers to any portion of the SEQ ID NOS:1-391 which is not presently represented within a publicly available database. Preferred representative fragments of the present invention are *Streptococcus pneumoniae* open reading frames (ORFs), expression modulating fragment (EMFs) and fragments which can be used to diagnose the presence of *Streptococcus pneumoniae* in sample (DFs). A non-limiting identification of preferred representative fragments is provided in Tables 1-3. As discussed in detail below, the information provided in SEQ ID NOS:1-391 and in Tables 1-3 together with routine cloning, synthesis, sequencing and assay methods will enable those skilled in the art to clone and sequence all "representative fragments" of interest, including open reading frames encoding a large variety of *Streptococcus pneumoniae* proteins.

While the presently disclosed sequences of SEQ ID NOS:1-391 are highly accurate, sequencing techniques are not perfect and, in relatively rare instances, further investigation of a fragment or sequence of the invention may reveal a nucleotide sequence error present in a nucleotide sequence disclosed in SEQ ID NOS:1-391. However, once the present invention is made available (*i.e.*, once the information in SEQ ID NOS:1-391 and Tables 1-3 has been made available), resolving a rare sequencing error in SEQ ID NOS:1-391 will be well within the skill of the art. The present disclosure makes available sufficient sequence information to allow any of the described contigs or portions thereof to be obtained readily by straightforward application of routine techniques. Further sequencing of such polynucleotide may proceed in like manner using manual and automated sequencing methods which are employed ubiquitous in the art. Nucleotide sequence editing software is publicly available. For example, Applied Biosystem's (AB) AutoAssembler can be used as an aid during visual inspection of nucleotide sequences. By employing such routine techniques potential errors readily may be identified and the correct sequence then may be ascertained by targeting further sequencing effort, also of a routine nature, to the region containing the potential error.

Even if all of the very rare sequencing errors in SEQ ID NOS:1-391 were corrected, the resulting nucleotide sequences would still be at least 95% identical, nearly all would be at least 99% identical, and the great majority would be at least 99.9% identical to the nucleotide sequences of SEQ ID NOS:1-391.

As discussed elsewhere herein, polynucleotides of the present invention readily may be obtained by routine application of well known and standard procedures for cloning and sequencing DNA. Detailed methods for obtaining libraries and for sequencing are provided below, for instance. A wide variety of *Streptococcus pneumoniae* strains that can be used to prepare *S. pneumoniae* genomic DNA for cloning and for obtaining polynucleotides of the present invention are available to the public from recognized depository institutions, such as the American Type Culture Collection (ATCC). While the present invention is enabled by the sequences and other information herein disclosed, the *S. pneumoniae* strain that provided the DNA of the present Sequence Listing, Strain 7/87 14.8.91, has been deposited in the ATCC, as a convenience to those of skill in the art. As a further convenience, a library of *S. pneumoniae* genomic DNA, derived from the same strain, also has been deposited in the ATCC. The *S. pneumoniae* strain was deposited on October 10, 1996, and was given Deposit No. 55840, and the cDNA library was deposited on October 11, 1996 and was given Deposit No. 97755. The genomic fragments in the library are 15 to 20 kb fragments generated by partial Sau3A1 digestion and they are inserted into the BamHI site in the well-known lambda-derived vector lambda DASH II (Stratagene, La Jolla, CA). The provision of the deposits is not a waiver of any rights of the inventors or their assignees in the present subject matter.

The nucleotide sequences of the genomes from different strains of *Streptococcus pneumoniae* differ somewhat. However, the nucleotide sequences of the genomes of all *Streptococcus pneumoniae* strains will be at least 95% identical, in corresponding part, to the nucleotide sequences provided in SEQ ID NOS:1-391. Nearly all will be at least 99% identical and the great majority will be 99.9% identical.

Thus, the present invention further provides nucleotide sequences which are at least 95%, preferably 99% and most preferably 99.9% identical to the nucleotide sequences of SEQ ID NOS:1-391, in a form which can be readily used, analyzed and interpreted by the skilled artisan.

Methods for determining whether a nucleotide sequence is at least 95%, at least 99% or at least 99.9% identical to the nucleotide sequences of SEQ ID NOS:1-391 are routine and readily available to the skilled artisan. For example, the weii known fasta algorithm described in Pearson and Lipman, *Proc. Natl. Acad. Sci. USA 85:* 2444 (1988) can be used to generate the percent identity of nucleotide sequences. The BLASTN program also can be used to generate an identity score of polynucleotides compared to one another.

COMPUTER RELATED EMBODIMENTS

The nucleotide sequences provided in SEQ ID NOS:1-391, a representative fragment thereof, or a nucleotide sequence at least 95%, preferably at least 99% and most preferably at least 99.9% identical to a polynucleotide sequence of SEQ ID NOS:1-391 may be "provided" in a variety of mediums to facilitate use thereof. As used herein, provided refers to a manufacture, other than an isolated nucleic acid molecule, which contains a nucleotide sequence of the present invention; *i.e.*, a nucleotide sequence provided in SEQ ID NOS:1-391, a representative fragment thereof, or a nucleotide sequence at least 95%, preferably at least 99% and most preferably at least 99.9% identical to a polynucleotide of SEQ ID NOS:1-391. Such a manufacture provides a large portion of the *Streptococcus pneumoniae* genome and parts thereof (*e.g.*, a *Streptococcus pneumoniae* open reading frame (ORF)) in a form which allows a skilled artisan to examine the manufacture using means not directly applicable to examining the *Streptococcus pneumoniae* genome or a subset thereof as it exists in nature or in purified form.

In one application of this embodiment, a nucleotide sequence of the present invention can be recorded on computer readable media. As used herein, "computer readable media" refers to any medium which can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD- ROM; electrical storage media such as RAM and ROM; and hybrids of these categories, such as magnetic/optical storage media. A skilled artisan can readily appreciate how any of the presently known computer readable mediums can be used to create a manufacture comprising computer readable medium having recorded thereon a nucleotide sequence of the present invention. Likewise, it will be clear to those of skill how additional computer readable media that may be developed also can be used to create analogous manufactures having recorded thereon a nucleotide sequence of the present invention.

As used herein, "recorded" refers to a process for storing information on computer readable medium. A skilled artisan can readily adopt any of the presently know methods for recording information on computer readable medium to generate manufactures comprising the nucleotide sequence information of the present invention. A variety of data storage structures are available to a skilled artisan for creating a computer readable medium having recorded thereon a nucleotide sequence of the present invention. The choice of the data storage structure will generally be based on the means chosen to access the stored information. In addition, a variety of data processor programs and formats can be used to store the nucleotide sequence information of the present invention on computer readable medium. The sequence information can be represented in a word processing text file, formatted in commercially- available software such as WordPerfect and MicroSoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like. A skilled artisan can readily adapt any number of data-processor structuring formats (*e.g.*, text file or database) in order to obtain computer readable medium having recorded thereon the nucleotide sequence information of the present invention.

Computer software is publicly available which allows a skilled artisan to access sequence information provided in a computer readable medium. Thus, by providing in computer readable form the nucleotide sequences of SEQ ID NOS:1-

391, a representative fragment thereof, or a nucleotide sequence at least 95%, preferably at least 99% and most preferably at least 99.9% identical to a sequence of SEQ ID NOS:1-391 the present invention enables the skilled artisan routinely to access the provided sequence information for a wide variety of purposes.

The examples which follow demonstrate how software which implements the BLAST (Altschul *et al.*, *J. Mol. Biol. 215*:403-410 (1990)) and BLAZE (Brutlag *et al.*, *Comp. Chem. 17*:203-207 (1993)) search algorithms on a Sybase system was used to identify open reading frames (ORFs) within the *Streptococcus pneumoniae* genome which contain homology to ORFs or proteins from both *Streptococcus pneumoniae* and from other organisms. Among the ORFs discussed herein are protein encoding fragments of the *Streptococcus pneumoniae* genome useful in producing commercially important proteins, such as enzymes used in fermentation reactions and in the production of commercially useful metabolites.

The present invention further provides systems, particularly computer-based systems, which contain the sequence information described herein. Such systems are designed to identify, among other things, commercially important fragments of the *Streptococcus pneumoniae* genome.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware means of the computer-based systems of the present invention comprises a central processing unit (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based systems are suitable for use in the present invention.

As stated above, the computer-based systems of the present invention comprise a data storage means having stored therein a nucleotide sequence of the present invention and the necessary hardware means and software means for supporting and implementing a search means.

As used herein, "data storage means" refers to memory which can store nucleotide sequence information of the present invention, or a memory access means which can access manufactures having recorded thereon the nucleotide sequence information of the present invention.

As used herein, "search means" refers to one or more programs which are implemented on the computer-based system to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of the present genomic sequences which match a particular target sequence or target motif. A variety of known algorithms are disclosed publicly and a variety of commercially available software for conducting search means are and can be used in the computer-based systems of the present invention. Examples of such software includes, but is not limited to, MacPattern (EMBL), BLASTN and BLASTX (NCBIA). A skilled artisan can readily recognize that any one of the available algorithms or implementing software packages for conducting homology searches can be adapted for use in the present computer-based systems.

As used herein, a "target sequence" can be any DNA or amino acid sequence of six or more nucleotides or two or more amino acids. A skilled artisan can readily recognize that the longer a target sequence is, the less likely a target sequence will be present as a random occurrence in the database. The most preferred sequence length of a target sequence is from about 10 to 100 amino acids or from about 30 to 300 nucleotide residues. However, it is well recognized that searches for commercially important fragments, such as sequence fragments involved in gene expression and protein processing, may be of shorter length.

As used herein, "a target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration which is formed upon the folding of the target motif. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzymic active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, promoter sequences, hairpin structures and inducible expression elements (protein binding sequences).

A variety of structural formats for the input and output means can be used to input and output the information in the computer-based systems of the present invention. A preferred format for an output means ranks fragments of the *Streptococcus pneumoniae* genomic sequences possessing varying degrees of homology to the target sequence or target motif. Such presentation provides a skilled artisan with a ranking of sequences which contain various amounts of the target sequence or target motif and identifies the degree of homology contained in the identified fragment.

A variety of comparing means can be used to compare a target sequence or target motif with the data storage means to identify sequence fragments of the

Streptococcus pneumoniae genome. In the present examples, implementing software which implement the BLAST and BLAZE algorithms, described in Altschul *et al.*, *J. Mol. Biol. 215:* 403-410 (1990), is used to identify open reading frames within the *Streptococcus pneumoniae* genome. A skilled artisan can readily recognize that any one of the publicly available homology search programs can be used as the search means for the computer-based systems of the present invention. Of course, suitable proprietary systems that may be known to those of skill also may be employed in this regard.

Figure 1 provides a block diagram of a computer system illustrative of embodiments of this aspect of present invention. The computer system 102 includes a processor 106 connected to a bus 104. Also connected to the bus 104 are a main memory 108 (preferably implemented as random access memory, RAM) and a variety of secondary storage devices 110, such as a hard drive 112 and a removable medium storage device 114. The removable medium storage device 114 may represent, for example, a floppy disk drive, a CD-ROM drive, a magnetic tape drive, *etc.* A removable storage medium 116 (such as a floppy disk, a compact disk, a magnetic tape, *etc.*) containing control logic and/or data recorded therein may be inserted into the removable medium storage device 114. The computer system 102 includes appropriate software for reading the control logic and/or the data from the removable medium storage device 114, once it is inserted into the removable medium storage device 114.

A nucleotide sequence of the present invention may be stored in a well known manner in the main memory 108, any of the secondary storage devices 110, and/or a removable storage medium 116. During execution, software for accessing and processing the genomic sequence (such as search tools, comparing tools, *etc.*) reside in main memory 108, in accordance with the requirements and operating parameters of the operating system, the hardware system and the software program or programs.

BIOCHEMICAL EMBODIMENTS

Other embodiments of the present invention are directed to isolated fragments of the *Streptococcus pneumoniae* genome. The fragments of the *Streptococcus pneumoniae* genome of the present invention include, but are not limited to fragments which encode peptides and polypeptides, hereinafter open reading frames (ORFs), fragments which modulate the expression of an operably linked ORF, hereinafter expression modulating fragments (EMFs) and fragments which can be used to diagnose the presence of *Streptococcus pneumoniae* in a sample, hereinafter diagnostic fragments (DFs).

As used herein, an "isolated nucleic acid molecule" or an "isolated fragment of the *Streptococcus pneumoniae* genome" refers to a nucleic acid molecule possessing a specific nucleotide sequence which has been subjected to purification means to reduce, from the composition, the number of compounds which are normally associated with the composition. Particularly, the term refers to the nucleic acid molecules having the sequences set out in SEQ ID NOS:1-391, to representative fragments thereof as described above, to polynucleotides at least 95%, preferably at least 99% and especially preferably at least 99.9% identical in sequence thereto, also as set out above.

A variety of purification means can be used to generate the isolated fragments of the present invention. These include, but are not limited to methods which separate constituents of a solution based on charge, solubility, or size.

In one embodiment, *Streptococcus pneumoniae* DNA can be enzymatically sheared to produce fragments of 15-20 kb in length. These fragments can then be used to generate a *Streptococcus pneumoniae* library by inserting them into lambda clones as described in the Examples below. Primers flanking, for example, an ORF, such as those enumerated in Tables 1-3 can then be generated using nucleotide sequence information provided in SEQ ID NOS:1-391. Well known and routine techniques of PCR cloning then can be used to isolate the ORF from the lambda DNA library or *Streptococcus pneumoniae* genomic DNA. Thus, given the availability of SEQ ID NOS:1-391, the information in Tables 1, 2 and 3, and the information that may be obtained readily by analysis of the sequences of SEQ ID NOS:1-391 using methods set out above, those of skill will be enabled by the present disclosure to isolate any ORF-containing or other nucleic acid fragment of the present invention.

The isolated nucleic acid molecules of the present invention include, but are not limited to single stranded and double stranded DNA, and single stranded RNA.

As used herein, an "open reading frame," ORF, means a series of triplets coding for amino acids without any termination codons and is a sequence translatable into protein.

Tables 1, 2, and 3 list ORFs in the *Streptococcus pneumoniae* genomic contigs of the present invention that were identified as putative coding regions by the GeneMark software using organism-specific second-order Markov probability transition matrices. It will be appreciated that other criteria can be used, in accordance with well known analytical methods, such as those discussed herein, to generate more inclusive, more restrictive, or more selective lists.

Table 1 sets out ORFs in the *Streptococcus pneumoniae* contigs of the present invention that over a continuous region of at least 50 bases are 95% or more identical (by BLAST analysis) to a nucleotide sequence available through GenBank in October, 1997.

Table 2 sets out ORFs in the *Streptococcus pneumoniae* contigs of the present invention that are not in Table 1 and match, with a BLASTP probability score of 0.01 or less, a polypeptide sequence available through GenBank in October, 1997.

Table 3 sets out ORFs in the *Streptococcus pneumoniae* contigs of the present invention that do not match significantly, by BLASTP analysis, a polypeptide sequence available through GenBank in October, 1997.

In each table, the first and second columns identify the ORF by, respectively, contig number and ORF number within the contig; the third column indicates the first nucleotide of the ORF (actually the first nucleotide of the stop codon immediately preceeding the ORF), counting from the 5' end of the contig strand; and the fourth column, "stop (nt)" indicates the last nucleotide of the stop codon defining the 3'end of the ORF.

In Tables 1 and 2, column five, lists the Reference for the closest matching sequence available through GenBank. These reference numbers are the databases entry numbers commonly used by those of skill in the art, who will be familiar with their denominators. Descriptions of the nomenclature are available from the National Center for Biotechnology Information. Column six in Tables 1 and 2 provides the gene name of the matching sequence; column seven provides the BLAST identity score and column eight the BLAST similarity score from the comparison of the ORF and the homologous gene; and column nine indicates the length in nucleotides of the highest scoring segment pair identified by the BLAST identity analysis.

Each ORF described in the tables is defined by "start (nt)" (5') and "stop (nt)" (3') nucleotide position numbers. These position numbers refer to the boundaries of each ORF and provide orientation with respect to whether the forward or reverse strand is the coding strand and which reading frame the coding sequence is contained. The "start" position is the first nucleotide of the triplet encoding a stop codon just 5' to the ORF and the "stop" position is the last nucleotide of the triplet encoding the next in-frame stop codon (i.e., the stop codon at the 3' end of the ORF). Those of ordinary skill in the art appreciate that preferred fragments within each ORF described in the table include fragments of each ORF which include the entire sequence from the delineated "start" and "stop" positions excepting the first and last three nucleotides since these encode stop codons. Thus, polynucleotides set out as ORFs in the tables but lacking the three (3) 5' nucleotides and the three (3) 3' nucleotides are encompassed by the present invention. Those of skill also appreciate that particularly preferred are fragments within each ORF that are polynucleotide fragments comprising polypeptide coding sequence. As defined herein, "coding sequence" includes the fragment within an ORF beginning at the first in-frame ATG (triplet encoding methionine) and ending with the last nucleotide prior to the triplet encoding the 3' stop codon. Preferred are fragments comprising the entire coding sequence and fragments comprising the entire coding sequence, excepting the coding sequence for the N-terminal methionine. Those of skill appreciate that the N-terminal methionine is often removed during post-translational processing and that polynucleotides lacking the ATG can be used to facilitate production of N-termainal fusion proteins which may be benefical in the production or use of genetically engineered proteins. Of course, due to the degeneracy of the genetic code many polynucleotides can encode a given polypeptide. Thus, the invention further includes polynucleotides comprising a nucleotide sequence encoding a polypeptide sequence itself encoded by the coding sequence within an ORF described in Tables 1-3 herein. Further, polynucleotides at least 95%, preferably at least 99% and especially preferably at least 99.9% identical in sequence to the foregoing polynucleotides, are contemplated by the present invention.

Polypeptides encoded by polynucleotides described above and elsewhere herein are also provided by the present invention as are polypeptide comprising a an amino acid sequence at least about 95%, preferably at least 97% and even more preferably 99% identical to the amino acid sequence of a polypeptide encoded by an ORF shown in Tables 1-3. These polypeptides may or may not comprise an N-terminal methionine.

The concepts of percent identity and percent similarity of two polypeptide sequences is well understood in the art. For example, two polypeptides 10 amino acids in length which differ at three amino acid positions (*e.g.*, at positions 1, 3 and 5) are said to have a percent identity of 70%. However, the same two polypeptides would be deemed to have a percent similarity of 80% if, for example at position 5, the amino acids moieties, although not identical, were "similar" (*i.e.*, possessed similar biochemical characteristics). Many programs for analysis of nucleotide or amino acid sequence similarity, such as fasta and BLAST specifically list percent identity of a matching region as an output parameter. Thus, for instance, Tables 1 and 2 herein enumerate the percent identity of the highest scoring segment pair in each ORF and its listed relative. Further details concerning the algorithms and criteria used for homology searches are provided below and are described in the pertinent literature highlighted by the citations provided below.

It will be appreciated that other criteria can be used to generate more inclusive and more exclusive listings of the types set out in the tables. As those of skill will appreciate, narrow and broad searches both are useful. Thus, a skilled artisan can readily identify ORFs in contigs of the *Streptococcus pneumoniae* genome other than those listed in Tables 1-3, such as ORFs which are overlapping or encoded by the opposite strand of an identified ORF in addition to those ascertainable using the computer-based systems of the present invention.

As used herein, an "expression modulating fragment," EMF, means a series of nucleotide molecules which modulates the expression of an operably linked ORF or EMF.

As used herein, a sequence is said to "modulate the expression of an operably linked sequence" when the expression of the sequence is altered by the presence of the EMF. EMFs include, but are not limited to, promoters, and promoter modulating sequences (inducible elements). One class of EMFs are fragments which induce the expression or an operably linked ORF in response to a specific regulatory factor or physiological event.

EMF sequences can be identified within the contigs of the *Streptococcus pneumoniae* genome by their proximity to the ORFs provided in Tables 1-3. An intergenic segment, or a fragment of the intergenic segment, from about 10 to 200 nucleotides in length, taken from any one of the ORFs of Tables 1-3 will modulate the expression of an operably linked ORF in a fashion similar to that found with the naturally linked ORF sequence. As used herein, an "intergenic segment" refers to fragments of the *Streptococcus pneumoniae* genome which are between two ORF(s) herein described. EMFs also can be identified using known EMFs as a target sequence or target motif in the computer-based systems of the present invention. Further, the two methods can be combined and used together.

The presence and activity of an EMF can be confirmed using an EMF trap vector. An EMF trap vector contains a cloning site linked to a marker sequence. A marker sequence encodes an identifiable phenotype, such as antibiotic resistance or a complementing nutrition auxotrophic factor, which can be identified or assayed when the EMF trap vector is placed within an appropriate host under appropriate conditions. As described above, a EMF will modulate the expression of an operably linked marker sequence. A more detailed discussion of various marker sequences is provided below. A sequence which is suspected as being an EMF is cloned in all three reading frames in one or more restriction sites upstream from the marker sequence in the EMF trap vector. The vector is then transformed into an appropriate host using known procedures and the phenotype of the transformed host in examined under appropriate conditions. As described above, an EMF will modulate the expression of an operably linked marker sequence.

As used herein, a "diagnostic fragment," DF, means a series of nucleotide molecules which selectively hybridize to *Streptococcus pneumoniae* sequences. DFs can be readily identified by identifying unique sequences within contigs of the *Streptococcus pneumoniae* genome, such as by using well-known computer analysis software, and by generating and testing probes or amplification primers consisting of the DF sequence in an appropriate diagnostic format which determines amplification or hybridization selectivity.

The sequences falling within the scope of the present invention are not limited to the specific sequences herein described, but also include allelic and species variations thereof. Allelic and species variations can be routinely determined by comparing the sequences provided in SEQ ID NOS:1-391, a representative fragment thereof, or a nucleotide sequence at least 95%, preferrably at least 99% and most at least preferably 99.9% identical to SEQ ID NOS:1-391, with a sequence from another isolate of the same species. Furthermore, to accommodate codon variability, the invention includes nucleic acid molecules coding for the same amino acid sequences as do the specific ORFs disclosed herein. In other words, in the coding region of an ORF, substitution of one codon for another which encodes the same amino acid is expressly contemplated. Any specific sequence disclosed herein can be readily screened for errors by resequencing a particular fragment, such as an ORF, in both directions (*i.e.*, sequence both strands). Alternatively, error screening can be performed by sequencing corresponding polynucleotides of *Streptococcus pneumoniae* origin isolated by using part or all of the fragments in question as a probe or primer.

Preferred DFs of the present invention comprise at least about 17, preferrably at least about 20, and more preferrably at least about 50 contiguous nucleotides within an ORF set out in Tables 1-3. Most highly preferred DFs specifically hybridize to a polynucleotide containing the sequence of the ORF from which they are derived. Specific hybridization occurs even under stringent conditions defined elsewhere herein.

Each of the ORFs of the *Streptococcus pneumoniae* genome disclosed in Tables 1, 2 and 3, and the EMFs found 5' to the ORFs, can be used as polynucleotide reagents in numerous ways. For example, the sequences can be used as diagnostic probes or diagnostic amplification primers to detect the presence of a specific microbe in a sample, particularly *Streptococcus pneumoniae*. Especially preferred in this regard are ORFs such as those of Table 3, which do not match previously characterized sequences from other organisms and thus are most likely to be highly selective for *Streptococcus pneumoniae*. Also particularly preferred are ORFs that can be used to distinguish between strains of *Streptococcus pneumoniae*, particularly those that distinguish medically important strain, such as drug-resistant strains.

In addition, the fragments of the present invention, as broadly described, can be used to control gene expression through triple helix formation or antisense DNA or RNA, both of which methods are based on the binding of a polynucleotide sequence to DNA or RNA. Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Information from the sequences of the present invention can be used to design antisense and triple helix-forming oligonucleotides. Polynucleotides suitable for use in these methods are usually 20 to 40 bases in length and are designed to be complementary to a region of the gene involved in transcription, for triple-helix formation, or to the mRNA itself, for antisense inhibition. Both techniques have been demonstrated to be effective in model systems, and the requisite techniques are well known and involve routine procedures. Triple helix techniques are discussed in, for example, Lee *et al.*, *Nucl. Acids Res.* *6*:3073 (1979); Cooney *et al.*, *Science 241*:456 (1988); and Dervan *et al.*, *Science 251*:1360 (1991). Antisense techniques in general are discussed in, for instance, Okano, *J. Neurochem.* *56*:560 (1991) and *Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression*, CRC Press, Boca Raton, FL (1988)).

The present invention further provides recombinant constructs comprising one or more fragments of the *Streptococcus pneumoniae* genomic fragments and contigs of the present invention. Certain preferred recombinant constructs of the present invention comprise a vector, such as a plasmid or viral vector, into which a fragment of the *Streptococcus pneumoniae* genome has been inserted, in a forward or reverse orientation. In the case of a vector comprising one of the ORFs of the present invention, the vector may further comprise regulatory sequences, including for example, a promoter, operably linked to the ORF. For vectors comprising the EMFs of the present invention, the vector may further comprise a marker sequence or heterologous ORF operably linked to the EMF.

Large numbers of suitable vectors and promoters are known to those of skill in the art and are commercially available for generating the recombinant constructs of the present invention. The following vectors are provided by way of example. Useful bacterial vectors include phagescript, PsiX174, pBluescript SK, pBS KS, pNH8a, pNH16a, pNH18a, pNH46a (available from Stratagene); pTrc99A, pKK223-3, pKK233-3, pDR540, pRIT5 (available from Pharmacia). Useful eukaryotic vectors include pWLneo, pSV2cat, pOG44, pXT1, pSG (available from Stratagene) pSVK3, pBPV, pMSG, pSVL (available from Pharmacia).

Promoter regions can be selected from any desired gene using CAT (chloramphenicol transferase) vectors or other vectors with selectable markers. Two appropriate vectors are pKK232-8 and pCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda PR, and trc. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein- I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the art.

The present invention further provides host cells containing any one of the isolated fragments of the *Streptococcus pneumoniae* genomic fragments and contigs of the present invention, wherein the fragment has been introduced into the host cell using known methods. The host cell can be a higher eukaryotic host cell, such as a mammalian cell, a lower eukaryotic host cell, such as a yeast cell, or a procaryotic cell, such as a bacterial cell.

A polynucleotide of the present invention, such as a recombinant construct comprising an ORF of the present invention, may be introduced into the host by a variety of well established techniques that are standard in the art, such as calcium phosphate transfection, DEAE, dextran mediated transfection and electroporation, which are described in, for instance, Davis, L. *et al.*, BASIC METHODS IN MOLECULAR BIOLOGY (1986).

A host cell containing one of the fragments of the *Streptococcus pneumoniae* genomic fragments and contigs of the present invention, can be used in conventional manners to produce the gene product encoded by the isolated fragment (in the case of an ORF) or can be used to produce a heterologous protein under the control of the EMF. The present invention further provides isolated polypeptides encoded by the nucleic acid fragments of the present invention or by degenerate variants of the nucleic acid fragments of the present invention. By "degenerate variant" is intended nucleotide fragments which differ from a nucleic acid fragment of the present invention (*e.g.*, an ORF) by nucleotide sequence but, due to the degeneracy of the Genetic Code, encode an identical polypeptide sequence.

Preferred nucleic acid fragments of the present invention are the ORFs and subfragments thereof depicted in Tables 2 and 3 which encode proteins.

A variety of methodologies known in the art can be utilized to obtain any one of the isolated polypeptides or proteins of the present invention. At the simplest level, the amino acid sequence can be synthesized using commercially available peptide synthesizers. This is particularly useful in producing small peptides and fragments of larger polypeptides. Such short fragments as may be obtained most readily by synthesis are useful, for example, in generating antibodies against the native polypeptide, as discussed further below.

In an alternative method, the polypeptide or protein is purified from bacterial cells which naturally produce the polypeptide or protein. One skilled in the art can readily employ well-known methods for isolating polypeptides and proteins to isolate and purify polypeptides or proteins of the present invention produced naturally by a bacterial strain, or by other methods. Methods for isolation and purification that can be employed in this regard include, but are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography, and immuno-affinity chromatography.

The polypeptides and proteins of the present invention also can be purified from cells which have been altered to express the desired polypeptide or protein. As used herein, a cell is said to be altered to express a desired polypeptide or protein when the cell, through genetic manipulation, is made to produce a polypeptide or protein which it normally does not produce or which the cell normally produces at a lower level. Those skilled in the art can readily adapt procedures for introducing and expressing either recombinant or synthetic sequences into eukaryotic or prokaryotic cells in order to generate a cell which produces one of the polypeptides or proteins of the present invention.

Any host/vector system can be used to express one or more of the ORFs of the present invention. These include, but are not limited to, eukaryotic hosts such as HeLa cells, CV-1 cell, COS cells, and Sf9 cells, as well as prokaryotic host such as *E. coli* and *B. subtilis*. The most preferred cells are those which do not normally express the particular polypeptide or protein or which expresses the polypeptide or protein at low natural level.

"Recombinant," as used herein, means that a polypeptide or protein is derived from recombinant (*e.g.*, microbial or mammalian) expression systems. "Microbial" refers to recombinant polypeptides or proteins made in bacterial or fungal (*e.g.*, yeast) expression systems. As a product, "recombinant microbial"defines a polypeptide or protein essentially free of native endogenous substances and unaccompanied by associated native glycosylation. Polypeptides or proteins expressed in most bacterial cultures, *e.g.*, *E. coli*, will be free of glycosylation modifications; polypeptides or proteins expressed in yeast will have a glycosylation pattern different from that expressed in mammalian cells.

"Nucleotide sequence" refers to a heteropolymer of deoxyribonucleotides. Generally, DNA segments encoding the polypeptides and proteins provided by this invention are assembled from fragments of the *Streptococcus pneumoniae* genome and short oligonucleotide linkers, or from a series of oligonucleotides, to provide a synthetic gene which is capable of being expressed in a recombinant transcriptional unit comprising regulatory elements derived from a microbial or viral operon.

Recombinant expression vehicle or vector" refers to a plasmid or phage or virus or vector, for expressing a polypeptide from a DNA (RNA) sequence. The expression vehicle can comprise a transcriptional unit comprising an assembly of (1) a genetic regulatory elements necessary for gene expression in the host, including elements required to initiate and maintain transcription at a level sufficient for suitable expression of the desired polypeptide, including, for example, promoters and, where necessary, an enhancer and a polyadenylation signal; (2) a structural or coding sequence which is transcribed into mRNA and translated into protein, and (3) appropriate signals to initiate translation at the beginning of the desired coding region and terminate translation at its end. Structural units intended for use in yeast or eukaryotic expression systems preferably include a leader sequence enabling extracellular secretion of translated protein by a host cell. Alternatively, where recombinant protein is expressed without a leader or transport sequence, it may include an N-terminal methionine residue. This residue may or may not be subsequently cleaved from the expressed recombinant protein to provide a final product.

"Recombinant expression system" means host cells which have stably integrated a recombinant transcriptional unit into chromosomal DNA or carry the recombinant transcriptional unit extra chromosomally. The cells can be prokaryotic or eukaryotic. Recombinant expression systems as defined herein will express heterologous polypeptides or proteins upon induction of the regulatory elements linked to the DNA segment or synthetic gene to be expressed.

Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described in Sambrook *et al.*, *Molecular Cloning*: *A Laboratory Manual,* 2nd Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1989), the disclosure of which is hereby incorporated by reference in its entirety.

Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, *e.g.*, the ampicillin resistance gene of *E. coli* and *S. cerevisiae* TRP1 gene, and a promoter derived from a highly expressed gene to direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3- phosphoglycerate kinase (PGK), alpha-factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an N-terminal identification peptide imparting desired characteristics, e.g., stabilization or simplified purification of expressed recombinant product.

Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and, when desirable, provide amplification within the host.

Suitable prokaryotic hosts for transformation include strains of *E. coli, B. subtilis, Salmonella typhimurium* and various species within the genera *Pseudomonas* and *Streptomyces*. Others may, also be employed as a matter of choice.

As a representative but non-limiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example, pKK223-3 (available form Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM 1 (available from Promega Biotec, Madison, WI, USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed.

Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter, where it is inducible, is derepressed or induced by appropriate means (*e.g.*, temperature shift or chemical induction) and cells are cultured for an additional period to provide for expression of the induced gene product. Thereafter cells are typically harvested, generally by centrifugation, disrupted to release expressed protein, generally by physical or chemical means, and the resulting crude extract is retained for further purification.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described in Gluzman, *Cell 23:*175 (1981), and other cell lines capable of expressing a compatible vector, for example, the C127, 3T3, CHO, HeLa and BHK cell lines.

Mammalian expression vectors will comprise an origin of replication, a suitable promoter and enhancer, and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 viral genome, for example, SV40 origin, early promoter, enhancer, splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

Recombinant polypeptides and proteins produced in bacterial culture is usually isolated by initial extraction from cell pellets, followed by one or more salting-out, aqueous ion exchange or size exclusion chromatography steps. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps.

The present invention further includes isolated polypeptides, proteins and nucleic acid molecules which are substantially equivalent to those herein described. As used herein, substantially equivalent can refer both to nucleic acid and amino acid sequences, for example a mutant sequence, that varies from a reference sequence by one or more substitutions, deletions, or additions, the net effect of which does not result in an adverse functional dissimilarity between reference and subject sequences. For purposes of the present invention, sequences having equivalent biological activity, and equivalent expression characteristics are considered substantially equivalent. For purposes of determining equivalence, truncation of the mature sequence should be disregarded.

The invention further provides methods of obtaining homologs from other strains of *Streptococcus pneumoniae*, of the fragments of the *Streptococcus pneumoniae* genome of the present invention and homologs of the proteins encoded by the ORFs of the present invention. As used herein, a sequence or protein of *Streptococcus pneumoniae* is defined as a homolog of a fragment of the *Streptococcus pneumoniae* fragments or contigs or a protein encoded by one of the ORFs of the present invention, if it shares significant homology to one of the fragments of the *Streptococcus pneumoniae* genome of the present invention or a protein encoded by one of the ORFs of the present invention. Specifically, by using the sequence disclosed herein as a probe or as primers, and techniques such as PCR cloning and colony/plaque hybridization, one skilled in the art can obtain homologs.

As used herein, two nucleic acid molecules or proteins are said to "share significant homology" if the two contain regions which possess greater than 85% sequence (amino acid or nucleic acid) homology. Preferred homologs in this regard are those with more than 90% homology. Especially preferred are those with 93% or more homology. Among especially preferred homologs those with 95% or more homology are particularly preferred. Very particularly preferred among these are those with 97% and even more particularly preferred among those are homologs with 99% or more homology. The most preferred homologs among these are those with 99.9% homology or more. It will be understood that, among measures of homology, identity is particularly preferred in this regard.

Region specific primers or probes derived from the nucleotide sequence provided in SEQ ID NOS:1-391 or from a nucleotide sequence at least 95%, particularly at least 99%, especially at least 99.5% identical to a sequence of SEQ

ID NOS:1-391 can be used to prime DNA synthesis and PCR amplification, as well as to identify colonies containing cloned DNA encoding a homolog. Methods suitable to this aspect of the present invention are well known and have been described in great detail in many publications such as, for example, Innis *et al.*, *PCR Protocols*, Academic Press, San Diego, CA (1990)).

When using primers derived from SEQ ID NOS:1-391 or from a nucleotide sequence having an aforementioned identity to a sequence of SEQ ID NOS:1-391, one skilled in the art will recognize that by employing high stringency conditions (*e.g.*, annealing at 50-60°C in 6X SSPC and 50% formamide, and washing at 50-65°C in 0.5X SSPC) only sequences which are greater than 75% homologous to the primer will be amplified. By employing lower stringency conditions (*e.g.*, hybridizing at 35-37°C in 5X SSPC and 40-45% formamide, and washing at 42°C in 0.5X SSPC), sequences which are greater than 40-50% homologous to the primer will also be amplified.

When using DNA probes derived from SEQ ID NOS:1-391, or from a nucleotide sequence having an aforementioned identity to a sequence of SEQ ID NOS:1-391, for colony/plaque hybridization, one skilled in the art will recognize that by employing high stringency conditions (*e.g.*, hybridizing at 50- 65°C in 5X SSPC and 50% formamide, and washing at 50- 65°C in 0.5X SSPC), sequences having regions which are greater than 90% homologous to the probe can be obtained, and that by employing lower stringency conditions (*e.g.*, hybridizing at 35-37°C in 5X SSPC and 40-45% formamide, and washing at 42°C in 0.5X SSPC), sequences having regions which are greater than 35-45% homologous to the probe will be obtained.

Any organism can be used as the source for homologs of the present invention so long as the organism naturally expresses such a protein or contains genes encoding the same. The most preferred organism for isolating homologs are bacteria which are closely related to *Streptococcus pneumoniae*.

ILLUSTRATIVE USES OF COMPOSITIONS OF THE INVENTION

Each ORF provided in Tables 1 and 2 is identified with a function by homology to a known gene or polypeptide. As a result, one skilled in the art can use the polypeptides of the present invention for commercial, therapeutic and industrial purposes consistent with the type of putative identification of the polypeptide. Such identifications permit one skilled in the art to use the *Streptococcus pneumoniae* ORFs in a manner similar to the known type of sequences for which the identification is made; for example, to ferment a particular sugar source or to produce a particular metabolite. A variety of reviews illustrative of this aspect of the invention are available, including the following reviews on the industrial use of enzymes, for example, BIOCHEMICAL ENGINEERING AND BIOTECHNOLOGY HANDBOOK, 2nd Ed., MacMillan Publications, Ltd. NY (1991) and BIOCATALYSTS IN ORGANIC SYNTHESES, Tramper *et al.*, Eds., Elsevier Science Publishers, Amsterdam, The Netherlands (1985). A variety of exemplary uses that illustrate this and similar aspects of the present invention are discussed below.

1. Biosynthetic Enzymes

Open reading frames encoding proteins involved in mediating the catalytic reactions involved in intermediary and macromolecular metabolism, the biosynthesis of small molecules, cellular processes and other functions includes enzymes involved in the degradation of the intermediary products of metabolism, enzymes involved in central intermediary metabolism, enzymes involved in respiration, both aerobic and anaerobic, enzymes involved in fermentation, enzymes involved in ATP proton motor force conversion, enzymes involved in broad regulatory function, enzymes involved in amino acid synthesis, enzymes involved in nucleotide synthesis, enzymes involved in cofactor and vitamin synthesis, can be used for industrial biosynthesis.

The various metabolic pathways present in *Streptococcus pneumoniae* can be identified based on absolute nutritional requirements as well as by examining the various enzymes identified in Table 1-3 and SEQ ID NOS:1-391.

Of particular interest are polypeptides involved in the degradation of intermediary metabolites as well as non-macromolecular metabolism. Such enzymes include amylases, glucose oxidases, and catalase.

Proteolytic enzymes are another class of commercially important enzymes. Proteolytic enzymes find use in a number of industrial processes including the processing of flax and other vegetable fibers, in the extraction, clarification and depectinization of fruit juices, in the extraction of vegetables' oil and in the maceration of fruits and vegetables to give unicellular fruits. A detailed review of the proteolytic enzymes used in the food industry is provided in Rombouts *et al.*, *Symbiosis 21:*79 (1986) and Voragen *et al.* in *Biocatalysts In Agricultural Biotechnology*, Whitaker *et al.*, Eds., *American Chemical Society Symposium Series 389*:93 (1989).

The metabolism of sugars is an important aspect of the primary metabolism of *Streptococcus pneumoniae*. Enzymes involved in the degradation of sugars, such as, particularly, glucose, galactose, fructose and xylose, can be used in industrial fermentation. Some of the important sugar transforming enzymes, from a commercial viewpoint, include sugar isomerases such as glucose isomerase. Other metabolic enzymes have found commercial use such as glucose oxidases which produces ketogulonic acid (KGA). KGA is an intermediate in the commercial production of ascorbic acid using the Reichstein's procedure, as described in Krueger *et al.*, *Biotechnology* 6(A), Rhine *et al.*, Eds., Verlag Press, Weinheim, Germany (1984).

Glucose oxidase (GOD) is commercially available and has been used in purified form as well as in an immobilized form for the deoxygenation of beer. See, for instance, Hartmeir *et al.*, *Biotechnology Letters 1*:21 (1979). The most important application of GOD is the industrial scale fermentation of gluconic acid. Market for gluconic acids which are used in the detergent, textile, leather, photographic, pharmaceutical, food, feed and concrete industry, as described, for example, in Bigelis *et al.*, beginning on page 357 in GENE MANIPULATIONS AND FUNGI; Benett *et al.*, Eds., Academic Press, New York (1985). In addition to industrial applications, GOD has found applications in medicine for quantitative determination of glucose in body fluids recently in biotechnology for analyzing syrups from starch and cellulose hydrosylates. This application is described in Owusu *et al.*, *Biochem. et Biophysica. Acta. 872:*83 (1986), for instance.

The main sweetener used in the world today is sugar which comes from sugar beets and sugar cane. In the field of industrial enzymes, the glucose isomerase process shows the largest expansion in the market today. Initially, soluble enzymes were used and later immobilized enzymes were developed (Krueger *et al.*, *Biotechnology, The Textbook of Industrial Microbiology*, Sinauer Associated Incorporated, Sunderland, Massachusetts (1990)). Today, the use of glucose- produced high fructose syrups is by far the largest industrial business using immobilized enzymes. A review of the industrial use of these enzymes is provided by Jorgensen, Starch *40*:307 (1988).

Proteinases, such as alkaline serine proteinases, are used as detergent additives and thus represent one of the largest volumes of microbial enzymes used in the industrial sector. Because of their industrial importance, there is a large body of published and unpublished information regarding the use of these enzymes in industrial processes. (See Faultman *et al.*, Acid Proteases Structure Function and Biology, Tang, J., ed., Plenum Press, New York (1977) and Godfrey *et al.*, Industrial Enzymes, MacMillan Publishers, Surrey, UK (1983) and Hepner *et al.*, Report Industrial Enzymes by 1990, Hel Hepner & Associates, London (1986)).

Another class of commercially usable proteins of the present invention are the microbial lipases, described by, for instance, Macrae *et al.*, *Philosophical Transactions of the Chiral Society of London 310*:227 (1985) and Poserke, *Journal of the American Oil Chemist Society 61*:1758 (1984). A major use of lipases is in the fat and oil industry for the production of neutral glycerides using lipase catalyzed inter-esterification of readily available triglycerides. Application of lipases include the use as a detergent additive to facilitate the removal of fats from fabrics in the course of the washing procedures.

The use of enzymes, and in particular microbial enzymes, as catalyst for key steps in the synthesis of complex organic molecules is gaining popularity at a great rate. One area of great interest is the preparation of chiral intermediates. Preparation of chiral intermediates is of interest to a wide range of synthetic chemists particularly those scientists involved with the preparation of new pharmaceuticals, agrochemicals, fragrances and flavors. (See Davies *et al.*, *Recent Advances in the Generation of Chiral Intermediates Using Enzymes*, CRC Press, Boca Raton, Florida (1990)). The following reactions catalyzed by enzymes are of interest to organic chemists: hydrolysis of carboxylic acid esters, phosphate esters, amides and nitriles, esterification reactions, trans-esterification reactions, synthesis of amides, reduction of alkanones and oxoalkanates, oxidation of alcohols to carbonyl compounds, oxidation of sulfides to sulfoxides, and carbon bond forming reactions such as the aldol reaction.

When considering the use of an enzyme encoded by one of the ORFs of the present invention for biotransformation and organic synthesis it is sometimes necessary to consider the respective advantages and disadvantages of using a microorganism as opposed to an isolated enzyme. Pros and cons of using a whole cell system on the one hand or an isolated partially purified enzyme on the other hand, has been described in detail by Bud *et al.*, Chemistry in Britain (1987), p. 127.

Amino transferases, enzymes involved in the biosynthesis and metabolism of amino acids, are useful in the catalytic production of amino acids. The advantages of using microbial based enzyme systems is that the amino transferase enzymes catalyze the stereo- selective synthesis of only L-amino acids and generally possess uniformly high catalytic rates. A description of the use of amino transferases for amino acid production is provided by Roselle-David, *Methods of Enzymology 136*:479 (1987).

Another category of useful proteins encoded by the ORFs of the present invention include enzymes involved in nucleic acid synthesis, repair, and recombination.

2. Generation of Antibodies

As described here, the proteins of the present invention, as well as homologs thereof, can be used in a variety of procedures and methods known in the art which are currently applied to other proteins. The proteins of the present invention can further be used to generate an antibody which selectively binds the protein. Such antibodies can be either monoclonal or polyclonal antibodies, as well fragments of these antibodies, and humanized forms.

The invention further provides antibodies which selectively bind to one of the proteins of the present invention and hybridomas which produce these antibodies. A hybridoma is an immortalized cell line which is capable of secreting a specific monoclonal antibody.

In general, techniques for preparing polyclonal and monoclonal antibodies as well as hybridomas capable of producing the desired antibody are well known in the art (Campbell, A. M., *Monoclonal Antibody Technology: Laboratory Techniques In Biochemistry And Molecular Biology*, Elsevier Science Publishers, Amsterdam, The Netherlands (1984); St. Groth *et al.*, *J. Immunol. Methods 35:* 1-21 (1980), Kohler and Milstein, *Nature 256:*495-497 (1975)), the trioma technique, the human B-cell hybridoma technique (Kozbor *et al.*, *Immunology Today 4:*72 (1983), pgs. 77-96 of Cole *et al.*, in *Monoclonal Antibodies And Cancer Therapy*, Alan R. Liss, Inc. (1985)). Any animal (mouse, rabbit, *etc.*) which is known to produce antibodies can be immunized with the pseudogene polypeptide. Methods for immunization are well known in the art. Such methods

(1979); Engval, E. *et al.*, *Immunol. 109*:129 (1972); Goding, J. W., *J. Immunol. Meth. 13*:215 (1976)).

The labeled antibodies of the present invention can be used for *in vitro*, *in vivo*, and in situ assays to identify cells or tissues in which a fragment of the *Streptococcus pneumoniae* genome is expressed.

~~The present invention further provides the above=described antibodies~~ immobilized on a solid support. Examples of such solid supports include plastics such as polycarbonate, complex carbohydrates such as agarose and sepharose, acrylic resins and such as polyacrylamide and latex beads. Techniques for coupling antibodies to such solid supports are well known in the art (Weir, D. M. *et al.*, "Handbook of Experimental Immunology" 4th Ed., Blackwell Scientific Publications, Oxford, England, Chapter 10 (1986); Jacoby, W. D. *et al.*, Meth. Enzym. 34 Academic Press, N. Y. (1974)). The immobilized antibodies of the present invention can be used for *in vitro*, *in vivo*, and in situ assays as well as for immunoaffinity purification of the proteins of the present invention.

3. Diagnostic Assays and Kits

The present invention further provides methods to identify the expression of one of the ORFs of the present invention, or homolog thereof, in a test sample, using one of the DFs or antibodies of the present invention.

In detail, such methods comprise incubating a test sample with one or more of the antibodies or one or more of the DFs of the present invention and assaying for binding of the DFs or antibodies to components within the test sample.

Conditions for incubating a DF or antibody with a test sample vary. Incubation conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the DF or antibody used in the assay. One skilled in the art will recognize that any one of the commonly available hybridization, amplification or immunological assay formats can readily be adapted to employ the DFs or antibodies of the present invention. Examples of such assays can be found in Chard, T., *An Introduction to Radioimmunoassay and Related Techniques*, Elsevier Science Publishers, Amsterdam, The Netherlands (1986); Bullock, G. R. *et al.*, *Techniques in Immunocytochemistry*, Academic Press, Orlando, FL Vol. 1 (1982), Vol. 2 (1983), Vol. 3 (1985); Tijssen, P., *Practice and Theory of Enzyme Immunoassays: Laboratory Techniques in Biochemistry and*

Molecular Biology, Elsevier Science Publishers, Amsterdam, The Netherlands (1985).

The test samples of the present invention include cells, protein or membrane extracts of cells, or biological fluids such as sputum, blood, serum, plasma, or urine. The test sample used in the above-described method will vary based on the assay format, nature of the detection method and the tissues, cells or extracts used as the sample to be assayed. Methods for preparing protein extracts or membrane extracts of cells are well known in the art and can be readily be adapted in order to obtain a sample which is compatible with the system utilized.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the assays of the present invention.

Specifically, the invention provides a compartmentalized kit to receive, in close confinement, one or more containers which comprises: (a) a first container comprising one of the DFs or antibodies of the present invention; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of a bound DF or antibody.

In detail, a compartmentalized kit includes any kit in which reagents are contained in separate containers. Such containers include small glass containers, plastic containers or strips of plastic or paper. Such containers allows one to efficiently transfer reagents from one compartment to another compartment such that the samples and reagents are not cross-contaminated, and the agents or solutions of each container can be added in a quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the antibodies used in the assay, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, *etc.*), and containers which contain the reagents used to detect the bound antibody or DF.

Types of detection reagents include labelled nucleic acid probes, labelled secondary antibodies, or in the alternative, if the primary antibody is labelled, the enzymatic, or antibody binding reagents which are capable of reacting with the labelled antibody. One skilled in the art will readily recognize that the disclosed DFs and antibodies of the present invention can be readily incorporated into one of the established kit formats which are well known in the art.

4. Screening Assay for Binding Agents

Using the isolated proteins of the present invention, the present invention further provides methods of obtaining and identifying agents which bind to a protein encoded by one of the ORFs of the present invention or to one of the fragments and the *Streptococcus pneumoniae* fragment and contigs herein described.

In general, such methods comprise steps of:

(a) contacting an agent with an isolated protein encoded by one of the ORFs of the present invention, or an isolated fragment of the *Streptococcus pneumoniae* genome; and

(b) determining whether the agent binds to said protein or said fragment.

The agents screened in the above assay can be, but are not limited to, peptides, carbohydrates, vitamin derivatives, or other pharmaceutical agents. The agents can be selected and screened at random or rationally selected or designed using protein modeling techniques.

For random screening, agents such as peptides, carbohydrates, pharmaceutical agents and the like are selected at random and are assayed for their ability to bind to the protein encoded by the ORF of the present invention.

Alternatively, agents may be rationally selected or designed. As used herein, an agent is said to be "rationally selected or designed" when the agent is chosen based on the configuration of the particular protein. For example, one skilled in the art can readily adapt currently available procedures to generate peptides, pharmaceutical agents and the like capable of binding to a specific peptide sequence in order to generate rationally designed antipeptide peptides, for example see Hurby *et al.*, "Application of Synthetic Peptides: Antisense Peptides," in *Synthetic Peptides, A User's Guide*, W. H. Freeman, NY (1992), pp. 289-307, and Kaspczak *et al.*, *Biochemistry* 28:9230-8 (1989), or pharmaceutical agents, or the like.

In addition to the foregoing, one class of agents of the present invention, as broadly described, can be used to control gene expression through binding to one of the ORFs or EMFs of the present invention. As described above, such agents can be randomly screened or rationally designed/selected. Targeting the ORF or EMF allows a skilled artisan to design sequence specific or element specific agents, modulating the expression of either a single ORF or multiple ORFs which rely on the same EMF for expression control.

One class of DNA binding agents are agents which contain base residues which hybridize or form a triple helix by binding to DNA or RNA. Such agents can be based on the classic phosphodiester, ribonucleic acid backbone, or can be a variety of sulfhydryl or polymeric derivatives which have base attachment capacity.

Agents suitable for use in these methods usually contain 20 to 40 bases and are designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee *et al.*, *Nucl. Acids Res.* *6*:3073 (1979); Cooney *et al.*, *Science 241*:456 (1988); and Dervan *et al.*, *Science 251:*1360 (1991)) or to the mRNA itself (antisense - Okano, *J. Neurochem.* *56:*560 (1991); *Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression*, CRC Press, Boca Raton, FL (1988)). Triple helix- formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated to be effective in model systems. Information contained in the sequences of the present invention can be used to design antisense and triple helix-forming oligonucleotides, and other DNA binding agents.

5. Pharmaceutical Compositions and Vaccines

The present invention further provides pharmaceutical agents which can be used to modulate the growth or pathogenicity of *Streptococcus pneumoniae*, or another related organism, *in vivo* or *in vitro*. As used herein, a "pharmaceutical agent" is defined as a composition of matter which can be formulated using known techniques to provide a pharmaceutical compositions. As used herein, the "pharmaceutical agents of the present invention" refers the pharmaceutical agents which are derived from the proteins encoded by the ORFs of the present invention or are agents which are identified using the herein described assays.

As used herein, a pharmaceutical agent is said to "modulate the growth pathogenicity of *Streptococcus pneumoniae* or a related organism, *in vivo* or *in vitro*," when the agent reduces the rate of growth, rate of division, or viability of the organism in question. The pharmaceutical agents of the present invention can modulate the growth or pathogenicity of an organism in many fashions, although an understanding of the underlying mechanism of action is not needed to practice the use of the pharmaceutical agents of the present invention. Some agents will modulate the growth by binding to an important protein thus blocking the biological activity of the protein, while other agents may bind to a component of the outer surface of the organism blocking attachment or rendering the organism more prone to act the bodies nature immune system. Alternatively, the agent may comprise a protein encoded by one of the ORFs of the present invention and serve as a vaccine. The development and use of a vaccine based on outer membrane components are well known in the art.

As used herein, a "related organism" is a broad term which refers to any organism whose growth can be modulated by one of the pharmaceutical agents of the present invention. In general, such an organism will contain a homolog of the protein which is the target of the pharmaceutical agent or the protein used as a vaccine. As such, related organisms do not need to be bacterial but may be fungal or viral pathogens.

The pharmaceutical agents and compositions of the present invention may be administered in a convenient manner, such as by the oral, topical, intravenous, intraperitoneal, intramuscular, subcutaneous, intranasal or intradermal routes. The pharmaceutical compositions are administered in an amount which is effective for treating and/or prophylaxis of the specific indication. In general, they are administered in an amount of at least about 1 mg/kg body weight and in most cases they will be administered in an amount not in excess of about 1 g/kg body weight per day. In most cases, the dosage is from about 0.1 mg/kg to about 10 g/kg body weight daily, taking into account the routes of administration, symptoms, *etc.*

The agents of the present invention can be used in native form or can be modified to form a chemical derivative. As used herein, a molecule is said to be a "chemical derivative" of another molecule when it contains additional chemical moieties not normally a part of the molecule. Such moieties may improve the molecule's solubility, absorption, biological half life, *etc.* The moieties may alternatively decrease the toxicity of the molecule, eliminate or attenuate any undesirable side effect of the molecule, *etc.* Moieties capable of mediating such effects are disclosed in, among other sources, REMINGTON'S PHARMACEUTICAL SCIENCES (1980) cited elsewhere herein.

For example, such moieties may change an immunological character of the functional derivative, such as affinity for a given antibody. Such changes in immunomodulation activity are measured by the appropriate assay, such as a competitive type immunoassay. Modifications of such protein properties as redox or thermal stability, biological half-life, hydrophobicity, susceptibility to proteolytic degradation or the tendency to aggregate with carriers or into multimers also may be effected in this way and can be assayed by methods well known to the skilled artisan.

The therapeutic effects of the agents of the present invention may be obtained by providing the agent to a patient by any suitable means (*e.g.*, inhalation, intravenously, intramuscularly, subcutaneously, enterally, or parenterally). It is preferred to administer the agent of the present invention so as to achieve an effective concentration within the blood or tissue in which the growth of the organism is to be controlled. To achieve an effective blood concentration, the preferred method is to administer the agent by injection. The administration may be by continuous infusion, or by single or multiple injections.

In providing a patient with one of the agents of the present invention, the dosage of the administered agent will vary depending upon such factors as the patient's age, weight, height, sex, general medical condition, previous medical history, *etc.* In general, it is desirable to provide the recipient with a dosage of agent which is in the range of from about 1 pg/kg to 10 mg/kg (body weight of patient), although a lower or higher dosage may be administered. The therapeutically effective dose can be lowered by using combinations of the agents of the present invention or another agent.

As used herein, two or more compounds or agents are said to be administered "in combination" with each other when either (1) the physiological effects of each compound, or (2) the serum concentrations of each compound can be measured at the same time. The composition of the present invention can be administered concurrently with, prior to, or following the administration of the other agent.

The agents of the present invention are intended to be provided to recipient subjects in an amount sufficient to decrease the rate of growth (as defined above) of the target organism.

The administration of the agent(s) of the invention may be for either a "prophylactic" or "therapeutic" purpose. When provided prophylactically, the agent(s) are provided in advance of any symptoms indicative of the organisms growth. The prophylactic administration of the agent(s) serves to prevent, attenuate, or decrease the rate of onset of any subsequent infection. When provided therapeutically, the agent(s) are provided at (or shortly after) the onset of an indication of infection. The therapeutic administration of the compound(s) serves to attenuate the pathological symptoms of the infection and to increase the rate of recovery.

The agents of the present invention are administered to a subject, such as a mammal, or a patient, in a pharmaceutically acceptable form and in a therapeutically effective concentration. A composition is said to be "pharmacologically acceptable" if its administration can be tolerated by a recipient patient. Such an agent is said to be administered in a "therapeutically effective amount" if the amount administered is physiologically significant. An agent is physiologically significant if its presence results in a detectable change in the physiology of a recipient patient.

The agents of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby these materials, or their functional derivatives, are combined in a mixture with a pharmaceutically acceptable carrier vehicle. Suitable vehicles and their formulation, inclusive of other human proteins, *e.g.*, human serum albumin, are described, for example, in REMINGTON'S PHARMACEUTICAL SCIENCES, 16th Ed., Osol, A., Ed., Mack Publishing, Easton PA (1980). In order to form a pharmaceutically acceptable composition suitable for effective administration, such compositions will contain an effective amount of one or more of the agents of the present invention, together with a suitable amount of carrier vehicle.

Additional pharmaceutical methods may be employed to control the duration of action. Control release preparations may be achieved through the use of polymers to complex or absorb one or more of the agents of the present invention. The controlled delivery may be effectuated by a variety of well known techniques, including formulation with macromolecules such as, for example, polyesters, polyamino acids, polyvinyl, pyrrolidone, ethylenevinylacetate, methylcellulose, carboxymethylcellulose, or protamine, sulfate, adjusting the concentration of the macromolecules and the agent in the formulation, and by appropriate use of methods of incorporation, which can be manipulated to effectuate a desired time course of release. Another possible method to control the duration of action by controlled release preparations is to incorporate agents of the present invention into particles of a polymeric material such as polyesters, polyamino acids, hydrogels, poly(lactic acid) or ethylene vinylacetate copolymers. Alternatively, instead of incorporating these agents into polymeric particles, it is possible to entrap these materials in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization with, for example, hydroxymethylcellulose or gelatinemicrocapsules and poly(methylmethacylate) microcapsules, respectively, or in colloidal drug delivery systems, for example, liposomes, albumin microspheres, microemulsions, nanoparticles, and nanocapsules or in macroemulsions. Such techniques are disclosed in REMINGTON'S PHARMACEUTICAL SCIENCES (1980).

The invention further provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

In addition, the agents of the present invention may be employed in conjunction with other therapeutic compounds.

6. Shot-Gun Approach to Megabase DNA Sequencing

The present invention further demonstrates that a large sequence can be sequenced using a random shotgun approach. This procedure, described in detail in the examples that follow, has eliminated the up front cost of isolating and ordering overlapping or contiguous subclones prior to the start of the sequencing protocols.

Certain aspects of the present invention are described in greater detail in the examples that follow. The examples are provided by way of illustration. Other aspects and embodiments of the present invention are contemplated by the inventors, as will be clear to those of skill in the art from reading the present disclosure.

ILLUSTRATIVE EXAMPLES

LIBRARIES AND SEQUENCING

1. Shotgun Sequencing Probability Analysis

The overall strategy for a shotgun approach to whole genome sequencing follows from the Lander and Waterman (Landerman and Waterman, *Genomics* 2:231 (1988)) application of the equation for the Poisson distribution. According to this treatment, the probability, P_0, that any given base in a sequence of size L, in nucleotides, is not sequenced after a certain amount, n, in nucleotides, of random sequence has been determined can be calculated by the equation P = e^{-m}, where m is L/n, the fold coverage. For instance, for a genome of 2.8 Mb, m=1 when 2.8 Mb of sequence has been randomly generated (1X coverage). At that point, P = e^{-1} = 0.37. The probability that any given base has not been sequenced is the same as the probability that any region of the whole sequence L has not been determined and, therefore, is equivalent to the fraction of the whole sequence that has yet to be determined. Thus, at one-fold coverage, approximately 37% of a polynucleotide of size L, in nucleotides has not been sequenced. When 14 Mb of sequence has been generated, coverage is 5X for a 2.8 Mb and the unsequenced fraction drops to .0067 or 0.67%. 5X coverage of a 2.8 Mb sequence can be attained by sequencing approximately 17,000 random clones from both insert ends with an average sequence read length of 410 bp.

Similarly, the total gap length, G, is determined by the equation G = Le^{-m}, and the average gap size, g, follows the equation, g = L/n. Thus, 5X coverage leaves about 240 gaps averaging about 82 bp in size in a sequence of a polynucleotide 2.8 Mb long.

The treatment above is essentially that of Lander and Waterman, *Genomics* 2: 231 (1988).

2. Random Library Construction

In order to approximate the random model described above during actual sequencing, a nearly ideal library of cloned genomic fragments is required. The following library construction procedure was developed to achieve this end.

Streptococcus pneumoniae DNA is prepared by phenol extraction. A mixture containing 200 µg DNA in 1.0 ml of 300 mM sodium acetate, 10 mM Tris-HCl, 1 mM Na-EDTA, 50% glycerol is processed through a nebulizer (IPI Medical Products) with a stream of nitrogen adjusted to 35 Kpa for 2 minutes. The sonicated DNA is ethanol precipitated and redissolved in 500 µl TE buffer.

To create blunt-ends, a 100 µl aliquot of the resuspended DNA is digested with 5 units of BAL31 nuclease (New England BioLabs) for 10 min at 30°C in 200 µl BAL31 buffer. The digested DNA is phenol-extracted, ethanol-precipitated, redissolved in 100 µl TE buffer, and then size-fractionated by electrophoresis through a 1.0% low melting temperature agarose gel.. The section containing DNA fragments 1.6-2.0 kb in size is excised from the gel, and the LGT agarose is melted and the resulting solution is extracted with phenol to separate the agarose from the

DNA. DNA is ethanol precipitated and redissolved in 20 µl of TE buffer for ligation to vector.

A two-step ligation procedure is used to produce a plasmid library with 97% inserts, of which >99% were single inserts. The first ligation mixture (50 ul) contains 2 µg of DNA fragments, 2 µg pUC18 DNA (Pharmacia) cut with SmaI and dephosphorylated with bacterial alkaline phosphatase, and 10 units of T4 ligase (GIBCO/BRL) and is incubated at 14°C for 4 hr. The ligation mixture then is phenol extracted and ethanol precipitated, and the precipitated DNA is dissolved in 20 µl TE buffer and electrophoresed on a 1.0% low melting agarose gel. Discrete bands in a ladder are visualized by ethidium bromide-staining and UV illumination and identified by size as insert (I), vector (v), v+I, v+2i, v+3i, *etc.* The portion of the gel containing v+I DNA is excised and the v+I DNA is recovered and resuspended into 20 µl TE. The v+I DNA then is blunt-ended by T4 polymerase treatment for 5 min. at 37°C in a reaction mixture (50 ul) containing the v+I linears, 500 µM each of the 4 dNTPs, and 9 units of T4 polymerase (New England BioLabs), under recommended buffer conditions. After phenol extraction and ethanol precipitation the repaired v+I linears are dissolved in 20 µl TE. The final ligation to produce circles is carried out in a 50 µl reaction containing 5 µl of v+I linears and 5 units of T4 ligase at 14°C overnight. After 10 min. at 70°C the following day, the reaction mixture is stored at -20°C.

This two-stage procedure results in a molecularly random collection of single-insert plasmid recombinants with minimal contamination from double-insert chimeras (<1%) or free vector (<3%).

Since deviation from randomness can arise from propagation the DNA in the host, *E. coli* host cells deficient in all recombination and restriction functions (A. Greener, *Strategies 3 (1)*:5 (1990)) are used to prevent rearrangements, deletions, and loss of clones by restriction. Furthermore, transformed cells are plated directly on antibiotic diffusion plates to avoid the usual broth recovery phase which allows multiplication and selection of the most rapidly growing cells.

Plating is carried out as follows. A 100 µl aliquot of Epicurian Coli SURE II Supercompetent Cells (Stratagene 200152) is thawed on ice and transferred to a chilled Falcon 2059 tube on ice. A 1.7 µl aliquot of 1.42 M beta-mercaptoethanol is added to the aliquot of cells to a final concentration of 25 mM. Cells are incubated on ice for 10 min. A 1 µl aliquot of the final ligation is added to the cells and incubated on ice for 30 min. The cells are heat pulsed for 30 sec. at 42°C and placed back on ice for 2 min. The outgrowth period in liquid culture is eliminated from this protocol in order to minimize the preferential growth of any given transformed cell. Instead the transformation mixture is plated directly on a nutrient rich SOB plate containing a 5 ml bottom layer of SOB agar (5% SOB agar: 20 g tryptone, 5 g yeast extract, 0.5 g NaCl, 1.5% Difco Agar per liter of media). The 5 ml bottom layer is supplemented with 0.4 ml of 50 mg/ml ampicillin per 100 ml SOB agar. The 15 ml top layer of SOB agar is supplemented with 1 ml X-Gal (2%), 1 ml MgCl (1 M), and 1 ml MgSO /100 ml SOB agar. The 15 ml top layer is poured just prior to plating. Our titer is approximately 100 colonies/10 µl aliquot of transformation.^{2} ^{4}

All colonies are picked for template preparation regardless of size. Thus, only clones lost due to "poison" DNA or deleterious gene products are deleted from the library, resulting in a slight increase in gap number over that expected.

3. Random DNA Sequencing

High quality double stranded DNA plasmid templates are prepared using a "boiling bead" method developed in collaboration with Advanced Genetic Technology Corp. (Gaithersburg, MD) (Adams *et al.*, *Science 252*:1651 (1991); Adams *et al.*, *Nature 355*:632 (1992)). Plasmid preparation is performed in a 96-well format for all stages of DNA preparation from bacterial growth through final DNA purification. Template concentration is determined using Hoechst Dye and a Millipore Cytofluor. DNA concentrations are not adjusted, but low-yielding templates are identified where possible and not sequenced.

Templates are also prepared from two *Streptococcus pneumoniae* lambda genomic libraries. An amplified library is constructed in the vector Lambda GEM-12 (Promega) and an unamplified library is constructed in Lambda DASH II (Stratagene). In particular, for the unamplified lambda library, *Streptococcus pneumoniae* DNA (> 100 kb) is partially digested in a reaction mixture (200 ul) containing 50 µg DNA, 1X Sau3AI buffer, 20 units Sau3AI for 6 min. at 23°C. The digested DNA was phenol-extracted and electrophoresed on a 0.5% low melting agarose gel at 2V/cm for 7 hours. Fragments from 15 to 25 kb are excised and recovered in a final volume of 6 ul. One µl of fragments is used with 1 µl of DASHII vector (Stratagene) in the recommended ligation reaction. One µl of the ligation mixture is used per packaging reaction following the recommended protocol with the Gigapack II XL Packaging Extract (Stratagene, #227711). Phage are plated directly without amplification from the packaging mixture (after dilution with 500 µl of recommended SM buffer and chloroform treatment). Yield is about $2.5x10^3$ pfu/ul. The amplified library is prepared essentially as above except the lambda GEM-12 vector is used. After packaging, about $3.5x10^4$ pfu are plated on the restrictive NM539 host. The lysate is harvested in 2 ml of SM buffer and stored frozen in 7% dimethylsulfoxide. The phage titer is approximately $1x10^9$ pfu/ml.

Liquid lysates (100 µl) are prepared from randomly selected plaques (from the unamplified library) and template is prepared by long-range PCR using T7 and T3 vector-specific primers.

Sequencing reactions are carried out on plasmid and/or PCR templates using the AB Catalyst LabStation with Applied Biosystems PRISM Ready Reaction Dye Primer Cycle Sequencing Kits for the M13 forward (M13-21) and the M13 reverse (M13RP1) primers (Adams *et al.*, *Nature 368*:474 (1994)). Dye terminator sequencing reactions are carried out on the lambda templates on a Perkin-Elmer 9600 Thermocycler using the Applied Biosystems Ready Reaction Dye Terminator Cycle Sequencing kits. T7 and SP6 primers are used to sequence the ends of the inserts from the Lambda GEM-12 library and T7 and T3 primers are used to sequence the ends of the inserts from the Lambda DASH II library. Sequencing reactions are performed by eight individuals using an average of fourteen AB 373 DNA Sequencers per day. All sequencing reactions are analyzed using the Stretch modification of the AB 373, primarily using a 34 cm well-to-read distance. The overall sequencing success rate very approximately is about 85% for M13-21 and M13RP1 sequences and 65% for dye-terminator reactions. The average usable read length is 485 bp for M13-21 sequences, 445bp for M13RP1 sequences, and 375 bp for dye-terminator reactions.

Richards *et al.,* Chapter 28 in AUTOMATED DNA SEQUENCING AND ANALYSIS, M. D. Adams, C. Fields, J. C. Venter, Eds., Academic Press, London, (1994) described the value of using sequence from both ends of sequencing templates to facilitate ordering of contigs in shotgun assembly projects of lambda and cosmid clones. We balance the desirability of both-end sequencing (including the reduced cost of lower total number of templates) against shorter read-lengths for sequencing reactions performed with the M13RP1 (reverse) primer compared to the M13-21 (forward) primer. Approximately one-half of the templates are sequenced from both ends. Random reverse sequencing reactions are done based on successful forward sequencing reactions. Some M13RP1 sequences are obtained in a semi-directed fashion: M13-21: sequences pointing outward at the ends of contigs are chosen for M13RP1 sequencing in an effort to specifically order contigs.

4. Protocol for Automated Cycle Sequencing

The sequencing is carried out using ABI Catalyst robots and AB 373 Automated DNA Sequencers. The Catalyst robot is a publicly available sophisticatcd pipetting and temperature control robot which has been developed specifically for DNA sequencing reactions. The Catalyst combines pre-aliquoted templates and reaction mixes consisting of deoxy- and dideoxynucleotides, the thermostable Taq DNA polymerase, fluorescently-labelled sequencing primers, and reaction buffer. Reaction mixes and templates are combined in the wells of an aluminum 96-well thermocycling plate. Thirty consecutive cycles of linear amplification (i.*e*.., one primer synthesis) steps are performed including denaturation, annealing of primer and template, and extension; *i.e.*, DNA synthesis. A heated lid with rubber gaskets on the thermocycling plate prevents evaporation without the need for an oil overlay.

Two sequencing protocols are used: one for dye-labelled primers and a second for dye-labelled dideoxy chain terminators. The shotgun sequencing involves use of four dye-labelled sequencing primers, one for each of the four terminator nucleotide. Each dye-primer is labelled with a different fluorescent dye, permitting the four individual reactions to be combined into one lane of the 373 DNA Sequencer for electrophoresis, detection, and base-calling. ABI currently supplies pre-mixed reaction mixes in bulk packages containing all the necessary non-template reagents for sequencing. Sequencing can be done with both plasmid and PCR- generated templates with both dye-primers and dye- terminators with approximately equal fidelity, although plasmid templates generally give longer usable sequences.

Thirty-two reactions are loaded per AB373 Sequencer each day, for a total of 960 samples. Electrophoresis is run overnight following the manufacturer's protocols, and the data is collected for twelve hours. Following electrophoresis and fluorescence detection, the ABI 373 performs automatic lane tracking and base-calling. The lane-tracking is confirmed visually. Each sequence electropherogram (or fluorescence lane trace) is inspected visually and assessed for quality. Trailing sequences of low quality are removed and the sequence itself is loaded via software to a Sybase database (archived daily to 8mm tape). Leading vector polylinker sequence is removed automatically by a software program. Average edited lengths of sequences from the standard ABI 373 are around 400 bp and depend mostly on the quality of the template used for the sequencing reaction. ABI 373 Sequencers converted to Stretch Liners provide a longer electrophoresis path prior to fluorescence detection and increase the average number of usable bases to 500-600 bp.

INFORMATICS

1. Data Management

A number of information management systems for a large-scale sequencing lab have been developed. (For review see, for instance, Kerlavage *et al.*, *Proceedings of the Twenty-Sixth Annual Hawaii International Conference on System Sciences*, IEEE Computer Society Press, Washington D. C., 585 (1993)) The system used to collect and assemble the sequence data was developed using the Sybase relational database management system and was designed to automate data flow wherever possible and to reduce user error. The database stores and correlates all information collected during the entire operation from template preparation to final analysis of the genome. Because the raw output of the ABI 373 Sequencers was based on a Macintosh platform and the data management system chosen was based on a Unix platform, it was necessary to design and implement a variety of multi- user, client-server applications which allow the raw data as well as analysis results to flow seamlessly into the database with a minimum of user effort.

2. Assembly

An assembly engine (TIGR Assembler) developed for the rapid and accurate assembly of thousands of sequence fragments was employed to generate contigs. The TIGR assembler simultaneously clusters and assembles fragments of the genome. In order to obtain the speed necessary to assemble more than 10^4 fragments, the algorithm builds a hash table of 12 bp oligonucleotide subsequences to generate a list of potential sequence fragment overlaps. The number of potential overlaps for each fragment determines which fragments are likely to fall into repetitive elements. Beginning with a single seed sequence fragment, TIGR Assembler extends the. current contig by attempting to add the best matching fragment based on oligonucleotide content. The contig and candidate fragment are aligned using a modified version of the Smith-Waterman algorithm which provides for optimal gapped alignments (Waterman, M. S., *Methods in Enzymology 164:*765 (1988)). The contig is extended by the fragment only if strict criteria for the quality of the match are met. The match criteria include the minimum length of overlap, the maximum length of an unmatched end, and the minimum percentage match. These criteria are automatically lowered by the algorithm in regions of minimal coverage and raised in regions with a possible repetitive element. The number of potential overlaps for each fragment determines which fragments are likely to fall into repetitive elements. Fragments representing the boundaries of repetitive elements and potentially chimeric fragments are often rejected based on partial mismatches at the ends of alignments and excluded from the current contig. TIGR Assembler is designed to take advantage of clone size information coupled with sequencing from both ends of each template. It enforces the constraint that sequence fragments from two ends of the same template point toward one another in the contig and are located within a certain range of base pairs (definable for each clone based on the known clone size range for a given library).

The process resulted in 391 contigs as represented by SEQ ID NOs:1-391.

3. Identifying Genes

The predicted coding regions of the *Streptococcus pneumoniae* genome were initially defined with the program GeneMark, which finds ORFs using a probabilistic classification technique. The predicted coding region sequences were used in searches against a database of all nucleotide sequences from GenBank (October, 1997), using the BLASTN search method to identify overlaps of 50 or more nucleotides with at least a 95% identity. Those ORFs with nucleotide sequence matches are shown in Table 1. The ORFs without such matches were translated to protein sequences and compared to a non-redundant database of known proteins generated by combining the Swiss-prot, PIR and GenPept databases. ORFs that matched a database protein with BLASTP probability less than or equal to 0.01 are shown in Table 2. The table also lists assigned functions based on the closest match in the databases. ORFs that did not match protein or nucleotide sequences in the databases at these levels are shown in Table 3.

ILLUSTRATIVE APPLICATIONS

1. Production of an Antibody to a *Streptococcus pneumoniae* Protein

Substantially pure protein or polypeptide is isolated from the transfected or transformed cells using any one of the methods known in the art. The protein can also be produced in a recombinant prokaryotic expression system, such as *E. coli*, or can be chemically synthesized. Concentration of protein in the final preparation is adjusted, for example, by concentration on an Amicon filter device, to the level of a few micrograms/ml. Monoclonal or polyclonal antibody to the protein can then be prepared as follows.

2. Monoclonal Antibody Production by Hybridoma Fusion

Monoclonal antibody to epitopes of any of the peptides identified and isolated as described can be prepared from murine hybridomas according to the classical method of Kohler, G. and Milstein, C., *Nature 256*:495 (1975) or modifications of the methods thereof. Briefly, a mouse is repetitively inoculated with a few micrograms of the selected protein over a period of a few weeks. The mouse is then sacrificed, and the antibody producing cells of the spleen isolated. The spleen cells are fused by means of polyethylene glycol with mouse myeloma cells, and the excess unfused cells destroyed by growth of the system on selective media comprising aminopterin (HAT media). The successfully fused cells are diluted and aliquots of the dilution placed in wells of a microtiter plate where growth of the culture is continued. Antibody-producing clones are identified by detection of antibody in the supernatant fluid of the wells by immunoassay procedures, such as ELISA, as originally described by Engvall, E., *Meth. Enzymol. 70:*419 (1980), and modified methods thereof. Selected positive clones can be expanded and their monoclonal antibody product harvested for use. Detailed procedures for monoclonal antibody production are described in Davis, L. *et al., Basic Methods in Molecular Biology,* Elsevier, New York. Section 21-2 (1989).

3. Polyclonal Antibody Production by Immunization

Polyclonal antiserum containing antibodies to heterogenous epitopes of a single protein can be prepared by immunizing suitable animals with the expressed protein described above, which can be unmodified or modified to enhance immunogenicity. Effective polyclonal antibody production is affected by many factors related both to the antigen and the host species. For example, small molecules tend to be less immunogenic than others and may require the use of carriers and adjuvant. Also, host animals vary in response to site of inoculations and dose, with both inadequate or excessive doses of antigen resulting in low titer antisera. Small doses (ng level) of antigen administered at multiple intradermal sites appears to be most reliable. An effective immunization protocol for rabbits can be found in Vaitukaitis, J. *et al.*, *J. Clin.* Endocrinol. Metab. 33:988-991 (1971).

Booster injections can be given at regular intervals, and antiserum harvested when antibody titer thereof, as determined semi-quantitatively, for example, by double immunodiffusion in agar against known concentrations of the antigen, begins to fall. See, for example, Ouchterlony, O. *et al.*, Chap. 19 in: *Handbook of Experimental Immunology*, Wier, D., ed, Blackwell (1973). Plateau concentration of antibody is usually in the range of 0.1 to 0.2 mg/ml of serum (about 12M). Affinity of the antisera for the antigen is determined by preparing competitive binding curves, as described, for example, by Fisher, D., Chap. 42 in: *Manual of Clinical Immunology*, second edition, Rose and Friedman, eds., Amer. Soc. For Microbiology, Washington, D. C. (1980)

Antibody preparations prepared according to either protocol are useful in quantitative immunoassays which determine concentrations of antigen-bearing substances in biological samples; they are also used semi- quantitatively or qualitatively to identify the presence of antigen in a biological sample. In addition, antibodies are useful in various animal models of pneumococcal disease as a means of evaluating the protein used to make the antibody as a potential vaccine target or as a means of evaluating the antibody as a potential immunotherapeutic or immunoprophylactic reagent.

4. Preparation of PCR Primers and Amplification of DNA

Various fragments of the *Streptococcus pneumoniae* genome, such as those of Tables 1-3 and SEQ ID NOS:1-391 can be used, in accordance with the present invention, to prepare PCR primers for a variety of uses. The PCR primers are preferably at least 15 bases, and more preferably at least 18 bases in length. When selecting a primer sequence, it is preferred that the primer pairs have approximately the same G/C ratio, so that melting temperatures are approximately the same. The PCR primers and amplified DNA of this Example find use in the Examples that follow.

5. Gene expression from DNA Sequences Corresponding to ORFs

A fragment of the *Streptococcus pneumoniae* genome provided in Tables 1-3 is introduced into an expression vector using conventional technology. Techniques to transfer cloned sequences into expression vectors that direct protein translation in mammalian, yeast, insect or bacterial expression systems are well known in the art. Commercially available vectors and expression systems are available from a variety of suppliers including Stratagene (La Jolla, California), Promega (Madison, Wisconsin), and Invitrogen (San Diego, California). If desired, to enhance expression and facilitate proper protein folding, the codon context and codon pairing of the sequence may be optimized for the particular expression organism, as explained by Hatfield *et al.*, U. S. Patent No. 5,082,767, incorporated herein by this reference.

The following is provided as one exemplary method to generate polypeptide(s) from cloned ORFs of the *Streptococcus pneumoniae* genome fragment. Bacterial ORFs generally lack a poly A addition signal. The addition signal sequence can be added to the construct by, for example, splicing out the poly A addition sequence from pSG5 (Stratagene) using BglI and SalI restriction endonuclease enzymes and incorporating it into the mammalian expression vector pXT1 (Stratagene) for use in eukaryotic expression systems. pXT1 contains the LTRs and a portion of the gag gene of Moloney Murine Leukemia Virus. The positions of the LTRs in the construct allow efficient stable transfection. The vector includes the Herpes Simplex thymidine kinase promoter and the selectable neomycin gene. The *Streptococcus pneumoniae* DNA is obtained by PCR from the bacterial vector using oligonucleotide primers complementary to the *Streptococcus pneumoniae* DNA and containing restriction endonuclease sequences for PstI incorporated into the 5' primer and BglII at the 5' end of the corresponding *Streptococcus pneumoniae* DNA 3' primer, taking care to ensure that the *Streptococcus pneumoniae* DNA is positioned such that its followed with the poly A addition sequence. The purified fragment obtained from the resulting PCR reaction is digested with PstI, blunt ended with an exonuclease, digested with BglII, purified and ligated to pXT1, now containing a poly A addition sequence and digested BglII.

The ligated product is transfected into mouse NIH 3T3 cells using Lipofectin (Life Technologies, Inc., Grand Island, New York) under conditions outlined in the product specification. Positive transfectants are selected after growing the transfected cells in 600 ug/ml G418 (Sigma, St. Louis, Missouri). The protein is preferably released into the supernatant. However if the protein has membrane binding domains, the protein may additionally be retained within the cell or expression may be restricted to the cell surface. Since it may be necessary to purify and locate the transfected product, synthetic 15-mer peptides synthesized from the predicted *Streptococcus pneumoniae* DNA sequence are injected into mice to generate antibody to the polypeptide encoded by the *Streptococcus pneumoniae* DNA.

Alternatively and if antibody production is not possible, the *Streptococcus pneumoniae* DNA sequence is additionally incorporated into eukaryotic expression vectors and expressed as, for example, a globin fusion. Antibody to the globin moiety then is used to purify the chimeric protein. Corresponding protease cleavage sites are engineered between the globin moiety and the polypeptide encoded by the *Streptococcus pneumoniae* DNA so that the latter may be freed from the formed by simple protease digestion. One useful expression vector for generating globin chimerics is pSG5 (Stratagene). This vector encodes a rabbit globin. Intron II of the rabbit globin gene facilitates splicing of the expressed transcript, and the polyadenylation signal incorporated into the construct increases the level of expression. These techniques are well known to those skilled in the art of molecular biology. Standard methods are published in methods texts such as Davis *et al.*, cited elsewhere herein, and many of the methods are available from the technical assistance representatives from Stratagene, Life Technologies, Inc., or Promega. Polypeptides of the invention also may be produced using *in vitro* translation systems such as *in vitro* ExpressTM Translation Kit (Stratagene).

While the present invention has been described in some detail for purposes of clarity and understanding, one skilled in the art will appreciate that various changes in form and detail can be made without departing from the true scope of the invention.

All patents, patent applications and publications referred to above are hereby incorporated by reference.

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
1	1	437	1003	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	92	200	567
2	5	6169	5720	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	96	450	450
2	6	6592	6167	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	98	426	426
3	11	9770	9147	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	94	624	624
3	12	10489	9671	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	91	819	819
3	13	11546	12019	gb|U43526|	Streptococcus pneumoniae neuraminidase B (nanB) gene, complete cds, and neuraminidase (nanA) gene, partial cds	99	474	474
3	14	12017	13375	gb|U43526|	Streptococcus pneumoniae neuraminidase B (nanB) gene, complete cds, and neuraminidase (nanA) gene, partial cds	99	1359	1359
3	15	13421	14338	gb|U43526|	Streptococcus pneumoniae neuraminidase B (nanB) gene, complete cds, and neuraminidase (nanA) gene, partial cds	99	918	918
3	16	14329	15171	gb|U43526|	Streptococcus pneumoniae neuraminidase B (nanB) gene, complete cds, and neuraminidase (nanA) gene, partial cds	99	843	843
3	17	15132	17282	gb|U43526|	Streptococcus pneumoniae neuraminidase B (nanB) gene, complete cds, and neuraminidase (nanA) gene, partial cds	99	2151	2151
3	18	17267	18397	gb|U43526|	Streptococcus pneumoniae neuraminidase B (nanB) gene, complete cds, and neuraminidase (nanA) gene, partial cds	99	1069	1131
4	1	46	1188	emb|Y11463|SPDN	Streptococcus pneumoniae dnaG, rpoD, cpoA genes and ORF3 and ORF5	99	1143	1143
4	2	1198	2529	emb|Y11463|SPDN	Streptococcus pneumoniae dnaG, rpoD, cpoA genes and ORF3 and ORF5	99	876	1332
5	7	11297	11473	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	82	175	177
6	7	7125	7364	emb|Z77726|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)	93	238	240
6	8	7322	7570	emb|Z77725|SPIS	S.pneumoniae DNA for insertion sequence IS1381 (966 bp)	95	160	249
6	9	7533	7985	emb|Z77725|SPIS	S.pneumoniae DNA for insertion sequence IS1381 (966 bp)	99	453	453
6	23	20197	19733	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	96	465	465
7	10	8305	7682	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	95	624	624

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
7	11	9024	8206	emb|Z83335|SPZ8	S.pneumoniae dexB, capl[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	95	819	819
10	13	9304	8078	gb|L29323|	Streptococcus pneumoniae methyl transferase (mtr) gene cluster, complete cds	93	513	1227
11	2	548	919	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	99	316	372
11	3	892	1980	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	99	1089	1089
11	5	3040	3477	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	99	259	438
11	6	3480	3247	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	99	234	234
11	7	3601	4557	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	98	957	957
11	8	4506	4886	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	99	381	381
11	9	4884	7142	emb|X16367|SPPB	Streptococcus pneumoniae pbpX gene for penicillin binding protein 2X	99	2259	2259
11	10	7132	8124	emb|X16367|SPPB	Streptococcus pneumoniae pbpX gene for penicillin binding protein 2X	98	70	993
13	1	53	1126	gb|M31296|	S.pneumoniae recP gene, complete cds	99	437	1074
14	3	1837	2148	emb|Z83335|SPZ8	S.pneumoniae dexB, capl[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	87	96	312
14	4	2518	2108	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	98	411	411
15	9	8942	8511	gb|U09239|	Streptococcus pneumoniae type 19F capsular polysaccharide biosynthesis operon, (cps19fABCDEFGHIJKLMNO) genes, complete cds, and aliA gene, partial cds	89	340	432
17	7	3910	3458	emb|Z77726|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)	98	453	453
17	8	4304	3873	emb|Z77727|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (823 bp)	96	382	432
19	1	41	529	emb|X94909|SPIG	S.pneumoniae iga gene	75	368	489
19	2	554	757	gb|L07752|	Streptococcus pneumoniae attachment site (attB), DNA sequence	99	167	204
19	3	946	1827	gb|L07752|	Streptococcus pneumoniae attachment site (attB), DNA sequence	94	100	882
20	1	937	182	gb|U33315|	Streptococcus pneumoniae orfL gene, partial cds, competence stimulating peptide precursor (comC), histidine protein kinase (comD) and response regulator (comE) genes, complete cds, tRNA-Arg and tRNA-Gln genes	99	756	756
20	2	2271	931	gb|U33315|	Streptococcus pneumoniae orfL gene, partial cds, competence stimulating peptide precursor (comC), histidine protein kinase (comD) and response regulator (comE) genes, complete cds, tRNA-Arg and tRNA-Gln genes	98	1341	1341

TABLE 1 S. pneumoniae - Coding regions containing known sequences

<table>
<tr><th>Contig ID</th><th>ORF ID</th><th>Start (nt)</th><th>Stop (nt)</th><th>match acession</th><th>match gene name</th><th>percent ident</th><th>HSP nt length</th><th>ORF nt length</th></tr>
<tr><td>20</td><td>3</td><td>3175</td><td>2684</td><td>gb|U76218</td><td>Streptococcus pneumoniae competence stimulating peptide precursor ComC (comC), histidine kinase homolog ComD (comD), and response regulator homolog ComE (comE) genes, complete cds</td><td>99</td><td>492</td><td>492</td></tr>
<tr><td>20</td><td>4</td><td>3322</td><td>4527</td><td>gb|AF000658</td><td>Streptococcus pneumoniae R801 tRNA-Arg gene, partial sequence, and putative serine protease (sphtra), SPSpoJ (spspoJ), initiator protein (spdnaa) and beta subunit of DNA polymerase III (spdnan) genes, complete cds</td><td>99</td><td>1206</td><td>1206</td></tr>
<tr><td>20</td><td>5</td><td>4573</td><td>5343</td><td>gb|AF000658</td><td>Streptococcus pneumoniae R801 tRNA-Arg gene, partial sequence, and putative serine protease (sphtra), SPSpoJ (spspoJ), initiator protein (spdnaa) and beta subunit of DNA polymerase III (spdnan) genes, complete cds</td><td>99</td><td>771</td><td>771</td></tr>
<tr><td>20</td><td>6</td><td>5532</td><td>6917</td><td>gb|AF000658</td><td>Streptococcus pneumoniae R801 tRNA-Arg gene, partial sequence, and putative serine protease (sphtra), SPSpoJ (spspoJ), initiator protein (spdnaa) and beta subunit of DNA polymerase III (spdnan) genes, complete cds</td><td>99</td><td>1386</td><td>1386</td></tr>
<tr><td>20</td><td>7</td><td>6995</td><td>8212</td><td>gb|AF000658</td><td>Streptococcus pneumoniae R801 tRNA-Arg gene, partial sequence, and putative serine protease (sphtra), SPSpoJ (spspoJ), initiator protein (spdnaa) and beta subunit of DNA polymerase III (spdnan) genes, complete cds</td><td>99</td><td>1218</td><td>1218</td></tr>
<tr><td>20</td><td>8</td><td>8214</td><td>8471</td><td>gb|AF000658</td><td>Streptococcus pneumoniae R801 tRNA-Arg gene, partial sequence, and putative serine protease (sphtra), SPSpoJ (spspoJ), initiator protein (spdnaa) and beta subunit of DNA polymerase III (spdnan) genes, complete cds</td><td>98</td><td>258</td><td>258</td></tr>
<tr><td>20</td><td>9</td><td>8534</td><td>9670</td><td>gb|AF000658</td><td>Streptococcus pneumoniae R801 tRNA-Arg gene, partial sequence, and putative serine protease (sphtra), SPSpoJ (spspoJ), initiator protein (spdnaa) and beta subunit of DNA polymerase III (spdnan) genes, complete cds</td><td>99</td><td>134</td><td>1137</td></tr>
<tr><td>22</td><td>14</td><td>11887</td><td>12267</td><td>emb|Z77726|SPIS</td><td>S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)</td><td>99</td><td>226</td><td>381</td></tr>
<tr><td>22</td><td>15</td><td>12708</td><td>12256</td><td>emb|Z77727|SPIS</td><td>S.pneumoniae DNA for insertion sequence IS1318 (823 bp)</td><td>97</td><td>353</td><td>453</td></tr>
<tr><td>22</td><td>16</td><td>13165</td><td>12662</td><td>emb|Z77726|SPIS</td><td>S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)</td><td>98</td><td>504</td><td>504</td></tr>
<tr><td>22</td><td>23</td><td>18398</td><td>18910</td><td>emb|Z86112|SPZ8</td><td>S.pneumoniae genes encoding galacturonosyl transferase and transposase and insertion sequence IS1515</td><td>95</td><td>463</td><td>513</td></tr>
<tr><td>22</td><td>24</td><td>18829</td><td>19299</td><td>emb|Z86112|SPZ8</td><td>S.pneumoniae genes encoding galacturonosyl transferase and transposase and insertion sequence IS1515</td><td>99</td><td>443</td><td>471</td></tr>
<tr><td>23</td><td>5</td><td>5624</td><td>4203</td><td>emb|X52474|SPPL</td><td>S.pneumoniae ply gene for pneumolysin</td><td>99</td><td>1422</td><td>1422</td></tr>
<tr><td>23</td><td>6</td><td>6063</td><td>5629</td><td>gb|M17717</td><td>S.pneumoniae pneumolysin gene, complete cds</td><td>98</td><td>197</td><td>435</td></tr>
<tr><td>26</td><td>1</td><td>5500</td><td>2</td><td>emb|X94909|SPIG</td><td>S.pneumoniae iga gene</td><td>87</td><td>3487</td><td>5499</td></tr>
<tr><td>26</td><td>2</td><td>5823</td><td>5584</td><td>gb|U47687</td><td>Streptococcus pneumoniae immunoglobulin A1 protease (iga) gene, complete cds</td><td>99</td><td>151</td><td>240</td></tr>
<tr><td>26</td><td>3</td><td>6878</td><td>5685</td><td>gb|U47687</td><td>Streptococcus pneumoniae immunoglobulin A1 protease (iga) gene, complete cds</td><td>100</td><td>50</td><td>1194</td></tr>
</table>

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
26	8	14498	14854	emb|Z83335|SPZ8	S.pneumoniae dexB, capl{A,B,C,D,E,F,G,H,I,J,K} genes, dTDP-rhamnose biosynthesis genes and aliA gene	99	338	357
26	9	14763	14924	emb|Z83335|SPZ8	S.pneumoniae dexB, capl{A,B,C,D,E,F,G,H,I,J,K} genes, dTDP-rhamnose biosynthesis genes and aliA gene	100	94	162
26	10	14922	15173	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	97	242	252
28	1	80	505	emb|Z83335|SPZ8	S.pneumoniae dexB, capl{A,B,C,D,E,F,G,H,I,J,K} genes, dTDP-rhamnose biosynthesis genes and aliA gene	99	426	426
28	2	503	952	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	97	450	450
28	3	780	1298	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	96	181	519
34	1	207	1523	gb|L08611|	Streptococcus pneumoniae maltose/maltodextrin uptake (malX) and two maltodextrin permease (malC and malD) genes, complete cds	99	1317	1317
34	2	1477	2367	gb|L08611|	Streptococcus pneumoniae maltose/maltodextrin uptake (malX) and two maltodextrin permease (malC and malD) genes, complete cds	96	795	891
34	3	2593	3420	gb|L21856|	Streptococcus pneumoniae malA gene, complete cds; malR gene, complete cds	96	446	828
34	4	2790	2647	gb|L21856|	Streptococcus pneumoniae malA gene, complete cds; malR gene, complete cds	98	137	144
34	5	3418	4416	gb|L21856|	Streptococcus pneumoniae malA gene, complete cds; malR gene, complete cds	96	999	999
34	9	7764	7507	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	93	201	258
34	16	10562	10257	emb|X63602|SPBO	S.pneumoniae mmsA-Box	92	238	306
35	4	1176	1439	emb|Z83335|SPZ8	S.pneumoniae dexB, capl{A,B,C,D,E,F,G,H,I,J,K} genes, dTDP-rhamnose biosynthesis genes and aliA gene	87	248	264
35	5	1458	1961	gb|U09239|	Streptococcus pneumoniae type 19F capsular polysaccharide biosynthesis operon, (cps19fABCDEFGHIJKLMNO) genes, complete cds, and aliA gene, partial cds	98	264	504
35	17	16172	15477	emb|X85787|SPCP	S.pneumoniae dexB, cps14A, cps14B, cps14C, cps14D, cps14E, cps14F, cps14G, cps14H, cps14I, cps14J, cps14K, cps14L, tasA genes	97	696	696
35	18	16961	16170	emb|Z83335|SPZ8	S.pneumoniae dexB, capl{A,B,C,D,E,F,G,H,I,J,K} genes, dTDP-rhamnose biosynthesis genes and aliA gene	86	792	792
35	19	17620	16871	gb|U09239|	Streptococcus pneumoniae type 19F capsular polysaccharide biosynthesis operon, (cps19fABCDEFGHIJKLMNO) genes, complete cds, and aliA gene, partial cds	83	750	750

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
35	20	19061	17604	emb|X85787|SPCP	S.pneumoniae dexB, cps14A, cps14B, cps14C, cps14D, cps14E, cps14F, cps14G, cps14H, cps14I, cps14J, cps14K, cps14L, tasA genes	94	1458	1458
36	19	18960	18352	gb|U40786|	Streptococcus pneumoniae surface antigen A variant precursor (psaA) and 18 kDa protein genes, complete cds, and ORF1 gene, partial cds	99	609	609
36	20	19934	18966	gb|U53509|	Streptococcus pneumoniae surface adhesin A precursor (psaA) gene, complete cds	99	969	969
37	1	2743	179	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	99	2565	2565
37	2	2985	2824	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	100	162	162
37	3	5034	3070	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	99	1965	1965
37	4	5134	5790	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	99	657	657
37	5	6171	5833	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	96	339	339
38	19	12969	13268	gb|M28679|	S.pneumoniae promoter region DNA	100	64	300
39	2	1256	2137	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	99	882	882
39	3	2405	3370	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	99	966	966
40	9	5253	7208	gb|M29686|	S.pneumoniae mismatch repair (hexB) gene, complete cds	99	1956	1956
41	1	3	1037	emb|Z17307|SPRE	S.pneumoniae recA gene encoding RecA	99	1027	1035
41	2	1328	2713	emb|Z34303|SPCI	Streptococcus pneumoniae cin operon encoding the cinA, recA, dinF, lytA genes, and downstream sequences	99	1386	1386
41	3	3083	4045	gb|M13812|	S.pneumoniae autolysin (lytA) gene, complete cds	99	963	963
41	4	3272	3096	gb|M13812|	S.pneumoniae autolysin (lytA) gene, complete cds	100	177	177
41	5	3603	3860	gb|M13812|	S.pneumoniae autolysin (lytA) gene, complete cds	100	258	258
41	6	4755	5162	gb|L36660|	Streptococcus pneumoniae ORF, complete cds	98	408	408
41	7	5270	5716	gb|L36660|	Streptococcus pneumoniae ORF, complete cds	98	447	447
41	8	6112	6918	gb|L36660|	Streptococcus pneumoniae ORF, complete cds	98	431	807
41	9	6916	7119	gb|L36660|	Streptococcus pneumoniae ORF, complete cds	100	204	204
41	10	7082	7660	gb|L36660|	Streptococcus pneumoniae ORF, complete cds	97	552	579
41	11	7680	7979	gb|L36660|	Streptococcus pneumoniae ORF, complete cds	98	81	300
41	12	9169	8717	emb|Z77727|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (823 bp)	97	353	453

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
41	13	9533	9132	emb|Z77725|SPIS	S.pneumoniae DNA for insertion sequence IS1381 (966 bp)	95	160	402
41	14	9669	9475	emb|Z82001|SPZ8	S.pneumoniae pcpA gene and open reading frames	100	189	195
44	5	7190	7555	emb|Z82001|SPZ8	S.pneumoniae pcpA gene and open reading frames	99	366	366
44	6	8059	7607	emb|Z77726|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)	97	453	453
44	7	8423	8022	emb|Z77725|SPIS	S.pneumoniae DNA for insertion sequence IS1381 (966 bp)	95	160	402
44	8	8559	8365	emb|Z82001|SPZ8	S.pneumoniae pcpA gene and open reading frames	100	189	195
48	9	6480	4687	gb|L39074|	Streptococcus pneumoniae pyruvate oxidase (spxB) gene, complete cds	99	1794	1794
49	2	231	2603	gb|L20561|	Streptococcus pneumoniae Exp7 gene, partial cds	100	216	2373
53	6	2407	2156	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	97	242	252
53	7	2566	2405	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	100	94	162
53	8	2831	2475	emb|Z83335|SPZ8	S.pneumoniae dexB; cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	99	338	357
54	13	12409	11105	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	67	591	1305
55	22	20488	19949	emb|Z84379|HSZ8	S.pneumoniae dfr gene (isolate 92)	99	540	540
61	11	11864	9900	emb|Z16082|PNAL	Streptococcus pneumoniae aliB gene	98	1965	1965
63	1	3	239	gb|M18729|	S.pneumoniae mismatch repair protein (hexA) gene, complete cds	100	237	237
63	2	233	2611	gb|M18729|	S.pneumoniae mismatch repair protein (hexA) gene, complete cds	99	2330	2379
63	3	2557	2823	gb|M18729|	S.pneumoniae mismatch repair protein (hexA) gene, complete cds	99	266	267
63	4	2958	4664	gb|M18729|	S.pneumoniae mismatch repair protein (hexA) gene, complete cds	95	69	1707
67	6	3770	3399	gb|L20670|	Streptococcus pneumoniae hyaluronidase gene, complete cds	96	372	372
67	7	7161	4171	gb|L20670|	Streptococcus pneumoniae hyaluronidase gene, complete cds	99	2938	2991
70	1	1	702	gb|M14340|	S.pneumoniae DpnI gene region encoding dpnC and dpnD, complete cds	100	693	702
70	2	678	1160	gb|M14340|	S.pneumoniae DpnI gene region encoding dpnC and dpnD, complete cds	100	483	483
70	3	2490	1210	gb|M14339|	S.pneumoniae DpnII gene region encoding dpnM, dpnA, dpnB, complete cds	98	462	1281
70	7	4230	4424	gb|J04234|	S.pneumoniae exodeoxyribonuclease (exoA) gene, complete cds	99	147	195
70	8	5197	4316	gb|J04234|	S.pneumoniae exodeoxyribonuclease (exoA) gene, complete cds	99	881	882

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
70	13	8108	9874	gb|L20562|	Streptococcus pneumoniae Exp8 gene, partial cds	93	234	1767
71	22	27964	28341	emb|X63602|SPBO	S.pneumoniae mmsA-Box	93	233	378
72	5	4607	3552	emb|Z26850|SPAT	S.pneumoniae (M222) genes for ATPase a subunit, ATPase b subunit and ATPase c subunit	97	102	1056
73	1	471	133	emb|X63602|SPBO	S.pneumoniae mmsA-Box	91	193	339
73	3	3658	977	gb|J04479|	S.pneumoniae DNA polymerase I (polA) gene, complete cds	99	2682	2682
73	8	4864	5379	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	98	318	516
77	3	2622	1999	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	95	624	624
77	4	3341	2523	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	91	819	819
78	1	341	3	emb|X77249|SPR6	S.pneumoniae (R6) ciaR/ciaH genes	99	339	339
78	2	1095	325	emb|X77249|SPR6	S.pneumoniae (R6) ciaR/ciaH genes	99	771	771
82	10	11436	10816	gb|U90721|	Streptococcus pneumoniae signal peptidase I (spi) gene, complete cds	97	621	621
82	11	12402	11434	gb|U93576|	Streptococcus pneumoniae ribonuclease HII (rnhB) gene, complete cds	98	953	969
82	12	12381	12704	gb|U93576|	Streptococcus pneumoniae ribonuclease HII (rnhB) gene, complete cds	100	51	324
83	8	3212	3550	emb|Z77727|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (823 bp)	97	290	339
83	10	4662	6851	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	99	2190	2190
83	11	6849	8213	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	99	1365	1365
83	12	8236	9090	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	99	855	855
83	13	9283	13017	gb|L15190|	Streptococcus pneumoniae SAICAR synthetase (purC) gene, complete cds	100	107	3735
83	23	22147	23313	gb|L36923|	Streptococcus pneumoniae beta-N-acetylhexosaminidase (strH) gene, complete cds	98	218	1167
83	24	23268	23450	gb|L36923|	Streptococcus pneumoniae beta-N-acetylhexosaminidase (strH) gene, complete cds	98	172	183
83	25	27527	23505	gb|L36923|	Streptococcus pneumoniae beta-N-acetylhexosaminidase (strH) gene, complete cds	99	3826	4023

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
83	26	28472	27771	gb|L36923|	Streptococcus pneumoniae beta-N-acetylhexosaminidase (strH) gene, complete cds	99	416	702
84	4	4554	6173	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	98	697	1620
87	6	5951	5316	emb|Z77725|SPIS	S.pneumoniae DNA for insertion sequence IS1381 (966 bp)	96	439	636
88	5	2957	3511	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	94	555	555
88	6	3466	4269	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	94	804	804
89	13	9878	10093	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	97	211	216
89	14	10062	10412	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	97	335	351
93	10	5303	4941	emb|X63602|SPBO	S.pneumoniae mmsA-Box	89	237	363
97	4	1708	1520	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	91	140	189
99	1	89	700	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	93	592	612
99	2	1773	775	emb|X17337|SPAM	Streptococcus pneumoniae ami locus conferring aminopterin resistance	99	998	999
99	3	2794	1712	emb|X17337|SPAM	Streptococcus pneumoniae ami locus conferring aminopterin resistance	99	1083	1083
99	4	3732	2788	emb|X17337|SPAM	Streptococcus pneumoniae ami locus conferring aminopterin resistance	100	945	945
99	5	5249	3714	emb|X17337|SPAM	Streptococcus pneumoniae ami locus conferring aminopterin resistance	100	1536	1536
99	6	7262	5277	emb|X17337|SPAM	Streptococcus pneumoniae ami locus conferring aminopterin resistance	99	1986	1986
101	1	216	1538	emb|X54225|SPEN	S.pneumoniae epuA and endA genes for 7 kDa protein and membrane endonuclease	99	146	1323
101	2	1492	1719	emb|X54225|SPEN	S.pneumoniae epuA and endA genes for 7 kDa protein and membrane endonuclease	99	228	228
101	3	1694	1855	emb|X54225|SPEN	S.pneumoniae epuA and endA genes for 7 kDa protein and membrane endonuclease	100	162	162
101	4	1701	2582	emb|X54225|SPEN	S.pneumoniae epuA and endA genes for 7 kDa protein and membrane endonuclease	100	882	882
103	7	5556	5041	emb|Z95914|SPZ9	Streptococcus pneumoniae sodA gene	100	396	516
104	2	1347	1556	emb|Z77727|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (823 bp)	83	206	210

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
105	5	5381	5028	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	98	353	354
105	6	6089	5379	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	98	84	711
107	4	2785	1880	emb|X16022|SPPE	S.pneumoniae penA gene	98	72	906
107	5	2913	4988	emb|X16022|SPPE	S.pneumoniae penA gene	99	1692	2076
107	6	4981	5595	emb|X13136|SPPE	Streptococcus pneumoniae penA gene for penicillin binding protein 2B lacking N-term. (penicillin resistant strain)	91	107	615
108	9	9068	8718	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	95	342	351
108	12	11308	10922	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	99	199	387
109	3	2768	2241	emb|Z77725|SPIS	S.pneumoniae DNA for insertion sequence IS1381 (966 bp)	96	61	528
109	4	2688	2855	emb|Z77726|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)	96	148	168
109	5	2862	3269	emb|Z77727|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (823 bp)	97	353	408
109	6	5320	3584	gb|M18729|	S.pneumoniae mismatch repair protein (hexA) gene, complete cds	100	371	1737
113	1	431	3	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	95	429	429
113	10	9788	8532	emb|X99400|SPDA	S.pneumoniae dacA gene and ORF	99	1257	1257
113	11	9870	10985	emb|X99400|SPDA	S.pneumoniae dacA gene and ORF	99	1116	1116
114	3	2530	2030	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	95	481	501
115	11	11303	10932	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	97	372	372
117	1	897	3302	emb|X72967|SPNA	S.pneumoniae nanA gene	99	2402	2406
117	2	3277	3831	emb|X72967|SPNA	S.pneumoniae nanA gene	99	237	555
117	3	4327	3899	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	98	429	429
121	2	1369	1941	gb|U72720|	Streptococcus pneumoniae heat shock protein 70 (dnaK) gene, complete cds and DnaJ (dnaJ) gene, partial cds	99	202	573
121	3	2412	4253	gb|U72720|	Streptococcus pneumoniae heat shock protein 70 (dnaK) gene, complete cds and DnaJ (dnaJ) gene, partial cds	99	1842	1842
122	8	5066	5587	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	64	451	522

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
125	1	1811	189	gb|M36180|	Streptococcus pneumoniae transposase, (ccmA and comB) and SAICAR synthetase (purC) genes, complete cds	92	99	1623
128	15	12496	11204	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	91	705	1293
134	1	1	492	emb|Y10818|SPY1	S.pneumoniae spsA gene	99	203	492
134	2	556	2652	gb|AF019904|	Streptococcus pneumoniae choline binding protein A (cbpA) gene, partial cds	86	685	2097
134	3	1160	837	emb|Y10818|SPY1	S.pneumoniae spsA gene	86	324	324
134	4	3952	2882	gb|AF019904|	Streptococcus pneumoniae choline binding protein A (cbpA) gene, partial cds	98	215	1071
134	8	7992	9848	gb|U12567|	Streptococcus pneumoniae P13 glycerol-3-phosphate dehydrogenase (glpD) gene, partial cds, and glycerol uptake facilitator (glpF) and ORF3 genes, complete cds	99	285	1857
134	9	9846	10622	gb|U12567|	Streptococcus pneumoniae P13 glycerol-3-phosphate dehydrogenase (glpD) gene, partial cds, and glycerol uptake facilitator (glpF) and ORF3 genes, complete cds	99	570	777
134	10	10805	11122	gb|U12567|	Streptococcus pneumoniae P13 glycerol-3-phosphate dehydrogenase (glpD) gene, partial cds, and glycerol uptake facilitator (glpF) and ORF3 genes, complete cds	100	318	318
137	13	7970	8443	gb|U09239|	Streptococcus pneumoniae type 19F capsular polysaccharide biosynthesis operon, (cps19fABCDEFGHIJKLMNO) genes, complete cds, and aliA gene, partial cds	90	420	474
137	14	8590	8775	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	94	174	186
137	15	8773	8967	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	98	195	195
137	16	9223	9687	emb|Z77726|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)	96	446	465
137	17	9641	10051	emb|Z77727|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (823 bp)	96	293	411
139	10	12998	12702	emb|X63602|SPBO	S.pneumoniae mmsA-Box	90	234	297
141	8	7805	8938	emb|Z49988|SPMM	Streptococcus pneumoniae mmsA gene	99	338	1134
141	9	8936	10972	emb|Z49988|SPMM	Streptococcus pneumoniae mmsA gene	99	2037	2037
141	10	11472	12467	emb|Z49988|SPMM	Streptococcus pneumoniae mmsA gene	100	76	996
142	2	257	814	gb|M80215|	Streptococcus pneumoniae uvs402 protein gene, complete cds	98	174	558
142	3	787	957	gb|M80215|	Streptococcus pneumoniae uvs402 protein gene, complete cds	100	142	171
142	4	980	3022	gb|M80215|	Streptococcus pneumoniae uvs402 protein gene, complete cds	95	1997	2043

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
142	5	3020	3595	gb|M80215|	Streptococcus pneumoniae uvs402 protein gene, complete cds	100	153	576
145	1	1	219	emb|Z35135|SPAL	S.pneumoniae aliA gene for amiA-like gene A	97	185	219
145	2	171	1994	gb|L20556|	Streptococcus pneumoniae plpA gene, partial cds	99	1811	1824
145	3	2287	7599	emb|Z47210|SPDE	S.pneumoniae dexB, cap3A, cap3B and cap3C genes and orfs	99	1052	5313
145	4	9934	7766	gb|M90527|	Streptococcus pneumoniae penicillin-binding protein (ponA) gene, complete cds	99	2169	2169
145	5	10488	9922	gb|M90527|	Streptococcus pneumoniae penicillin-binding protein (ponA) gene, complete cds	99	512	567
146	1	159	4	emb|Z82002|SPZ8	S.pneumoniae pcpB and pcpC genes	98	156	156
146	2	344	90	emb|Z82002|SPZ8	S.pneumoniae pcpB and pcpC genes	98	255	255
146	16	11795	10794	emb|Z82002|SPZ8	S.pneumoniae pcpB and pcpC genes	85	276	1002
147	11	10678	10202	emb|Z21702|SPUN	S.pneumoniae ung gene and mutX genes encoding uracil-DNA glycosylase and 8-oxodGTP nucleoside triphosphatase	98	477	477
147	12	11338	10676	emb|Z21702|SPUN	S.pneumoniae ung gene and mutX genes encoding uracil-DNA glycosylase and 8-oxodGTP nucleoside triphosphatase	99	663	663
148	12	9009	8815	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	90	180	195
156	4	1154	1402	emb|X63602|SPBO	S.pneumoniae mmsA-Box	94	185	249
159	13	9048	8521	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	98	526	528
160	1	1	147	emb|Z26851|SPAT	S.pneumoniae (R6) genes for ATPase a subunit, ATPase b subunit and ATPase c subunit	100	142	147
160	2	179	898	emb|Z26851|SPAT	S.pneumoniae (R6) genes for ATPase a subunit, ATPase b subunit and ATPase c subunit	99	720	720
160	3	906	1406	emb|Z26850|SPAT	S.pneumoniae (M222) genes for ATPase a subunit, ATPase b subunit and ATPase c subunit	95	501	501
160	4	1373	1942	emb|Z26850|SPAT	S.pneumoniae (M222) genes for ATPase a subunit, ATPase b subunit and ATPase c subunit	87	306	570
161	1	1	984	emb|X77249|SPR6	S.pneumoniae (R6) ciaR/ciaH genes	99	984	984
161	7	6910	7497	emb|X83917|SPGY	S.pneumoniae orflgyrB and gyrB gene encoding DNA gyrase B subunit	99	437	588
161	8	7443	9386	emb|X83917|SPGY	S.pneumoniae orflgyrB and gyrB gene encoding DNA gyrase B subunit	98	1912	1944
163	1	2	2155	gb|L20559|	Streptococcus pneumoniae Exp5 gene, partial cds	98	327	2154

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
165	1	32	1618	gb|J01796|	S.pneumoniae malX and malM genes encoding membrane protein and amylomaltase, complete cds, and malP gene encoding phosphorylase	99	1587	1587
165	2	1608	3902	gb|J01796|	S.pneumoniae malX and malM genes encoding membrane protein and amylomaltase, complete cds, and malP gene encoding phosphorylase	100	280	2295
166	1	378	4	emb|Y11463|SPDN	Streptococcus pneumoniae dnaG, rpoD, cpoA genes and ORF3 and ORF5	100	375	375
166	2	1507	320	emb|Y11463|SPDN	Streptococcus pneumoniae dnaG, rpoD, cpoA genes and ORF3 and ORF5	99	1188	1188
166	3	3240	1432	emb|Y11463|SPDN	Streptococcus pneumoniae dnaG, rpoD, cpoA genes and ORF3 and ORF5	99	563	1809
167	1	1077	328	emb|Z71552|SPAD	Streptococcus pneumoniae adcCBA operon	94	155	750
167	2	1844	999	emb|Z71552|SPAD	Streptococcus pneumoniae adcCBA operon	98	405	846
167	3	2714	1842	emb|Z71552|SPAD	Streptococcus pneumoniae adcCBA operon	97	604	873
167	4	3399	2641	emb|Z71552|SPAD	Streptococcus pneumoniae adcCBA operon	99	703	759
168	1	1	2259	gb|L20558|	Streptococcus pneumoniae Exp4 gene, partial cds	99	282	2259
170	10	7338	7685	emb|Z77726|SPIS	S.pneumoniae DNA for insertion sequence IS1318 (1372 bp)	95	315	348
172	6	2462	4981	gb|U47625|	Streptococcus pneumoniae formate acetyltransferase (exp72) gene, partial cds	97	365	2520
175	1	373	20	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	89	353	354
175	4	1843	3621	emb|Z47210|SPDE	S.pneumoniae dexB, cap3A, cap3B and cap3C genes and orfs	95	89	1779
176	5	3984	2980	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	100	573	1005
178	1	3	425	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	95	423	423
179	1	426	70	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	99	338	357
180	3	3084	1855	emb|X95718|SPGY	S.pneumoniae gyrA gene	99	381	1230
186	1	714	4	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	98	59	711
186	2	2254	608	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	98	315	1647
186	3	707	880	emb|Z79691|SOOR	S.pneumoniae yorf[A,B,C,D,E], ftsL, pbpX and regR genes	98	174	174
189	1	2	259	gb|U72720|	Streptococcus pneumoniae heat shock protein 70 (dnaK) gene, complete cds and DnaJ (dnaJ) gene, partial cds	99	258	258
189	2	600	385	gb|U72720|	Streptococcus pneumoniae heat shock protein 70 (dnaK) gene, complete cds and DnaJ (dnaJ) gene, partial cds	98	204	216

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
189	3	1018	851	gb|U72720|	Streptococcus pneumoniae heat shock protein 70 (dnaK) gene, complete cds and DnaJ (dnaJ) gene, partial cds	99	168	168
189	4	1012	2154	gb|U72720|	Streptococcus pneumoniae heat shock protein 70 (dnaK) gene, complete cds and DnaJ (dnaJ) gene, partial cds	99	1062	1143
191	9	7829	7524	emb|X63602|SPBO	S.pneumoniae mmsA-Box	95	234	306
194	1	1	729	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	91	728	729
199	2	1117	881	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	96	211	237
199	4	1499	1762	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	89	248	264
199	5	1781	2284	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	98	504	504
203	1	1977	337	gb|L20563|	Streptococcus pneumoniae Exp9 gene, partial cds	99	342	1641
204	1	1145	3	gb|L36131|	Streptococcus pneumoniae exp10 gene, complete cds, recA gene, 5' end	99	1143	1143
208	1	59	2296	gb|U89711|	Streptococcus pneumoniae pneumococcal surface protein A PspA (pspA) gene, complete cds	90	471	2238
213	3	2455	2123	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	96	332	333
216	1	368	12	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	99	338	357
216	3	2650	2327	gb|M28678|	S.pneumoniae promoter sequence DNA	98	86	324
222	1	417	4	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	94	414	414
227	3	5266	4238	emb|AJ000336|SP	Streptococcus pneumoniae ldh gene	99	1029	1029
239	1	1	804	gb|M31296|	S.pneumoniae recP gene, complete cds	95	484	804
247	3	1625	1807	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	94	178	183
249	3	921	1364	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	94	443	444
253	1	362	3	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	99	360	360
253	5	1238	2050	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	95	420	813

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
253	6	2069	2572	emb|Z83335|SPZ8	S.pneumoniae dexB, capl(A,B,C,D,E,F,G,H,I,J,K) genes, dTDP-rhamnose biosynthesis genes and aliA gene	97	504	504
255	1	3	800	emb|Z82002|SPZ8	S.pneumoniae pcpB and pcpC genes	97	531	798
255	2	798	1841	emb|Z82002|SPZ8	S.pneumoniae pcpB and pcpC genes	97	672	1044
255	3	2493	1969	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	92	435	525
257	2	985	770	emb|X17337|SPAM	Streptococcus pneumoniae ami locus conferring aminopterin resistance	96	117	216
257	3	1245	907	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	97	339	339
267	2	495	1208	gb|U16156|	Streptococcus pneumoniae dihydropteroate synthase (sulA), dihydrofolate synthetase (sulB), guanosine triphosphate cyclohydrolase (sulC), aldolase-pyrophosphokinase (sulD) genes, complete cds	95	84	714
267	3	1291	2277	gb|U16156|	Streptococcus pneumoniae dihydropteroate synthase (sulA), dihydrofolate synthetase (sulB), guanosine triphosphate cyclohydrolase (sulC), aldolase-pyrophosphokinase (sulD) genes, complete cds	97	755	987
267	4	2261	3601	gb|U16156|	Streptococcus pneumoniae dihydropteroate synthase (sulA), dihydrofolate synthetase (sulB), guanosine triphosphate cyclohydrolase (sulC), aldolase-pyrophosphokinase (sulD) genes, complete cds	98	1341	1341
267	5	3561	4136	gb|U16156|	Streptococcus pneumoniae dihydropteroate synthase (sulA), dihydrofolate synthetase (sulB), guanosine triphosphate cyclohydrolase (sulC), aldolase-pyrophosphokinase (sulD) genes, complete cds	99	576	576
267	6	4164	4949	gb|U16156|	Streptococcus pneumoniae dihydropteroate synthase (sulA), dihydrofolate synthetase (sulB), guanosine triphosphate cyclohydrolase (sulC), aldolase-pyrophosphokinase (sulD) genes, complete cds	99	748	786
267	7	5544	5140	gb|U16156|	Streptococcus pneumoniae dihydropteroate synthase (sulA), dihydrofolate synthetase (sulB), guanosine triphosphate cyclohydrolase (sulC), aldolase-pyrophosphokinase (sulD) genes, complete cds	100	186	405
268	4	1793	1990	emb|X63602|SPBO	S.pneumoniae mmsA-Box	89	194	198
271	1	562	104	gb|M29686|	S.pneumoniae mismatch repair (hexB) gene, complete cds	93	160	459
291	1	75	524	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	96	450	450
291	2	1001	525	emb|Z83335|SPZ8	S.pneumoniae dexB, capl(A,B,C,D,E,F,G,H,I,J,K) genes, dTDP-rhamnose biosynthesis genes and aliA gene	87	205	477
291	3	807	559	emb|Z83335|SPZ8	S.pneumoniae dexB, capl(A,B,C,D,E,F,G,H,I,J,K) genes, dTDP-rhamnose biosynthesis genes and aliA gene	90	170	249
291	4	1374	1099	gb|M36180|	Streptococcus pneumoniae transposase, (comA and comB) and SAICAR synthetase (purC) genes, complete cds	85	264	276

TABLE 1

S. pneumoniae - Coding regions containing known sequences

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	percent ident	HSP nt length	ORF nt length
293	1	3	1673	emb|Z67740|SPGY	S.pneumoniae gyrB gene and unknown orf	98	553	1671
296	1	1434	151	emb|Z47210|SPDE	S.pneumoniae dexB, cap3A, cap3B and cap3C genes and orfs	99	430	1284
317	1	157	510	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	89	353	354
325	2	1237	485	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	91	299	753
326	1	1	462	emb|Z82001|SPZ8	S.pneumoniae pcpA gene and open reading frames	100	233	462
327	1	603	64	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	94	89	540
334	1	153	545	gb|U41735|	Streptococcus pneumoniae peptide methionine sulfoxide reductase (msrA) and homoserine kinase homolog (thrB) genes, complete cds	87	91	393
336	1	308	93	emb|Z26850|SPAT	S.pneumoniae (M222) genes for ATPase a subunit, ATPase b subunit and ATPase c subunit	97	102	216
360	1	1	519	emb|Z67739|SPPA	S.pneumoniae parC, parE and transposase genes and unknown orf	95	435	519
360	4	1598	1960	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	94	353	363
362	1	673	2	emb|Z83335|SPZ8	S.pneumoniae dexB, cap1[A,B,C,D,E,F,G,H,I,J,K] genes, dTDP-rhamnose biosynthesis genes and aliA gene	95	63	672
362	2	1168	728	gb|U04047|	Streptococcus pneumoniae SSZ dextran glucosidase gene and insertion sequence IS1202 transposase gene, complete cds	96	441	441
384	1	347	111	emb|X85787|SPCP	S.pneumoniae dexB, cps14A, cps14B, cps14C, cps14D, cps14E, cps14F, cps14G, cps14H, cps14I, cps14J, cps14K, cps14L, tasA genes	94	54	237

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
228	2	1760	1942	pir|F60663|F606	translation elongation factor Tu - Streptococcus oralis	100	100	183
319	1	2	205	gi|984927	neomycin phosphotransferase [Cloning vector pBSL99]	100	100	204
260	1	2	1138	pir|F60663|F606	translation elongation factor Tu - Streptococcus oralis	99	98	1137
25	2	486	1394	gi|1574495	hypothetical [Haemophilus influenzae]	98	96	909
94	2	685	1002	gi|310627	phosphoenolpyruvate:sugar phosphotransferase system HPr [Streptococcus mutans]	98	93	318
312	1	190	2	gi|347999	ATP-dependent protease proteolytic subunit [Streptococcus salivarius]	98	95	189
329	1	1	807	gi|924848	inosine monophosphate dehydrogenase [Streptococcus pyogenes]	98	94	807
336	2	290	589	gi|987050	lacZ gene product [unidentified cloning vector]	98	98	300
181	9	5948	7366	gi|153755	phospho-beta-D-galactosidase (EC 3.2.1.85) [Lactococcus lactis cremoris]	97	94	1419
312	2	1044	361	gi|347998	uracil phosphoribosyltransferase [Streptococcus salivarius]	97	88	684
32	8	6575	7486	sp|P37214|ERA_S	GTP-BINDING PROTEIN ERA HOMOLOG.	96	91	912
94	3	951	2741	gi|153615	phosphoenolpyruvate:sugar phosphotransferase system enzyme I [Streptococcus salivarius]	96	92	1791
127	1	1	168	gi|581299	initiation factor IF-1 [Lactococcus lactis]	96	89	168
128	14	10438	11154	gi|1276873	DeoD [Streptococcus thermophilus]	96	93	717
181	4	1362	1598	gi|46606	lacD polypeptide (AA 1-326) [Staphylococcus aureus]	96	80	237
218	1	1	834	gi|1743856	intrageneric coaggregation-relevant adhesin [Streptococcus gordonii]	96	93	834
319	2	115	441	gi|208225	heat-shock protein 82/neomcyn phosphotransferase fusion protein (hsp82-neo) [unidentified cloning vector]	96	96	327
54	12	8622	10967	gnl|PID|d100972	Pyruvate formate-lyase [Streptococcus mutans]	95	89	2346
181	2	606	1289	gi|149396	lacD [Lactococcus lactis]	95	89	684
46	3	3410	3045	gi|1850606	YlxM [Streptococcus mutans]	94	86	366
89	10	7972	7337	gi|703442	thymidine kinase [Streptococcus gordonii]	94	86	636
148	9	6431	7354	gi|995767	UDP-glucose pyrophosphorylase [Streptococcus pyogenes]	94	85	924
160	7	4430	5848	gi|153573	H+ ATPase [Enterococcus faecalis]	94	87	1419
2	3	4598	3513	gi|153763	plasmin receptor [Streptococcus pyogenes]	93	86	1086
12	8	7877	6204	gi|1103865	formyl-tetrahydrofolate synthetase [Streptococcus mutans]	93	84	1674

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
65	11	4734	5120	gi|40150	L14 protein (AA 1-122) [Bacillus subtilis]	93	87	387
68	1	53	1297	gi|47341	antitumor protein [Streptococcus pyogenes]	93	87	1245
80	1	3	299	gnl|PID|d101166	ribosomal protein S7 [Bacillus subtilis]	93	84	297
127	3	695	1093	gi|142462	ribosomal protein S11 (Bacillus subtilis)	93	86	399
160	5	1924	3462	gi|1773264	ATPase, alpha subunit [Streptococcus mutans]	93	85	1539
211	5	3757	3047	gi|535273	aminopeptidase C [Streptococcus thermophilus]	93	82	711
262	1	16	564	gi|149394	lacB [Lactococcus lactis]	93	90	549
366	1	197	3	gi|295259	tryptophan synthase beta subunit [Synechocystis sp.]	93	91	195
25	3	1392	1976	gi|1574496	hypothetical [Haemophilus influenzae]	92	80	585
36	21	20781	19927	gi|310632	hydrophobic membrane protein [Streptococcus gordonii]	92	86	855
181	3	1265	1534	gi|149396	lacD [Lactococcus lactis]	92	83	270
181	7	3662	4060	gi|149410	enzyme III [Lactococcus lactis]	92	83	399
32	4	5631	3937	gnl|PID|e294090	fibronectin-binding protein-like protein A [Streptococcus gordonii]	91	85	1695
46	2	3054	1462	gi|1850607	signal recognition particle Ffh [Streptococcus mutans]	91	84	1593
65	10	4442	4726	pir|S17865|S178	ribosomal protein S17 - Bacillus stearothermophilus	91	80	285
77	2	260	1900	gi|287871	groEL gene product [Lactococcus lactis]	91	82	1641
84	1	2	2056	gi|871784	Clp-like ATP-dependent protease binding subunit [Bos taurus]	91	79	2055
99	8	10750	9272	gi|153740	sucrose phosphorylase [Streptococcus mutans]	91	84	1479
99	9	11947	11072	gi|153739	membrane protein [Streptococcus mutans]	91	78	876
127	5	2065	2469	pir|S07223|R5BS	ribosomal protein L17 - Bacillus stearothermophilus	91	78	405
132	6	9539	9390	gi|143065	hubst [Bacillus stearothermophilus]	91	89	150
137	8	4765	6153	gnl|PID|d100347	Na+ -ATPase beta subunit [Enterococcus hirae]	91	79	1389
151	7	11119	9734	gi|1815634	glutamine synthetase type 1 [Streptococcus agalactiae]	91	82	1386
201	2	1798	278	gi|2208998	dextran glucosidase DexS [Streptococcus suis]	91	79	1521
222	2	673	1839	gi|153741	ATP-binding protein [Streptococcus mutans]	91	85	1167
293	5	4113	4400	gi|1196921	unknown protein [Insertion sequence IS861]	91	71	288
32	7	6166	6570	pir|A36933|A369	diacylglycerol kinase homolog - Streptococcus mutans	90	77	405

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
33	2	841	527	gi|1196921	unknown protein [Insertion sequence IS861]	90	70	315
48	27	20908	19757	gnl|PID|e274705	lactate oxidase [Streptococcus iniae]	90	80	1152
55	21	19777	18515	gnl|PID|e221213	ClpX protein [Bacillus subtilis]	90	75	1263
56	2	717	977	gi|1710133	flagellar filament cap [Borrelia burgdorferi]	90	50	261
65	1	1	606	gi|1165303	L3 [Bacillus subtilis]	90	75	606
114	1	2	988	gi|153562	aspartate beta-semialdehyde dehydrogenase (EC 1.2.1.11) [Streptococcus mutans]	90	80	987
120	1	1345	827	gi|407880	ORF1 [Streptococcus equisimilis]	90	75	519
159	12	7690	8298	gi|143012	GMP synthetase [Bacillus subtilis]	90	84	609
166	4	4076	3282	gi|1661179	high affinity branched chain amino acid transport protein [Streptococcus mutans]	90	78	795
183	1	28	1395	gi|308858	ATP:pyruvate 2-O-phosphotransferase [Lactococcus lactis]	90	76	1368
191	3	2891	1662	gi|149521	tryptophan synthase beta subunit [Lactococcus lactis]	90	78	1230
198	2	1551	436	gi|2323342	(AF014460) CcpA [Streptococcus mutans]	90	76	1116
305	1	37	783	gi|1573551	asparagine synthetase A (asnA) [Haemophilus influenzae]	90	80	747
8	3	2285	3343	gi|149434	putative [Lactococcus lactis]	89	78	1059
46	8	7577	7362	pir|A45434|A454	ribosomal protein L19 - Bacillus stearothermophilus	89	76	216
49	9	8363	10342	gi|153792	recP peptide [Streptococcus pneumoniae]	89	83	1980
51	14	18410	19447	gi|308857	ATP:D-fructose 6-phosphate 1-phosphotransferase [Lactoccccus lactis]	89	81	1038
57	11	9686	10669	gnl|PID|d100932	H2O-forming NADH Oxidase [Streptococcus mutans]	89	77	984
65	5	2418	2786	gi|1165307	S19 [Bacillus subtilis]	89	81	369
65	8	3806	4225	sp|P14577|RL16_	50S RIBOSOMAL PROTEIN L16.	89	82	420
65	18	8219	8719	gi|143417	ribosomal protein S5 [Bacillus stearothermophilus]	89	76	501
73	9	6337	5315	gi|532204	prs [Listeria monocytogenes]	89	70	1023
76	3	3360	1465	gnl|PID|e200671	lepA gene product [Bacillus subtilis]	89	76	1896
99	10	12818	11919	gi|153738	membrane protein [Streptococcus mutans]	89	73	900
120	2	3552	1300	gi|407881	stringent response-like protein [Streptococcus equisimilis]	89	79	2253
122	5	4512	2791	gnl|PID|e280490	unknown [Streptococcus pneumoniae]	89	81	1722

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
176	1	669	4	gi|47394	5-oxoprolyl-peptidase [Streptococcus pyogenes]	89	78	666
177	6	3050	3934	gi|912423	putative [Lactococcus lactis]	89	71	885
181	8	4033	5751	gi|149411	enzyme III [Lactococcus lactis]	89	80	1719
211	4	3149	2793	gi|535273	aminopeptidase C [Streptococcus thermophilus]	89	83	357
361	1	431	838	gi|1196922	unknown protein [Insertion sequence IS861]	89	70	408
34	17	11839	10535	sp|P30053|SYH_S	HISTIDYL-TRNA SYNTHETASE (EC 6.1.1.21) (HISTIDINE--TRNA LIGASE) (HISRS).	88	78	1305
38	3	1646	2623	gi|2058544	putative ABC transporter subunit ComYA [Streptococcus gordonii]	88	78	978
54	1	3	227	gnl|PID|d101320	YqgU [Bacillus subtilis]	88	66	225
57	2	611	1468	gnl|PID|e134943	putative reductase 1 [Saccharomyces cerevisiae]	88	75	858
65	13	5497	6069	pir|A29102|R5BS	ribosomal protein L5 - Bacillus stearothermophilus	88	75	573
65	20	9030	9500	gi|2078381	ribosomal protein L15 [Staphylococcus aureus]	88	83	471
78	3	3636	1108	gnl|PID|d100781	lysyl-aminopeptidase [Lactococcus lactis]	88	80	2529
106	12	12965	12054	gi|2407215	(AF017421) putative heat shock protein HtpX [Streptococcus gordonii]	88	72	912
107	2	219	962	gnl|PID|e339862	putative acylneuraminate lyase [Clostridium tertium]	88	75	744
111	8	14073	10420	gi|402363	RNA polymerase beta-subunit [Bacillus subtilis]	88	74	3654
126	9	13096	12062	gnl|PID|e311468	unknown [Bacillus subtilis]	88	74	1035
140	17	19143	18874	gi|1573659	H. influenzae predicted coding region HI0659 [Haemophilus influenzae]	88	61	270
144	1	394	555	gnl|PID|e274705	lactate oxidase [Streptococcus iniae]	88	75	162
148	4	2723	3493	gi|1591672	phosphate transport system ATP-binding protein [Methanococcus jannaschii]	88	68	771
160	8	5853	6278	gi|1773267	ATPase, epsilon subunit [Streptococcus mutans]	88	65	426
177	4	1770	2885	gi|149426	putative [Lactococcus lactis]	88	72	1116
211	6	4140	3613	gi|535273	aminopeptidase C [Streptococcus thermophilus]	88	74	528
231	4	580	957	gi|40186	homologous to E.coli ribosomal protein L27 [Bacillus subtilis]	88	78	378
260	5	2387	2998	gi|1196922	unknown protein [Insertion sequence IS861]	88	69	612
291	6	2017	3375	gnl|PID|d100571	adenylosuccinate synthetase [Bacillus subtilis]	88	75	1359
319	4	658	317	gi|603578	serine/threonine kinase [Phytophthora capsici]	88	88	342
40	5	4353	4514	gi|153672	lactose repressor [Streptococcus mutans]	87	56	162

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
49	10	10660	10929	gi|1196921	unknown protein (Insertion sequence IS861)	87	72	270
65	7	3140	3808	gi|1165309	S3 (Bacillus subtilis)	87	73	669
65	15	6623	7039	gi|1044978	ribosomal protein S8 (Bacillus subtilis)	87	73	417
75	8	5411	6625	gi|1877422	galactokinase (Streptococcus mutans)	87	78	1215
80	2	703	2805	gnl|PID|d101166	elongation factor G (Bacillus subtilis)	87	76	2103
82	1	541	248	gi|1196921	unknown protein (Insertion sequence IS861)	87	69	294
140	23	25033	23897	gnl|PID|e254999	phenylalany-tRNA synthetase beta subunit (Bacillus subtilis)	87	74	1137
214	14	10441	8516	gi|2281305	glucose inhibited division protein homolog GidA (Lactococcus lactis cremoris)	87	75	1926
220	2	2742	874	gnl|PID|e324358	product highly similar to elongation factor EF-G (Bacillus subtilis)	87	73	1869
260	4	2096	2389	gi|1196921	unknown protein (Insertion sequence IS861)	87	72	294
323	1	27	650	gi|897795	30S ribosomal protein (Pediococcus acidilactici)	87	73	624
357	1	154	570	gi|1044978	ribosomal protein S8 (Bacillus subtilis)	87	73	417
49	11	10927	11445	gi|1196922	unknown protein (Insertion sequence IS861)	86	63	519
59	12	7461	9224	gi|951051	relaxase (Streptococcus pneumoniae)	86	68	1764
65	4	1553	2401	pir|A02759|R5BS	ribosomal protein L2 - Bacillus stearothermophilus	86	77	849
65	23	10957	11610	gi|44074	adenylate kinase (Lactococcus lactis)	86	76	654
82	4	4374	4856	gi|153745	mannitol-specific enzyme III (Streptococcus mutans)	86	72	483
102	4	4270	4986	gnl|PID|e264705	OMP decarboxylase (Lactococcus lactis)	86	76	717
106	6	7824	6880	gnl|PID|e137598	aspartate transcarbamylase (Lactobacillus leichmannii)	86	68	945
107	1	1	273	gnl|PID|e339862	putative acylneuraminate lyase (Clostridium tertium)	86	71	273
111	7	10432	6710	gnl|PID|e228283	DNA-dependent RNA polymerase (Streptococcus pyogenes)	86	80	3723
131	9	5704	4892	gi|1661193	polipoprotein diacylglycerol transferase (Streptococcus mutans)	86	71	813
134	7	6430	7980	gi|2388637	glycerol kinase (Enterococcus faecalis)	86	73	1551
146	11	7473	6583	gi|1591731	melvalonate kinase (Methanococcus jannaschii)	86	72	891
153	2	595	2010	gi|2160707	dipeptidase (Lactococcus lactis)	86	78	1416
154	1	2	1435	gi|1857246	6-phosphogluconate dehydrogenase (Lactococcus lactis)	86	74	1434

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
161	5	5025	6284	gi|47529	Unknown [Streptococcus salivarius]	86	66	1260
184	1	2	1483	gi|642667	NADP-dependent glyceraldehyde-3-phosphate dehydrogenase [Streptococcus mutans]	86	73	1482
210	8	3659	6571	gi|153661	translational initiation factor IF2 [Enterococcus faecium]	86	76	2913
250	1	2	187	gi|1573551	asparagine synthetase A (asnA) [Haemophilus influenzae]	86	68	186
36	4	2644	3909	gi|2149909	cell division protein [Enterococcus faecalis]	85	73	1266
38	4	2475	3587	gi|2058545	putative ABC transporter subunit ComYB [Streptococcus gordonii]	85	72	1113
38	5	3577	3915	gi|2058546	ComYC [Streptococcus gordonii]	85	80	339
57	5	2797	3789	gnl|PID|d101316	YqfJ [Bacillus subtilis]	85	72	993
82	5	4915	6054	gi|153746	mannitol-phosphate dehydrogenase [Streptococcus mutans]	85	68	1140
83	15	14690	15793	gi|143371	phosphoribosyl aminoimidazole synthetase (PUR-M) [Bacillus subtilis]	85	69	1104
87	2	1417	2388	gi|1184967	ScrR [Streptococcus mutans]	85	69	972
108	3	2666	3154	gi|153566	ORF (19K protein) [Enterococcus faecalis]	85	67	489
127	2	312	692	gi|1044989	ribosomal protein S13 [Bacillus subtilis]	85	72	381
128	3	1534	2409	gi|1685110	tetrahydrofolate dehydrogenase/cyclohydrolase [Streptococcus thermophilus]	85	71	876
137	7	2962	4767	gnl|PID|d100347	Na+ -ATPase alpha subunit [Enterococcus hirae]	85	74	1806
170	2	2622	709	gnl|PID|d102006	(AB001488) FUNCTION UNKNOWN, SIMILAR PRODUCT IN E.COLI, H. INFLUENZAE AND NEISSERIA MENINGITIDIS. [Bacillus subtilis]	85	70	1914
187	5	3760	4386	gi|727436	putative 20-kDa protein [Lactococcus lactis]	85	65	627
233	2	728	1873	gi|1163116	ORF-5 [Streptococcus pneumoniae]	85	67	1146
234	3	962	1255	gi|2293155	(AF008220) YtiA [Bacillus subtilis]	85	61	294
240	1	309	1931	gi|143597	CTP synthetase [Bacillus subtilis]	85	70	1623
6	1	199	1521	gi|508979	GTP-binding protein [Bacillus subtilis]	84	72	1323
10	4	4375	3443	gnl|PID|e339862	putative acylneuraminate lyase [Clostridium tertium]	84	70	933
14	1	63	2093	gi|520753	DNA topoisomerase I [Bacillus subtilis]	84	69	2031
19	4	1793	2593	gi|2352484	(AF005098) RNAseH II [Lactococcus lactis]	84	68	801
20	17	17720	19687	gnl|PID|d100584	cell division protein [Bacillus subtilis]	84	71	1968
22	28	21723	20884	gi|299163	alanine dehydrogenase [Bacillus subtilis]	84	68	840

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
30	10	7730	6792	gnl|PID|d100296	fructokinase [Streptococcus mutans]	84	75	939
33	9	5650	5300	gi|147194	phnA protein [Escherichia coli]	84	71	351
36	22	21551	20772	gi|310631	ATP binding protein [Streptococcus gordonii]	84	72	780
48	4	2837	2505	gi|882609	6-phospho-beta-glucosidase [Escherichia coli]	84	69	333
58	1	41	1516	gi|450849	amylase [Streptococcus bovis]	84	73	1476
59	10	6715	7116	gi|951053	ORF10, putative [Streptococcus pneumoniae]	84	74	402
62	1	21	644	gi|806487	ORF211; putative [Lactococcus lactis]	84	66	624
65	17	7779	8207	gi|1044980	ribosomal protein L18 [Bacillus subtilis]	84	73	429
65	21	9507	10397	gi|44073	SecY protein [Lactococcus lactis]	84	68	891
106	4	5474	2262	gnl|PID|e199387	carbamoyl-phosphate synthase [Lactobacillus plantarum]	84	73	3213
159	1	147	4	gi|806487	ORF211; putative [Lactococcus lactis]	84	63	144
163	4	4690	5910	gi|2293164	(AF008220) SAM synthase [Bacillus subtilis]	84	69	1221
192	1	46	1308	gi|495046	tripeptidase [Lactococcus lactis]	84	73	1263
348	1	671	6	gi|1787753	(AE000245) f346; 79 pct identical to 336 amino acids of ADH1_ZYMMO SW: P20368 but has 10 additional N-ter residues [Escherichia coli]	84	71	666
3	4	1572	3575	gi|143766	(thrSv) (EC 6.1.1.3) [Bacillus subtilis]	83	65	2004
9	6	3893	3417	gnl|PID|d100576	single strand DNA binding protein [Bacillus subtilis]	83	68	477
17	15	7426	8457	gi|520738	comA protein [Streptococcus pneumoniae]	83	66	1032
20	12	13860	14144	gnl|PID|d100583	unknown [Bacillus subtilis]	83	61	285
23	4	3358	2606	gi|1788294	(AE000290) o238; This 238 aa orf is 40 pct identical (5 gaps) to 231 residues of an approx. 248 aa protein YE3C_ECOLI SW: P24237 [Escherichia coli]	83	74	753
28	6	3304	3005	gi|1573659	H. influenzae predicted coding region HI0659 [Haemophilus influenzae]	83	57	300
35	7	5108	3867	gi|311707	hypothetical nucleotide binding protein [Acholeplasma laidlawii]	83	63	1242
55	19	17932	17528	gi|537085	ORF_f141 [Escherichia coli]	83	59	405
55	20	18539	17919	gi|496558	orfX [Bacillus subtilis]	83	69	621
65	6	2795	3142	gi|1165308	L22 [Bacillus subtilis]	83	64	348
68	6	6877	6683	gi|1213494	immunoglobulin A1 protease [Streptococcus pneumoniae]	83	54	195

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
87	15	15112	14771	gnl|PID|e323522	putative rpoZ protein [Bacillus subtilis]	83	54	342
96	12	8963	9631	gi|47394	5-oxoprolyl-peptidase [Streptococcus pyogenes]	83	73	669
98	1	3	263	gi|1183885	glutamine-binding subunit [Bacillus subtilis]	83	55	261
120	4	7170	5233	gi|310630	zinc metalloprotease [Streptococcus gordonii]	83	72	1938
127	7	2998	4347	gi|1500567	M. jannaschii predicted coding region MJ1665 [Methanococcus jannaschii]	83	72	1350
137	1	3	440	gi|472918	v-type Na-ATPase [Enterococcus hirae]	83	60	438
160	6	3466	4356	gi|1773265	ATPase, gamma subunit [Streptococcus mutans]	83	67	891
214	4	2278	2964	gi|663279	transposase [Streptococcus pneumoniae]	83	72	687
226	3	2367	2020	gi|142154	thioredoxin [Synechococcus PCC6301]	83	58	348
303	1	3	1049	gi|40046	phosphoglucose isomerase A (AA 1-449) [Bacillus stearothermophilus]	83	67	1047
303	2	1155	1931	gi|289282	glutamyl-tRNA synthetase [Bacillus subtilis]	83	67	777
6	17	15370	14318	gi|633147	ribose-phosphate pyrophosphokinase [Bacillus caldolyticus]	82	64	1053
7	1	299	96	gi|143648	ribosomal protein L28 [Bacillus subtilis]	82	69	204
9	3	1479	1090	gi|385178	unknown [Bacillus subtilis]	82	46	390
9	7	4213	3899	gnl|PID|d100576	ribosomal protein S6 [Bacillus subtilis]	82	60	315
12	6	4688	3942	gnl|PID|d100571	unknown [Bacillus subtilis]	82	68	747
22	17	13422	14837	gi|520754	putative [Bacillus subtilis]	82	69	1416
22	18	14897	15658	gnl|PID|d101929	uridine monophosphate kinase [Synechocystis sp.]	82	62	762
33	16	11471	10641	gnl|PID|d101190	ORF4 [Streptococcus mutans]	82	68	831
35	9	7400	6255	gi|1881543	UDP-N-acetylglucosamine-2-epimerase [Streptococcus pneumoniae]	82	68	1146
40	10	8003	7533	gi|1173519	riboflavin synthase beta subunit [Actinobacillus pleuropneumoniae]	82	68	471
48	32	23159	23437	gi|1930092	outer membrane protein [Campylobacter jejuni]	82	61	279
52	14	13833	14765	gi|142521	deoxyribodipyrimidine photolyase [Bacillus subtilis]	82	61	933
60	4	4737	1849	gnl|PID|d102221	(AB001610) uvrA [Deinococcus radiodurans]	82	66	2889
62	4	2131	1457	gi|2246749	(AF009622) thioredoxin reductase [Listeria monocytogenes]	82	63	675
71	11	16586	17518	gnl|PID|e322063	ss-1,4-galactosyltransferase [Streptococcus pneumoniae]	82	60	933
73	13	9222	7837	gnl|PID|d100586	unknown [Bacillus subtilis]	82	65	1386

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
74	1	1	3771	gnl|PID|d101199	alkaline amylopullulanase [Bacillus sp.]	82	68	3771
83	9	3696	3983	gnl|PID|e305362	unnamed protein product [Streptococcus thermophilus]	82	52	288
86	11	10776	9394	gi|683583	5-enolpyruvylshikimate-3-phosphate synthase [Lactococcus lactis]	82	67	1383
89	12	8295	9752	gi|40025	homologous to E.coli 50K [Bacillus subtilis]	82	66	1458
115	9	10347	8812	gnl|PID|d102090	(AB003927) phospho-beta-galactosidase 1 [Lactobacillus gasseri]	82	74	1536
118	1	1	1332	gnl|PID|d100579	seryl-tRNA synthetase [Bacillus subtilis]	82	71	1332
151	3	4657	6246	pir|S06097|S060	type I site-specific deoxyribonuclease (EC 3.1.21.3) CfrA chain S - Citrobacter freundii	82	66	1590
173	6	4183	3503	gi|2313836	(AE000584) conserved hypothetical protein [Helicobacter pylori]	82	68	681
177	12	5481	7442	gnl|PID|d101999	(AB001341) NcrB [Escherichia coli]	82	58	1962
193	2	178	576	pir|S08564|R3BS	ribosomal protein S9 - Bacillus stearothermophilus	82	70	399
245	2	258	845	gi|146402	EcoA type I restriction-modification enzyme S subunit [Escherichia coli]	82	68	588
9	5	3400	3146	gnl|PID|d100576	ribosomal protein S18 [Bacillus subtilis]	81	66	255
16	7	7484	8413	gi|1100074	tryptophanyl-tRNA synthetase [Clostridium longisporum]	81	70	930
20	11	10308	13820	gnl|PID|d100583	transcription-repair coupling factor [Bacillus subtilis]	81	63	3513
38	2	1232	1606	gi|2058543	putative DNA binding protein [Streptococcus gordonii]	81	63	375
45	2	3061	1751	gi|460259	enolase [Bacillus subtilis]	81	67	1311
46	1	2	1267	gi|431231	uracil permease [Bacillus caldolyticus]	81	61	1266
48	3	2453	1440	gnl|PID|d100453	Mannosephosphate Isomerase [Streptococcus mutans]	81	70	1014
54	2	1106	336	gi|154752	transport protein [Agrobacterium tumefaciens]	81	64	771
65	22	10306	10821	gi|44073	SecY protein [Lactococcus lactis]	81	66	516
89	4	3874	2603	gi|556886	serine hydroxymethyltransferase [Bacillus subtilis]	81	69	1272
99	16	19126	18929	gi|2313526	(AE000557) H. pylori predicted coding region HP0411 [Helicobacter pylori]	81	75	198
106	7	8373	7822	gnl|PID|e199384	pyrR [Lactobacillus plantarum]	81	61	552
108	6	5054	6877	gi|1469939	group B oligopeptidase PepB [Streptococcus agalactiae]	81	66	1824
113	15	15899	18283	pir|S09411|S094	spoIIIE protein - Bacillus subtilis	81	65	2385
128	5	3359	3634	gi|1685111	orf1091 [Streptococcus thermophilus]	81	69	276

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
151	1	830	3211	gi|304896	EcoE type I restriction-modification enzyme R subunit [Escherichia coli]	81	59	2382
159	11	6722	7837	gi|2239288	GMP synthetase [Bacillus subtilis]	81	69	1116
170	1	739	458	gnl|PID|d102006	(AB001488) FUNCTION UNKNOWN. [Bacillus subtilis]	81	55	282
191	2	1759	893	gi|149522	tryptophan synthase alpha subunit [Lactococcus lactis]	81	65	867
214	3	2290	1994	gi|157587	reverse transcriptase endonuclease [Drosophila virilis]	81	43	297
217	4	4415	4008	gi|466473	cellobiose phosphotransferase enzyme II' [Bacillus stearothermophilus]	81	59	408
262	2	569	868	gi|153675	tagatose 6-P kinase [Streptococcus mutans]	81	68	300
299	1	.663	4	gnl|PID|e301154	StySKI methylase [Salmonella enterica]	81	60	660
366	2	376	83	gi|149521	tryptophan synthase beta subunit [Lactococcus lactis]	81	65	294
12	10	8766	9242	gi|1216490	DNA/pantothenate metabolism flavoprotein [Streptococcus mutans]	80	64	477
17	11	6050	5748	gnl|PID|e305362	unnamed protein product [Streptococcus thermophilus]	80	67	303
17	16	8455	9066	gi|703126	leucocin A translocator [Leuconostoc gelidum]	80	59	612
18	3	2440	1613	gi|1591672	phosphate transport system ATP-binding protein [Methanococcus jannaschii]	80	58	828
27	3	4248	1579	gi|452309	valyl-tRNA synthetase [Bacillus subtilis]	80	69	2670
28	7	3671	3288	gi|1573660	H. influenzae predicted coding region HI0660 [Haemophilus influenzae]	80	63	384
32	2	902	1933	gnl|PID|e264499	dihydroorotate dehydrogenase B [Lactococcus lactis]	80	66	1032
39	1	1	1266	gnl|PID|e234078	hom [Lactococcus lactis]	80	63	1266
52	5	4363	3593	gi|1183884	ATP-binding subunit [Bacillus subtilis]	80	57	771
54	5	4550	4744	gi|2198820	(AF004225) Cux/CDP(1B1); Cux/CDP homeoprotein [Mus musculus]	80	60	195
59	11	7109	7486	gi|951052	ORF9, putative [Streptococcus pneumoniae]	80	68	378
65	3	1230	1550	pir|A02815|R5BS	ribosomal protein L23 - Bacillus stearothermophilus	80	69	321
65	12	5174	5503	pir|A02819|R5BS	ribosomal protein L24 - Bacillus stearothermophilus	80	70	330
66	9	9884	10687	gi|2313836	(AE000584) conserved hypothetical protein [Helicobacter pylori]	80	66	804
82	2	648	2438	gi|622991	mannitol transport protein [Bacillus stearothermophilus]	80	65	1791
85	1	950	630	gi|528995	polyketide synthase [Bacillus subtilis]	80	46	321
89	8	6870	5779	gi|853776	peptide chain release factor 1 [Bacillus subtilis]	80	63	1092
93	12	8718	7438	gnl|PID|d101959	hypothetical protein [Synechocystis sp.]	80	60	1281

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
106	5	6854	5751	gnl|PID|e199386	glutaminase of carbamoyl-phosphate synthase [Lactobacillus plantarum]	80	65	1104
109	2	2160	1450	gi|40056	phoP gene product [Bacillus subtilis]	80	59	711
124	9	4246	3953	gnl|PID|d102254	30S ribosomal protein S16 [Bacillus subtilis]	80	65	294
128	8	5148	6428	gi|2281308	phosphopentomutase [Lactococcus lactis cremoris]	80	66	1281
137	19	12665	11376	gi|159109	NADP-dependent glutamate dehydrogenase [Giardia intestinalis]	80	68	1290
140	19	19699	19457	gi|517210	putative transposase [Streptococcus pyogenes]	80	70	243
158	2	2474	984	gi|1877423	galactose-1-P-uridyl transferase [Streptococcus mutans]	80	65	1491
171	10	7474	7728	gi|397800	cyclophilin C-associated protein [Mus musculus]	80	60	255
181	1	2	619	gi|149395	lacC [Lactococcus lactis]	80	66	618
313	1	27	539	gi|143467	ribosomal protein S4 [Bacillus subtilis]	80	70	513
329	2	1652	858	gi|533080	RecF protein [Streptococcus pyogenes]	80	63	795
371	1	2	958	gi|442360	ClpC adenosine triphosphatase [Bacillus subtilis]	80	58	957
8	7	4312	5580	gi|149435	putative [Lactococcus lactis]	79	64	1269
23	1	1175	135	gi|1542975	AbcB [Thermoanaerobacterium thermosulfurigenes]	79	61	1041
33	14	9244	8201	gnl|PID|e253891	UDP-glucose 4-epimerase [Bacillus subtilis]	79	62	1044
36	3	1242	2633	gnl|PID|e324218	ftsA [Enterococcus hirae]	79	58	1392
38	13	7155	8378	gi|405134	acetate kinase [Bacillus subtilis]	79	58	1224
55	7	9011	8229	gi|1146234	dihydrodipicolinate reductase [Bacillus subtilis]	79	56	783
65	19	8661	8915	gi|2078380	ribosomal protein L30 [Staphylococcus aureus]	79	68	255
69	4	3678	2128	gnl|PID|e311452	unknown [Bacillus subtilis]	79	64	1551
69	9	7881	7279	gi|677850	hypothetical protein [Staphylococcus aureus]	79	59	603
72	10	8491	9783	gnl|PID|d101091	hypothetical protein [Synechocystis sp.]	79	62	1293
80	3	2906	7300	gi|143342	polymerase III [Bacillus subtilis]	79	65	4395
82	14	13326	15689	gnl|PID|e255093	hypothetical protein [Bacillus subtilis]	79	65	2364
86	13	12233	11118	gi|683582	prephenate dehydrogenase [Lactococcus lactis]	79	58	1116
92	3	940	1734	gi|537286	triosephosphate isomerase [Lactococcus lactis]	79	65	795
98	6	4023	4742	gnl|PID|d100262	LivG protein [Salmonella typhimurium]	79	63	720

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
99	12	16315	14150	gi|153736	a-galactosidase [Streptococcus mutans]	79	64	2166
107	7	5684	6406	gi|460080	D-alanine:D-alanine ligase-related protein [Enterococcus faecalis]	79	58	723
113	9	6858	8303	gi|466882	ppsl; B1496_C2_189 [Mycobacterium leprae]	79	64	1446
151	10	13424	12213	gi|450686	3-phosphoglycerate kinase [Thermotoga maritima]	79	60	1212
162	2	1158	3017	gi|506700	CapD [Staphylococcus aureus]	79	67	1860
177	5	2876	3052	gi|912423	putative [Lactococcus lactis]	79	61	177
177	8	4198	4563	gi|149429	putative [Lactococcus lactis]	79	61	366
187	3	2728	2907	gnl|PID|d102002	(AB001488) FUNCTION UNKNOWN. [Bacillus subtilis]	79	53	180
189	7	3589	4350	gnl|PID|e183449	putative ATP-binding protein of ABC-type [Bacillus subtilis]	79	61	762
191	5	4249	3449	gi|149519	indoleglycerol phosphate synthase [Lactococcus lactis]	79	66	801
211	3	1805	2737	gi|147404	mannose permease subunit II-M-Man [Escherichia coli]	79	57	933
212	3	3863	3621	gnl|PID|e209004	glutaredoxin-like protein [Lactococcus lactis]	79	58	243
215	1	987	715	gi|2293242	(AF008220) arginine succinate synthase [Bacillus subtilis]	79	64	273
323	2	530	781	gi|897795	30S ribosomal protein [Pediococcus acidilactici]	79	67	252
380	1	694	2	gi|1184680	polynucleotide phosphorylase [Bacillus subtilis]	79	64	693
384	2	655	239	gi|143328	phoP protein (put.); putative [Bacillus subtilis]	79	59	417
6	3	2820	4091	gi|853767	UDP-N-acetylglucosamine 1-carboxyvinyltransferase [Bacillus subtilis]	78	62	1272
8	1	50	1786	gi|149432	putative [Lactococcus lactis]	78	63	1737
9	1	351	124	gi|897793	y98 gene product [Pediococcus acidilactici]	78	59	228
15	8	7364	8314	gnl|PID|d100585	cysteine synthetase A [Bacillus subtilis]	78	63	951
20	10	9738	10310	gnl|PID|d100583	stage V sporulation [Bacillus subtilis]	78	58	573
20	16	17165	17713	gi|49105	hypoxanthine phosphoribosyltransferase [Lactococcus lactis]	78	59	549
22	22	17388	18416	gnl|PID|d101315	YqfE [Bacillus subtilis]	78	60	1029
22	27	20971	20612	gi|299163	alanine dehydrogenase [Bacillus subtilis]	78	59	360
34	8	7407	7105	gi|41015	aspartate-tRNA ligase [Escherichia coli]	78	55	303
35	8	6257	5196	gi|1657644	Cap8E [Staphylococcus aureus]	78	60	1062

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
40	11	9287	8001	gi|1173518	GTP cyclohydrase II/ 3,4-dihydroxy-2-butanone-4-phosphate synthase [Actinobacillus pleuropneumoniae]	78	58	1287
48	31	22422	23183	gi|2314330	(AE000623) glutamine ABC transporter, ATP-binding protein (glnQ) [Helicobacter pylori]	78	58	762
52	2	2101	1430	gi|1183887	integral membrane protein [Bacillus subtilis]	78	54	672
55	14	13605	12712	gnl|PID|d102026	(AB002150) YbbP [Bacillus subtilis]	78	58	894
55	17	16637	15612	gnl|PID|e313027	hypothetical protein [Bacillus subtilis]	78	51	1026
71	14	19756	19598	gi|179764	calcium channel alpha-1D subunit [Homo sapiens]	78	57	159
74	11	15031	14018	gi|1573279	Holliday junction DNA helicase (ruvB) [Haemophilus influenzae]	78	57	1014
75	9	6623	7972	gi|1877423	galactose-1-P-uridyl transferase [Streptococcus mutans]	78	62	1350
81	12	12125	13906	gi|1573607	L-fucose isomerase (fucI) [Haemophilus influenzae]	78	66	1782
82	3	2423	4417	gi|153744	ORF X; putative [Streptococcus mutans]	78	64	1995
83	18	16926	18500	gi|143373	phosphoribosyl aminoimidazole carboxy formyl formyltransferase/inosine monophosphate cyclohydrolase (PUR-H(J)) [Bacillus subtilis]	78	63	1575
83	20	20212	20775	gi|143364	phosphoribosyl aminoimidazole carboxylase I (PUR-E) [Bacillus subtilis]	78	64	564
92	2	165	878	gnl|PID|d101190	ORF2 [Streptococcus mutans]	78	62	714
98	8	5863	6909	gi|2331287	(AF013188) release factor 2 [Bacillus subtilis]	78	63	1047
113	3	1071	2741	gi|580914	dnaZX [Bacillus subtilis]	78	64	1671
127	4	1133	2071	gi|142463	RNA polymerase alpha-core-subunit [Bacillus subtilis]	78	59	939
132	1	2782	497	gi|1561763	pullulanase [Bacteroides thetaiotaomicron]	78	58	2286
135	4	2698	3537	gi|1788036	(AE000269) NH3-dependent NAD synthetase [Escherichia coli]	78	66	840
140	24	26853	25423	gi|1100077	phospho-beta-glucosidase [Clostridium longisporum]	78	64	1431
150	5	4690	4514	gi|149464	amino peptidase [Lactococcus lactis]	78	42	177
152	1	1	795	gi|639915	NADH dehydrogenase subunit [Thunbergia alata]	78	43	795
162	4	4997	4110	gnl|PID|e323528	putative YhaP protein [Bacillus subtilis]	78	64	888
181	10	8651	7947	gi|149402	lactose repressor (lacR; alt.) [Lactococcus lactis]	78	48	705
200	4	3627	4958	gnl|PID|d100172	invertase [Zymomonas mobilis]	78	61	1332
203	3	3230	3015	gi|1174237	CycK [Pseudomonas fluorescens]	78	57	216

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
210	9	6789	7172	gi|580902	ORF6 gene product [Bacillus subtilis]	78	42	384
214	6	3810	2797	gnl|PID|d102049	P. haemolytica o-sialoglycoprotein endopeptidase; P36175 (660) transmembrane [Bacillus subtilis]	78	60	1014
214	13	6322	8163	gi|1377831	unknown [Bacillus subtilis]	78	62	1842
217	1	9	2717	gi|488430	alcohol dehydrogenase 2 [Entamoeba histolytica]	78	64	2709
222	3	2316	3098	gi|1573047	spore germination and vegetative growth protein (gerC2) [Haemophilus influenzae]	78	65	783
268	1	742	8	gi|517210	putative transposase [Streptococcus pyogenes]	78	65	735
276	1	223	753	gnl|PID|d100306	ribosomal protein L1 [Bacillus subtilis]	78	65	531
312	3	1567	1079	gi|289261	comE ORF2 [Bacillus subtilis]	78	54	489
339	1	117	794	gi|1916729	CadD [Staphylococcus aureus]	78	53	678
342	2	762	265	gi|1842439	phosphatidylglycerophosphate synthase [Bacillus subtilis]	78	59	498
383	1	737	3	gi|1184680	polynucleotide phosphorylase [Bacillus subtilis]	78	64	735
7	15	11923	11018	gi|1399855	carboxyltransferase beta subunit [Synechococcus PCC7942]	77	63	906
8	2	1698	2255	gi|149433	putative [Lactococcus lactis]	77	59	558
17	14	6948	7550	gi|520738	comA protein [Streptococcus pneumoniae]	77	60	603
30	12	9761	8967	gi|1000451	TreP [Bacillus subtilis]	77	43	795
36	14	11421	12131	gi|1573766	phosphoglyceromutase (gpmA) [Haemophilus influenzae]	77	64	711
55	3	3836	4096	gi|1708640	YeaB [Bacillus subtilis]	77	55	261
61	8	8377	8054	gi|1890649	multidrug resistance protein LmrA [Lactococcus lactis]	77	51	324
65	2	607	1254	gi|40103	ribosomal protein L4 [Bacillus stearothermophilus]	77	63	648
68	8	7509	7240	gi|47551	MRP [Streptococcus suis]	77	68	270
69	1	1083	118	gnl|PID|e311493	unknown [Bacillus subtilis]	77	57	966
77	5	4583	4026	gnl|PID|e281578	hypothetical 12.2 kd protein [Bacillus subtilis]	77	60	558
83	14	13104	14552	gi|1590947	amidophosphoribosyltransferase [Methanococcus jannaschii]	77	56	1449
94	4	3006	5444	gnl|PID|e329895	(AJ000496) cyclic nucleotide-gated channel beta subunit [Rattus norvegicus]	77	66	2439
96	11	8518	8880	gi|551879	ORF 1 [Lactococcus lactis]	77	62	363
99	11	14082	12799	gi|153737	sugar-binding protein [Streptococcus mutans]	77	61	1284

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
106	2	361	1176	gi|148921	LicD protein [Haemophilus influenzae]	77	51	816
108	4	3152	4030	gi|1574730	tellurite resistance protein (tehB) [Haemophilus influenzae]	77	58	879
118	4	3520	3131	gi|1573900	D-alanine permease (dagA) [Haemophilus influenzae]	77	57	390
124	4	1796	1071	gi|1573162	tRNA (guanine-N1)-methyltransferase (trmD) [Haemophilus influenzae]	77	58	726
126	4	5909	4614	gnl|PID|d101163	Srb [Bacillus subtilis]	77	62	1296
128	2	630	1373	gnl|PID|d101328	YqiZ [Bacillus subtilis]	77	58	744
130	1	1	1287	gnl|PID|e325013	hypothetical protein [Bacillus subtilis]	77	61	1287
139	5	4388	3639	gi|2293302	(AF008220) YtqA [Bacillus subtilis]	77	59	750
140	11	10931	9582	gi|289284	cysteinyl-tRNA synthetase [Bacillus subtilis]	77	64	1350
140	18	19451	19263	gi|517210	putative transposase [Streptococcus pyogenes]	77	66	189
141	2	976	1683	gnl|PID|e157887	URF5 (aa 1-573) [Drosophila yakuba]	77	50	708
141	4	2735	5293	gi|556258	secA [Listeria monocytogenes]	77	59	2559
144	2	671	2173	gnl|PID|d100585	lysyl-tRNA thynthetase [Bacillus subtilis]	77	61	1503
163	5	6412	7398	gi|511015	dihydroorotate dehydrogenase A [Lactococcus lactis]	77	62	987
164	10	7841	7074	gnl|PID|d100964	homologue of iron dicitrate transport ATP-binding protein FecE of E. coli [Bacillus subtilis]	77	52	768
191	8	7257	5791	gi|149516	anthranilate synthase alpha subunit [Lactococcus lactis]	77	57	1467
198	8	5377	5177	gi|1573856	hypothetical [Haemophilus influenzae]	77	66	201
213	1	202	462	gi|1743860	Brca2 [Mus'musculus]	77	50	261
250	2	231	509	gnl|PID|e334776	YlbH protein [Bacillus subtilis]	77	60	279
289	3	1737	1276	gnl|PID|d100947	Ribosomal Protein L10 [Bacillus subtilis]	77	62	462
292	2	1399	668	gi|143004	transfer RNA-Gln synthetase [Bacillus stearothermophilus]	77	58	732
7	3	2734	1166	gnl|PID|d101824	peptide-chain-release factor 3 [Synechocystis sp.]	76	53	1569
7	23	18474	18235	gi|455157	acyl carrier protein [Cryptomonas phi]	76	57	240
9	8	5706	4342	gi|1146247	asparaginyl-tRNA synthetase [Bacillus subtilis]	76	61	1365
10	5	4531	4385	gnl|PID|e314495	hypothetical protein [Clostridium perfringens]	76	53	147
18	2	1615	842	gi|1591672	phosphate transport system ATP-binding protein [Methanococcus jannaschii]	76	56	774

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
22	37	27796	28173	gnl|PID|e13389	translation initiation factor IF3 (AA 1-172) [Bacillus stearothermophilus]	76	64	378
35	6	3869	2682	gi|1773346	CapSG [Staphylococcus aureus]	76	61	1188
48	28	21113	21787	gi|2314328	(AE000623) glutamine ABC transporter, permease protein (glnP) [Helicobacter pylori]	76	52	675
52	12	12881	13786	gi|142521	deoxyribodipyrimidine photolyase [Bacillus subtilis]	76	58	906
55	10	11521	10571	gnl|PID|e283110	femD [Staphylococcus aureus]	76	61	951
57	8	7824	6559	gi|290561	o188 [Escherichia coli]	76	47	1266
62	5	2406	2095	gnl|PID|e313024	hypothetical protein [Bacillus subtilis]	76	59	312
65	9	4223	4441	gi|40148	L29 protein (AA 1-66) [Bacillus subtilis]	76	58	219
68	2	1328	2371	gnl|PID|e284233	anabolic ornithine carbamoyltransferase [Lactobacillus plantarum]	76	61	1044
69	8	7297	6005	gnl|PID|d101420	Pyrimidine nucleoside phosphorylase [Bacillus stearothermophilus]	76	61	1293
73	12	7839	7267	gnl|PID|e243629	unknown [Mycobacterium tuberculosis]	76	53	573
74	5	8433	7039	gnl|PID|d102048	C. thermocellum beta-glucosidase; P26208 (985) [Bacillus subtilis]	76	60	1395
80	5	7643	7936	gi|2314030	(AE000599) conserved hypothetical protein [Helicobacter pylori]	76	61	294
82	15	16019	16996	gi|1573900	D-alanine permease (dagA) [Haemophilus influenzae]	76	56	978
83	19	18616	19884	gi|143374	phosphoribosyl glycinamide synthetase (PUR-D; gtg start codon) [Bacillus subtilis]	76	60	1269
86	14	13409	12231	gi|143806	AroF [Bacillus subtilis]	76	58	1179
87	1	3	1442	gi|153804	sucrose-6-phosphate hydrolase [Streptococcus mutans]	76	59	1440
87	16	15754	15110	gnl|PID|e323500	putative Gmk protein [Bacillus subtilis]	76	56	645
93	4	1769	1539	gi|1574820	1,4-alpha-glucan branching enzyme (glgB) [Haemophilus influenzae]	76	46	231
94	1	51	365	gi|144313	6.0 kd ORF [Plasmid ColE1]	76	73	315
116	2	2151	1678	gi|153841	pneumococcal surface protein A [Streptococcus pneumoniae]	76	59	474
123	6	3442	5895	gi|1314297	ClpC ATPase [Listeria monocytogenes]	76	59	2454
126	2	2156	2932	gnl|PID|d101328	YqiZ [Bacillus subtilis]	76	61	777
128	10	6973	7797	gi|944944	purine nucleoside phosphorylase [Bacillus subtilis]	76	60	825
131	11	6186	5812	gi|1674310	(AE000058) Mycoplasma pneumoniae, MG085 homolog, from M. genitalium [Mycoplasma pneumoniae]	76	47	375

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
139	4	3641	3192	gi|2293302	(AF008220) YtqA [Bacillus subtilis]	76	53	450
140	14	14872	12536	gi|1184680	polynucleotide phosphorylase [Bacillus subtilis]	76	62	2337
143	2	2583	3905	gi|143795	transfer RNA-Tyr synthetase [Bacillus subtilis]	76	61	1323
170	6	5095	6114	gnl|PID|d100959	ycgQ [Bacillus subtilis]	76	44	1020
180	2	1927	557	gi|40019	ORF 821 (aa 1-821) [Bacillus subtilis]	76	53	1371
191	7	5815	5228	gi|551880	anthranilate synthase beta subunit [Lactococcus lactis]	76	61	588
195	3	3829	2444	gi|2149905	D-glutamic acid adding enzyme [Enterococcus faecalis]	76	60	1386
200	3	1914	3629	gi|431272	lysis protein [Bacillus subtilis]	76	58	1716
201	1	431	207	gi|2208998	dextran glucosidase DexS [Streptococcus suis]	76	57	225
214	2	1283	2380	gi|663278	transposase [Streptococcus pneumoniae]	76	55	1098
225	3	2338	3411	gi|1552775	ATP-binding protein [Escherichia coli]	76	56	1074
233	1	2	724	gi|1163115	neuraminidase B [Streptococcus pneumoniae]	76	60	723
347	1	523	38	gi|537033	ORF_f356 [Escherichia coli]	76	60	486
356	2	842	165	gi|2149905	D-glutamic acid adding enzyme [Enterococcus faecalis]	76	61	678
366	3	734	348	gi|149520	phosphoribosyl anthranilate isomerase [Lactococcus lactis]	76	69	387
5	8	12599	11484	gi|1574293	fimbrial transcription regulation repressor (pilB) [Haemophilus influenzae]	75	61	1116
6	13	12553	11894	gnl|PID|d102050	ydlH [Bacillus subtilis]	75	51	660
9	10	7282	6062	gi|142538	aspartate aminotransferase [Bacillus sp.]	75	55	1221
10	12	8080	7940	gi|149493	SCRFI methylase [Lactococcus lactis]	75	56	141
18	5	4266	3301	gnl|PID|d101319	YqgH [Bacillus subtilis]	75	52	966
22	4	1838	2728	gi|1373157	orf-X; hypothetical protein; Method: conceptual translation supplied by author [Bacillus subtilis]	75	62	891
30	11	9015	7828	gi|153801	enzyme scr-II [Streptococcus mutans]	75	64	1188
31	5	2362	2030	gi|2293211	(AF008220) putative thioredoxin [Bacillus subtilis]	75	53	333
32	9	7484	8359	gnl|PID|d100560	formamidopyrimidine-DNA glycosylase [Streptococcus mutans]	75	61	876
33	4	1735	1448	gi|413976	ipa-52r gene product [Bacillus subtilis]	75	53	288
33	10	6470	5769	gi|533105	unknown [Bacillus subtilis]	75	56	702

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
33	12	6878	7183	pir|A00205|FECL	ferredoxin [4Fe-4S] - Clostridium thermaceticum	75	56	306
36	1	181	2	gi|2088739	(AF003141) strong similarity to the FABP/P2/CRBP/CRABP family of transporters [Caenorhabditis elegans]	75	43	180
38	22	14510	15379	gi|1574058	hypothetical [Haemophilus influenzae]	75	56	870
48	33	23398	24066	gi|1930092	outer membrane protein [Campylobacter jejuni]	75	56	669
51	1	2	319	gi|43985	nifS-like gene [Lactobacillus delbrueckii]	75	55	318
51	10	8318	11683	gi|537192	CG Site No. 620; alternate gene names hs, hsp, hsr, rmx apparent frameshift in GenBank Accession Number X06545 [Escherichia coli]	75	50	3366
54	18	19566	20759	gi|666069	orf2 gene product [Lactobacillus leichmannii]	75	58	1194
57	9	8448	7822	gi|290561	o188 [Escherichia coli]	75	50	627
65	14	6072	6356	gi|606241	30S ribosomal subunit protein S14 [Escherichia coli]	75	64	285
70	4	3071	2472	gi|1256617	adenine phosphoribosyltransferase [Bacillus subtilis]	75	57	600
71	24	30399	29404	gi|1574390	C4-dicarboxylate transport protein [Haemophilus influenzae]	75	57	996
73	2	910	455	gnl|PID|e249656	YneT [Bacillus subtilis]	75	57	456
79	1	1810	491	gi|1146219	28.2% of identity to the Escherichia coli GTP-binding protein Era; putative [Bacillus subtilis]	75	59	1320
82	6	6360	6536	gi|1655715	BztD [Rhodobacter capsulatus]	75	55	177
83	6	1938	2975	gnl|PID|e323529	putative PlsX protein [Bacillus subtilis]	75	56	1038
93	11	7368	5317	gi|39989	methionyl-tRNA synthetase [Bacillus stearothermophilus]	75	58	2052
93	13	9409	8699	gi|1591493	glutamine transport ATP-binding protein Q [Methanococcus jannaschii]	75	54	711
95	1	1795	47	gnl|PID|e323510	YloV protein [Bacillus subtilis]	75	57	1749
103	2	362	1186	gnl|PID|e266928	unknown [Mycobacterium tuberculosis]	75	64	825
104	1	691	915	gi|460026	repressor protein [Streptococcus pneumoniae]	75	54	225
113	5	2951	3883	gnl|PID|d101119	ABC transporter subunit [Synechocystis sp.]	75	55	933
121	1	320	1390	gi|2145131	repressor of class I heat shock gene expression HrcA [Streptococcus mutans]	75	58	1071
127	6	2614	3000	gi|1500451	M. jannaschii predicted coding region MJ1558 [Methanococcus jannaschii]	75	44	387
137	18	10082	10687	gi|393116	P-glycoprotein 5 [Entamoeba histolytica]	75	52	606
149	11	8499	9338	gnl|PID|d100582	unknown [Bacillus subtilis]	75	55	840

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
151	6	9100	7673	gi|40467	HsdS polypeptide, part of CfrA family [Citrobacter freundii]	75	57	1428
158	1	986	3	gnl|PID|e253891	UDP-glucose 4-epimerase [Bacillus subtilis]	75	63	984
172	8	5653	6774	gi|142978	glycerol dehydrogenase [Bacillus stearothermophilus]	75	56	1122
172	9	7139	9730	gnl|PID|e268456	unknown [Mycobacterium tuberculosis]	75	58	2592
173	1	261	79	gnl|PID|e236469	C10C5.6 [Caenorhabditis elegans]	75	50	183
185	3	3066	2014	gi|1574806	spermidine/putrescine transport ATP-binding protein (potA) [Haemophilus influenzae]	75	56	1053
191	6	5235	4213	gi|149518	phosphoribosyl anthranilate transferase [Lactococcus lactis]	75	61	1023
226	2	1774	1181	gi|2314588	(AE000642) conserved hypothetical protein [Helicobacter pylori]	75	65	594
231	1	1	153	gi|40173	homolog of E.coli ribosomal protein L21 [Bacillus subtilis]	75	57	153
234	1	2	418	gi|2293259	(AF008220) YtqI [Bacillus subtilis]	75	59	417
279	1	552	151	gi|1119198	unknown protein [Bacillus subtilis]	75	50	402
291	7	3558	3827	gi|40011	ORF17 (AA 1-161) [Bacillus subtilis]	75	48	270
375	2	137	628	gi|410137	ORFX13 [Bacillus subtilis]	75	58	492
6	20	16721	17560	gi|2293323	(AF008220) YtdI [Bacillus subtilis]	74	53	840
7	6	4682	6052	gi|1354211	PET112-like protein [Bacillus subtilis]	74	60	1371
18	4	3341	2427	gnl|PID|d101319	YqgI [Bacillus subtilis]	74	54	915
21	6	5885	4800	gi|1072381	glutamyl-aminopeptidase [Lactococcus lactis]	74	59	1086
24	2	739	548	gi|2314762	(AE000655) ABC transporter, permease protein (yaeE) [Helicobacter pylori]	74	46	192
25	1	2	367	gnl|PID|d100932	H2O-forming NADH Oxidase [Streptococcus mutans]	74	63	366
38	18	11432	12964	gi|537034	ORF_o488 [Escherichia coli]	74	57	1533
48	10	8924	6669	gi|1513069	P-type adenosine triphosphatase [Listeria monocytogenes]	74	53	2256
55	11	11964	11401	gnl|PID|e283110	femD [Staphylococcus aureus]	74	64	564
61	2	1782	427	gi|2293216	(AF008220) putative UDP-N-acetylmuramate-alanine ligase [Bacillus subtilis]	74	55	1356
76	10	9414	8065	gnl|PID|d101325	YqiB [Bacillus subtilis]	74	54	1350
83	2	666	926	pir|C33496|C334	hisC homolog - Bacillus subtilis	74	55	261
86	9	8985	8080	gi|683585	prephenate dehydratase [Lactococcus lactis]	74	55	906

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
102	5	5005	5652	gi|143394	OMP-PRPP transferase [Bacillus subtilis]	74	57	648
103	5	4364	3267	gnl|PID|e323524	YloN protein [Bacillus subtilis]	74	62	1098
108	7	6864	7592	gnl|PID|e257631	methyltransferase [Lactococcus lactis]	74	56	729
131	2	478	146	gnl|PID|d101320	YqgZ [Bacillus subtilis]	74	45	333
133	2	1380	919	gnl|PID|e313025	hypothetical protein [Bacillus subtilis]	74	60	462
137	9	6167	6787	gnl|PID|d100479	Na+ -ATPase subunit D [Enterococcus hirae]	74	53	621
149	4	3008	3883	gnl|PID|d100581	high level kasgamycin resistance [Bacillus subtilis]	74	55	876
157	2	243	824	gi|1573373	methylated-DNA--protein-cysteine methyltransferase (datl) [Haemophilus influenzae]	74	48	582
164	6	3515	4249	gi|410131	ORFX7 [Bacillus subtilis]	74	48	735
167	7	5446	5201	gi|413927	ipa-3r gene product [Bacillus subtilis]	74	55	246
171	1	1	1818	gnl|PID|d102251	beta-galactosidase [Bacillus circulans]	74	62	1818
172	4	1064	2392	gi|466474	cellobiose phosphotransferase enzyme II'' [Bacillus stearothermophilus]	74	50	1329
185	1	326	3	gi|1573646	Mg(2+) transport ATPase protein C (mgtC) (SP:P22037) [Haemophilus influenzae]	74	68	324
188	2	1089	2018	gi|1573008	ATP dependent translocator homolog (msbA) [Haemophilus influenzae]	74	44	930
189	11	6491	7174	gi|1661199	sakacin A production response regulator [Streptococcus mutans]	74	60	684
210	2	520	1287	gi|2293207	(AF008220) YtmQ [Bacillus subtilis]	74	60	768
261	1	836	192	gi|666983	putative ATP binding subunit [Bacillus subtilis]	74	55	645
263	3	1619	3655	gi|663232	Similarity with S. cerevisiae hypothetical 137.7 kD protein in subtelomeric Y' repeat region [Saccharomyces cerevisiae]	74	42	2037
265	2	844	1227	gi|49272	Asparaginase [Bacillus licheniformis]	74	64	384
368	1	1	942	gi|603998	unknown [Saccharomyces cerevisiae]	74	39	942
7	16	13357	11921	gnl|PID|d101324	YqhX [Bacillus subtilis]	73	57	1437
17	10	5706	5449	gnl|PID|e305362	unnamed protein product [Streptococcus thermophilus]	73	47	258
31	2	522	244	gnl|PID|d100576	single strand DNA binding protein [Bacillus subtilis]	73	55	279
32	6	5667	6194	gnl|PID|d101315	YqfG [Bacillus subtilis]	73	58	528
34	15	10281	9790	gnl|PID|d102151	(AB001684) ORF42c [Chlorella vulgaris]	73	46	492

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
40	12	9876	9226	gi|1173517	riboflavin synthase alpha subunit [Actinobacillus pleuropneumoniae]	73	55	651
55	2	3592	839	gnl|PID|d101887	cation-transporting ATPase PacL [Synechocystis sp.]	73	60	2754
55	18	17494	16586	gnl|PID|e265580	unknown [Mycobacterium tuberculosis]	73	52	909
65	16	7213	7767	gi|143419	ribosomal protein L6 [Bacillus stearothermophilus]	73	60	555
66	3	3300	3659	gnl|PID|e269883	LacF [Lactobacillus casei]	73	52	360
70	10	5557	5733	gi|857631	envelope protein [Human immunodeficiency virus type 1]	73	60	177
71	4	6133	8262	gnl|PID|e322063	ss-1,4-galactosyltransferase [Streptococcus pneumoniae]	73	45	2130
72	1	3	851	gi|2293177	(AF008220) transporter [Bacillus subtilis]	73	50	849
76	7	7019	6195	gnl|PID|d101325	YqiF [Bacillus subtilis]	73	66	825
76	12	10009	9533	gi|1573086	uridine kinase (uridine monophosphokinase) (udk) [Haemophilus influenzae]	73	54	477
80	7	8113	9372	gi|1377823	aminopeptidase [Bacillus subtilis]	73	60	1260
97	5	3389	1668	gnl|PID|d101954	dihydroxyacid dehydratase [Synechocystis sp.]	73	54	1722
98	9	6912	7619	gnl|PID|e314991	FtsE [Mycobacterium tuberculosis]	73	54	708
108	11	10928	10440	gi|388109	regulatory protein [Enterococcus faecalis]	73	54	489
128	6	3632	4222	gi|1685111	orf1091 [Streptococcus thermophilus]	73	63	591
138	2	1575	394	gi|147326	transport protein [Escherichia coli]	73	60	1182
140	13	12538	11903	pir|E53402|E534	serine O-acetyltransferase (EC 2.3.1.30) - Bacillus stearothermophilus	73	55	636
162	5	5701	4991	gnl|PID|e323511	putative YhaQ protein [Bacillus subtilis]	73	50	711
164	4	2323	2790	gi|1592076	hypothetical protein (SP:P25768) [Methanococcus jannaschii]	73	52	468
164	8	4815	5546	gi|410137	ORFX13 [Bacillus subtilis]	73	56	732
170	5	4394	5302	gnl|PID|d100959	homologue of unidentified protein of E. coli [Bacillus subtilis]	73	46	909
178	7	3893	4855	gi|46242	nodulation protein B, 5'end [Rhizobium loti]	73	56	963
204	6	5096	4278	gnl|PID|e214719	PlcR protein [Bacillus thuringiensis]	73	41	819
213	2	832	2037	gi|1565296	ribosomal protein S1 homolog; sequence specific DNA-binding protein [Leuconostoc lactis]	73	55	1206
231	2	84	287	gi|40173	homolog of E.coli ribosomal protein L21 [Bacillus subtilis]	73	61	204
237	1	2	505	gi|1773151	adenine phosphoribosyltransferase [Escherichia coli]	73	51	504

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
269	1	2	691	gnl|PID|d101328	YqiX [Bacillus subtilis]	73	36	690
289	2	1272	832	pir|A02771|R7MC	ribosomal protein L7/L12 - Micrococcus luteus	73	66	441
343	1	14	484	gi|1788125	(AE000276) hypothetical 30.4 kD protein in manZ-cspC intergenic region [Escherichia coli]	73	47	471
356	1	222	4	gi|2149905	D-glutamic acid adding enzyme [Enterococcus faecalis]	73	50	219
7	5	3165	4691	gnl|PID|d101833	amidase [Synechocystis sp.]	72	52	1527
7	9	7195	7647	gi|146976	nusB [Escherichia coli]	72	54	453
7	17	13743	13300	gnl|PID|e289141	similar to hydroxymyristoyl-(acyl carrier protein) dehydratase [Bacillus subtilis]	72	59	444
22	19	15637	16224	gnl|PID|d101929	ribosome releasing factor [Synechocystis sp.]	72	51	588
33	17	12111	11425	gnl|PID|d101190	ORF3 [Streptococcus mutans]	72	55	687
34	7	7147	5627	gi|396501	aspartyl-tRNA synthetase [Thermus thermophilus]	72	52	1521
38	23	15372	16085	pir|H64108|H641	L-ribulose-phosphate 4-epimerase (araD) homolog - Haemophilus influenzae (strain Rd KW20)	72	54	714
39	5	5094	6905	gnl|PID|e254877	unknown [Mycobacterium tuberculosis]	72	56	1812
40	6	4469	4636	gi|153672	lactose repressor [Streptococcus mutans]	72	58	168
48	2	1459	1253	gi|310380	inhibin beta-A-subunit [Ovis aries]	72	33	207
48	29	21729	22424	gi|2314329	(AE000623) glutamine ABC transporter, permease protein (glnP) [Helicobacter pylori]	72	49	696
50	5	4529	3288	gi|1750108	YnbA [Bacillus subtilis]	72	54	1242
51	3	1044	2282	gi|2293230	(AF008220) YtbJ [Bacillus subtilis]	72	54	1239
52	13	13681	13938	gi|142521	deoxyribodipyrimidine photolyase [Bacillus subtilis]	72	45	258
55	1	841	35	gi|882518	ORF_o304; GTG start [Escherichia coli]	72	59	807
75	5	2832	3191	gnl|PID|e209886	mercuric resistance operon regulatory protein [Bacillus subtilis]	72	44	360
76	6	6229	5771	gi|142450	ahrC protein [Bacillus subtilis]	72	53	459
79	5	5065	4592	gi|2293279	(AF008220) YtcG [Bacillus subtilis]	72	46	474
87	14	14726	12309	gnl|PID|e323502	putative PriA protein [Bacillus subtilis]	72	52	2418
91	1	444	662	gi|500691	MYO1 gene product [Saccharomyces cerevisiae]	72	50	219
91	7	4516	4764	gi|829615	skeletal muscle sodium channel alpha-subunit [Equus caballus]	72	38	249

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
95	2	2004	1717	gnl|PID|e323527	putative Asp23 protein [Bacillus subtilis]	72	40	288
109	1	1452	118	gi|143331	alkaline phosphatase regulatory protein [Bacillus subtilis]	72	52	1335
126	1	3	2192	gnl|PID|d101831	glutamine-binding periplasmic protein [Synechocystis sp.]	72	46	2190
130	3	1735	2478	gi|2415396	(AF015775) carboxypeptidase [Bacillus subtilis]	72	53	744
137	6	2585	2929	gi|472922	v-type Na-ATPase [Enterococcus hirae]	72	46	345
140	10	9601	9203	gi|49224	URF 4 [Synechococcus sp.]	72	48	399
146	5	1906	1247	gnl|PID|e324945	hypothetical protein [Bacillus subtilis]	72	45	660
147	2	2084	1083	gnl|PID|e325016	hypothetical protein [Bacillus subtilis]	72	56	1002
147	5	6156	5146	gi|472327	TPP-dependent acetoin dehydrogenase beta-subunit [Clostridium magnum]	72	56	1011
148	8	5381	6433	gi|974332	NAD(P)H-dependent dihydroxyacetone-phosphate reductase [Bacillus subtilis]	72	54	1053
148	14	10256	9675	gnl|PID|d101319	YqgN [Bacillus subtilis]	72	50	582
159	8	4005	4949	gi|1788770	(AE000330) o463; 24 pct identical (44 gaps) to 338 residues from penicillin-binding protein 4', PBPE_BACSU SW: P32959 (451 aa) [Escherichia coli]	72	43	945
172	10	9907	10620	gi|763387	unknown [Saccharomyces cerevisiae]	72	55	714
220	3	2862	3602	gi|1574175	hypothetical [Haemophilus influenzae]	72	50	741
267	1	3	449	gi|290513	f470 [Escherichia coli]	72	48	447
281	2	899	540	gnl|PID|d100964	homologue of aspartokinase 2 alpha and beta subunits LysC of B. subtilis [Bacillus subtilis]	72	45	360
290	1	1018	14	gi|474195	This ORF is homologous to a 40.0 kd hypothetical protein in the htrB 3' region from E. coli, Accession Number X61000 [Mycoplasma-like organism]	72	54	1005
300	1	63	587	gi|746399	transcription elongation factor [Escherichia coli]	72	50	525
316	1	1326	4	gi|158127	protein kinase C [Drosophila melanogaster]	72	40	1323
342	1	227	3	gnl|PID|d101164	unknown [Bacillus subtilis]	72	54	225
354	1	1	1005	gnl|PID|d102048	C. thermocellum beta-glucosidase; P26208 (985) [Bacillus subtilis]	72	52	1005
6	10	8134	10467	gnl|PID|e264229	unknown [Mycobacterium tuberculosis]	71	57	2334
7	20	16231	15464	gi|18046	3-oxoacyl-[acyl-carrier protein] reductase [Cuphea lanceolata]	71	52	768
15	1	1297	2	gnl|PID|d100571	replicative DNA helicase [Bacillus subtilis]	71	51	1296
15	4	4435	3869	gi|499384	orf189 [Bacillus subtilis]	71	47	567

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
18	6	5120	4218	gnl|PID|d101318	YqgG [Bacillus subtilis]	71	51	903
29	1	1	540	gi|1773142	similar to the 20.2kd protein in TETB-EXOA region of B. subtilis [Escherichia coli]	71	56	540
38	20	13327	13830	gi|537036	ORF_o158 [Escherichia coli]	71	48	504
51	12	15015	12676	gi|149528	dipeptidyl peptidase IV [Lactococcus lactis]	71	55	2340
55	23	21040	20585	gi|2343285	(AF015453) surface located protein [Lactobacillus rhamnosus]	71	58	456
60	2	705	265	gnl|PID|d101320	YqgZ [Bacillus subtilis]	71	44	441
71	18	24679	26226	gi|580920	rodD (gtaA) polypeptide (AA 1-673) [Bacillus subtilis]	71	44	1548
71	25	30587	30360	gi|606028	ORF_o414; Geneplot suggests frameshift near start but none found [Escherichia coli]	71	50	228
72	6	5239	6729	gi|580835	lysine decarboxylase [Bacillus subtilis]	71	48	1491
72	14	11991	12878	gi|624085	similar to rat beta-alanine synthetase encoded by GenBank Accession Number S27881; contains ATP/GTP binding motif [Paramecium bursaria Chlorella virus 1]	71	54	888
73	11	7269	7033	gi|1906594	PN1 [Rattus norvegicus]	71	42	237
74	6	10385	8517	gi|1573733	prolyl-tRNA synthetase (proS) [Haemophilus influenzae]	71	52	1869
81	9	5772	6578	gi|147404	mannose permease subunit II-M-Man [Escherichia coli]	71	45	807
86	5	4602	3604	gnl|PID|e322063	ss-1,4-galactosyltransferase [Streptococcus pneumoniae]	71	53	999
105	4	3619	4707	gi|2323341	(AF014460) PepQ [Streptococcus mutans]	71	58	1089
106	13	13557	12955	gi|1519287	LemA [Listeria monocytogenes]	71	48	603
114	2	1029	1979	gi|310303	mosA [Rhizobium meliloti]	71	55	951
122	2	564	1205	gi|1649037	glutamine transport ATP-binding protein GLNQ [Salmonella typhimurium]	71	50	642
132	5	9018	7063	gnl|PID|d102049	H. influenzae hypothetical ABC transporter; P44808 (974) [Bacillus subtilis]	71	51	1956
140	1	1141	227	gi|1673788	(AE000015) Mycoplasma pneumoniae, fructose-bisphosphate aldolase; similar to Swiss-Prot Accession Number P13243, from B. subtilis [Mycoplasma pneumoniae]	71	49	915
140	5	5635	4973	gnl|PID|d100964	homologue of hypothetical protein in a rapamycin synthesis gene cluster of Streptomyces hygroscopicus [Bacillus subtilis]	71	48	663
141	7	7369	7845	gnl|PID|d102005	(AB001488) FUNCTION UNKNOWN, SIMILAR PRODUCT IN E. COLI AND MYCOPLASMA PNEUMONIAE. [Bacillus subtilis]	71	51	477

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
193	1	1	165	gi|46912	ribosomal protein L13 [Staphylococcus carnosus]	71	59	165
194	3	2205	1594	gi|535351	CodY [Bacillus subtilis]	71	52	612
199	3	1510	1319	gi|2182574	(AE000090) Y4pE [Rhizobium sp. NGR234]	71	45	192
208	2	2616	3752	gi|1787378	(AE000213) hypothetical protein in purB 5' region [Escherichia coli]	71	57	1137
209	2	2022	1141	gi|41432	fepC gene product [Escherichia coli]	71	46	882
210	5	1911	3071	gi|49316	ORF2 gene product [Bacillus subtilis]	71	45	1161
210	6	3069	3386	gi|580900	ORF3 gene product [Bacillus subtilis]	71	48	318
212	2	3561	1381	gi|557567	ribonucleotide reductase R1 subunit [Mycobacterium tuberculosis]	71	53	2181
233	3	2003	2920	gnl|PID|d101320	YqgR [Bacillus subtilis]	71	50	918
244	1	13	1053	gnl|PID|d100964	homologue of aspartokinase 2 alpha and beta subunits LysC of B. subtilis [Bacillus subtilis]	71	55	1041
251	2	1008	1874	gi|755601	unknown [Bacillus subtilis]	71	46	867
282	2	906	712	gi|1353874	unknown [Rhodobacter capsulatus]	71	46	195
312	4	2137	1565	gnl|PID|d102245	(AB005554) yxbF [Bacillus subtilis]	71	34	573
338	1	3	683	gi|1591045	hypothetical protein (SP:P31466) [Methanococcus jannaschii]	71	48	681
346	1	3	164	gi|1591234	hypothetical protein (SP:P42297) [Methanococcus jannaschii]	71	36	162
374	1	619	2	gi|397526	clumping factor [Staphylococcus aureus]	71	23	618
377	1	688	2	gi|397526	clumping factor [Staphylococcus aureus]	71	23	687
3	8	7419	6958	gnl|PID|e269486	Unknown [Bacillus subtilis]	70	42	462
3	10	8395	9075	gnl|PID|e255543	putative iron dependant repressor [Staphylococcus epidermidis]	70	46	681
7	14	11024	10254	gnl|PID|d100290	undefined open reading frame [Bacillus stearothermophilus]	70	55	771
7	18	14213	13719	gnl|PID|d101090	biotin carboxyl carrier protein of acetyl-CoA carboxylase [Synechocystis sp.]	70	56	495
9	2	1057	287	gnl|PID|d100581	unknown [Bacillus subtilis]	70	52	771
12	4	2610	1789	gnl|PID|d101195	yycJ [Bacillus subtilis]	70	52	822
21	2	2586	1846	gi|2293447	(AF008930) ATPase [Bacillus subtilis]	70	54	741
22	13	10955	11512	gi|1165295	Ydr540cp [Saccharomyces cerevisiae]	70	50	558
30	6	4315	3980	gi|39478	ATP binding protein of transport ATPases [Bacillus firmus]	70	51	336

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
31	1	370	113	gi|662792	single-stranded DNA binding protein [unidentified eubacterium]	70	36	258
33	15	10639	9521	gi|1161219	homolgous to D-amino acid dehydrogenase enzyme [Pseudomonas aeruginosa]	70	50	1119
38	6	3812	4312	gi|2058547	ComYD [Streptococcus gordonii]	70	48	501
38	25	17986	18477	gi|537033	ORF_f356 [Escherichia coli]	70	58	492
40	13	11054	9846	gi|1173516	riboflavin-specific deaminase [Actinobacillus pleuropneumoniae]	70	52	1209
42	2	722	1954	gi|1146183	putative [Bacillus subtilis]	70	51	1233
43	3	2373	1612	gi|1591493	glutamine transport ATP-binding protein Q [Methanococcus jannaschii]	70	48	762
45	8	9197	8049	gnl|PID|d102036	subunit of ADP-glucose pyrophosphorylase [Bacillus stearothermophilus]	70	54	1149
59	2	567	956	gnl|PID|d100302	neopullulanase [Bacillus sp.]	70	42	390
60	3	1874	795	gnl|PID|e276466	aminopeptidase P [Lactococcus lactis]	70	48	1080
61	4	5553	2437	gnl|PID|e275074	SNF [Bacillus cereus]	70	51	3117
61	7	7914	6802	gi|1573037	cystathionine gamma-synthase (metB) [Haemophilus influenzae]	70	52	1113
63	7	5372	7222	gnl|PID|d100974	unknown [Bacillus subtilis]	70	54	1851
68	7	7126	6962	gi|1263014	emm18.1 gene product [Streptococcus pyogenes]	70	37	165
72	12	10081	10911	gi|2313093	(AE000524) carboxynorspermidine decarboxylase (nspC) [Helicobacter pylori]	70	56	831
75	10	7888	8124	gi|1877423	galactose-1-P-uridyl transferase [Streptococcus mutans]	70	59	237
79	3	3424	2525	gi|39881	ORF 311 (AA 1-311) [Bacillus subtilis]	70	47	900
87	10	9369	7324	gnl|PID|e323506	putative Pkn2 protein [Bacillus subtilis]	70	52	2046
96	14	10640	11788	gi|1573209	tRNA-guanine transglycosylase (tgt) [Haemophilus influenzae]	70	52	1149
113	2	574	1086	gi|433630	A180 [Saccharomyces cerevisiae]	70	59	513
123	5	2901	3461	gnl|PID|d100585	unknown [Bacillus subtilis]	70	45	561
125	5	4593	4282	gnl|PID|e276474	capacitative calcium entry channel 1 [Bos taurus]	70	35	312
129	5	4500	3454	gnl|PID|d101314	YqeT [Bacillus subtilis]	70	47	1047
133	3	2608	1394	gi|2293312	(AF008220) YtfP [Bacillus subtilis]	70	50	1215
135	1	420	662	gnl|PID|e265530	yorfE [Streptococcus pneumoniae]	70	47	243
137	3	438	932	gi|472919	v-type Na-ATPase [Enterococcus hirae]	70	57	495
138	1	440	3	gi|147336	transmembrane protein [Escherichia coli]	70	42	438

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
140	16	18796	16364	gi|976441	N5-methyltetrahydrofolate homocysteine methyltransferase [Saccharomyces cerevisiae]	70	53	2433
167	10	8263	6695	gi|149535	D-alanine activating enzyme [Lactobacillus casei]	70	52	1569
204	4	3226	2747	gnl|PID|d102049	E. coli hypothetical protein; P31805 (267) [Bacillus subtilis]	70	51	480
207	3	2627	2869	gnl|PID|e309213	racGAP [Dictyostelium discoideum]	70	45	243
282	3	1136	882	gi|1353874	unknown [Rhodobacter capsulatus]	70	50	255
6	21	17554	18453	gnl|PID|e233879	hypothetical protein [Bacillus subtilis]	69	44	900
6	22	18482	19471	gi|580883	ipa-88d gene product [Bacillus subtilis]	69	53	990
22	6	4682	5824	gi|2209379	(AF006720) ProJ [Bacillus subtilis]	69	48	1143
22	9	7992	8651	gnl|PID|d100580	unknown [Bacillus subtilis]	69	51	660
22	12	9871	10767	gnl|PID|d100581	unknown [Bacillus subtilis]	69	51	897
27	7	5857	5348	gnl|PID|d102012	(AB001488) FUNCTION UNKNOWN. [Bacillus subtilis]	69	28	510
36	10	7294	10116	gi|437916	isoleucyl-tRNA synthetase [Staphylococcus aureus]	69	53	2823
38	1	2	1090	gi|141900	alcohol dehydrogenase (EC 1.1.1.1) [Alcaligenes eutrophus]	69	48	1089
40	14	11333	11944	gi|1573280	Holliday junction DNA helicase (ruvA) [Haemophilus influenzae]	69	44	612
40	15	11942	12517	gi|1573653	DNA-3-methyladenine glycosidase I (tagI) [Haemophilus influenzae]	69	50	576
45	6	6947	5490	gi|580887	starch (bacterial glycogen) synthase [Bacillus subtilis]	69	47	1458
48	34	24932	24153	gnl|PID|e233870	hypothetical protein [Bacillus subtilis]	69	36	780
49	6	6183	6521	gi|396297	similar to phosphotransferase system enzyme II [Escherichia coli]	69	50	339
49	8	7586	8338	gi|396420	similar to Alcaligenes eutrophus pHG1 D-ribulose-5-phosphate 3 epimerase [Escherichia coli]	69	49	753
55	6	8262	7033	gi|1146238	poly(A) polymerase [Bacillus subtilis]	69	50	1230
59	3	954	2333	gnl|PID|e313038	hypothetical protein [Bacillus subtilis]	69	54	1380
62	3	1170	1418	gnl|PID|d101915	hypothetical protein [Synechocystis sp.]	69	49	249
63	8	7298	7762	gi|293017	ORF3 (put.); putative [Lactococcus lactis]	69	42	465
66	4	3657	5081	gi|153755	phospho-beta-D-galactosidase (EC 3.2.1.85) [Lactococcus lactis cremoris]	69	49	1425
66	5	5126	6829	gi|433809	enzyme II [Streptococcus mutans]	69	46	1704
71	6	10017	10664	gnl|PID|e322063	ss-1,4-galactosyltransferase [Streptococcus pneumoniae]	69	39	648

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
71	21	27730	27966	gnl|PID|d100649	DE-cadherin [Drosophila melanogaster]	69	30	237
77	1	1	237	gi|287870	groES gene product [Lactococcus lactis]	69	44	237
81	5	3622	4101	gi|1573605	fucose operon protein (fucU) [Haemophilus influenzae]	69	52	480
83	1	40	714	pir|C33496|C334	hisC homolog - Bacillus subtilis	69	46	675
83	16	15742	16335	gi|143372	phosphoribosyl glycinamide formyltransferase (PUR-N) [Bacillus subtilis]	69	46	594
85	2	1212	916	gi|194097	IFN-response element binding factor 1 [Mus musculus]	69	48	297
91	5	3678	4274	gi|1574712	anaerobic ribonuleoside-triphosphate reductase activating protein (nrdG) [Haemophilus influenzae]	69	44	597
98	5	3247	4032	gnl|PID|d100262	LivF protein [Salmonella typhimurium]	69	51	786
108	5	4085	5056	gnl|PID|e257629	transcription factor [Lactococcus lactis]	69	49	972
126	3	3078	4568	gnl|PID|d101329	YqjJ [Bacillus subtilis]	69	49	1491
131	6	4121	2889	gnl|PID|d101314	YqeR [Bacillus subtilis]	69	47	1233
136	2	1505	2299	gnl|PID|d100581	unknown [Bacillus subtilis]	69	47	795
149	5	3852	4763	gnl|PID|e323525	YloQ protein [Bacillus subtilis]	69	50	912
149	12	9336	10655	gi|151571	Homology with E.coli and P.aeruginosa lysA gene; product of unknown function; putative [Pseudomonas syringae]	69	52	1320
153	4	3191	3829	gi|1710373	BrnQ [Bacillus subtilis]	69	44	639
169	3	849	2324	gnl|PID|d100582	temperature sensitive cell division [Bacillus subtilis]	69	49	1476
180	1	566	3	gi|488339	alpha-amylase [unidentified cloning vector]	69	50	564
212	1	1196	231	gi|1395209	ribonucleotide reductase R2-2 small subunit [Mycobacterium tuberculosis]	69	53	966
226	1	2	661	pir|JQ2285|JQ22	nodulin-26 - soybean	69	41	660
233	5	3249	4766	gi|472918	v-type Na-ATPase [Enterococcus hirae]	69	56	1518
235	3	660	1766	gi|148945	methylase [Haemophilus influenzae]	69	43	1107
243	2	865	2361	gnl|PID|d100225	ORF5 [Barley yellow dwarf virus]	69	69	1497
251	3	2899	1967	gi|2289231	macrolide-efflux protein [Streptococcus agalactiae]	69	51	933
310	1	1	282	gnl|PID|e322442	peptide deformylase [Clostridium beijerinckii]	69	55	282
369	1	868	2	gi|397526	clumping factor [Staphylococcus aureus]	69	22	867
370	1	749	3	gi|397526	clumping factor [Staphylococcus aureus]	69	21	747

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
379	1	44	280	gnl|PID|d100649	DE-cadherin [Drosophila melanogaster]	69	30	237
388	1	260	72	gi|1787524	(AE000225) hypothetical 32.7 kD protein in trpL-btuR intergenic region [Escherichia coli]	69	44	189
1	2	2006	3040	gnl|PID|d101809	ABC transporter [Synechocystis sp.]	68	43	1035
12	5	3958	2600	gi|2182992	histidine kinase [Lactococcus lactis cremoris]	68	45	1359
15	2	1790	1311	pir|S16974|R5BS	ribosomal protein L9 - Bacillus stearothermophilus	68	56	480
16	6	7353	5701	gi|1787041	(AE000184) o530; This 530 aa orf is 33 pct identical (14 gaps) to 525 residues of an approx. 640 aa protein YHES_HAEIN SW: P44808 [Escherichia coli]	68	45	1653
17	12	6479	6805	gi|553165	acetylcholinesterase [Homo sapiens]	68	68	327
20	13	14128	14505	gi|142700	P competence protein (ttg start codon) (put.); putative [Bacillus subtilis]	68	40	378
22	32	24612	25397	gi|289262	comE ORF3 [Bacillus subtilis]	68	36	786
30	7	4548	4288	gi|311388	ORF1 [Azorhizobium caulinodans]	68	46	261
36	5	3911	4585	gi|1573041	hypothetical [Haemophilus influenzae]	68	54	675
46	6	5219	6040	gi|1790131	(AE000446) hypothetical 29.7 kD protein in ibpA-gyrB intergenic region [Escherichia coli]	68	47	822
54	10	6235	7086	gi|882579	CG Site No. 29739 [Escherichia coli]	68	55	852
55	5	7069	5165	gnl|PID|d101914	ABC transporter [Synechocystis sp.]	68	45	1905
71	3	6134	5613	gi|1573353	outer membrane integrity protein (tolA) [Haemophilus influenzae]	68	50	522
71	10	15342	16613	gi|580866	ipa-12d gene product [Bacillus subtilis]	68	31	1272
71	12	17560	18792	gi|44073	SecY protein [Lactococcus lactis]	68	35	1233
71	17	22295	24703	gi|1762349	involved in protein export [Bacillus subtilis]	68	50	2409
73	16	10208	9729	gi|1353537	dUTPase [Bacteriophage r1t]	68	51	480
86	18	17198	16011	gi|413943	ipa-19d gene product [Bacillus subtilis]	68	53	1188
87	17	17491	15866	gi|150209	ORF 1 [Mycoplasma mycoides]	68	43	1626
89	6	5139	4354	gi|1498824	M. jannaschii predicted coding region MJ0062 [Methanococcus jannaschii]	68	40	786
89	11	8021	8242	gi|150974	4-oxalocrotonate tautomerase [Pseudomonas putida]	68	43	222
97	8	6755	5394	gi|2367358	(AE000491) hypothetical 52.9 kD protein in aldB-rpsF intergenic region [Escherichia coli]	68	41	1362

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
98	3	1418	2308	gnl|PID|d100261	LivA protein (Salmonella typhimurium)	68	40	891
99	13	16414	17280	gi|455363	regulatory protein (Streptococcus mutans)	68	50	867
115	3	5054	3693	gi|466474	cellobiose phosphotransferase enzyme II'' (Bacillus stearothermophilus)	68	44	1362
124	7	3394	3221	gnl|PID|d100702	cut14 protein (Schizosaccharomyces pombe)	68	56	174
125	2	2923	1922	gi|450566	transmembrane protein (Bacillus subtilis)	68	50	1002
132	2	4858	2888	gnl|PID|d101732	DNA ligase (Synechocystis sp.)	68	52	1971
140	7	7765	7580	gi|1209711	unknown (Saccharomyces cerevisiae)	68	47	186
150	1	539	3	gi|402490	ADP-ribosylarginine hydrolase (Mus musculus)	68	59	537
164	1	58	867	gnl|PID|e255114	glutamate racemase (Bacillus subtilis)	68	49	810
164	2	819	1835	gnl|PID|e255117	hypothetical protein (Bacillus subtilis)	68	50	1017
169	7	3946	4104	pir|B54545|B545	hypothetical protein - Lactococcus lactis subsp. lactis plasmid pSL2	68	40	159
170	4	4247	4396	gi|304146	spore coat protein (Bacillus subtilis)	68	52	150
171	8	6002	7054	gi|38722	precursor (aa -20 to 381) (Acinetobacter calcoaceticus)	68	54	1053
198	3	2473	1871	gnl|PID|e313075	hypothetical protein (Bacillus subtilis)	68	46	603
211	2	969	1802	gi|1439528	EIIC-man (Lactobacillus curvatus)	68	45	834
214	8	4926	4231	gnl|PID|d102049	H. influenzae hypothetical protein; P43990 (182) (Bacillus subtilis)	68	50	696
217	6	4955	5170	gnl|PID|e326966	similar to B.vulgaris CMS-associated mitochondrial ... (reverse transcriptase) (Arabidopsis thaliana)	68	36	216
218	7	3930	4745	gi|2293198	(AF008220) YtgP (Bacillus subtilis)	68	38	816
220	6	4628	4338	gnl|PID|e325791	(AJ000005) orf1 (Bacillus megaterium)	68	51	291
236	1	746	108	gi|410137	ORFX13 (Bacillus subtilis)	68	46	639
237	2	675	1451	gi|396348	homoserine transsuccinylase (Escherichia coli)	68	49	777
250	4	771	1229	gi|310859	ORF2 (Synechococcus sp.)	68	50	459
254	1	517	155	gi|1787105	(AE000189) o648 was o669; This 669 aa orf is 40 pct identical (1 gaps) to 217 residues of an approx. 232 aa protein YBBA_HAEIN SW: P45247 (Escherichia coli)	68	44	363
337	1	1	774	gnl|PID|e261990	putative orf (Bacillus subtilis)	68	47	774
345	1	3	653	gi|149513	thymidylate synthase (EC 2.1.1.45) (Lactococcus lactis)	68	61	651

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
386	2	417	4	gi|1573353	outer membrane integrity protein (tolA) [Haemophilus influenzae]	68	51	414
2	4	5722	4697	gi|1592141	M. jannaschii predicted coding region MJ1507 [Methanococcus jannaschii]	67	26	1026
3	6	5397	4591	gi|2293175	(AF008220) signal transduction regulator [Bacillus subtilis]	67	44	807
5	2	2301	574	gi|2313385	(AE000547) para-aminobenzoate synthetase (pabB) [Helicobacter pylori]	67	48	1728
6	19	16063	16758	gi|413931	ipa-7d gene product [Bacillus subtilis]	67	41	696
22	8	7094	7897	gi|1928962	pyrroline-5-carboxylate reductase [Actinidia deliciosa]	67	51	804
29	10	8335	9072	gi|468745	gtcR gene product [Bacillus brevis]	67	41	738
31	3	1379	585	gi|2425123	(AF019986) PksB [Dictyostelium discoideum]	67	49	795
32	11	8849	10150	gi|42029	ORF1 gene product [Escherichia coli]	67	47	1302
36	16	14830	15546	gi|1592142	ABC transporter, probable ATP-binding subunit [Methanococcus jannaschii]	67	43	717
38	9	4958	5392	gnl|PID|e214803	T22B3.3 [Caenorhabditis elegans]	67	47	435
38	21	13775	14512	gi|537037	ORF_o216 [Escherichia coli]	67	52	738
45	9	10428	9181	gi|551710	branching enzyme (glgB) (EC 2.4.1.18) [Bacillus stearothermophilus]	67	51	1248
48	23	18344	17514	gi|413949	ipa-25d gene product [Bacillus subtilis]	67	50	831
50	2	1773	952	gnl|PID|d101330	YqjQ [Bacillus subtilis]	67	55	822
53	1	431	3	gi|1574291	fimbrial transcription regulation repressor (pilB) [Haemophilus influenzae]	67	40	429
55	13	12740	11946	gnl|PID|e252990	ORF YDL037c [Saccharomyces cerevisiae]	67	51	795
61	9	9210	8329	gnl|PID|e264711	ATP-binding cassette transporter A [Staphylococcus aureus]	67	50	882
71	2	5614	6117	gi|1197667	vitellogenin [Anolis pulchellus]	67	36	504
81	7	4489	4983	gi|1142714	phosphoenolpyruvate:mannose phosphotransferase element IIB [Lactobacillus curvatus]	67	42	495
83	7	2957	3214	gi|1276746	Acyl carrier protein [Porphyra purpurea]	67	37	258
86	8	8140	6809	gi|1147744	PSR [Enterococcus hirae]	67	45	1332
97	3	986	1366	gnl|PID|d102235	(AB000631) unnamed protein product [Streptococcus mutans]	67	43	381
102	1	601	1413	gi|682765	mccB gene product [Escherichia coli]	67	36	813
106	3	1109	1987	gi|148921	LicD protein [Haemophilus influenzae]	67	43	879
115	4	5982	5656	gi|895750	putative cellobiose phosphotransferase enzyme III [Bacillus subtilis]	67	44	327

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
115	7	8421	8077	gi|466473	cellobiose phosphotransferase enzyme II' [Bacillus stearothermophilus]	67	51	345
127	13	8127	7021	gi|147326	transport protein [Escherichia coli]	67	45	1107
136	3	2215	2859	gnl|PID|d100581	unknown [Bacillus subtilis]	67	49	645
140	21	23317	20906	gnl|PID|d101912	phenylalanyl-tRNA synthetase [Synechocystis sp.]	67	43	2412
146	6	2894	1893	gi|2182994	histidine kinase [Lactococcus lactis cremoris]	67	44	1002
151	8	11476	11117	gnl|PID|d100085	ORF129 [Bacillus cereus]	67	48	360
160	10	7453	8646	gi|2281317	OrfB; similar to a Streptococcus pneumoniae putative membrane protein encoded by GenBank Accession Number X99400; inactivation of the OrfB gene leads to UV-sensitivity and to decrease of homologous recombination (plasmidic test) [Lactococcus 1	67	46	1194
163	3	3099	4505	gnl|PID|d101317	YqfR [Bacillus subtilis]	67	47	1407
167	8	6704	5454	gi|1161933	DltB [Lactobacillus casei]	67	45	1251
169	4	2322	2879	gnl|PID|d101331	YqkG [Bacillus subtilis]	67	41	558
171	11	7656	8384	gi|153841	pneumococcal surface protein A [Streptococcus pneumoniae]	67	50	729
188	3	1930	3723	gi|1542975	AbcB [Thermoanaerobacterium thermosulfurigenes]	67	46	1794
189	6	3599	3141	gnl|PID|e325178	Hypothetical protein [Bacillus subtilis]	67	52	459
205	3	1663	2211	gi|606073	ORF_o169 [Escherichia coli]	67	47	549
207	4	2896	3456	gi|2276374	DtxR/iron regulated lipoprotein precursor [Corynebacterium diphtheriae]	67	49	561
217	3	4086	3703	gi|895750	putative cellobiose phosphotransferase enzyme III [Bacillus subtilis]	67	42	384
246	2	291	662	gi|1842438	unknown [Bacillus subtilis]	67	43	372
252	1	2	745	gi|2351768	PspA [Streptococcus pneumoniae]	67	41	744
265	3	1134	1811	gi|2313847	(AE000585) L-asparaginase II (ansB) [Helicobacter pylori]	67	42	678
295	1	1	375	gi|2276374	DtxR/iron regulated lipoprotein precursor [Corynebacterium diphtheriae]	67	43	375
1	7	4898	5146	gnl|PID|e255179	unknown [Mycobacterium tuberculosis]	66	56	249
3	1	389	3	gnl|PID|e269548	Unknown [Bacillus subtilis]	66	48	387
3	20	19267	20805	gi|39956	IIGlc [Bacillus subtilis]	66	50	1539
4	3	2545	2718	gi|1787564	(AE000228) phage shock protein C [Escherichia coli]	66	36	174
5	9	13197	12592	gi|1574291	fimbrial transcription regulation repressor (pilB) [Haemophilus influenzae]	66	46	606

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
9	4	2872	1451	gnl|PID|e266928	unknown [Mycobacterium tuberculosis]	66	43	1422
12	2	1469	1200	gi|520407	orf2; GTG start codon [Bacillus thuringiensis]	66	42	270
15	12	10979	9897	gi|2314738	(AE000653) translation elongation factor EF-Ts (tsf) [Helicobacter pylori]	66	49	1083
16	2	1312	734	gnl|PID|d102245	(AB005554) yxbF [Bacillus subtilis]	66	35	579
22	3	1372	1851	gi|1480916	signal peptidase type II [Lactococcus lactis]	66	38	480
22	7	5828	7096	gnl|PID|e206261	gamma-glutamyl phosphate reductase [Streptococcus thermophilus]	66	51	1269
22	20	16194	17138	gnl|PID|e281914	YitL [Bacillus subtilis]	66	50	945
30	2	530	976	gi|2314379	(AE000627) ABC transporter, ATP-binding protein (yhcG) [Helicobacter pylori]	66	40	447
32	1	199	984	gi|312444	ORF2 [Bacillus caldolyticus]	66	49	786
33	13	8352	7234	gi|1387979	44% identity over 302 residues with hypothetical protein from Synechocystis sp, accession D64006_CD; expression induced by environmental stress; some similarity to glycosyl transferases; two potential membrane-spanning helices [Bacillus subtil	66	44	1119
34	6	5658	4708	gnl|PID|e250724	orf2 [Lactobacillus sake]	66	39	951
34	14	9792	9574	gi|1590997	M. jannaschii predicted coding region MJ0272 [Methanococcus jannaschii]	66	48	219
35	16	15163	14501	gi|1773352	Cap5M [Staphylococcus aureus]	66	46	663
36	9	6173	6976	gi|1518680	minicell-associated protein DivIVA [Bacillus subtilis]	66	35	804
36	11	10396	10824	bbs|155344	insulin activator factor, INSAF [human, Pancreatic insulinoma, Peptide Partial, 744 aa] [Homo sapiens]	66	43	429
48	1	28	1419	gnl|PID|e325204	hypothetical protein [Bacillus subtilis]	66	50	1392
48	7	3810	4112	gi|2182574	(AE000090) Y4pE [Rhizobium sp. NGR234]	66	40	303
52	4	3595	2789	gi|388565	major cell-binding factor [Campylobacter jejuni]	66	52	807
54	3	2662	1076	gnl|PID|d101831	glutamine-binding periplasmic protein [Synechocystis sp.]	66	43	1587
61	10	9740	9183	gnl|PID|e154144	mdr gene product [Staphylococcus aureus]	66	44	558
72	13	10893	11993	gi|2313129	(AE000526) H. pylori predicted coding region HP0049 [Helicobacter pylori]	66	44	1101
74	9	13267	12476	gi|1573941	hypothetical (Haemophilus influenzae]	66	43	792
75	1	2	868	gi|1574631	nicotinamide mononucleotide transporter (pnuC) [Haemophilus influenzae]	66	48	867
75	7	5303	4275	gi|41312	put. EBG repressor protein [Escherichia coli]	66	40	1029

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
82	7	6813	8123	gnl|PID|e255128	trigger factor [Bacillus subtilis]	66	53	1311
83	3	905	1219	pir|C33496|C334	hisC homolog - Bacillus subtilis	66	44	315
86	10	9407	8925	gi|683584	shikimate kinase [Lactococcus lactis]	66	41	483
88	10	7001	6060	gi|2098719	putative fimbrial-associated protein [Actinomyces naeslundii]	66	52	942
89	1	951	4	gi|410118	ORFX19 [Bacillus subtilis]	66	41	948
93	7	3661	2711	gi|1787936	(AE000260) f298; This 298 aa orf is 51 pct identical (5 gaps) to 297 residues of an approx. 304 aa protein YCSN_BACSU SW: P42972 [Escherichia coli]	66	49	951
104	3	1805	3049	gi|1469784	putative cell division protein ftsW [Enterococcus hirae]	66	48	1245
106	14	13576	14253	gi|40027	homologous to E.coli gidB [Bacillus subtilis]	66	52	678
107	3	965	1864	gi|144858	ORF A [Clostridium perfringens]	66	49	900
112	7	5718	6593	gi|609332	DprA [Haemophilus influenzae]	66	43	876
115	1	3	302	gi|727367	Hyr1p [Saccharomyces cerevisiae]	66	56	300
122	1	3	566	gnl|PID|d101328	YqiY [Bacillus subtilis]	66	36	564
126	8	11759	11046	gnl|PID|d101163	ORF3 [Bacillus subtilis]	66	48	714
128	11	8201	8431	gi|726288	growth associated protein GAP-43 [Xenopus laevis]	66	41	231
131	8	4894	4508	gi|486661	TMnm related protein [Saccharomyces cerevisiae]	66	39	387
140	3	3236	2574	gi|40056	phoP gene product [Bacillus subtilis]	66	36	663
140	15	16318	15434	gi|1658189	5,10-methylenetetrahydrofolate reductase [Erwinia carotovora]	66	48	885
146	12	7926	7636	gnl|PID|d101140	transposase [Synechocystis sp.]	66	42	291
147	6	7137	6154	gi|472326	TPP-dependent acetoin dehydrogenase alpha-subunit [Clostridium magnum]	66	48	984
149	6	4435	5430	gnl|PID|d101887	pentose-5-phosphate-3-epimerase [Synechocystis sp.]	66	46	996
149	13	10754	11575	gi|42371	pyruvate formate-lyase activating enzyme (AA 1-246) [Escherichia coli]	66	42	822
186	4	2578	2270	gnl|PID|d101199	ORF11 [Enterococcus faecalis]	66	41	309
207	2	2340	2597	gnl|PID|e321893	envelope glycoprotein gp160 [Human immunodeficiency virus type 1]	66	46	258
210	7	3358	3678	gi|49318	ORF4 gene product [Bacillus subtilis]	66	46	321
217	8	5143	5355	gi|49538	thrombin receptor [Cricetulus longicaudatus]	66	38	213
220	4	3875	3642	gi|466648	alternate name ORFD of L23635 [Escherichia coli]	66	33	234

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
223	1	1070	138	gnl|PID|e247187	zinc finger protein (Bacteriophage phigle)	66	45	933
224	2	1864	2640	gi|1176399	putative ABC transporter subunit (Staphyloccccus epidermidis)	66	41	777
243	1	3	872	dbj||AB000617_2	(AB000617) YcdH (Bacillus subtilis)	66	45	870
268	2	891	568	gi|517210	putative transposase (Streptococcus pyogenes)	66	60	324
322	1	2	643	gi|1499836	Zn protease (Methanococcus jannaschii)	66	40	642
5	10	13909	13178	gi|1574292	hypothetical (Haemophilus influenzae)	65	34	732
6	11	10465	11190	gi|142854	homologous to E. coli radC gene product and to unidentified protein from Staphylococcus aureus (Bacillus subtilis)	65	48	726
7	2	647	405	pir|C64146|C641	hypothetical protein HI0259 - Haemophilus influenzae (strain Rd KW20)	65	42	243
7	7	6246	6821	gnl|PID|d101323	YqhU (Bacillus subtilis)	65	50	576
10	2	1873	1397	gi|1163111	ORF-1 (Streptococcus pneumoniae)	65	54	477
16	3	1428	2222	gnl|PID|e325010	hypothetical protein (Bacillus subtilis)	65	45	795
21	4	3815	3357	gnl|PID|e314910	hypothetical protein (Staphylococcus sciuri)	65	40	459
22	34	25776	26384	gi|1123030	CpxA (Actinobacillus pleuropneumoniae)	65	42	609
43	2	1648	290	gi|1044826	F14E5.1 (Caenorhabditis elegans)	65	38	1359
48	13	10062	10856	gi|1573390	hypothetical (Haemophilus influenzae)	65	45	795
48	22	17521	16883	gi|1573391	hypothetical (Haemophilus influenzae)	65	37	639
48	25	19027	18533	gnl|PID|e264484	YCR020c, len:215 (Saccharomyces cerevisiae)	65	38	495
49	3	3856	5334	gi|1480429	putative transcriptional regulator (Bacillus stearothermophilus)	65	32	1479
50	6	5337	4519	gi|171963	tRNA isopentenyl transferase (Saccharomyces cerevisiae)	65	42	819
52	15	14728	15588	gi|1499745	M. jannaschii predicted coding region MJ0912 (Methanococcus jannaschii)	65	46	861
59	7	3963	4745	gi|496514	orf zeta (Streptococcus pyogenes)	65	42	783
68	3	2500	3483	gi|887824	ORF_o310 (Escherichia coli)	65	46	984
69	3	2171	1077	gnl|PID|e311453	unknown (Bacillus subtilis)	65	42	1095
69	7	6029	5325	gi|809660	deoxyribose-phosphate aldolase (Bacillus subtilis)	65	55	705
71	5	8536	9783	gi|1573224	glycosyl transferase lgtC (GP:U14554_4) (Haemophilus influenzae)	65	42	1248
72	8	7664	8527	gnl|PID|e267589	Unknown, highly similar to several spermidine synthases (Bacillus subtilis)	65	39	864

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
76	5	5773	4097	gnl|PID|d101723	DNA REPAIR PROTEIN RECN (RECOMBINATION PROTEIN N). [Escherichia coli]	65	44	1677
76	9	8099	7875	gi|1574276	exodeoxyribonuclease, small subunit (xseB) [Haemophilus influenzae]	65	38	225
84	2	2870	2352	gi|2313188	(AE000532) conserved hypothetical protein [Helicobacter pylori]	65	41	519
86	15	14495	13407	gnl|PID|d101880	3-dehydroquinate synthase [Synechocystis sp.]	65	44	1089
87	3	3706	2423	gi|151259	HMG-CoA reductase (EC 1.1.1.88) [Pseudomonas mevalonii]	65	51	1284
88	3	2425	2736	gi|1098510	unknown [Lactococcus lactis]	65	30	312
89	2	1627	1007	gnl|PID|d102008	(AB001488) SIMILAR TO ORF14 OF ENTEROCOCCUS FAECALIS TRANSPOSON TN916. [Bacillus subtilis]	65	41	621
111	6	6635	6186	gnl|PID|e246063	NM23/nucleoside diphosphate kinase [Xenopus laevis]	65	50	450
116	1	3	1016	gnl|PID|d101125	queuosine biosynthesis protein QueA [Synechocystis sp.]	65	44	1014
123	1	69	389	gi|498839	ORF2 [Clostridium perfringens]	65	36	321
123	7	6522	7190	gi|1575577	DNA-binding response regulator [Thermotoga maritima]	65	39	669
125	3	3821	2859	gnl|PID|e257609	sugar-binding transport protein [Anaerocellum thermophilum]	65	47	963
137	12	8015	7818	gi|2182574	(AE000090) Y4pE [Rhizobium sp. NGR234]	65	41	198
147	4	5021	3885	gi|472329	dihydrolipoamide acetyltransferase [Clostridium magnum]	65	47	1137
148	2	1053	1931	gnl|PID|d101319	YqgH [Bacillus subtilis]	65	42	879
151	2	3212	4687	gi|304897	EcoE type I restriction modification enzyme M subunit [Escherichia coli]	65	50	1476
156	2	730	437	gi|310893	membrane protein [Theileria parva]	65	47	294
164	7	4256	4837	gi|410132	ORFX8 [Bacillus subtilis]	65	48	582
169	6	3192	3914	gi|1552737	similar to purine nucleoside phosphorylase (deoD) [Escherichia coli]	65	41	723
176	4	2951	2220	gnl|PID|e339500	oligopeptide binding lipoprotein [Streptococcus pneumoniae]	65	43	732
195	4	4556	3900	gi|1592142	ABC transporter, probable ATP-binding subunit [Methanococcus jannaschii]	65	40	657
196	1	160	1572	gnl|PID|d102004	(AB001488) PROBABLE UDP-N-ACETYLMURAMOYLALANYL-D-GLUTAMYL-2, 6-DIAMINOLIGASE (EC 6.3.2.15). [Bacillus subtilis]	65	51	1413
204	2	2246	1215	gi|143156	membrane bound protein [Bacillus subtilis]	65	37	1032
210	4	1544	1891	gi|49315	ORF1 gene product [Bacillus subtilis]	65	48	348
242	2	1625	723	gi|1787540	(AE000226) f249; This 249 aa orf is 32 pct identical (8 gaps) to 244 residues of an approx. 272 aa protein AGAR_ECOLI SW: P42902 [Escherichia coli]	65	42	903

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
284	1	1	900	gi|559861	clyM [Plasmid pAD1]	65	36	900
304	1	2	574	gnl|PID|e290934	unknown [Mycobacterium tuberculosis]	65	52	573
315	1	2	1483	gi|790694	mannuronan C-5-epimerase [Azotobacter vinelandii]	65	57	1482
320	1	3	569	gnl|PID|d102048	K. aerogenes, histidine utilization repressor; P12380 (199) DNA binding [Bacillus subtilis]	65	46	567
358	1	1	309	gnl|PID|e323508	YloS protein [Bacillus subtilis]	65	55	309
2	7	7571	6696	gi|1498753	nicotinate-nucleotide pyrophosphorylase [Rhodospirillum rubrum]	64	47	876
6	6	5924	6802	gnl|PID|d101111	methionine aminopeptidase [Synechocystis sp.]	64	52	879
8	4	3417	3686	gi|1045935	DNA helicase II [Mycoplasma genitalium]	64	58	270
11	4	3249	2689	gnl|PID|e265529	OrfB [Streptococcus pneumoniae]	64	46	561
15	7	6504	7145	gi|1762328	Ycr59c/YigZ homolog [Bacillus subtilis]	64	45	642
22	11	9548	9895	gnl|PID|d100581	unknown [Bacillus subtilis]	64	38	348
22	30	22503	23174	gi|289260	comE ORF1 [Bacillus subtilis]	64	44	672
26	7	14375	14199	gi|409286	bmrU [Bacillus subtilis]	64	30	177
27	2	1510	1334	gi|40795	DdeI methylase [Desulfovibrio vulgaris]	64	51	177
29	2	614	297	gi|2326168	type VII collagen [Mus musculus]	64	50	318
35	2	368	721	pir|JC1151|JC11	hypothetical 20.3K protein (insertion sequence IS1131) - Agrobacterium tumefaciens (strain PO22) plasmid Ti	64	50	354
40	1	3	449	gi|46970	epiD gene product [Staphylococcus epidermidis]	64	41	447
40	7	4683	4976	gnl|PID|e325792	(AJ000005) glucose kinase [Bacillus megaterium]	64	45	294
45	7	8068	6920	gnl|PID|d102036	subunit of ADP-glucose pyrophosphorylase [Bacillus stearothermophilus]	64	40	1149
51	2	301	1059	gi|43985	nifS-like gene [Lactobacillus delbrueckii]	64	54	759
51	13	15251	18397	gi|2293260	(AF008220) DNA-polymerase III alpha-chain [Bacillus subtilis]	64	46	3147
53	3	1157	555	gi|1574292	hypothetical [Haemophilus influenzae]	64	47	603
58	2	4236	1606	gi|1573826	alanyl-tRNA synthetase (alaS) [Haemophilus influenzae]	64	51	2631
66	1	3	1259	gi|895749	putative cellobiose phosphotransferase enzyme II'' [Bacillus subtilis]	64	42	1257
68	5	5213	6556	gi|436965	(malA) gene products [Bacillus stearothermophilus]	64	47	1344
69	6	5356	4949	gnl|PID|d101316	Cdd [Bacillus subtilis]	64	52	408

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
74	4	6948	5038	gi|726480	L-glutamine-D-fructose-6-phosphate amidotransferase [Bacillus subtilis]	64	50	1911
75	3	1283	1465	bbs|133379	TLS-CHOP=fusion protein(CHOP=C/EBP transcription factor, TLS=nuclear RNA-binding protein) [human, myxoid liposarcomas cells, Peptide Mutant, 462 aa] [Homo sapiens]	64	57	183
81	13	14016	14231	gi|143175	methanol dehydrogenase alpha-10 subunit [Bacillus sp.]	64	35	216
83	22	21851	22090	gnl|PID|d101315	YqfA [Bacillus subtilis]	64	44	240
87	11	10046	9300	gnl|PID|e323505	putative Ptc1 protein [Bacillus subtilis]	64	43	747
98	7	5032	5706	gnl|PID|e233880	hypothetical protein [Bacillus subtilis]	64	38	675
105	1	2	1276	gi|1657503	similar to S. aureus mercury(II) reductase [Escherichia coli]	64	45	1275
113	7	5136	6410	gnl|PID|d101119	NifS [Synechocystis sp.]	64	50	1275
119	1	2	1297	gnl|PID|e320520	hypothetical protein [Natronobacterium pharaonis]	64	37	1296
123	3	1125	2156	gnl|PID|e253284	ORF YDL244w [Saccharomyces cerevisiae]	64	40	1032
124	5	2331	1780	gnl|PID|d101884	hypothetical protein [Synechocystis sp.]	64	50	552
129	4	3467	2709	gnl|PID|d101314	YqeU [Bacillus subtilis]	64	52	759
131	1	152	3	gi|1377841	unknown [Bacillus subtilis]	64	42	150
137	11	7196	7549	pir|JC1151|JC11	hypothetical 20.3K protein (insertion sequence IS1131) - Agrobacterium tumefaciens (strain PO22) plasmid Ti	64	50	354
139	3	3226	2651	gi|2293301	(AF008220) YtqB [Bacillus subtilis]	64	44	576
146	10	6730	5648	gi|1322245	mevalonate pyrophosphate decarboxylase [Rattus norvegicus]	64	45	1083
147	1	2	1018	gnl|PID|e137033	unknown gene product [Lactobacillus leichmannii]	64	46	1017
148	11	8430	8783	gi|2130630	(AF000430) dynamin-like protein [Homo sapiens]	64	28	354
156	7	4313	3612	gnl|PID|d102050	transmembrane [Bacillus subtilis]	64	31	702
157	4	1299	2114	gnl|PID|d100892	homologous to Gln transport system permease proteins [Bacillus subtilis]	64	43	816
162	6	5880	6362	gi|517204	ORF1, putative 42 kDa protein [Streptococcus pyogenes]	64	58	483
164	13	9707	8769	gnl|PID|d100964	homologue of ferric anguibactin transport system permerase protein FatD of V. anguillarum [Bacillus subtilis]	64	40	939
175	5	3906	4598	gi|534045	antiterminator [Bacillus subtilis]	64	39	693
189	10	6154	6507	gi|581307	response regulator [Lactobacillus plantarum]	64	33	354
191	4	3519	2863	gi|149520	phosphoribosyl anthranilate isomerase [Lactococcus lactis]	64	46	657

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
202	1	76	1140	gnl|PID|e293806	O-acetylhomoserine sulfhydrylase [Leptospira meyeri]	64	47	1065
224	1	234	1571	gi|1573393	collagenase (prtC) [Haemophilus influenzae]	64	42	1338
231	3	291	647	gi|40174	ORF X [Bacillus subtilis]	64	43	357
253	3	709	1089	pir|JC1151|JC11	hypothetical 20.3K protein (insertion sequence IS1131) - Agrobacterium tumefaciens (strain PO22) plasmid Ti	64	50	381
265	1	820	2	gi|1377832	unknown [Bacillus subtilis]	64	31	819
297	1	1	660	gi|1590871	collagenase [Methanococcus jannaschii]	64	48	660
328	1	263	21	gi|992651	Gin4p [Saccharomyces cerevisiae]	64	41	243
5	4	8730	8098	gi|556885	Unknown [Bacillus subtilis]	63	48	633
10	6	5178	4483	gi|1573101	hypothetical [Haemophilus influenzae]	63	40	696
12	11	9324	9902	gi|806536	membrane protein [Bacillus acidopullulyticus]	63	42	579
15	10	8897	9187	gi|722339	unknown [Acetobacter xylinum]	63	40	291
17	2	1031	309	gnl|PID|e217602	PlnU [Lactobacillus plantarum]	63	32	723
18	8	7778	6975	gi|1377843	unknown [Bacillus subtilis]	63	45	804
26	4	9780	7078	gi|142440	ATP-dependent nuclease [Bacillus subtilis]	63	46	2703
29	5	3488	4192	gi|1377829	unknown [Bacillus subtilis]	63	35	705
34	11	8830	7988	gnl|PID|d101198	ORF8 [Enterococcus faecalis]	63	45	843
35	3	1187	876	gi|722339	unknown [Acetobacter xylinum]	63	39	312
48	15	12509	11691	gi|1573389	hypothetical [Haemophilus influenzae]	63	41	819
51	11	12719	12189	gi|142450	ahrC protein [Bacillus subtilis]	63	35	531
55	4	3979	5022	gi|1708640	YeaB [Bacillus subtilis]	63	41	1044
55	15	13669	14670	gnl|PID|e311502	thioredoxine reductase [Bacillus subtilis]	63	44	1002
68	10	9242	8919	sp|P37686|YIAY_	HYPOTHETICAL 40.2 KD PROTEIN IN AVTA-SELB INTERGENIC REGION (F382).	63	40	324
86	7	6554	5685	gi|1574382	lic-1 operon protein (licD) [Haemophilus influenzae]	63	41	870
88	8	6085	5180	gi|2098719	putative fimbrial-associated protein [Actinomyces naeslundii]	63	43	906
96	8	5858	6484	gi|1052803	orflgyrb gene product [Streptococcus pneumoniae]	63	38	627
100	1	240	1940	gi|7171	fucosidase [Dictyostelium discoideum]	63	36	1701

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
104	4	3063	5765	gi|144985	phosphoenolpyruvate carboxylase [Corynebacterium glutamicum]	63	46	2703
106	8	9189	8554	gi|533099	endonuclease III [Bacillus subtilis]	63	45	636
122	6	4704	4886	gnl|PID|d101139	transposase [Synechocystis sp.]	63	39	183
128	7	4517	5203	gnl|PID|d101434	orf2 [Methanobacterium thermoautotrophicum]	63	50	687
137	4	963	1547	gi|472920	v-type Na-ATPase [Enterococcus hirae]	63	27	585
142	7	4100	4585	gnl|PID|e313025	hypothetical protein [Bacillus subtilis]	63	44	486
159	5	1741	2571	gi|1787043	(AE000184) f271; This 271 aa orf is 24 pct identical (16 gaps) to 265 residues of an approx. 272 aa protein YIDA_ECOLI SW: P09997 [Escherichia coli]	63	39	831
171	12	8803	14406	gnl|PID|e324918	IgA1 protease [Streptococcus sanguis]	63	48	5604
177	1	3	347	gi|1773150	hypothetical 14.8kd protein [Escherichia coli]	63	34	345
178	2	423	917	gi|722339	unknown [Acetobacter xylinum]	63	41	495
178	3	794	1012	gi|1591582	cobalamin biosynthesis protein N [Methanococcus jannaschii]	63	36	219
195	1	1377	175	gnl|PID|e324217	ftsQ [Enterococcus hirae]	63	33	1203
234	5	1739	1527	gi|1591582	cobalamin biosynthesis protein N [Methanococcus jannaschii]	63	36	213
249	1	81	257	gi|1000453	TreR [Bacillus subtilis]	63	41	177
283	1	127	1347	gi|396486	ORF8 [Bacillus subtilis]	63	44	1221
293	3	2804	3466	gi|722339	unknown [Acetobacter xylinum]	63	37	663
311	1	905	486	gi|1877424	UDP-galactose 4-epimerase [Streptococcus mutans]	63	46	420
324	1	2	556	gi|1477741	histidine periplasmic binding protein P29 [Campylobacter jejuni]	63	36	555
365	1	219	13	gi|2252843	(AF013293) No definition line found [Arabidopsis thaliana]	63	33	207
382	1	88	378	gi|722339	unknown [Acetobacter xylinum]	63	40	291
385	3	364	158	gi|2252843	(AF013293) No definition line found [Arabidopsis thaliana]	63	33	207
2	1	2495	288	gnl|PID|e325007	penicillin-binding protein [Bacillus subtilis]	62	42	2208
3	23	23374	24231	gnl|PID|e254993	hypothetical protein [Bacillus subtilis]	62	35	858
6	16	14320	13193	gnl|PID|e349614	nifS-like protein [Mycobacterium leprae]	62	37	1128
7	8	6819	7232	gnl|PID|d101324	YqhY [Bacillus subtilis]	62	32	414
7	19	15466	14207	gnl|PID|d101804	beta ketoacyl-acyl carrier protein synthase [Synechocystis sp.]	62	43	1260

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
7	21	17155	16229	gnl|PID|e323514	putative FabD protein [Bacillus subtilis]	62	46	927
7	24	19526	18519	gi|1276434	beta-ketoacyl-ACP synthase III [Cuphea wrightii]	62	37	1008
12	7	5904	4702	gi|1573768	A/G-specific adenine glycosylase (mutY) [Haemophilus influenzae]	62	43	1203
12	9	8032	8793	gi|1591587	pantothenate metabolism flavoprotein [Methanococcus jannaschii]	62	33	762
15	11	9678	9328	pir|JC1151|JC11	hypothetical 20.3K protein (insertion sequence IS1131) - Agrobacterium tumefaciens (strain PO22) plasmid Ti	62	43	351
17	4	2609	2442	gi|1591081	M. jannaschii predicted coding region MJ0374 [Methanococcus jannaschii]	62	43	168
17	5	3053	2835	gi|149570	role in the expression of lactacin F, part of the laf operon [Lactobacillus sp.]	62	44	219
22	10	8627	9538	gnl|PID|d100580	similar to B. subtilis DnaH [Bacillus subtilis]	62	43	912
30	3	865	2043	gi|2314379	(AE000627) ABC transporter, ATP-binding protein (yhcG) [Helicobacter pylori]	62	43	1179
33	5	2235	1636	gi|413976	ipa-52r gene product [Bacillus subtilis]	62	44	600
38	11	5689	6123	gi|148231	o251 [Escherichia coli]	62	34	435
40	17	14272	13328	gnl|PID|d101904	hypothetical protein [Synechocystis sp.]	62	43	945
42	1	3	311	gi|1146182	putative [Bacillus subtilis]	62	41	309
44	2	1267	4005	gi|1786952	(AE000176) o877; 100 pct identical to the first 86 residues of the 100 aa hypothetical protein fragment YBGB_ECOLI SW: P54746 [Escherichia coli]	62	43	2739
48	12	9732	9304	gi|662920	repressor protein [Enterococcus hirae]	62	32	429
51	8	5664	7181	gnl|PID|e301153	StySKI methylase [Salmonella enterica]	62	44	1518
52	3	2791	2099	gi|1183886	integral membrane protein [Bacillus subtilis]	62	41	693
55	16	15702	14704	gnl|PID|e313028	hypothetical protein [Bacillus subtilis]	62	40	999
59	6	3418	3984	gi|2065483	unknown [Lactococcus lactis lactis]	62	32	567
63	5	4997	4809	gi|149771	pilin gene inverting protein (PivML) [Moraxella lacunata]	62	28	189
70	14	10002	10739	gi|992977	bplG gene product [Bordetella pertussis]	62	45	738
71	13	18790	20382	gi|1280135	coded for by C. elegans cDNA cm21e6; coded for by C. elegans cDNA cm01e2; similar to melibiose carrier protein (thiomethylgalactoside permease II) [Caenorhabditis elegans]	62	62	1593
71	28	32217	32768	gnl|PID|d101312	YqeG [Bacillus subtilis]	62	35	552
74	7	11666	10383	gi|1552753	hypothetical [Escherichia coli]	62	38	1284

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
80	8	9370	9609	gnl|PID|d102002	(AB001488) FUNCTION UNKNOWN. [Bacillus subtilis]	62	46	240
97	10	9068	7041	gi|882463	protein-N(pi)-phosphohistidine-sugar phosphotransferase [Escherichia coli]	62	42	2028
98	4	2306	3268	gnl|PID|d101496	BraE (integral membrane protein) [Pseudomonas aeruginosa]	62	42	963
102	3	2823	3539	gnl|PID|e313010	hypothetical protein [Bacillus subtilis]	62	24	717
103	3	2795	1242	gnl|PID|d102049	H. influenzae hypothetical ABC transporter; P44808 (974) [Bacillus subtilis]	62	41	1554
111	2	2035	3462	gi|581297	NisP [Lactococcus lactis]	62	44	1428
112	4	3154	4080	gi|1574379	lic-1 operon protein (licA) [Haemophilus influenzae]	62	39	927
112	6	4939	5649	gi|1574381	lic-1 operon protein (licC) [Haemophilus influenzae]	62	39	711
124	3	1137	721	gi|1573024	anaerobic ribonucleoside-triphosphate reductase (nrdD) [Haemophilus influenzae]	62	45	417
124	6	3162	2329	gi|609076	leucyl aminopeptidase [Lactobacillus delbrueckii]	62	40	834
126	7	11073	7516	gnl|PID|d101163	ORF4 [Bacillus subtilis]	62	38	3558
129	6	4983	4540	pir|S41509|S415	zinc finger protein EF6 - Chilo iridescent virus	62	48	444
131	7	4510	4103	gi|1857245	unknown [Lactococcus lactis]	62	42	408
149	2	1923	2579	gi|1592142	ABC transporter, probable ATP-binding subunit [Methanococcus jannaschii]	62	41	657
149	7	5360	6055	gnl|PID|e323508	YloS protein [Bacillus subtilis]	62	40	696
156	1	450	238	gnl|PID|e254644	membrane protein [Streptococcus pneumoniae]	62	40	213
156	6	3606	2935	gnl|PID|d102050	transmembrane [Bacillus subtilis]	62	37	672
171	2	1779	2291	gi|43941	EIII-B Sor PTS [Klebsiella pneumoniae]	62	35	513
172	2	385	723	gi|895750	putative cellobiose phosphotransferase enzyme III [Bacillus subtilis]	62	39	339
173	3	2599	893	gi|1591732	cobalt transport ATP-binding protein O [Methanococcus jannaschii]	62	42	1707
179	2	492	1754	gi|1574071	H. influenzae predicted coding region HI1038 [Haemophilus influenzae]	62	38	1263
181	6	2856	3707	gi|1777435	LacT [Lactobacillus casei]	62	42	852
185	2	2074	311	gi|2182397	(AE000073) Y4fN [Rhizobium sp. NGR234]	62	41	1764
200	2	1061	1984	gi|450566	transmembrane protein [Bacillus subtilis]	62	37	924
202	3	2583	3473	gi|42219	P35 gene product (AA 1 - 314) [Escherichia coli]	62	41	891
210	3	1374	1565	gi|49315	ORF1 gene product [Bacillus subtilis]	62	45	192

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
211	1	3	971	gi|147402	mannose permease subunit III-Man [Escherichia coli]	62	43	969
223	2	1495	1034	gnl|PID|d101190	ORF2 [Streptococcus mutans]	62	41	462
228	1	34	909	gi|530063	glycerol uptake facilitator [Streptococcus pneumoniae]	62	44	876
234	2	90	917	gi|2293259	(AF008220) YtqI [Bacillus subtilis]	62	38	828
282	5	1765	1487	gnl|PID|e276475	galactokinase [Arabidopsis thaliana]	62	33	279
375	1	1	159	gi|1674231	(AE000052) Mycoplasma pneumoniae, hypothetical protein homolog; similar to Swiss-Prot Accession Number P35155, from B. subtilis [Mycoplasma pneumoniae]	62	40	159
385	5	584	357	gi|1573353	outer membrane integrity protein (tolA) [Haemophilus influenzae]	62	47	228
3	19	18550	19269	gi|606162	ORF_f229 [Escherichia coli]	61	41	720
7	4	2725	3225	gi|2114425	similar to Synechocystis sp. hypothetical protein, encoded by GenBank Accession Number D64006 [Bacillus subtilis]	61	42	501
17	6	3326	3054	gi|149569	lactacin F [Lactobacillus sp.]	61	43	273
44	3	4061	4957	gnl|PID|d101068	xylose repressor [Synechocystis sp.]	61	38	897
54	11	8388	7234	gnl|PID|d101329	YqjH [Bacillus subtilis]	61	42	1155
57	6	3974	6037	gnl|PID|d101316	YqfK [Bacillus subtilis]	61	42	2064
58	5	7356	6565	sp|P45169|POTC_	SPERMIDINE/PUTRESCINE TRANSPORT SYSTEM PERMEASE PROTEIN POTC.	61	34	792
67	1	3	692	gi|537108	ORF_f254 [Escherichia coli]	61	46	690
68	9	8816	7890	gi|19501	pPLZ12 gene product (AA 1-184) [Lupinus polyphyllus]	61	41	927
70	15	10737	12008	gi|992976	bplF gene product [Bordetella pertussis]	61	44	1272
72	11	9759	10202	gnl|PID|d101833	carboxynorspermidine decarboxylase [Synechocystis sp.]	61	36	444
76	8	7881	7003	gnl|PID|d100305	farnesyl diphosphate synthase [Bacillus stearothermophilus]	61	45	879
87	4	4914	3697	gi|528991	unknown [Bacillus subtilis]	61	42	1218
87	13	12311	11361	gi|1789683	(AE000407) methionyl-tRNA formyltransferase [Escherichia coli]	61	44	951
91	2	731	2989	gi|537080	ribonucleoside triphosphate reductase [Escherichia coli]	61	45	2259
105	3	2711	3499	gnl|PID|d101851	hypothetical protein [Synechocystis sp.]	61	44	789
115	6	7968	6478	gi|895747	putative cel operon regulator [Bacillus subtilis]	61	36	1491
123	8	7181	8518	gi|1209527	protein histidine kinase [Enterococcus faecalis]	61	40	1338

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
126	6	7525	6725	gi|1787043	(AE000184) f271; This 271 aa orf is 24 pct identical (16 gaps) to 265 residues of an approx. 272 aa protein YIDA_ECOLI SW: P09997 [Escherichia coli]	61	38	801
128	1	1	639	gnl|PID|d101328	YqiY [Bacillus subtilis]	61	41	639
139	7	4794	5054	gi|1022726	unknown [Staphylococcus haemolyticus]	61	41	261
139	9	12632	5913	gnl|PID|e270014	beta-galactosidase [Thermoanaerobacter ethanolicus]	61	41	6720
143	1	2552	42	gi|520541	penicillin-binding proteins 1A and 1B [Bacillus subtilis]	61	42	2511
148	16	12125	11424	gi|1552743	tetrahydrodipicolinate N-succinyltransferase [Escherichia coli]	61	42	702
162	3	4112	3456	gnl|PID|d101829	phosphoglycolate phosphatase [Synechocystis sp.]	61	30	657
172	3	727	1077	gnl|PID|d102048	B. subtilis, cellobiose phosphotransferase system, celA; P46318 (220) [Bacillus subtilis]	61	44	351
177	3	1101	1772	gnl|PID|d100574	unknown [Bacillus subtilis]	61	43	672
202	2	1278	2585	gi|1045831	hypothetical protein (GB:L18965_6) [Mycoplasma genitalium]	61	36	1308
224	3	2782	3144	gi|1591144	M. jannaschii predicted coding region MJ0440 [Methanococcus jannaschii]	61	30	363
225	4	3395	3766	gi|1552774	hypothetical [Escherichia coli]	61	40	372
249	2	212	802	gi|1000453	TreR [Bacillus subtilis]	61	42	591
254	2	843	484	gnl|PID|d100417	ORF120 [Escherichia coli]	61	36	360
257	1	3	350	gnl|PID|e255315	unknown [Mycobacterium tuberculosis]	61	42	348
293	4	3971	3657	pir|JC1151|JC11	hypothetical 20.3K protein (insertion sequence IS1131) - Agrobacterium tumefaciens (strain PO22) plasmid Ti	61	45	315
301	1	949	17	gi|2291209	(AF016424) contains similarity to acyltransferases [Caenorhabditis elegans]	61	33	933
373	1	1066	287	gi|393396	Tb-292 membrane associated protein [Trypanosoma brucei subgroup]	61	38	780
3	24	24473	24955	gi|537093	ORF_o153b [Escherichia coli]	60	27	483
6	5	4636	5739	gi|2293258	(AF008220) YtoI [Bacillus subtilis]	60	35	1104
6	12	11936	11187	gi|293017	ORF3 (put.); putative [Lactococcus lactis]	60	44	750
17	13	6708	6484	gi|149569	lactacin F [Lactobacillus sp.]	60	32	225
18	7	6977	5670	gi|1788140	(AE000278) o481; This 481 aa orf is 35 pct identical (19 gaps) to 309 residues of an approx. 856 aa protein NOL1_HUMAN SW: P46087 [Escherichia coli]	60	43	1308
20	15	15878	17167	gnl|PID|d100584	unknown [Bacillus subtilis]	60	44	1290

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
22	1	1	243	gnl|PID|d102050	transmembrane [Bacillus subtilis]	60	36	243
32	10	8296	8964	gi|2293275	(AF008220) YtaG [Bacillus subtilis]	60	37	669
38	15	8837	9697	gi|40023	B.subtilis genes rpmH, rnpA, 50kd, gidA and gidB [Bacillus subtilis]	60	35	861
43	6	8610	5944	gi|171787	protein kinase 1 [Saccharomyces cerevisiae]	60	36	2667
44	1	1	1269	gnl|PID|e235823	unknown [Schizosaccharomyces pombe]	60	44	1269
45	10	11138	10368	gi|397488	1,4-alpha-glucan branching enzyme [Bacillus subtilis]	60	43	771
48	19	15766	14378	gnl|PID|e205173	orf1 [Lactobacillus helveticus]	60	39	1389
48	21	16727	16951	gnl|PID|d102041	(AB002668) unnamed protein product [Haemophilus actinomycetemcomitans]	60	32	225
50	1	2	898	gnl|PID|e246537	ORF286 protein [Pseudomonas stutzeri]	60	31	897
62	2	638	1177	gnl|PID|d100587	unknown [Bacillus subtilis]	60	42	540
68	4	3590	5203	gi|1573583	H. influenzae predicted coding region HI0594 [Haemophilus influenzae]	60	36	1614
70	11	5781	6182	gnl|PID|d102014	(AB001488) SIMILAR TO YDFR GENE PRODUCT OF THIS ENTRY (YDFR_BACSU). [Bacillus subtilis]	60	33	402
70	12	6343	8133	gnl|PID|e324970	hypothetical protein [Bacillus subtilis]	60	38	1791
71	8	11701	14157	gi|580866	ipa-12d gene product [Bacillus subtilis]	60	33	2457
74	8	12509	11664	gnl|PID|d101832	phosphatidate cytidylyltransferase [Synechocystis sp.]	60	45	846
76	4	4116	3367	gi|2352096	orf; similar to serine/threonine protein phosphatase [Fervidobacterium islandicum]	60	39	750
80	4	7372	7665	gi|1786420	(AE000131) f86; 100 pct identical to GB: ECODINJ_6 ACCESSION: D38582 [Escherichia coli]	60	30	294
81	6	4073	4522	gi|147402	mannose permease subunit III-Man [Escherichia coli]	60	35	450
86	1	940	155	gi|143177	putative [Bacillus subtilis]	60	26	786
92	1	1	192	gi|396348	homoserine transsuccinylase [Escherichia coli]	60	45	192
93	14	10619	9384	gi|1788389	(AE000297) o464; This 464 aa orf is 33 pct identical (9 gaps) to 331 residues of an approx. 416 aa protein MTRC_NEIGO SW: P43505 [Escherichia coli]	60	27	1236
94	5	5548	8121	gnl|PID|e329895	(AJ000496) cyclic nucleotide-gated channel beta subunit [Rattus norvegicus]	60	50	2574
97	7	5396	4533	gi|1591396	transketolase' [Methanococcus jannaschii]	60	43	864
102	2	2081	2833	gnl|PID|e320929	hypothetical protein [Mycobacterium tuberculosis]	60	43	753

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
106	9	9773	9183	gnl|PID|e334782	YlbN protein [Bacillus subtilis]	60	31	591
113	8	6361	6837	gi|466875	nifU; B1496_C1_157 [Mycobacterium leprae]	60	43	477
115	2	2755	524	gnl|PID|e328143	(AJ000332) Glucosidase II [Homo sapiens]	60	32	2232
122	7	4763	5068	gnl|PID|d101876	transposase [Synechocystis sp.]	60	39	306
127	8	4510	5283	gi|1777938	Pgm [Treponema pallidum]	60	38	774
138	4	3082	2672	gnl|PID|e325196	hypothetical protein [Bacillus subtilis]	60	36	411
139	1	177	4	gnl|PID|d100680	ORF [Thermus thermophilus]	60	39	174
139	11	14520	13009	gi|537145	ORF_f437 [Escherichia coli]	60	30	1512
140	2	2592	1249	gi|1209527	protein histidine kinase [Enterococcus faecalis]	60	37	1344
141	1	210	1049	gi|463181	E5 ORF from bp 3842 to 4081; putative [Human papillomavirus type 33]	60	34	840
141	5	5368	6405	gi|145362	tyrosine-sensitive DAHP synthase (aroF) [Escherichia coli]	60	41	1038
142	6	3558	4049	gi|600711	putative [Bacillus subtilis]	60	37	492
148	10	7742	8713	gnl|PID|e313022	hypothetical protein [Bacillus subtilis]	60	27	972
153	5	3667	4278	gi|2293322	(AF008220) branch-chain amino acid transporter [Bacillus subtilis]	60	42	612
155	1	1413	748	gi|2104504	putative UDP-glucose dehydrogenase [Escherichia coli]	60	40	666
158	3	3116	2472	gnl|PID|d100872	a negative regulator of pho regulon [Pseudomonas aeruginosa]	60	37	645
159	3	778	1386	gnl|PID|e308090	product highly similar to Bacillus anthracis CapA protein [Bacillus subtilis]	60	48	609
163	7	8049	8468	gnl|PID|d101313	YqeN [Bacillus subtilis]	60	38	420
170	3	4130	2688	gi|1574179	H. influenzae predicted coding region HI1244 [Haemophilus influenzae]	60	39	1443
171	7	4717	5901	gi|606076	ORF_o384 [Escherichia coli]	60	44	1185
183	3	2440	2135	gi|1877427	repressor [Streptococcus pyogenes phage T12]	60	38	306
191	10	9444	8428	gi|415664	catabolite control protein [Bacillus megaterium]	60	42	1017
200	1	139	1083	gi|438462	transmembrane protein [Bacillus subtilis]	60	37	945
201	3	3895	1928	gi|475112	enzyme IIabc [Pediococcus pentosaceus]	60	39	1968
214	15	10930	10439	gi|1573407	hypothetical [Haemophilus influenzae]	60	39	492
218	4	2145	2363	gi|608520	myosin heavy chain kinase A [Dictyostelium discoideum]	60	31	219

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
226	4	2518	2351	gi|437705	hyaluronidase [Streptococcus pneumoniae]	60	53	168
242	1	725	3	gi|43938	Sor regulator [Klebsiella pneumoniae]	60	41	723
245	1	1	288	gi|304897	EcoE type I restriction modification enzyme M subunit [Escherichia coli]	60	56	288
251	1	905	45	gi|671632	unknown [Staphylococcus aureus]	60	36	861
259	1	969	82	gi|153794	rgg [Streptococcus gordonii]	60	32	888
260	2	1492	1662	pir|S31840|S318	probable transposase - Bacillus stearothermophilus	60	26	171
274	1	836	96	gi|1592173	N-ethylammeline chlorohydrolase [Methanococcus jannaschii]	60	40	741
308	1	463	2	gi|1787397	(AE000214) o157 [Escherichia coli]	60	43	462
318	1	3	308	gnl|PID|e137594	xerC recombinase [Lactobacillus leichmannii]	60	42	306
344	1	73	522	gi|509672	repressor protein [Bacteriophage Tuc2009]	60	32	450
5	1	576	4	gi|2293147	(AF008220) YtxM [Bacillus subtilis]	59	31	573
7	22	18140	17142	gnl|PID|e280724	unknown [Mycobacterium tuberculosis]	59	39	999
10	1	1413	4	gi|1353880	sialidase L [Macrobdella decora]	59	41	1410
15	6	6463	5156	gi|580841	F1 [Bacillus subtilis]	59	35	1308
22	2	479	1393	gi|142469	als operom regulatory protein [Bacillus subtilis]	59	34	915
22	5	2698	4614	gnl|PID|e280623	PCPA [Streptococcus pneumoniae]	59	44	1917
30	1	208	558	gnl|PID|e233868	hypothetical protein [Bacillus subtilis]	59	37	351
30	4	3678	2455	gnl|PID|e202290	unknown [Lactobacillus sake]	59	33	1224
35	13	12201	11071	gnl|PID|e238664	hypothetical protein [Bacillus subtilis]	59	35	1131
35	14	13288	12182	gi|1657647	Cap8H [Staphylococcus aureus]	59	39	1107
36	18	18076	17897	gi|1500535	M. jannaschii predicted coding region MJ1635 [Methanococcus jannaschii]	59	33	180
38	12	6172	7137	gi|2293239	(AF008220) YtxK [Bacillus subtilis]	59	34	966
42	3	1952	3361	gi|1684845	pinin [Canis familiaris]	59	40	1410
50	3	2678	1728	gnl|PID|d101329	YqjK [Bacillus subtilis]	59	41	951
56	5	1870	2388	gnl|PID|e137594	xerC recombinase [Lactobacillus leichmannii]	59	41	519
61	6	6812	5628	gnl|PID|e311516	aminotransferase [Bacillus subtilis]	59	40	1185
67	5	2382	3023	gi|1146190	2-keto-3-deoxy-6-phosphogluconate aldolase [Bacillus subtilis]	59	36	642

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
69	10	8567	8899	gi|1573628	antothenate kinase (coaA) [Haemophilus influenzae]	59	38	333
87	12	11383	10055	gnl|PID|e323504	putative Fmu protein [Bacillus subtilis]	59	44	1329
113	14	13927	15894	gi|1673731	(AE000010) Mycoplasma pneumoniae, fructose-permease IIBC component; similar to Swiss-Prot Accession Number P20966, from E. coli [Mycoplasma pneumoniae]	59	43	1968
115	8	8766	8521	gi|1590886	M. jannaschii predicted coding region MJ0110 [Methanococcus jannaschii]	59	38	246
119	2	1966	1526	gnl|PID|e209005	homologous to ORF2 in nrdEF operons of E.coli and S.typhimurium [Lactococcus lactis]	59	43	441
128	17	13438	13178	gnl|PID|e279632	unknown [Mycobacterium tuberculosis]	59	38	261
140	22	23903	23388	gi|482922	protein with homology to pail repressor of B.subtilis [Lactobacillus delbrueckii]	59	40	516
148	13	9697	9014	gnl|PID|d102005	(AB001488) FUNCTION UNKNOWN, SIMILAR PRODUCT IN H. INFLUENZAE AND SYNECHOCYSTIS. [Bacillus subtilis]	59	32	684
149	10	7213	8244	gi|710422	cmp-binding-factor 1 [Staphylococcus aureus]	59	40	1032
164	9	6993	6013	gnl|PID|d100965	ferric anguibactin-binding protein precusor FatB of V. anguillarum [Bacillus subtilis]	59	41	981
164	12	8836	7823	gnl|PID|d100964	homologue of ferric anguibactin transport system permerase protein FatC of V. anguillarum [Bacillus subtilis]	59	35	1014
177	2	401	1072	gi|289759	coded for by C. elegans cDNA CE2G3 (GenBank:Z14728); putative [Caenorhabditis elegans]	59	40	672
177	7	3841	4200	gi|2313445	(AE000551) H. pylori predicted coding region HP0342 [Helicobacter pylori]	59	38	360
183	4	2768	2508	gi|509672	repressor protein [Bacteriophage Tuc2009]	59	50	261
186	6	3398	2820	gi|606080	ORF_o290; Geneplot suggests frameshift linking to o267, not found [Escherichia coli]	59	38	579
190	3	3120	1711	gi|1613768	histidine protein kinase [Streptococcus pneumoniae]	59	32	1410
194	2	1621	1019	gnl|PID|d100579	unknown [Bacillus subtilis]	59	40	603
198	7	5205	4306	gnl|PID|e313073	hypothetical protein [Bacillus subtilis]	59	38	900
220	5	4362	3958	gnl|PID|d101322	YqhL [Bacillus subtilis]	59	46	405
242	3	1573	2367	gi|1787045	(AE000184) f308; This 308 aa orf is 35 pct identical (35 gaps) to 305 residues of an approx. 296 aa protein PFLC_ECOLI SW: P32675 [Escherichia coli]	59	42	795
247	2	1154	1480	gi|40073	ORF107 [Bacillus subtilis]	59	39	327

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
256	1	868	2	gnl|PID|d101924	hemolysin (Synechocystis sp.)	59	39	867
258	1	65	820	gi|2246532	ORF 73, contains large complex repeat CR 73 (Kaposi's sarcoma-associated herpesvirus)	59	20	756
270	1	386	1126	gnl|PID|d102092	YfnB (Bacillus subtilis)	59	40	741
281	1	552	166	gi|666062	putative (Lactococcus lactis)	59	31	387
309	1	3	479	gi|405879	yeiH (Escherichia coli)	59	38	477
363	1	2	1894	gi|915208	gastric mucin (Sus scrofa)	59	31	1893
387	2	425	84	gi|160671	S antigen precursor (Plasmodium falciparum)	59	44	342
5	6	11223	10465	gnl|PID|d101812	LumQ (Synechocystis sp.)	58	29	759
29	4	2098	3513	gnl|PID|d100479	Na+ -ATPase subunit J (Enterococcus hirae)	58	39	1416
30	5	4058	3651	gi|39478	ATP binding protein of transport ATPases (Bacillus firmus)	58	34	408
33	6	2983	2210	gnl|PID|d101164	unknown (Bacillus subtilis)	58	45	774
36	8	5316	6179	gi|1518679	orf (Bacillus subtilis)	58	32	864
43	5	5926	3971	gi|1788150	(AE000278) protease II (Escherichia coli)	58	37	1956
46	5	3704	5221	gnl|PID|e267329	Unknown (Bacillus subtilis)	58	42	1518
48	14	11722	11066	gnl|PID|d101771	thiamin biosynthetic bifunctional enzyme (Synechocystis sp.)	58	34	657
52	1	1229	3	gnl|PID|d101291	reductase (Pseudomonas aeruginosa)	58	35	1227
53	2	702	412	gi|2313357	(AE000545) cytochrome c biogenesis protein (ccdA) (Helicobacter pylori)	58	25	291
58	4	6586	5498	gi|147329	transport protein (Escherichia coli)	58	41	1089
69	5	4934	3807	gnl|PID|e311492	unknown (Bacillus subtilis)	58	41	1128
71	27	31357	32277	gi|2408014	hypothetical protein (Schizosaccharomyces pombe)	58	33	921
72	4	3586	2882	gi|18694	nodulin-21 (AA 1-201) (Glycine max)	58	34	705
74	3	4937	4230	gi|2293252	(AF008220) YtmO (Bacillus subtilis)	58	33	708
79	4	4594	3422	gi|1217989	ORF3 (Streptococcus pneumoniae)	58	44	1173
82	8	10585	8171	gi|882711	exonuclease V alpha-subunit (Escherichia coli)	58	38	2415
86	17	16017	15337	gi|47642	5-dehydroquinate hydrolyase (3-dehydroquinase) (Salmonella typhi)	58	32	681
97	2	931	560	gi|153794	rgg (Streptococcus gordonii)	58	32	372

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
108	2	358	2724	gi|537020	vacB gene product [Escherichia coli]	58	37	2367
111	5	4593	5240	gi|1592142	ABC transporter, probable ATP-binding subunit [Methanococcus jannaschii]	58	36	648
120	3	4421	5110	gnl|PID|d101320	YqgX [Bacillus subtilis]	58	47	690
128	16	13131	12673	gi|662919	ORF U [Enterococcus hirae]	58	42	459
132	3	6174	4939	gi|1800301	macrolide-efflux determinant [Streptococcus pneumoniae]	58	35	1236
133	1	111	890	gnl|PID|e269488	Unknown [Bacillus subtilis]	58	36	780
160	11	8615	9865	gi|473901	ORF1 [Lactococcus lactis]	58	39	1251
161	6	6268	6849	gnl|PID|d101024	DJ-1 protein [Homo sapiens]	58	32	582
169	1	214	2	gnl|PID|d100447	translation elongation factor-3 [Chlorella virus]	58	31	213
187	1	487	2	gi|475114	regulatory protein [Pediococcus pentosaceus]	58	38	486
187	6	4384	4620	gi|167475	dessication-related protein [Craterostigma plantagineum]	58	55	237
190	2	1464	1640	gnl|PID|e246727	competence pheromone [Streptococcus gordonii]	58	38	177
192	2	2012	1344	gnl|PID|d100556	rat GCP360 [Rattus rattus]	58	44	669
206	1	1292	696	gnl|PID|e202579	product similar to WrbA [Lactobacillus sake]	58	35	597
216	2	2333	555	gnl|PID|e325036	hypothetical protein [Bacillus subtilis]	58	33	1779
217	5	5250	4321	gi|466474	cellobiose phosphotransferase enzyme II'' [Bacillus stearothermophilus]	58	38	930
217	7	5636	5106	gnl|PID|d102048	B. subtilis cellobiose phosphotransferase system celB; P46317 (998) transmembrane [Bacillus subtilis]	58	44	531
232	1	2	811	gi|1573777	cell division ATP-binding protein (ftsE) [Haemophilus influenzae]	58	39	810
264	1	2	715	gi|973330	NatA [Bacillus subtilis]	58	32	714
280	1	33	767	gi|1786187	(AE000111) hypothetical 29.6 kD protein in thrC-talB intergenic region [Escherichia coli]	58	31	735
306	1	845	3	gnl|PID|e334780	YlbL protein [Bacillus subtilis]	58	47	843
360	3	1556	1092	sp|P46351|YZGD_	HYPOTHETICAL 45.4 KD PROTEIN IN THIAMINASE I 5'REGION.	58	32	465
363	5	2160	1867	gi|160671	S antigen precursor [Plasmodium falciparum]	58	51	294
372	1	806	3	gi|393394	Tb-291 membrane associated protein [Trypanosoma brucei subgroup]	58	37	804
382	2	749	519	pir|JC1151|JC11	hypothetical 20.3K protein (insertion sequence IS1131) - Agrobacterium tumefaciens (strain PO22) plasmid Ti	58	41	231

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
3	9	8409	7471	gi|1499745	M. jannaschii predicted coding region MJ0912 [Methanococcus jannaschii]	57	38	939
10	10	7674	7507	gi|1737169	homologue to SKP1 [Arabidopsis thaliana]	57	30	168
11	1	2	412	gnl|PID|d100139	ORF [Acetobacter pasteurianus]	57	42	411
31	4	2032	1388	gi|2293213	(AF008220) YtpR [Bacillus subtilis]	57	37	645
33	11	6931	6449	gnl|PID|e324949	hypothetical protein [Bacillus subtilis]	57	36	483
45	5	5446	5060	gi|1592204	phosphoserine phosphatase (Methanococcus jannaschii]	57	44	387
49	7	6523	7632	gi|155369	PTS enzyme-II fructose [Xanthomonas campestris]	57	35	1110
52	6	4520	6850	gi|1574144	single-stranded-DNA-specific exonuclease (recJ) [Haemophilus influenzae]	57	35	2331
53	5	2079	1795	gi|1843580	replicase-associated polyprotein (oat blue dwarf virus]	57	46	285
63	6	5312	4995	gi|2182608	(AE000094) Y4rJ [Rhizobium sp. NGR234]	57	39	318
72	15	13883	13059	gnl|PID|d100892	homologous to SwissProt:YIDA_ECOLI hypothetical protein [Bacillus subtilis]	57	40	825
79	2	2561	1815	gnl|PID|d100965	homologue of NADPH-flavin oxidoreductase Frp of V. harveyi [Bacillus subtilis]	57	44	747
82	9	9596	9763	gi|1206045	short region of similarity to glycerophosphoryl diester phosphodiesterases [Caenorhabditis elegans]	57	35	168
86	16	15371	14493	gi|1787983	(AE000264) o288; 92 pct identical (1 gaps) to 222 residues of fragment YDIB_ECOLI SW: P28244 (223 aa) [Escherichia coli]	57	34	879
93	3	1695	1177	gi|1500003	mutator mutT protein [Methanococcus jannaschii]	57	33	519
96	6	3026	4519	gi|559882	threonine synthase [Arabidopsis thaliana]	57	43	1494
99	14	17211	18212	gi|773349	BirA protein [Bacillus subtilis]	57	44	1002
112	8	7448	7903	gi|1591393	M. jannaschii predicted coding region MJ0678 [Methanococcus jannaschii]	57	30	456
113	16	18627	18328	pir|A45605|A456	mature-parasite-infected erythrocyte surface antigen MESA - Plasmodium falciparum	57	22	300
123	2	343	1110	pir|F64149|F641	hypothetical protein HI0355 - Haemophilus influenzae (strain Rd KW20)	57	38	768
123	4	2108	2884	gnl|PID|d102148	(AB001684) sulfate transport system permease protein [Chlorella vulgaris]	57	39	777
127	10	6477	5587	gi|1573082	nitrogenase C (nifC) [Haemophilus influenzae]	57	35	891
128	13	9251	9790	gi|153692	pneumolysin [Streptococcus pneumoniae]	57	38	540
131	4	2139	1363	gi|42081	nagD gene product (AA 1-250) [Escherichia coli]	57	36	777

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
136	1	214	1221	bbs|148453	SpaA=endocarditis immunodominant antigen [Streptococcus sobrinus, MUCOB 263, Peptide, 1566 aa] [Streptococcus sobrinus]	57	44	1008
140	25	28701	26851	gi|505576	beta-glucoside permease [Bacillus subtilis]	57	38	1851
141	6	6395	7438	gi|995560	unknown [Schizosaccharomyces pombe]	57	41	1044
144	3	3231	2785	gnl|PID|d100139	ORF [Acetobacter pasteurianus]	57	42	447
155	4	5454	4564	gi|600431	glycosyl transerase [Erwinia amylovora]	57	34	891
159	9	4877	5854	gi|290509	o307 [Escherichia coli]	57	35	978
167	11	9710	9249	gnl|PID|d100139	ORF [Acetobacter pasteurianus]	57	42	462
171	6	4023	4436	gi|147402	mannose permease subunit III-Man [Escherichia coli]	57	29	414
178	4	2170	1076	gnl|PID|d102004	(AB001488) ATP-DEPENDENT RNA HELICASE DEAD HOMOLOG. [Bacillus subtilis]	57	39	1095
190	1	145	1455	gi|149420	export/processing protein [Lactococcus lactis]	57	30	1311
198	1	298	95	gi|522268	unidentified ORF22 [Bacteriophage bIL67]	57	36	204
203	2	3195	2110	gnl|PID|e283915	orf c01003 [Sulfolobus solfataricus]	57	41	1086
205	1	40	507	gi|1439527	EIIA-man [Lactobacillus curvatus]	57	28	468
214	7	4243	3797	gnl|PID|d102049	H. influenzae, ribosomal protein alanine acetyltransferase; P44305 (189) [Bacillus subtilis]	57	48	447
268	3	1767	1276	gi|43979	L.curvatus small cryptic plasmid gene for rep protein [Lactobacillus curvatus]	57	36	492
351	1	324	34	gnl|PID|e275871	T03F6.b [Caenorhabditis elegans]	57	31	291
386	1	226	2	gi|160671	S antigen precursor [Plasmodium falciparum]	57	45	225
5	5	10486	8777	gi|405857	yehU [Escherichia coli]	56	33	1710
8	5	3674	3910	gi|467199	pksC; L518_F1_2 [Mycobacterium leprae]	56	39	237
10	3	3442	1874	gnl|PID|d101907	sodium-coupled permease [Synechocystis sp.]	56	36	1569
21	1	1880	333	gi|2313949	(AE000593) osmoprotection protein (proWX) [Helicobacter pylori]	56	33	1548
22	29	21968	22456	gnl|PID|d102001	(AB001488) PROBABLE ACETYLTRANSFERASE. [Bacillus subtilis]	56	37	489
27	1	1361	3	gi|215132	ea59 (525) [Bacteriophage lambda]	56	30	1359
28	9	4667	4278	gi|1592090	DNA repair protein RAD2 [Methanococcus jannaschii]	56	29	390
33	1	3	386	gnl|PID|d100139	ORF [Acetobacter pasteurianus]	56	41	384

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins' similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
36	7	5122	5397	pir|PQ0053|PQ00	hypothetical protein (proC 3' region) - Pseudomonas aeruginosa (strain PAO) (fragment)	56	28	276
40	4	3137	4318	gi|1800301	macrolide-efflux determinant [Streptococcus pneumoniae]	56	27	1182
40	16	12511	13191	gnl|PID|e217602	PlnU [Lactobacillus plantarum]	56	38	681
48	17	13775	13023	gi|143729	transcription activator [Bacillus subtilis]	56	35	753
75	4	1674	2594	gnl|PID|d102036	membrane protein [Bacillus stearothermophilus]	56	25	921
85	3	1842	1459	gnl|PID|d100139	ORF [Acetobacter pasteurianus]	56	41	384
89	7	5815	4940	gi|853777	product similar to E.coli PRFA2 protein [Bacillus subtilis]	56	42	876
105	2	1360	2718	gnl|PID|d101913	hypothetical protein [Synechocystis sp.]	56	37	1359
112	3	2151	3194	gi|537201	ORF_o345 [Escherichia coli]	56	31	1044
113	4	2754	2963	gnl|PID|d100340	ORF [Plum pox virus]	56	28	210
122	3	1203	2054	gi|1649035	high-affinity periplasmic glutamine binding protein [Salmonella typhimurium]	56	30	852
124	8	3939	3694	gnl|PID|e248893	unknown [Mycobacterium tuberculosis]	56	27	246
125	4	4403	4107	gnl|PID|d100247	human non-muscle myosin heavy chain [Homo sapiens]	56	32	297
127	11	6608	6405	gi|2182397	(AE000073) Y4fN [Rhizobium sp. NGR234]	56	35	204
134	5	4769	3849	gnl|PID|d101870	hypothetical protein [Synechocystis sp.]	56	39	921
137	10	6814	7245	gi|1592011	sulfate permease (cysA) [Methanococcus jannaschii]	56	34	432
142	8	5019	4582	pir|A47071|A470	orf1 immediately 5' of nifS - Bacillus subtilis	56	29	438
146	8	4676	3660	gnl|PID|d101911	hypothetical protein [Synechocystis sp.]	56	32	1017
148	3	1906	2739	gnl|PID|d101099	phosphate transport system permease protein PstA [Synechocystis sp.]	56	36	834
150	4	4449	2743	gnl|PID|e304628	probably site-specific recombinase of the resolvase family of enzymes [Bacteriophage TP21]	56	27	1707
172	1	2	208	gi|1787791	(AE000249) f317; This 317 aa orf is 27 pct identical (16 gaps) to 301 residues of an approx. 320 aa protein YXXC_BACSU SW: P39140 [Escherichia coli]	56	34	207
172	7	4979	5668	gi|396293	similar to Bacillus subtilis hypoth. 20 kDa protein, in tsr 3' region [Escherichia coli]	56	40	690
186	7	3732	3367	gi|1732200	PTS permease for mannose subunit IIPMan [Vibrio furnissii]	56	36	366
187	2	2402	819	pir|S57904|S579	virR49 protein - Streptococcus pyogenes (strain CS101, serotype M49)	56	35	1584

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
204	3	2772	2239	gi|606376	ORF_o162 [Escherichia coli]	56	35	534
206	2	3342	1633	gi|559861	clyM [Plasmid pAD1]	56	38	1710
219	3	1689	1096	gi|1146197	putative [Bacillus subtilis]	56	27	594
230	2	409	1485	pir|C60328|C603	hypothetical protein 2 (sr 5' region) - Streptococcus mutans (strain OMZ175, serotype f)	56	40	1077
233	4	2930	3268	gi|1041785	rhoptry protein [Plasmodium yoelii]	56	24	339
273	2	1543	2724	gi|143089	iep protein [Bacillus subtilis]	56	32	1182
353	1	1	516	gnl|PID|e325000	hypothetical protein [Bacillus subtilis]	56	41	516
359	1	87	641	gi|1786952	(AE000176) o877; 100 pct identical to the first 86 residues of the 100 aa hypothetical protein fragment YBGB_ECOLI SW: P54746 [Escherichia coli]	56	46	555
363	7	4482	4198	gi|1573353	outer membrane integrity protein (tolA) [Haemophilus influenzae]	56	38	285
376	1	2	508	gnl|PID|e325031	hypothetical protein [Bacillus subtilis]	56	33	507
18	1	836	177	gnl|PID|d100872	a negative regulator of pho regulon [Pseudomonas aeruginosa]	55	31	660
28	4	1824	1618	gnl|PID|e316518	STAT protein [Dictyostelium discoideum]	55	40	207
29	6	4496	5041	gi|1088261	unknown protein [Anabaena sp.]	55	31	546
38	16	9695	10702	gi|580905	B.subtilis genes rpmH, rnpA, 50kd, gidA and gidB [Bacillus subtilis]	55	31	1008
49	5	5727	6182	gi|1786951	(AE000176) heat-responsive regulatory protein [Escherichia coli]	55	29	456
51	4	2381	3241	gnl|PID|d101293	YbbA [Bacillus subtilis]	55	42	861
52	9	9640	10866	gi|153016	ORF 419 protein [Staphylococcus aureus]	55	23	1227
53	4	1813	1349	gi|896042	OspF [Borrelia burgdorferi]	55	30	465
60	5	4794	5756	gi|1499876	magnesium and cobalt transport protein [Methanococcus jannaschii]	55	38	963
71	9	14176	15408	gi|1857120	glycosyl transferase [Neisseria meningitidis]	55	41	1233
75	6	3189	4229	gnl|PID|e209890	NAD alcohol dehydrogenase [Bacillus subtilis]	55	44	1041
108	10	10488	9820	gnl|PID|e324997	hypothetical protein [Bacillus subtilis]	55	36	669
113	12	12273	13037	gnl|PID|e311496	unknown [Bacillus subtilis]	55	34	765
113	13	13007	13945	gi|1573423	1-phosphofructokinase (fruK) [Haemophilus influenzae]	55	39	939
126	5	6764	5907	gi|1790131	(AE000446) hypothetical 29.7 kD protein in ibpA-gyrB intergenic region [Escherichia coli]	55	37	858

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
129	3	2719	902	gnl|PID|d101425	Pz-peptidase [Bacillus licheniformis]	55	35	1818
138	3	2593	1610	gi|142833	ORF2 [Bacillus subtilis]	55	37	984
140	6	6916	5633	gnl|PID|d100964	homologue of hypothetical protein in a rapamycin synthesis gene cluster of Streptomyces hygroscopicus [Bacillus subtilis]	55	26	1284
147	3	3854	2136	gi|472330	dihydrolipoamide dehydrogenase [Clostridium magnum]	55	39	1719
147	10	10204	8921	gnl|PID|e73078	dihydroorotase [Lactobacillus leichmannii]	55	38	1284
148	5	3430	4119	gi|290572	peripheral membrane protein U [Escherichia coli]	55	29	690
148	6	4171	4650	gi|695769	transposase [Xanthobacter autotrophicus]	55	37	480
149	14	12564	11650	gnl|PID|d101329	YqjG [Bacillus subtilis]	55	32	915
156	3	1113	550	gi|2314496	(AE000634) conserved hypothetical integral membrane protein [Helicobacter pylori]	55	34	564
159	10	6625	5897	gi|290533	similar to E. coli ORF adjacent to suc operon; similar to gntR class of regulatory proteins [Escherichia coli]	55	29	729
164	3	1784	2332	gnl|PID|e255118	hypothetical protein [Bacillus subtilis]	55	37	549
164	5	2772	3521	gi|40348	put. resolvase Tnp I (AA 1 - 284) [Bacillus thuringiensis]	55	35	750
164	11	7428	7216	gnl|PID|e249407	unknown [Mycobacterium tuberculosis]	55	38	213
167	5	3860	3345	gi|535052	involved in protein secretion [Bacillus subtilis]	55	28	516
186	5	2880	2563	gi|606080	ORF_o290; Geneplot suggests frameshift linking to o267, not found [Escherichia coli]	55	35	318
189	8	4311	5396	gnl|PID|e183450	hypothetical EcsB protein [Bacillus subtilis]	55	32	1086
192	5	3270	3079	gi|1196504	vitellogenin convertase [Aedes aegypti]	55	38	192
195	2	2454	1384	gi|1574693	transferase, peptidoglycan synthesis (murG) [Haemophilus influenzae]	55	33	1071
198	4	3013	2471	gnl|PID|e313074	hypothetical protein [Bacillus subtilis]	55	29	543
214	1	373	744	gnl|PID|d101741	transposase [Synechocystis sp.]	55	33	372
219	2	1115	456	gi|288301	ORF2 gene product [Bacillus megaterium]	55	30	660
263	7	3742	3443	gi|18137	cgcr-4 product [Chlamydomonas reinhardtii]	55	48	300
285	1	2	829	gnl|PID|d100974	unknown [Bacillus subtilis]	55	40	828
286	1	650	249	gi|396844	ORF (18 kDa) [Vibrio cholerae]	55	31	402
297	2	1229	1696	gi|150848	prtC [Porphyromonas gingivalis]	55	39	468

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
309	2	218	982	gi|1574491	hypothetical [Haemophilus influenzae]	55	35	765
328	2	646	224	gi|571500	prohibitin [Saccharomyces cerevisiae]	55	27	423
330	1	1340	474	gi|396397	soxS [Escherichia coli]	55	29	867
364	3	2538	1546	gi|393394	Tb-291 membrane associated protein [Trypanosoma brucei subgroup]	55	36	993
368	3	941	105	gi|160671	S antigen precursor [Plasmodium falciparum]	55	40	837
3	5	4604	3624	gi|2293176	(AF008220) signal transduction protein kinase [Bacillus subtilis]	54	26	981
9	11	7746	7246	gi|1146245	putative [Bacillus subtilis]	54	38	501
38	24	16213	17937	gi|1480429	putative transcriptional regulator [Bacillus stearothermophilus]	54	27	1725
40	8	5076	4882	gi|39989	methionyl-tRNA synthetase [Bacillus stearothermophilus]	54	35	195
43	4	3980	2367	gnl|PID|e148611	ABC transporter [Lactobacillus helveticus]	54	25	1614
52	10	10844	12103	gi|1762962	FemA [Staphylococcus simulans]	54	29	1260
57	1	3	512	gi|558177	endo-1,4-beta-xylanase [Cellulomonas fimi]	54	36	510
58	3	4749	4246	gnl|PID|d101237	hypothetical [Bacillus subtilis]	54	29	504
71	7	10684	11703	gi|510255	orf3 [Escherichia coli]	54	31	1020
71	20	27546	27737	gi|202543	serotonin receptor [Rattus norvegicus]	54	31	192
72	2	844	1098	gi|148613	srnB gene product [Plasmid F]	54	37	255
72	7	7438	6695	gi|1196496	recombinase [Moraxella bovis]	54	38	744
74	10	14043	13465	gi|1200342	ORF 3 gene product [Bradyrhizobium japonicum]	54	32	579
74	12	16483	15995	gi|2317798	maturase-related protein [Pseudomonas alcaligenes]	54	30	489
86	3	2877	2155	gi|46988	orf9.6 possibly encodes the O unit polymerase [Salmonella enterica]	54	34	723
89	5	4433	3921	gi|147211	phnO protein [Escherichia coli]	54	41	513
90	1	3	464	gi|2317798	maturase-related protein [Pseudomonas alcaligenes]	54	30	462
96	10	8058	8510	gnl|PID|d102015	(AB001488) SIMILAR TO SALMONELLA TYPHIMURIUM SLYY GENE REQUIRED FOR SURVIVAL IN MACROPHAGE. [Bacillus subtilis]	54	32	453
97	6	4662	3604	gi|1591394	transketolase'' [Methanococcus jannaschii]	54	30	1059
106	11	10406	12010	gi|606286	ORF_o637 [Escherichia coli]	54	32	1605
147	8	8663	7404	gnl|PID|d101615	ORF_ID:o319#7; similar to [SwissProt Accession Number P37340] [Escherichia coli]	54	35	1260

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
171	4	2477	3223	gi|1439528	EIIC-man [Lactobacillus curvatus]	54	36	747
174	2	2068	1787	gnl|PID|d100518	motor protein [Homo sapiens]	54	35	282
188	1	526	1188	gnl|PID|e250352	unknown [Mycobacterium tuberculosis]	54	31	663
198	5	3582	2884	gnl|PID|e313074	hypothetical protein [Bacillus subtilis]	54	33	699
207	1	1	1641	gnl|PID|d101813	hypothetical protein [Synechocystis sp.]	54	24	1641
210	1	2	655	gi|2293206	(AF008220) YtmP [Bacillus subtilis]	54	29	654
225	2	966	2357	gnl|PID|e330194	R11H6.1 [Caenorhabditis elegans]	54	39	1392
241	1	1681	347	gnl|PID|d101813	hypothetical protein [Synechocystis sp.]	54	26	1335
263	2	907	1395	gnl|PID|d101886	transposase [Synechocystis sp.]	54	30	489
263	6	3450	2977	gi|160671	S antigen precursor [Plasmodium falciparum]	54	47	474
277	3	2517	1363	gi|1196926	unknown protein [Streptococcus mutans]	54	30	1155
307	1	828	4	gi|2293198	(AF008220) YtgP [Bacillus subtilis]	54	28	825
325	1	19	768	gi|2182507	(AE000083) Y41H [Rhizobium sp. NGR234]	54	37	750
332	2	898	590	gi|1591815	ADP-ribosylglycohydrolase (draG) [Methanococcus jannaschii]	54	32	309
385	4	240	479	gi|530878	amino acid feature: N-glycosylation sites, aa 41 .. 43, 46 .. 48, 51 .. 53, 72 .. 74, 107 .. 109, 128 .. 130, 132 .. 134, 158 .. 160, 163 .. 165; amino acid feature: Rod protein domain, aa 169 .. 340; amino acid feature: globular protein domai	54	49	240
7	25	19702	19493	gnl|PID|e255111	hypothetical protein [Bacillus subtilis]	53	32	210
23	3	2497	2033	gnl|PID|d102015	(AB001488) SIMILAR TO SALMONELLA TYPHIMURIUM SLYY GENE REQUIRED FOR SURVIVAL IN MACROPHAGE. [Bacillus subtilis]	53	25	465
29	11	9042	10121	gi|143331	alkaline phosphatase regulatory protein [Bacillus subtilis]	53	31	1080
33	3	1479	1009	pir|S10655|S106	hypothetical protein X - Pyrococcus woesei (fragment)	53	33	471
36	6	4583	5134	gnl|PID|e316029	unknown [Mycobacterium tuberculosis]	53	30	552
38	14	8521	8898	gi|580904	homologous to E.coli rnpA [Bacillus subtilis]	53	30	378
52	7	7007	8686	gi|1377831	unknown [Bacillus subtilis]	53	29	1680
54	17	17555	19564	gi|666069	orf2 gene product [Lactobacillus leichmannii]	53	36	2010
56	1	1	681	gi|1592266	restriction modification system S subunit [Methanococcus jannaschii]	53	32	681

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
57	10	9431	8487	gi|1788543	(AE000310) f351; Residues 1-121 are 100 pct identical to YOJL_ECOLI SW: P33944 (122 aa) and aa 152-351 are 100 pct identical to YOJK_ECOLI SW: P33943 [Escherichia coli]	53	31	945
61	1	429	4	gnl|PID|e236467	B0024.12 [Caenorhabditis elegans]	53	33	426
71	1	5772	4	gi|393394	Tb-291 membrane associated protein [Trypanosoma brucei subgroup]	53	33	5769
72	3	894	2840	gi|2293178	(AF008220) YtsD [Bacillus subtilis]	53	27	1947
73	14	9793	9212	gi|1778556	putative cobalamin synthesis protein [Escherichia coli]	53	32	582
88	7	5217	4342	gi|2098719	putative fimbrial-associated protein [Actinomyces naeslundii]	53	38	876
93	5	2395	1688	gi|563366	gluconate oxidoreductase [Gluconobacter oxydans]	53	33	708
96	9	6632	7762	gi|517204	ORF1, putative 42 kDa protein [Streptococcus pyogenes]	53	42	1131
108	8	7629	8600	gi|149581	maturation protein [Lactobacillus paracasei]	53	32	972
128	9	6412	6972	gnl|PID|e317237	unknown [Mycobacterium tuberculosis]	53	36	561
128	12	8429	9253	gi|311070	pentraxin fusion protein [Xenopus laevis]	53	31	825
148	1	3	950	pir|A61607|A616	probable hemolysin precursor - Streptococcus agalactiae (strain 74-360)	53	36	948
163	2	2162	3022	gi|1755150	nocturnin [Xenopus laevis]	53	30	861
171	3	2304	2624	gi|1732200	PTS permease for mannose subunit IIPMan [Vibrio furnissii]	53	32	321
182	5	3785	3051	gnl|PID|d100572	unknown [Bacillus subtilis]	53	35	735
209	3	2948	1935	gi|1778505	ferric enterobactin transport protein [Escherichia coli]	53	28	1014
218	5	3884	2406	gi|40162	murE gene product [Bacillus subtilis]	53	34	1479
250	3	473	790	gnl|PID|e334776	YlbH protein [Bacillus subtilis]	53	30	318
275	1	1	1611	gnl|PID|d101314	YqeW [Bacillus subtilis]	53	35	1611
332	1	544	2	gi|409286	bmrU [Bacillus subtilis]	53	31	543
2	2	2543	3445	gnl|PID|e233879	hypothetical protein [Bacillus subtilis]	52	39	903
3	22	22402	23376	gi|38969	lacF gene product [Agrobacterium radiobacter]	52	36	975
5	3	8094	2356	gnl|PID|e324915	IgA1 protease [Streptococcus sanguis]	52	32	5739
22	26	19961	20212	gi|152901	ORF 3 [Spirochaeta aurantia]	52	35	252
22	31	23140	24666	gi|289262	comE ORF3 [Bacillus subtilis]	52	32	1527
27	6	5397	4801	gi|39573	P20 (AA 1-178) [Bacillus licheniformis]	52	35	597

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
35	10	8604	7357	gi|508241	putative O-antigen transporter [Escherichia coli]	52	27	1248
45	4	4801	3662	gnl|PID|d102243	(AB005554) homologs are found in E. coli and H. influenzae; see SWISS_PROT ACC#: P42100 [Bacillus subtilis]	52	36	1140
48	18	14385	13726	gnl|PID|e205174	orf2 [Lactobacillus helveticus]	52	25	660
49	4	5321	5755	gi|2317740	(AF013987) nitrogen regulatory IIA protein [Vibrio cholerae]	52	19	435
54	4	2773	4668	gi|1500472	M. jannaschii predicted coding region MJ1577 [Methanococcus jannaschii]	52	36	1896
54	6	5250	4969	gi|2182453	(AE000079) Y4iO [Rhizobium sp. NGR234]	52	40	282
66	6	8400	6955	gi|43140	TrkG protein [Escherichia coli]	52	30	1446
71	26	30659	31312	gnl|PID|e314993	unknown [Mycobacterium tuberculosis]	52	23	654
75	2	1673	1035	gnl|PID|d102271	(AB001683) FarA [Streptomyces sp.]	52	27	639
81	3	1439	2893	gnl|PID|e311458	rhamnulose kinase [Bacillus subtilis]	52	32	1455
81	8	4987	5781	gi|147403	mannose permease subunit II-P-Man [Escherichia coli]	52	37	795
83	21	20687	21853	gi|143365	phosphoribosyl aminoimidazole carboxylase II (PUR-K; ttg start codon) [Bacillus subtilis]	52	37	1167
86	6	5785	4592	gi|1276879	EpsF [Streptococcus thermophilus]	52	26	1194
86	20	19390	17861	gi|454844	ORF 3 [Schistosoma mansoni]	52	26	1530
96	13	10540	9659	gi|288299	ORF1 gene product [Bacillus megaterium]	52	33	882
111	1	2	2026	gi|148309	cytolysin B transport protein [Enterococcus faecalis]	52	27	2025
112	2	1457	2167	gi|471234	orf1 [Haemophilus influenzae]	52	33	711
118	3	2931	2365	bbs|151233	Mip=24 kda macrophage infectivity potentiator protein [Legionella pneumophila, Philadelphia-1, Peptide, 184 aa] [Legionella pneumophila]	52	33	567
122	9	5646	5951	gi|8214	myosin heavy chain [Drosophila melanogaster]	52	36	306
122	11	6159	6374	gi|434025	dihydrolipoamide acetyltransferase [Pelobacter carbinolicus]	52	52	216
134	6	4880	6313	gi|153733	M protein trans-acting positive regulator [Streptococcus pyogenes]	52	43	1434
135	3	1238	2716	gnl|PID|e245024	unknown [Mycobacterium tuberculosis]	52	35	1479
141	3	1681	2319	gnl|PID|d100573	unknown [Bacillus subtilis]	52	32	639
161	4	2562	5024	gi|1146243	22.4% identity with Escherichia coli DNA-damage inducible protein ...; putative [Bacillus subtilis]	52	36	2463
173	2	968	183	gi|1215693	putative orf; GT9_orf434 [Mycoplasma pneumoniae]	52	30	786

TABLE 2 S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
198	6	4400	3567	gnl|PID|e313010	hypothetical protein [Bacillus subtilis]	52	26	834
210	12	8844	9107	gi|497647	DNA gyrase subunit B [Mycoplasma genitalium]	52	38	264
214	10	5264	5431	gi|550697	envelope protein [Human immunodeficiency virus type 1]	52	36	168
225	1	15	884	gi|1552773	hypothetical [Escherichia coli]	52	34	870
230	1	39	362	gnl|PID|d100582	unknown [Bacillus subtilis]	52	28	324
287	1	871	2	gnl|PID|e335028	protease/peptidase [Mycobacterium leprae]	52	29	870
363	2	1305	4	gi|393394	Tb-291 membrane associated protein [Trypanosoma brucei subgroup]	52	32	1302
23	2	2048	1173	gnl|PID|e254943	unknown [Mycobacterium tuberculosis]	51	30	876
29	3	742	1521	gi|929900	5'-methylthioadenosine phosphorylase [Sulfolobus solfataricus]	51	31	780
45	1	410	1597	gi|1877429	integrase [Streptococcus pyogenes phage T12]	51	32	1188
48	26	19227	18946	gi|2314455	(AE000633) transcriptional regulator (tenA) [Helicobacter pylori]	51	33	282
73	5	4276	4016	gi|474177	alpha-D-1,4-glucosidase [Staphylococcus xylosus]	51	31	261
81	11	8935	12057	gi|311070	pentraxin fusion protein [Xenopus laevis]	51	31	3123
83	5	1195	1986	gnl|PID|d101316	YqfI [Bacillus subtilis]	51	33	792
98	10	7531	8538	gi|41500	ORF 3 (AA 1-352); 38 kD (put. ftsX) [Escherichia coli]	51	28	1008
113	6	3908	5173	gi|466882	pps1; B1496_C2_189 [Mycobacterium leprae]	51	27	1266
124	1	326	57	gi|2191168	(AF007270) contains similarity to myosin heavy chain [Arabidopsis thaliana]	51	32	270
129	10	7286	6816	gi|1046241	orf14 [Bacteriophage HP1]	51	30	471
143	3	4963	3983	gi|1354935	probable copper-transporting atpase [Escherichia coli]	51	26	981
148	15	11359	10226	gi|2293256	(AF008220) putative hippurate hydrolase [Bacillus subtilis]	51	36	1134
149	8	6003	7313	gi|1633572	Herpesvirus saimiri ORF73 homolog [Kaposi's sarcoma-associated herpes-like virus]	51	21	1311
151	9	12092	11550	gnl|PID|e281580	hypothetical 40.7 kd protein [Bacillus subtilis]	51	34	543
159	6	2555	3208	gi|146944	CMP-N-acetylneuraminic acid synthetase [Escherichia coli]	51	36	654
174	1	1797	4	gi|1773166	probable copper-transporting atpase [Escherichia coli]	51	28	1794
265	4	2231	1773	gnl|PID|e256400	anti-P.falciparum antigenic polypeptide [Saimiri sciureus]	51	18	459
277	2	643	1311	pir|S32915|S329	pilD protein - Neisseria gonorrhoeae	51	33	669

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
350	1	890	3	gi|290509	o307 [Escherichia coli]	51	30	888
363	4	1228	4485	gi|1707247	partial CDS [Caenorhabditis elegans]	51	23	3258
367	1	1701	4	gi|393394	Tb-291 membrane associated protein [Trypanosoma brucei subgroup]	51	32	1698
15	5	5174	4497	gnl|PID|e58151	F3 [Bacillus subtilis]	50	38	678
16	4	2220	2582	gnl|PID|e325010	hypothetical protein [Bacillus subtilis]	50	29	363
19	5	2591	4159	gi|1552733	similar to voltage-gated chloride channel protein [Escherichia coli]	50	30	1569
25	4	2701	1997	gi|887849	ORF_f219 [Escherichia coli]	50	27	705
35	1	211	417	gnl|PID|e236697	unknown [Saccharomyces cerevisiae]	50	33	207
39	4	3416	5152	gnl|PID|d100974	unknown [Bacillus subtilis]	50	27	1737
51	7	4000	5181	gi|1592027	carbamoyl-phosphate synthase, pyrimidine-specific, large subunit [Methanococcus jannaschii]	50	27	1182
51	9	7179	8303	gi|1591847	type I restriction-modification enzyme, S subunit [Methanococcus jannaschii]	50	28	1125
52	8	8740	9534	gi|144297	acetyl esterase (XynC) [Caldocellum saccharolyticum]	50	34	795
52	16	16591	15770	gi|2108229	basic surface protein [Lactobacillus fermentum]	50	34	822
57	7	6031	6336	gi|2275264	60S ribosomal protein L7B [Schizosaccharomyces pombe]	50	40	306
71	23	29348	28383	gnl|PID|d101328	YqjA [Bacillus subtilis]	50	30	966
86	12	11155	10769	gnl|PID|e324964	hypothetical protein [Bacillus subtilis]	50	24	387
93	2	1205	330	gi|1066016	similar to Escherichia coli pyruvate, water dikinase, Swiss-Prot Accession Number P23538 [Pyrococcus furiosus]	50	24	876
96	5	1673	2959	gnl|PID|e322433	gamma-glutamylcysteine synthetase [Brassica juncea]	50	29	1287
98	2	218	1171	gi|151110	leucine-, isoleucine-, and valine-binding protein [Pseudomonas aeruginosa]	50	30	954
103	4	3303	2785	gi|154330	O-antigen ligase [Salmonella typhimurium]	50	31	519
115	5	6480	5980	gi|895747	putative cel operon regulator [Bacillus subtilis]	50	26	501
129	11	7559	7305	gi|1216475	skeletal muscle ryanodine receptor [Homo sapiens]	50	32	255
129	13	8192	7965	gi|152271	319-kDA protein [Rhizobium meliloti]	50	30	228
151	5	7634	6819	gi|40348	put. resolvase Tnp I (AA 1 - 284) [Bacillus thuringiensis]	50	35	816
153	1	1	597	gnl|PID|d102015	(AB001488) SIMILAR TO NITROREDUCTASE. [Bacillus subtilis]	50	29	597

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
155	5	5986	5432	gi|1276880	EpsG [Streptococcus thermophilus]	50	28	555
160	9	7390	6323	gi|1786983	(AE000179) o331; 92 pct identical to the 333 aa hypothetical protein YBHE_ECOLI SW: P52697; 26 pct identical (7 gaps) to 167 residues of the 373 aa protein MLE_TRICU SW: P46057; SW: P52697 [Escherichia coli]	50	30	1068
163	6	7396	8091	gnl|PID|d101313	YqeN [Bacillus subtilis]	50	22	696
167	6	5232	3940	gi|413926	ipa-2r gene product [Bacillus subtilis]	50	27	1293
169	2	807	130	gnl|PID|e304540	endolysin [Bacteriophage Bastille]	50	35	678
171	5	3168	4025	gi|606080	ORF_o290; Geneplot suggests frameshift linking to o267, not found [Escherichia coli]	50	27	858
210	11	8151	8414	gi|330038	HRV 2 polyprotein [Human rhinovirus]	50	25	264
364	1	1538	135	gi|393396	Tb-292 membrane associated protein [Trypanosoma brucei subgroup]	50	31	1404
10	7	5911	5090	gi|144859	ORF B [Clostridium perfringens]	49	24	822
26	5	10754	9768	gi|142440	ATP-dependent nuclease [Bacillus subtilis]	49	31	987
66	7	9777	8398	gi|414170	trkA gene product [Methanosarcina mazeii]	49	26	1380
77	6	5364	4648	gnl|PID|e285322	RecX protein [Mycobacterium smegmatis]	49	28	717
82	13	12689	13249	gnl|PID|e255091	hypothetical protein [Bacillus subtilis]	49	20	561
93	9	4866	4531	gi|40067	X gene product [Bacillus sphaericus]	49	26	336
112	5	4019	4948	gi|1574380	lic-1 operon protein (licB) [Haemophilus influenzae]	49	27	930
129	7	6058	4949	gnl|PID|e267587	Unknown [Bacillus subtilis]	49	35	1110
135	5	3875	4438	gi|39573	P20 (AA 1-178) [Bacillus licheniformis]	49	25	564
154	2	1423	1953	gnl|PID|d101102	regulatory components of sensory transduction system [Synechocystis sp.]	49	29	531
156	5	2878	1637	gnl|PID|d101732	hypothetical protein [Synechocystis sp.]	49	25	1242
173	5	3500	2940	gi|490324	LORF X gene product [unidentified]	49	30	561
182	1	1057	2	gi|331002	first methionine codon in the ECLF1 ORF [Saimiriine herpesvirus 2]	49	25	1056
192	6	5352	3667	gi|2394472	(AF024499) contains similarity to homeobox domains [Caenorhabditis elegans]	49	23	1686
253	4	1129	1350	gi|531116	SIR4 protein [Saccharomyces cerevisiae]	49	23	222
277	1	600	136	gi|396844	ORF (18 kDa) [Vibrio cholerae]	49	32	465
327	3	1435	887	gi|733524	phosphatidylinositol-4,5-diphosphate 3-kinase [Dictyostelium discoideum]	49	24	549

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
365	3	1436	132	gi|393394	Tb-291 membrane associated protein [Trypanosoma brucei subgroup]	49	31	1305
33	7	4461	3277	gi|145644	codes for a protein of unknown function [Escherichia coli]	48	26	1185
40	2	652	1776	gnl|PID|e290649	ornithine decarboxylase [Nicotiana tabacum]	48	29	1125
67	4	1377	2384	gi|1772652	2-keto-3-deoxygluconate kinase [Haloferax alicantei]	48	30	1008
74	2	4269	3871	gi|2182678	(AE000101) Y4vJ [Rhizobium sp. NGR234]	48	27	399
81	2	1326	541	gi|153672	lactose repressor [Streptococcus mutans]	48	33	786
81	4	2981	3646	gi|146042	fuculose-1-phosphate aldolase (fucA) [Escherichia coli]	48	30	666
97	1	602	51	gi|153794	rgg [Streptococcus gordonii]	48	29	552
110	1	1	3132	gi|1381114	prtB gene product [Lactobacillus delbrueckii]	48	23	3132
131	5	2914	2147	gnl|PID|e183811	Acyl-ACP thioesterase [Brassica napus]	48	27	768
133	4	3494	2628	gnl|PID|e261988	putative ORF [Bacillus subtilis]	48	27	867
139	6	4231	4599	gi|1049388	ZK470.1 gene product [Caenorhabditis elegans]	48	23	369
139	8	5036	5665	gi|1022725	unknown [Staphylococcus haemolyticus]	48	29	630
140	12	11936	11007	gnl|PID|d102049	H. influenzae, ribosomal protein alanine acetyltransferase; P44305 (189) [Bacillus subtilis]	48	27	930
146	9	5670	4654	gi|1591731	melvalonate kinase [Methanococcus jannaschii]	48	24	1017
161	3	1280	2374	gnl|PID|d101578	Collagenase precursor (EC 3.4.-.-). [Escherichia coli]	48	24	1095
172	11	10581	11048	gnl|PID|d101132	hypothetical protein [Synechocystis sp.]	48	27	468
182	4	2930	2586	gi|40067	X gene product [Bacillus sphaericus]	48	37	345
210	15	10786	11196	sp|P13940|LE29_	LATE EMBRYOGENESIS ABUNDANT PROTEIN D-29 (LEA D-29).	48	30	411
214	12	6231	6482	gi|40389	non-toxic components [Clostridium botulinum]	48	26	252
221	1	704	3	gi|1573364	H. influenzae predicted coding region HI0392 [Haemophilus influenzae]	48	27	702
227	2	647	3928	gi|1673693	(AE000005) Mycoplasma pneumoniae, C09_orf718 Protein [Mycoplasma pneumoniae]	48	30	3282
253	2	480	758	gnl|PID|e236697	unknown [Saccharomyces cerevisiae]	48	31	279
363	3	1874	1122	gi|18137	cgcr-4 product [Chlamydomonas reinhardtii]	48	40	753
389	1	505	2	gi|18137	cgcr-4 product [Chlamydomonas reinhardtii]	48	38	504
3	21	20879	22258	gnl|PID|e264778	putative maltose-binding pootein [Streptomyces coelicolor]	47	33	1380

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins sImilar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
6	4	4089	4658	gi|39573	P20 (AA 1-178) [Bacillus licheniformis]	47	23	570
15	3	3736	1760	gnl|PID|d100572	unknown [Bacillus subtilis]	47	25	1977
35	15	14516	13263	gi|1773351	Cap5L [Staphylococcus aureus]	47	20	1254
51	6	3547	4002	pir|A37024|A370	32K antigen precursor - Mycobacterium tuberculosis	47	38	456
55	8	10154	9273	gi|39848	U3 [Bacillus subtilis]	47	26	882
92	4	1753	3276	gnl|PID|e280611	PCPC [Streptococcus pneumoniae]	47	35	1524
127	9	5589	5386	gi|1786458	(AE000134) f120; This 120 aa orf is 76 pct identical (0 gaps) to 42 residues of an approx. 48 aa protein Y127_HAEIN SW: P43949 [Escherichia coli]	47	32	204
130	2	1232	1759	gnl|PID|e266555	unknown [Mycobacterium tuberculosis]	47	23	528
140	4	4951	3542	gnl|PID|d100964	homologue of hypothetical protein in a rapamycin synthesis gene cluster of Streptomyces hygroscopicus [Bacillus subtilis]	47	24	1410
151	4	6814	6200	gi|1522674	M. jannaschii predicted coding region MJECL41 [Methanococcus jannaschii]	47	27	615
157	3	803	1174	gnl|PID|d101320	YqgZ [Bacillus subtilis]	47	25	372
178	5	3267	2155	gi|2367190	(AE000390) o334; sequence change joins ORFs ygjR & ygjS from earlier version (YGJR_ECOLI SW: P42599 and YGJS_ECOLI SW: P42600) [Escherichia coli]	47	30	1113
273	1	2	1549	gnl|PID|e254973	autolysin sensor kinase [Bacillus subtilis]	47	32	1548
300	2	880	644	gi|1835755	zinc finger protein Png-1 [Mus musculus]	47	22	237
54	14	14182	12638	pir|S43609|S436	rofA protein - Streptococcus pyogenes	46	24	1545
88	1	2	1018	gnl|PID|e223891	xylose repressor [Anaerocellum thermophilum]	46	27	1017
96	7	4553	5860	gnl|PID|d101652	ORF_ID:o347#5; similar to [SwissProt Accession Number P45272] [Escherichia coli]	46	23	1308
112	1	1127	3	gi|2209215	(AF004325) putative oligosaccharide repeat unit transporter [Streptococcus pneumoniae]	46	24	1125
122	13	7308	7982	gi|1054776	hr44 gene product [Homo sapiens]	46	34	675
127	14	9198	8125	gi|1469286	afuA gene product [Actinobacillus pleuropneumoniae]	46	28	1074
132	4	7093	6197	gi|153794	rgg [Streptococcus gordonii]	46	26	897
140	8	8220	7723	gi|1235795	pullulanase [Thermoanaerobacterium thermosulfurigenes]	46	21	498
140	9	9205	8315	gi|407878	leucine rich protein [Streptococcus equisimilis]	46	27	891

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
162	1	1	1125	gi|1143209	ORF7; Method: conceptual translation supplied by author [Shigella sonnei]	46	25	1125
199	1	1	585	gi|1947171	(AF000299) No definition line found [Caenorhabditis elegans]	46	28	585
223	3	1971	1477	sp|P02562|MYSS_	MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (FRAGMENTS).	46	27	495
232	2	760	1608	gi|1016112	ycf38 gene product [Cyanophora paradoxa]	46	28	849
292	1	687	220	gi|1673744	(AE000011) Mycoplasma pneumoniae, cytidine deaminase; similar to GenBank Accession Number C53312, from M. pirum [Mycoplasma pneumoniae]	46	29	468
30	8	5843	6472	gi|1788049	(AE000270) o235; This 235 aa orf is 29 pct identical (10 gaps) to 198 residues of an approx. 216 aa protein YTXB_BACSU SW: P06568 [Escherichia coli]	45	24	630
48	6	3461	3868	gi|722339	unknown [Acetobacter xylinum]	45	29	408
60	1	307	2	gi|1699079	coded for by C. elegans cDNA yk41h4.3; coded for by C. elegans cDNA yk148g10.5; coded for by C. elegans cDNA yk152g5.5; coded for by C. elegans cDNA yk59a10.5; coded for by C. elegans cDNA yk41h4.5; coded for by C. elegans cDNA cm20g10; coded	45	36	306
72	16	14371	14874	gi|1321900	NADH dehydrogenase (ubiquinone) [Artemia franciscana]	45	25	504
99	7	9158	7941	gi|152192	mutation causes a succinoglucan-minus phenotype; ExoQ is atransmembrane protein; third gene of the exoYFQ operon;; putative [Rhizobium meliloti]	45	28	1218
127	12	7046	6606	bbs|153689	HitB=iron utilization protein [Haemophilus influenzae, type b, DL42, NTHI TN106, Peptide, 506 aa] [Haemophilus influenzae]	45	24	441
137	5	1561	2619	gi|472921	v-type Na-ATPase [Enterococcus hirae]	45	33	1059
209	1	774	364	gi|304141	restriction endonuclease beta subunit [Bacillus coagulans]	45	28	411
314	1	604	2	gi|1480457	latex allergen [Hevea brasiliensis]	45	31	603
20	18	19782	20288	gi|433942	ORF [Lactococcus lactis]	44	26	507
87	8	7030	6452	gi|537207	ORF_f277 [Escherichia coli]	44	26	579
166	5	4909	4037	gnl|PID|e308082	membrane transport protein [Bacillus subtilis]	44	25	873
247	1	818	75	gnl|PID|d100718	ORF1 [Bacillus sp.]	44	20	744
32	3	1885	3876	gi|2351768	PspA [Streptococcus pneumoniae]	43	24	1992
36	17	15467	18256	gi|1045739	M. genitalium predicted coding region MG064 [Mycoplasma genitalium]	43	26	2790
54	15	14656	17343	gi|520541	penicillin-binding proteins 1A and 1B [Bacillus subtilis]	43	27	2688
67	2	696	1352	gi|536934	yjcA gene product [Escherichia coli]	43	29	657
139	2	2416	338	gi|396400	similar to eukaryotic Na+/H+ exchangers [Escherichia coli]	43	24	2079

TABLE 2

S. pneumoniae - Putative coding regions of novel proteins similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)	match acession	match gene name	% sim	% ident	length (nt)
298	1	3	809	gi|413972	ipa-48r gene product [Bacillus subtilis]	43	24	807
387	1	47	427	gi|2315652	(AF016669) No definition line found [Caenorhabditis elegans]	43	30	381
185	4	4221	3127	gi|2182399	(AE000073) Y4fP [Rhizobium sp. NGR234]	41	25	1095
340	1	582	70	gnl|PID|e218681	CDP-diacylglycerol synthetase [Arabidopsis thaliana]	41	20	513
363	6	4205	1914	gi|1256742	R27-2 protein [Trypanosoma cruzi]	41	27	2292
368	2	2	943	gi|21783	LMW glutenin (AA 1-356) [Triticum aestivum]	41	34	942
155	3	4489	2861	gi|42023	member of ATP-dependent transport family, very similar to mdr proteins and hemolysin B, export protein [Escherichia coli]	40	18	1629
365	2	95	1438	gi|1633572	Herpesvirus saimiri ORF73 homolog [Kaposi's sarcoma-associated herpes-like virus]	40	21	1344
1	3	2979	3860	gnl|PID|d101908	hypothetical protein [Synechocystis sp.]	39	26	882
1	5	3814	4647	gnl|PID|d101961	hypothetical protein [Synechocystis sp.]	39	19	834
26	6	14035	10724	gi|142439	ATP-dependent nuclease [Bacillus subtilis]	38	20	3312
47	1	3	4916	gi|632549	NF-180 [Petromyzon marinus]	36	23	4914

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
1	4	3428	3009
1	6	4611	4964
3	2	818	994
3	3	1182	1574
3	7	5382	6497
3	25	25046	25396
3	26	25625	26317
6	2	1519	1689
6	14	12875	12618
6	15	13215	12841
6	18	15977	15390
7	12	9955	9419
7	13	10161	9910
8	6	3915	4280
9	9	6024	5704
10	8	6909	6298
10	9	7136	6888
10	11	7968	7672
12	1	1140	4
12	3	1779	1456
14	2	1913	1434
16	1	1	243
16	5	5675	3087
17	1	324	34
17	3	1451	1050
17	9	4890	4465
20	14	14544	15893

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
21	3	3359	2589
21	5	4802	4482
22	21	17099	17362
22	25	19467	19982
22	33	25540	25764
22	35	26388	26218
22	36	26382	27572
23	7	6655	6032
23	8	7132	6653
24	1	36	518
25	5	3009	2641
27	4	4819	4223
27	5	4789	4956
28	5	3017	1797
28	8	4272	3850
28	10	5028	4597
28	11	5746	5072
29	7	5596	4919
29	8	5039	5518
29	9	5595	8207
30	9	6511	6263
31	6	2664	2344
32	5	5203	5538
33	8	5327	4668
34	10	8024	7740
34	12	9360	8641
34	13	9667	9377

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
34	18	13104	11902
35	11	9688	8588
35	12	11073	9670
36	2	334	1041
36	12	11120	10893
36	13	10993	11388
36	15	12172	14595
38	7	4269	4577
38	8	4480	5001
38	10	5517	5711
38	17	10732	11376
40	3	1728	3143
43	1	172	5
43	7	8884	8732
43	8	9568	9071
44	4	4831	6831
45	3	3204	3665
46	4	3875	3468
46	7	6074	7081
48	5	3196	3582
48	8	4579	4229
48	11	9323	8922
48	16	13042	12494
48	20	16342	15764
48	24	17971	18351
48	30	21979	21776
49	1	209	3

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
50	4	3307	2672
51	5	3239	3598
52	11	12146	12883
54	7	5588	5187
54	8	6013	5459
54	9	6004	6210
54	16	17685	17506
55	9	10515	10123
55	12	11947	12141
56	3	935	1387
56	4	1496	1939
57	3	1624	2130
57	4	2100	2501
58	6	7541	7335
59	1	2	430
59	4	2416	2736
59	5	2734	3063
59	8	4743	5549
59	9	5459	5929
60	6	5741	6451
61	3	2395	1772
61	5	3316	3176
64	1	2722	2
66	2	1180	3147
66	8	9082	9495
67	3	1343	1182
69	2	1165	980

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
70	5	4059	3922
70	6	4215	4057
70	9	5268	5504
71	15	20351	21901
71	16	21859	22338
71	19	26204	27556
72	9	8458	8081
73	4	3815	4216
73	6	4214	4582
73	7	4369	4773
73	10	7183	6428
73	15	9462	9668
76	1	524	195
76	2	867	535
76	11	8602	9210
80	6	7924	8109
81	1	244	2
81	10	6631	8931
83	4	1872	1150
83	17	16810	16460
84	3	4464	2929
86	2	2147	1092
86	4	3606	2875
86	19	16767	17114
87	5	5326	5000
87	7	6459	6001
87	9	7224	7006

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
87	18	17930	17670
87	19	18275	17928
88	2	1619	1840
88	4	2711	2878
88	9	6252	6016
89	3	2634	1621
89	9	7371	6868
90	2	899	2395
90	3	1143	952
91	3	2959	3141
91	4	3170	3691
91	6	4253	4573
93	1	391	2
93	6	2648	2379
93	8	4533	3712
96	1	3	182
96	2	904	632
96	3	1407	1147
96	4	1250	1420
97	9	7043	6753
99	15	18522	18692
99	17	19717	19541
100	2	4094	1980
103	1	48	299
103	6	4924	4373
104	5	6142	6735
105	7	6098	6517

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
106	1	1	363
106	10	9832.	10212
108	1	2	268
111	3	3417	3788
111	4	3809	4606
115	10	10854	10438
116	3	2873	2121
118	2	2274	1357
122	4	2698	2333
122	10	5858	6199
122	12	6301	7416
124	2	346	690
128	4	2544	3368
129	1	689	102
129	2	1011	724
129	8	6454	6056
129	9	6540	6277
129	12	7809	7621
131	3	1433	756
131	10	5972	5673
134	11	11838	11209
135	2	625	1140
136	4	2913	3830
137	2	325	134
139	12	14027	14521
139	13	14840	14532
139	14	15363	14875

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
140	20	19822	20838
142	1	1	285
146	3	760	479
146	4	1149	778
146	7	3604	2885
146	13	8223	9401
146	14	9399	10676
146	15	10052	9750
147	7	7488	7276
147	9	8913	8647
148	7	5298	4765
149	1	2	1936
149	3	2557	2880
149	9	6258	6070
150	2	1355	579
150	3	2556	1909
153	3	2061	2642
154	3	1953	1741
155	2	2181	1411
156	8	4550	4311
157	1	37	294
159	2	631	780
159	4	1384	1722
159	7	3271	4017
161	2	1332	1018
165	3	5535	4945
166	6	5406	4972

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
167	9	6075	6395
169	5	2828	3205
170	7	6485	6243
170	8	6964	6362
170	9	7303	6962
170	11	8790	7906
171	9	7150	7476
172	5	2298	1948
173	4	2913	2677
175	2	659	835
175	3	893	1789
176	2	1487	546
176	3	2200	1466
177	9	4686	4925
177	10	4923	5177
177	11	5111	5347
177	13	7396	8703
178	6	3452	3724
181	5	1853	2473
182	2	2112	1102
182	3	2617	2006
183	2	2126	2320
185	5	4683	4219
185	6	4846	4634
187	4	2940	3557
188	4	3686	4363
188	5	4183	4821

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
188	6	5882	6493
189	5	3143	2844
189	9	5956	5564
191	1	618	4
191	11	10357	10001
192	3	2861	2268
192	4	3081	2878
192	7	6800	5331
193	3	997	839
194	4	2315	2127
195	5	6249	4543
195	6	6620	6231
196	2	1553	1849
197	1	1	861
198	9	6844	6644
200	5	5329	5769
200	6	5993	6595
204	5	3914	3276
205	2	447	1709
209	4	2038	2460
209	5	2458	2682
210	10	7370	8230
210	13	9029	10441
210	14	10439	10705
214	5	2581	2330
214	9	5065	5277
214	11	5996	5754

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
217	2	541	194
218	2	914	1432
218	3	1430	1972
218	6	3639	3821
219	1	458	39
220	1	869	600
223	4	2617	1964
227	1	1	510
234	4	1539	1312
234	6	2116	1838
235	1	52	312
235	2	310	687
238	1	660	64
246	1	1	270
248	1	3	362
248	2	443	1222
254	3	2789	792
258	2	1179	1616
260	3	1770	2123
263	1	653	177
263	4	2244	1900
263	5	3569	2973
266	1	1	342
266	2	177	1022
270	2	1124	1681
272	1	857	186
275	2	1684	2295

TABLE 3 S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
278	1	2	406
282	1	714	391
282	4	1463	1134
287	2	1119	826
288	1	540	4
289	1	684	4
291	5	1589	1858
293	2	2539	2925
294	1	21	608
296	2	494	700
296	3	670	843
302	1	261	530
309	3	559	350
310	2	249	1889
316	2	2087	1818
317	2	1048	584
318	2	313	777
319	3	477	133
327	2	912	607
331	1	1	549
333	1	2	535
333	2	465	82
333	3	127	342
341	1	1	705
345	2	895	701
346	2	750	199
349	1	1	198

TABLE 3

S. pneumoniae - Putative coding regions of novel proteins not similar to known proteins

Contig ID	ORF ID	Start (nt)	Stop (nt)
350	2	81	413
355	1	44	973
358	2	636	448
360	2	948	628
364	2	1639	1265
378	1	345	1004
379	2	683	510
381	1	109	693
385	1	150	4
385	2	269	30

(1) GENERAL INFORMATION:

(i) APPLICANT: Charles Kunsch
Gil H. Choi
Patrick S. Dillon
Craig A. Rosen
Steven C. Barash
Michael R. Fannon
Brian A. Dougherty

(ii) TITLE OF INVENTION: Streptococcus pneumoniae Polynucleotides and Sequences

(iii) NUMBER OF SEQUENCES: 391

(iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: Human Genome Sciences, Inc.
(B) STREET: 9410 Key West Avenue
(C) CITY: Rockville
(D) STATE: Maryland
(E) COUNTRY: USA
(F) ZIP: 20850

(v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Diskette, 3.50 inch, 1.4Mb storage
(B) COMPUTER: HP Vectra 486/33
(C) OPERATING SYSTEM: MSDOS version 6.2
(D) SOFTWARE: ASCII Text

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER:

(B) FILING DATE:

(C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER:

(B) FILING DATE:

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Brookes, A. Anders

(B) REGISTRATION NUMBER: 36,373

(C) REFERENCE/DOCKET NUMBER: PB340P1

(vi) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: (301) 309-8504

(B) TELEFAX: (301) 309-8512

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 5625 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

```
CCAAGCAAAA CCAGCTACAG CTAAAGGAAC TTACGTAACA AACTTGACTA TCACAACTAC      60

TCAAGGTGTT GGTATCAAAG TTGACGTAAA CTCACTTTAA TCAGTAGTTA AAGTAATGTA     120

AAAAAGTTGA AGACGCTATG TCTCAACTTT TTTTGATGTA CGACGGGCAT GTTGTATAGT     180

AGATGTGTAC TATTCTAGTT TCAATCTACT ATAGTAGCTC AGAAGTCGGT ACTTAAACGT     240

GCTATATCAA AACCAGTCCT TGAAAAACGT GGACTGGTTT CGTGTTTGGA TTATTACCTT     300

GAACGACATG CGTTAAAAGT TAGTTGAACC GCCGTATGCC GAACGGACGT ACGGTGGTGT     360

GAGAGGGGCT AGAGATTATC CCCTACTCGA TTTCGAAATC TAGTGGAATG AATCTGGAAT     420

AGTCCATCGA GCTTTCTAAT ACTCTTCGAA AATCTCTTCA AACCACGTCA ACGTCGCCTT     480

GCCGTGCGTA TGGTTACTGA CTTCGTCAGT TCTATCCACA ACCTCAAAAC AGTGTTTTGA     540

GCTGACTACG TCAGTTCCAT CTACAACCTC AAAACAGTGT TTTGAGCAAC CTGCGGCTAG     600

TTTCCTAGTT TGCTCTTTGG TTTTCATTGA GTATAACACA TTGTTAGAAG TTGGTTTAAA     660

TTTCCTAATC AGTTTGTTCA CATTTACCTT CGATATATTA TATCCCATAG TTAAGGTTGG     720

TCATACAGAT GATTATAGTC ATGGAGCCGT AAAACTTAGT GTTTCTTTAG TTGACAAAGA     780

TGCCATGAAA AAAATATTTG TAACTGTAAT AGGATATTTT GAAATAAATA TAGATGAAAA     840

TATCACCGAT ATTCTATACG TAAATGGTAC TGCTATTCTT TATCTTTATT TACGTTCAAT     900

TGTTTCAATA GTTTCGGCAA TTGATAGCAG TGAAGCAATG TTGCTACCTA TCATTAATGT     960

TTTAGAGTTA CTAGATAAAT CTCAACCTTT TGAAGAAGAA TAATTTATTA GCTCACTAAA    1020

TTGAGGGTAA GGAAAAGTAA AAGCAGTAAG AAAAATGTCT TGCATTATAC AGCAACCTTT    1080

TGGGAATGAG TGGATGGATT GAATAAAATT TGATTAAGAG TGGATGATTT ATCTGTAGAT    1140

TATTATTGGA CAGTTAGTCT TGAAGTAGTC TAAGAATTAG GTTATAATCA GTAGAAGCCT    1200

TGCTAATAAT GAGGAGGTTA GTTTATGTAT AGTAGACTGA ATCTAAAATA GTACGAAACA    1260

ATTGCTAAAA CATTTATAGA AATTAATTTT ACTTTCCCAA TCGATTTGTT CTCATCTTAT    1320

TTCAATCCGC TATATATTAT GGTATCGAAT CTTCATCAGA ATGATAAAAT TAATCAATTG    1380

ATATCTGATT ACAAACAGAA TATGAAAGCT TTTTATATCA CTATTGAAAA ATTTATACGA    1440
```

```
GATGATGAAA GCCTTAAGTG TTATTTTATA AAGGTTATTT CAAGTCGTTC CAAGGTAACA    1500
AGTCTAGATC AGATTGAAGC TGATAAAACG ATACAAAGAA AATATTCAAG TGAGCTAAAA    1560
AAATTTATTG GATTTTATAA TGAGATTATT TGTGAGGAAA ATAGTTTCCT ACATGTACGA    1620
AAGAGGTGGT CGAGTTGGTT TAGGTAGTCG ATGCGTGAGT TGATAATTCT CAGGGTATGG    1680
ACTTCTTTTT CATGAATGAG GTAAAAGAGC AGGTATTGTT TAGAGACAAT CATTCTGAGC    1740
ATATTTTCTG GATAGAGGGA GTATCCGATT TTATGATCAA AGTTAATACC GCCCTCTGGT    1800
GAGAAGATGA GTAGGTTGGT AATTTAAACT ATTAAACAGA ATTTTTGATT AAAAGTATTA    1860
TTTCATGAGA GAAATCCTAA TTTCACAATC CATAGGCAAA CGCTTGCATT TCGTTTTTTA    1920
TTGGACTATA ATAGGTTGGT ATAAAGCCTT CTGTAGTAAT AAAATGTAGA AGGTGTAGAA    1980
AGTAAGGATT TAGAATATTT GTAGTTAAAA ACACAATGTT GCTATTCCTT ACGATAGGGA    2040
GATAGATATG GCAATGATAG AAGTGGAACA TCTTCAGAAA AATTTTGTGA AGACTGTTAA    2100
GGAACCGGGC TTGAAGGGGG CTTTGCGCTC CTTTATTCAT CCTGAAAAGC AGACCTTTGA    2160
AGCGGTCAAG GATTTGACCT TTGAGGTTCC AAAAGGGCAG ATTTTAGGAT TTATCGGGGC    2220
AAATGGTGCT GGGAAGTCGA CAACCATTAA AATGCTGACA GGAATTTTGA AACCAACATC    2280
TGGTTTTTGT CGGATTAACG GCAAGATTCC CCAGGACAAT CGGCAAGATT ATGTCAAAGA    2340
TATTGGCGTA GTCTTTGGAC AACGCACCCA GCTATGGTGG GATTTGGCTC TGCAAGAGAC    2400
CTACACTGTC TTAAAAGAGA TTTATGATGT GCCAGACTCG CTCTTTCATA AGCCTATCCA    2460
CTTTTTGAAT GAAGTCTTGG ATTTGAAGGA CTTTATCAAG GATCCCGTGC GGACTCTTTC    2520
ACTGGGACAA CGGATGCGGG CGGATATTGC GGCCTCCTTG CTCCACAATC CCAAGGTTCT    2580
TTTTTTAGAT GAGCCGACCA TTGGTTTGGA CGTTTCGGTT AAGGATAATA TTCGTCGGGC    2640
AATTACTCAG ATCAATCAAG AGGAAGAAAC TACCATTCTT TTGACCACTC ACGATTTGAG    2700
TGATATTGAG CAACTTTGTG ATCGGATTTT CATGATTGAC AAGGGGCAAG AGATTTTTGA    2760
TGGAACGGTG AGCCAACTCA AGGAGACCTT TGGTAAGATG AAGACTCTCT CTTTTGAACT    2820
GCTACCAGGT CAAAGTCATC TCGTCTCTCA CTATGACGGT CTGTCTGATA TGACCATTGA    2880
TAGACAAGGA AACAGCCTCA ACATTGAATT TGATAGTTCT CGCTACCAGT CAGCTGACAT    2940
TATCAAGCAA ACCCTGTCTG ATTTTGAAAT CCGCGATTTG AAGATGGTGG ATACGGATAT    3000
TGAGGATATT ATCCGTCGCT TCTACCGAAA GGAGCTCTAG GATGATCAAA TTGTGGAGAC    3060
GTTATAAACC CTTTATCAAT GCAGGGGTTC AGGAGTTGAT TACTTACCGA GTCAACTTTA    3120
TTCTCTATCG GATTGGCGAT GTCATGGGGG CTTTTGTGGC CTTTTATCTC TGGAAGGCTG    3180
```

```
TCTTTGATTC TTCGCAAGAG TCTTTGATTC AGGGCTTCAG TATGGCGGAT ATCACCCTCT      3240
ACATCATCAT GAGTTTTGTG ACCAATCTTC TGACTAGATC CGATTCGTCC TTTATGATTG      3300
GGGAGGAGGT CAAGGATGGC TCCATTATCA TGCGTTTGTT GCGACCAGTG CATTTTGCGG      3360
CCTCCTATCT TTTCACCGAG CTTGGTTCCA AGTGGTTGAT TTTTATCAGC GTTGGCCTTC      3420
CATTTTTAAG TGTCATTGTC TTGATGAAAA TCATATCGGG TCAAGGTATT GTAGAGGTGC      3480
TAGGATTAAC TGTCATTTAT CTTTTTAGCT TAACGCTCGC CTATCTGATT AACTTTTTCT      3540
TTAATATTTG CTTTGGATTT TCAGCCTTTG TGTTTAAAAA TCTTTGGGGT TCCAACCTAC      3600
TTAAGACTTC CATAGTGGCT TTTATGTCGG GGAGTTTGAT TCCCTTGGCA TTTTTTCCAA      3660
AGGTTGTTTC AGATATTCTC TCCTTTTTGC CTTTTTCATC CTTGATTTAT ACTCCAGTTA      3720
TGATCATTGT TGGAAAATAC GATGCCAGTC AGATTCTTCA GGCACTCCTT TTGCAGTTCT      3780
TCTGGCTCTT AGTGATGGTG GGATTGTCTC AGTTAATTTG GAAACGGGTC CAGTCCTTTA      3840
TCACCATTCA AGGAGGTTAG TATGAAAAAA TATCAACGAA TGCATCTGAT TTTTATCAGA      3900
CAATACATCA AACAAATCAT GGAATATAAG GTAGATTTTG TGGTTGGTGT CTTGGGAGTC      3960
TTTCTGACTC AAGGCTTGAA TCTCTTGTTT CTCAATGTCA TCTTTCAACA TATTCCATTC      4020
CTAGAAGGCT GGACCTTTCA AGAGATAGCT TTCATTTATG GATTTTCCTT .GATTCCCAAG     4080
GGAATGGACC ATCTCTTTTT TGACAATCTC TGGGCACTAG GGCAACGCCT AGTCCGAAAA      4140
GGGGAGTTTG ACAAGTATCT GACTCGTCCC ATCAATCCTC TCTTTCACAT CCTAGTTGAA      4200
ACCTTTCAGA TTGATGCCTT GGGTGAACTC TTAGTCGGTG GTATTTTATT GGGAACAACA      4260
GTGACCAGCA TTGTTTGGAC TCTTCCAAAA TTCCTGCTTT TCCTAGTTTG TATTCCTTTT      4320
GCGACCTTGA TTTATACTTC TCTTAAAATC GCAACAGCCA GTATCGCCTT TTGGACTAAG      4380
CAGTCAGGCG CCATGATTTA CATCTTCTAT ATGTTCAATG ACTTTGCTAA GTATCCGATT      4440
TCTATTTACA ATTCTCTTCT TCGTTGGTTG ATTAGCTTTA TCGTGCCTTT CGCCTTTACA      4500
GCCTACTATC CAGCTAGCTA TTTCTTACAG GAAAAGGATG TGTTCTTTAA CGTAGGAGGT      4560
TTGATGTTGA TTTCTCTGGT TTTCTTTGTT ATTTCCCTTA AACTTTGGGA TAAGGGCTTA      4620
GATTCCTACG AAAGTGCGGG TTCGTAAAAG CTAAAGTAAG ACTAAAATCA AGAAAGAAAC      4680
TTATGATGTT TGTAATTGAA GAAGTCAAGG ATGAAAATCA AAAAAAGGCA GTTGTCGCTG      4740
AGGTTTTGAA GGATTTGCCA GAATGGTTTG GAATCCCAGA AAGCACACAA GCCTATATAG      4800
AAGGAACCAC GACACTGCAA GTTTGGACCG CCTATCAGGA GAGTGATTTG ACTAGATTTG      4860
TAAGCTTATC CTATTCGAGT GAAGATTGTG CAGAGATTGA TTGTCTCGGC GTAAAAAAGC      4920
TTATCAAGGT AGAAAAATTG GGAGCCAATT GCTTGCTACT TTAGAGAGTG AAGCTCGTAA      4980
```

AAAAGTTGGT TATCTGCAGG TCAAAACAGT GGCAGAAGGT TCTAATAAAG ATTATGATCG 5040

AACAAATGAC TTTTATCGAG GTCTTGGCTT TAAAAAGTTA GAGATTTTTC CTCAACTATG 5100

GAATCCGCAA AATCCTTGTC AGATTTTGAT TAAAAAGCTT GAATAATATT ACTTGACATC 5160

TATTCTCAGA GTGCTATACT GTAAGTGTAA TCGCCGATTT AGCTTAGTTG GTAGAGCAAG 5220

GCACTCGTAA AGCCTAGGTT ATAGGTAGAT AAACGACTGA GGATTTGAAA AAATAGATAG 5280

GTAGAAGATA ACCGTTAAGC CTTACTCTTA GCGGTTATTT ATATTGTTTA ATAGCGCTAA 5340

TATTTTATCA ATTATGCCTG TTTTCGTGTT TCTGGTAGTT GTTCAAGTTT ATTGCTACTA 5400

TTTTTGATGG TATGAATGTG CTTATAATGT ATCCCGGTTA ACGAAAGTTT TGGACTTATA 5460

CTCTTCGAAA ATCTCTTCAA ACCACGTCAA CGTCGCCTTG CCGTGCGTAT GGTTATGACT 5520

TCGTCAGTTC TATCCACAAC CTCAAAACAG TGTTTTGAGT GACTACGTCA GTTCCATCTA 5580

CAACCTCAAA ACACTGTTTT GCCCAATCTG CGGCTAGTTT CCTAG 5625

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7571 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

CTCTCCAGCT TTCCTTGCGA GTTGGCCATG TTGTGTCTTT AAGAAGTCTA AAAATATCTC 60

CAATAAAACG CATCGCTCTC TCCTATCTCG TTTCTCTGTG TGTAGTGTAC TTGCCACAAT 120

GCTTACAAAA TTTATTTACT TCTAGTCGTG TAGGCTTGAG GTTTCCGCTG ATCTTGATTG 180

AATAGTTTCT CGAACCACAA ACCGCACAAG CTAGGCTTGC TTTTTTTAGT GCCATAACGC 240

CTCCATCTTA TCCATTATAA CAAGAAAGCT AGGCTTTGAC AAGCATCTTA GCGAAATAGA 300

TTGACTATCG AATCCCATAT TGTTTGAGCC TTTTCCTTAA TCTTCGCATC TGAGATAGCC 360

CGGCTAGCCT CATCTACTAG ACTTTGCGCA CGCCCTCGAA TATCAGACAA ATTATCATCT 420

GTCTGGCTAT TATCATTGGT TTGTACTTGT CTTTTTGTAT TGGCTGGTGC AATTCCATTT 480

TGCTTATAAG CATTTTCAAC CGTAAAGGTA CTTCCTGGCG TATAAGGTAA AATGGTATTG 540

GCAATGTTTC TAAAGACATG AGCTGCACCG TTTGAAGTAG AGCCAGCTAG ATAGTGGTTT 600

TCATCAGTGG TCGGAAAGCC AAGCCAGTGG CTAATCACTA CATCCGGAGT ATAACCAATT 660

ACCCACTGGT CACTTGTGTA CTCCGGATTG AAAACTGCTT CAGTTGTTCC AGTTTTCCCT 720

```
GCCATGACAT AGTCTGCAGG CGATGAACTA ATACCGGTAC CGTTGGTGAA AGTCCCCAAC       780

ATCATACTGG TCATCTTGTC AGCTACAGAC TTATCAATCA CCCGTTTTTG TGAATTTTTA       840

TGACTCGCAA TAACTTGTCC ACTAGCATTT TCAATTCTAC TAATAAAATG AGCTTCAGGC       900

ATTAAACCTT CATTTGCAAA GGCGGCGTAT GCTTGAGCCA TTTGAAGAGG GTTGGTTTCA       960

ACACCGCTTC CCAAGGCGAC ACCAAGAACA CGGTCGACCT TTTCCATGTT GAGTCCGAAT      1020

TTTTCGCCTG CCTCAAAAGC CTTGTCGACA CCCAAATCAT TAACAGTGGC AACAGCAGGT      1080

AGATTAAGCG ATTCTGCCAA GGCTTGATAC ATAGGAACTT CTCGACTCGT TTTGATCCCT      1140

GCATAGTTAT CAACCTTATA GCTGTCATAC TGCATGGTAT GGTTATCCAA CTGCTTATTC      1200

AAAGCCCAGC TTGCTTCAAC TGCTGGCGTA TAAACAACTA AAGGCTTAAT TGTAGAACCA      1260

GGACTACGCT TTGATTGGGT TGCATAGTTG AAATTCCGGA ATCCAGTTTT ATCATTGTCA      1320

GCAACTTGAC CGACAACTCC ACGAACTCCC CCTGTTTTCG GTTCGAGGGC TACACTTCCT      1380

GATTGAGCAA ACGTTCCATC CTCTGCCCTC GGAAATAGCG ATGTGTTTTC ATAAACAATC      1440

TGCATATTTG CTTGGTAGTT TTGGTCCAGC TCTGTGTAAA TGCGGTAGCC ATTATTGACA      1500

ATCTCTTCCT CTGTTAGATT ATACTTGGAA ACAGCTTCAT TAACCACCGC ATCAAAATAA      1560

GAGGGGTAAC GGTAATCTGA GATTTTTCCT TCATACTTAT CGTGCAATTG CGAAGTCATA      1620

TCAACTTCAG CAGCTTTGGT TTCTTGGTTT TTATCAATAT ATCCTGCTGC AACCATATTC      1680

TGCAAGACAG TATCGCGCCG ATTAGTAGAA TCTTCTACGG AATTCAAGGG ATTATACAGT      1740

TCCGGCCCCT TGAGCATCCC TGCCAGAGTC GCAGCTTGAT CCAGACTCAC TTCTGATGCA      1800

GAAACTCCAA AGTATTTCTT ACTCGCATCT TCTACACCCC ACACACCATT TCCAAAATAA      1860

GCGTTGTTAA GGTACATGGT TAGAATTTGC TCCTTACTAT ATTTTTTGCT TAATTCTAAG      1920

GCAAGGAAAA ATTCTTTCGC TTTTCTCTCA ACAGTTTGAT CCTGCGATAA ATAGGCGTTT      1980

TTAGCCAGCT GTTGGGTAAT GGTAGAGCCA CCACCTGAAC GTCCAGCAGT GACAATAGCC      2040

AAGAAAAAAC GGCCATAGTT AATCCCGTCA TTTTTATAGA AAGAACGGTC TTCTGTCGCA      2100

ATAACAGCAT TCTGCAAGTT TTTACTGATG TCAGTCAGCT CAACATAGGT TCCCTTTTGA      2160

CCAGACAAGG CACCAGCCTC TTTTTCTTCA CGGTCAAAAA TAAGAGTCCG AGTTTTCAAG      2220

GCATTTTGCA AATCATTGAC ATTGGTCGAC TTGGCTACAG CAAACAAATA GATTCCAACT      2280

AGCAAGCCTG CACTCAAACC TAGTATAAGG ATAATCTTTG TTAGATGATA ACGACGCCAG      2340

AATTTTCGAA TCGGACCTAC TTGGGCTAAT TTTTTTCGAT CACTACGAGA GCGACGTAAG      2400

ATAGTAGAAT CAGAGTCCTC TAGTTCACTT GTTTCTTTTT TAAAAAGAGA AAGAAATTTC      2460

TCAAATAATT TATCTAATTT CATGCGTTTA TTTTATCATC TTCATCATAG GAAGACAAGA      2520
```

```
ATTTAGCTAT TTCCTATCCA AATAGGGCTT TTTTTGTTAC AATATCTGTA TGCAATTCAC      2580

ATTTACATTA CCCGCCTCTC TACCTCAAAT GACAGTAAAG CAATTACTTG AGGAACAACT      2640

CCTCATCCCT AGAAAAATCC GTCATTTTTT GAGAATCAAG AAACATATTT TGATAAATCA      2700

AGAAGAAGTC CACTGGAAGG AAATCGTAAA TCCTGGAGAT GTTTGCCAGT TGACTTTTGA      2760

CGAGGAAGAT TATTCCCAAA AGACGATCCC TTGGGGCAAC CCAGACTTAG TGCAGGAAGT      2820

TTATCAAGAT CAACACTTGA TTATTGTAAA CAAACCAGAG GGGATGAAAA CGCATGGTAA      2880

TCAACCAAAC GAAATTGCCC TTCTTAACCA TGTCAGTACC TATGTTGGCC AAACCTGCTA      2940

TGTCGTTCAT CGTCTGGACA TGGAAACCAG TGGCTTAGTT CTCTTTGCCA AAAATCCTTT      3000

TATCCTGCCC ATTCTCAATC GCTTATTGGA GAAAAAAGAG ATTTCTAGAG AATATTGGGC      3060

TCTAGTTGAT GGAAATATCA ACAGAAAAGA ACTTGTTTTC AGAGACAAAA TTGGACGTGA      3120

TCGCCATGAT CGTAGAAAAA GAATAGTTGA TGCAAAAAAT GGGCAATATG CTGAAACGCA      3180

TGTAAGCAGA TTAAAGCAAT TCTCAAACAA GACTTCCTTG GCTCATTGCA AGCTAAAGAC      3240

AGGGCGAACC CATCAGATTC GTGTGCACCT TTCGCATCAT AATCTTCCTA TCCTGGGAGA      3300

CCCTCTCTAT AATAGTAAAT CAAAGACAAG CCGGCTTATG CTTCATGCCT TCCGACTTTC      3360

CTTTACCCAC CCACTTACTT TAGAGAAGCT AACTTTCACT ACCCTTTCAA ATACATTTGA      3420

AAAAGAATTA AAAAAGAATG GATGATCGTG TCATCCATTT TTCCATATAA AAAAGCAAGA      3480

CCACAAAGCC TTGCTTTCTA TCAACTCAAG AATTATTTAG CAATTTTTGC GAAGTATTCA      3540

AGAGTACGAA CAAGTTGTGC AGTGTATGAC ATTTCGTTGT CGTACCATGA TACAACTTTA      3600

ACCAATTGTT TACCGTCAAC GTCAAGAACT TTAGTTTGAG TTGCGTCAAA CAATGAACCG      3660

TAAGACATAC CTACGATATC TGAAGATACG ATTGGATCTT CTGTGTAACC GTATGATTCG      3720

TTTGAAGCTG CTTTCATAGC TGCGTTCACT TCATCAACAG TAACGTTCTT TTCAAGAACT      3780

GCTACCAATT CAGTAACTGA TCCAGTTGGA GTTGGAACGC GTTGTGCAGA TCCGTCAAGT      3840

TTACCATTCA ATTCTGGGAT TACAAGACCG ATAGCTTTTG CAGCACCAGT TGAGTTAGGA      3900

ACGATGTTTG CAGCACCAGC GCGAGCACGG CGAAGGTCAC CACCACGGTG TGGTCCGTCA      3960

AGGATCATTT GGTCACCAGT GTAAGCGTGG ATAGTAGTCA TCAATCCTTC AACAACACCA      4020

AAGTTGTCTT GAAGAGCTTT AGCCATTGGA GCCAAGCAGT TTGTAGTACA TGAAGCACCT      4080

GAGATAACTG TTTCAGTACC GTCAAGAACG TCGTGGTTAG TGTTGAATAC AACTGTTTTA      4140

ACGTCGTTTC CACCAGGAGC AGTGATAACA ACTTTTTTAG CTCCACCTTT AAGGTGTTTT      4200

TCAGCTGCTT CTTTCTTAGC AAAGAAACCA GTAGCTTCAA GAACGATTTC TACACCGTCA      4260
```

```
GTAGCCCAGT CGATTTGTTC TGGATCACGT TCAGCAGAAA CTTTGATGAA TTTACCGTTA      4320
ACTTCAAATC CACCTTCTTT AACTTCAACA GTACCGTCGA AACGACCTTG AGTTGTGTCG      4380
TATTTCAACA AGTGTGCAAG CATAACTGGA TCTGTAAGGT CGTTGATGCG TGTAACTTCA      4440
ACACCTTCTA CGTTTTGGAT ACGACGGAAA GCAAGACGAC CGATACGTCC GAAACCGTTA      4500
ATACCAACTT TAACTACCAT TAGTGATTTC CTCCTTATGA AAATCATGAA ATTTTTATTG      4560
TGAAAAGAGT AACTTGAATC ACTACAAATC ACCTTTCAAC AAACCTATTA TACAACTATT      4620
TGAGTTGAAT TGCAAGTATG GCCATTGTTT TTCTATGTTA GTTTCTTTTT AAGACTGTAA      4680
ACCAAGGAAT CCCTTACTAT TCATAGCATA ACGATTCTAT AGGATCCATT TTACTAATCT      4740
TACGCGCCGG GAAGTAGGCT GAGACATAAC CAAGTAATAG AGCGAAAACT AGAGTTCCTA      4800
AAACAGATAA AAGATTTAAT TTAAAAACCT TAGTGATGGA TGGGTAAAAG TGACTTACAA      4860
TCGCATTCGC CAAACTTCCC ACCCCTTGTG CAACCAAAAA TGCCAGCAGC AAGGCGATGC      4920
CTACAATCCA GATAGCCTCG TAAATAAAAA TTCCTTTGAC ATCACGATTC TGATAACCAA      4980
CTGCTTTCAT GACACCTATT TCCTTGGAAC GTTGCATGAT ATTGATGTAA ATAATGATAC      5040
CAATCATAAC CGCTGCTACC ACAATAGCTT GTGATGAAAG CACAATCAAT AATCCCTGAA      5100
TAACACGAAT AAAGGTAATC ACAATATCAA GAACTCTCTG TTGAGAAAGC ACAGTATACT      5160
TCTTATTTTT CTGTAATTCT TCTGTTACTA CTTTTGTCTG TGATGGATCT TTGAGTTCCA      5220
AGATAAAATA AGATACAGCT TTCGTAAATC CAGCCTCTTT CAAAATCGTT TCCATTTGAT      5280
GAGACAGCAT GAAACTGTTG CTGTCCTCCA TGTCATCTTC ATCATTGATT ACACGTACAA      5340
TCTTCGTTTG AAATTGAGCA ATCTTACTAG TTTCGGCAGC ACTTTCTACA ATGCTGGCTG      5400
AGACTGATTT GCCAATAAGA TCATTAGCTG TCAAATTTTT TCCTGTCTGT TCATTCCAAT      5460
TTTTTAGTAA ACTGCTTGGA ATCGTTAATC CCTGTTCATT TGTATCAGTA TAGAGGGATC      5520
CAGCCAACAC TTTGTCCGTC TCATTATTAC TAACAGAGAT ACTTGTATCA TCATAAAGAC      5580
TCACTACTTG AGCATAAGAA GGCATCGTTT GACTCAGATC CATTTCTTGC CCATCTATAG      5640
TAATATTTGA CATGTTCATC CCAAAAGGAC TCTCCAAATA TTTAATAGCT TCTTTCCCAA      5700
CTGTATCCGT GATATATAGT CAATTGAAAC AAGAGCAGGA TAAAAAAGCC TCGTAAAAGG      5760
TATTGCAACT TGGTAATACC TTTTTGAGGT GCTTTTTGAT ATGAGCCCAT GTTTTCTCAA      5820
TAGGATTGTA CTCAGGCGAG TAGGGAGGAA GAGGTAAAAG TTTATGCCCA AACTCTTCGC      5880
ATAAAAGTTC TAGCTTCCCC ATTCTATGGA ATCTTACATT ATCCATAATA ATAACCGATG      5940
GTGTGTTTAA TGTTGGTAAG AGAAAATTCT GAAACCAAGC TTCAAAAAAG TCGCTCGTCA      6000
TCGTCTCTTC GTAAGTCATT GGAGCGATTA ATTCACCATT TGTTAGACCT GCAACCAAAG      6060
```

AAATCCTCTG ATATCTTCTT CCAGATACTT TGCCTCTTAT TAATTGACCT TTTAATGAGC 6120

GACCATATTC TCGATAAAAA TAAGTATCGA ATCCTGTTTC GTCAATCTAA ACAGGTGCTA 6180

GGTGCTTTAA ACTATTAAAA TTCTTAAGAA ATAAGGCTAC TTTTTCTGGG TCTTGTTCAT 6240

AGTAGGTGTG GTTCTTTTTT CGAGTGTAGC CCATAGCTTT GAGCGTATAG TGGATGGTAG 6300

TTGGATGACA GCCAAATTCA GAAGCTATTT CAGTCAAATA AGCGTCTGGA TTGTCAGTAA 6360

GATAGTTTTT AAGTCTATCT CTATCAACCT TTCTTGGTTT TATTCCTTTT ACTTGGTGGT 6420

TTAGCTCTCC TGTTTTCTCT TTTAGCTTTA ACCAGCCATA AATGGTATTA CGTGAGATTT 6480

GGAAAACGTG TGATGCTTCT GTTATACTAC CTGTTCGCTC ACAATAAGAG AGAACTTTTT 6540

TACGAAAATC TATTGAATAT GCCATAAAAA GATTATACCA CATTGTGTAC TATTTTTGGT 6600

TCATTTTACT ATATTTGAAG AGGCGTTTAA ACTATCTGAC ATAAAACTCG TTCTAGAGGA 6660

AAGACATCCT TTAAAAAGTT AGTTTATTTT ACAACTTAGA CATCAAGGTA GGTTAACCCC 6720

TTCATGGAAA AATCAAGACT CTTAGCACTA TGGGTTAAAC TACCACTGGA GACGTAATCA 6780

ATCGCTAAAC CACGAAAACG GCTAATAGTG GTCATATCAA TATTTCCAGA ACATTCAATC 6840

CGAGAACGTC CTGCAATTAG GGTAATGGCC TGTTCAATCT GTTCCAATGA CATATTATCC 6900

AACATGATAA TATCAGCACC CGCCGCCGCA GCTTCTTCGG CAGCAGCAAG GCTTTCCACT 6960

TCCACCTCGA CCATTTTCAC AAAAGGGGCA TAGGCACGCG CTTGAGCAAT TGCCTTTTGA 7020

ACACTACCTA CTGCCGCAAT GTGATTGTCT TTTAGCAGGA TAGCATCTGA TAAATTAAAG 7080

CGATGATTAT AGCCACCGCC AACTCTCACG GCATATTTCT CAAAAAGACG TAAATTAGGA 7140

GTAGTTTTTC GAGTATCAAA TACCTTAATG CAATCATCGC CTAAGGCTTC TACATAAGCA 7200

GCTGTCATCG AAGCAATCCC TGATAAATGT TGTAAAAAAT TCAAGGCAAC GCGTTCACAT 7260

GTTAAGAGAC TTCTCACCGA GCCTATGATT TCTAAAACCA AATCGCCACT AGTCAAACGA 7320

TCCCCATCCT TAAATTGATG AGGATTCTGG AAGGTCACCT CGGCATCAAA TAGGGTAAAA 7380

ACCCTTTGAA AAACGGTTAG CCCCGCTAAA ACACCAGCTT CCTTGGCAAA AAGCGACACC 7440

TTGGCTTGGC CATGATGATC AAAAATGGCA TTGGTACTGT AATCTTCGGA ATGAACATCT 7500

TCTCGCAAGG CTGCTTTCAA TGTATCATCT ATTTGAAAAG GGGTTAAATC AGTTGAAATG 7560

ATTGACATCA C 7571

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 26385 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

TTTGCTAGTG GCTTAAATTC TTCAGGAAAA TCAGGCGTAT CTAAAAGTCG TGTCGTTTTT 60

GTTTCATCTA TATAAAGACT TCCTGCTCCC CCTACAACTA GAAAACGTGT CTGTGTTCCA 120

GCAAGAAGCT GATTAAATAG TTCGATTGAT TTGCTGTGGA GCGGTAGCGT ATCTGGTGTA 180

TAAGCACCAA ACGCTGAAAT AACAGCATCA AATCCAGTAA GATCATCTTT TGTCAACTCA 240

AATAAATCTT TTTTAATAAT AGACTCAGCT TGACTTTTGT TTTCAGAACG AACAATAGCC 300

GTTACTTCAT GTCCTCGTTT GACTGCTTCT TCAACAATTG CTTTCCCCGC TTGTCCATTT 360

GCTGCAATAA CTGCTAGTTT CATTTTTTAT ACCTCTCTTG TTGTAATTAT TTTAGTTACA 420

GAAATTGTGA CACTCTTAAT AATCAATGTC AATAGTCTTG CTTAATTATT ATCAAAATAT 480

TTCTACCAAG AAAACTAACC ATGATTCTAG TGAAAAAAAA TCTTCTTTGT CAACAAATTT 540

ACTTTCTTGT TTTAAACATG CTATAATAAT CATAGCAAGA GATCTAAGTT GTCTGTTTTT 600

TTAAAACGAG GTGATTATCA TGCGTAGATT CTATTCCCAT CTCCCCTACT ATCTGGTCAT 660

ATTATTCTTT TATTGGCCAC TTTATGAGTT GTTCTTACTA GTTGTTTCTG ACCCCCTTAC 720

ACTCAAGGGA CTCTATATAA ACAATCTTCT CTTCTTTACA CCTCTGGTAA TCTTGATTGT 780

ATCGTTACTC TATAGCTACC GTTTCCGTTT CTCACTTTGA TGGTTAGTTG GTAACGGACT 840

GCTCTTTTAC TTTACTATCA TAACCTTTGG TGAGTTTATA CTAATTTACT TGCTAATCTA 900

TGAAACAGTT GCTCTGGTCG GCATGGATTC TGGTATTAGC ATCAAGCATA TTCTACAAAA 960

AATGAAAAAC AAAAAACTTT CACAAAATCC TTGAAAAATC TCACAATCAT GCTATAATAA 1020

TCCATAGAGA CAAGTCACTT AGTCCCTTTC TACTAGAGAG TGCGTGGTTG CTGGAAACGC 1080

ATAGGAAGTC TAAACTGATA CTACTCTTGA GTTTTTTATG AAAACATAAA ACGGTGGCCA 1140

CGTTAGAGCC GATCAGAGGT GTCCCTCTCT TTTGAGGTAC ATAAATGAAG GTGGAACCAC 1200

GTTGCGACGT CCTTTCGAGG ATGTCGCATT TTTTTATTAG GATACTAATT ATGGAGTTGC 1260

AAGAATTAGT GGAGCGCAGT TGGGCAATCC GACAAGCTTA TCACGAACTG GAAGTTAAGC 1320

ATCATGATTC CAAGTGGACG GTAGAAGAAG ACCTCTTGGC TTTATCTAAT GATATTGGAA 1380

ATTTCCAACG ACTGGTGATG ACAAAGCAAG GACGCTACTA TGATGAAACA CCCTACACAC 1440

TGGAACAAAA ACTTTCAGAA AATATCTGGT GGCTATTAGA ACTTTCTCAA CGTTTGGATA 1500

TAGACATTCT GACGGAAATG GAAAACTTCC TCTCTGATAA AGAAAAGCAA TTGAACGTTA 1560

GGACTTGGAA GTAGTCTGCT GATAAAAAAT CAATGCTTAG AAACTATGAA ATAATAAAAA 1620

```
AGGAGAACAT CATGATTAAC ATTACTTTCC CAGATGGCGC TGTTCGTGAA TTCGAATCTG      1680
GCGTAACAAC TTTTGAAATT GCCCAATCTA TCAGCAATTC CCTAGCTAAA AAAGCCTTGG      1740
CTGGTAAATT CAACGGCAAA CTCATCGACA CTACTCGCGC TATCACTGAA GATGGAAGCA      1800
TCGAAATTGT GACACCTGAT CACGAAGATG CCCTTCCAAT CTTGCGTCAC TCAGCAGCTC      1860
ACTTGTTCGC CCAAGCAGCT CGTCGTCTTT TCCCAGACAT TCACTTGGGA GTTGGTCCAG      1920
CCATCGAAGA TGGTTTCTAC TACGATACTG ACAACACAGC TGGTCAAATC TCTAACGAAG      1980
ACCTTCCTCG TATCGAAGAA GAAATGCAAA AAATCGTCAA AGAAAACTTC CCATCTATTC      2040
GTGAAGAAGT GACTAAAGAC GAGGCACGTG AAATCTTCAA AAATGACCCT TACAAGTTGG      2100
AATTGATTGA AGAACACTCA GAAGACGAAG GCGGTTTGAC TATCTATCGT CAGGGTGAAT      2160
ATGTAGACCT CTGCCGTGGA CCTCACGTTC CATCAACAGG TCGTATCCAA ATCTTCCACC      2220
TTCTCCATGT AGCTGGTGCG TACTGGCGTG GAAACAGCGA CAACGCTATG ATGCAACGTA      2280
TCTACGGTAC AGCTTGGTTT GACAAGAAAG ACTTGAAAAA CTACCTTCAA ATGCGTGAAG      2340
AAGCTAAGGA ACGTGACCAC CGTAAACTTG GTAAAGAGCT TGACCTCTTT ATGATTTCAC      2400
AAGAAGTGGG ACAAGGTTTG CCATTCTGGT TGCCAAATGG TGCGACTATC CGTCGTGAAT      2460
TGGAACGCTA CATCGTAAAC AAAGAGTTGG TTTCTGGCTA CCAACACGTC TACACTCCAC      2520
CACTTGCTTC TGTTGAGCTT TACAAGACTT CTGGTCACTG GGATCATTAC CAAGAAGACA      2580
TGTTCCCAAC CATGGACATG GGTGACGGGG AAGAATTTGT CCTTCGTCCA ATGAACTGTC      2640
CGCACCACAT CCAAGTTTTC AAACACCATG TTCACTCTTA CCGTGAATTG CCAATCCGTA      2700
TCGCTGAAAT CGGTATGATG CACCGTTACG AAAAATCTGG TGCCCTCACT GGCCTTCAAC      2760
GTGTACGTGA AATGTCACTC AACGACGGTC ACCTATTCGT TACTCCAGAA CAAATCCAAG      2820
AAGAATTCCA ACGTGCCCTT CAGTTGATTA TCGATGTTTA TGAAGACTTC AACTTGACTG      2880
ACTACCGCTT CCGCCTCTCT CTTCGTGACC CTCAAGATAC TCATAAGTAC TTTGATAACG      2940
ATGAGATGTG GGAAAATGCC CAAACCATGC TTCGTGCAGC TCTTGATGAA ATGGGCGTGG      3000
ACTACTTTGA AGCCGAAGGT GAAGCAGCCT TCTACGGACC AAAATTGGAT ATCCAGATTA      3060
AAACTGCCCT TGGAAAAGAA GAAACCCTTT CTACTATCCA ACTTGATTTC TTGTTGCCAG      3120
AACGCTTCGA CCTCAAATAC ATCGGAGCTG ATGGCGAAGA TCACCGTCCA GTCATGATCC      3180
ACCGTGGGGT TATCTCAACT ATGGAACGCT TCACAGCTAT CTTGATTGAG AACTACAAGG      3240
GGGCCTTCCC AACATGGCTG GCACCACACC AAGTAACCCT CATCCCAGTA TCTAACGAAA      3300
AACACGTGGA CTACGCTTGG GAAGTGGCCA AGAAACTCCG TGACCGCGGT GTCCGTGCAG      3360
```

```
ACGTAGATGA GCGCAATGAA AAAATGCAGT TCAAGATCCG TGCTTCACAA ACCAGCAAGA      3420

TTCCTTACCA ATTAATTGTT GGAGACAAAG AAATGGAAGA CGAAACAGTC AACGTTCGTC      3480

GCTACGGCCA AAAAGAAACA CAAACTGTCT CAGTTGATAA TTTTGTTCAA GCTATCCTAG      3540

CTGATATCGC CAACAAATCA CGCGTTGAGA AATAAGAGTC TAGCATAAAA GCCTCCAATC      3600

TGGAGGCTTT TTCTCATCTA TTTTTACTCA AGGACTAAGT TCACTTGAGC AAACTGAATC      3660

CGCACTGTCG TTCCTTTTCC GACCTCAGAC TCGATACGAA TCTGGTGCCC CAGTTCTTCA      3720

GAAATTTTCT TAGATAGATA AAGGCCAAGT CCAGAGGACT GCTGGGTCAA ACGGCCATTG      3780

TATCCTGAAA AGCCACGTTC AAATACTCGG AGGACATCAC TGTTTTTTAT CCCGATTCCC      3840

GTATCTTTGA TACAAAGCTC TTGGTCATCC ATATAAATCT CCAGACCACC TTCCTTGGTG      3900

TACTTGAGAC TGTTTGAGAT GATTTGCTCA ATAACCACTA GCAGCCACTT TTTATCCGTC      3960

ACGATTTCTT TATCAAGGTC ATGTAGATTG ACATTTAAGC CTTTTTGAAT AAAGAAAAGA      4020

GCATATTTAC GAATTATTTC CTTGACCAAG TCCTCAATTT GAACCTGCTT TAAGACCAAA      4080

TCATCATGGA AACTTTCTAA ACGCAGGTAC TGTAAAACTA GGTTGGTATA GGAGTCGATT      4140

TTGAAAATTT CCTGTTCTAG CTGCTGCTTC AGTTGGCGGT CGACCACTTC TGCAACTAAG      4200

AGTTGACTGG CTGCAATGGG GGTCTTTATC TGATGGACCC ACAAGGTATA GTAATCCAGC      4260

AAATCCGTCA GTTTTCTTTC TGCTTTTGAC CTCTGCTGAT AGAGTTCCAT CTCACGCGCT      4320

TCTAATTTTT CTGCTAAAGC TATTTCCAAA GGAGACTTGG CTTCCCTCTC TCCATAGAGA      4380

AGTTCCTGGC GATAGACCTG CGTTTCCACC AATATGTCCC AAGTGAAAAA TAATATGGTT      4440

ACAAAGCAAC ACAAGAAGAA AAAGTAGAGG AAGTAAATTC CTAGACTGGC AAATAAAAAC      4500

TGAAAGAGTA AGACAAGAAA TGCCAAAGAA AGCAGATAGA TAAAAAGACG ACTACGGGAG      4560

CGCAGATAGG CTAGAAAAAA TTGTTTCCAA TCAAGCATGC TTCAATCCGT ACCCTATTCC      4620

TTTCTTGGTC TCGATAAATC CTACCAATCC CTGCTCCTCC AACTTTTTAC GCAAACGAGC      4680

CACATTGACA GAGAGGGTAT TATCATCAAT GAAAAAGTCA CTGTTCCAAA GTTCCCGCAT      4740

CAGGTCGTCA CGTGCTACGA TGTTGCCTGC ATGCTCAAAT AACACGCGTA AAATCTGGAA      4800

TTCATTCTTG GTCAAATTCA AGACTTGCCC TTGATAATGT AAATCCATGG ATTTGGTATT      4860

GAGGATAACA CCAGCATATT CCAGCAAACT CTCATCACGC CCAAACTCAT AGGAACGACG      4920

CAACAAGCCC TGAACCTTAG CTAAAAGAAC CTGCTGGTCA AAAGGCTTGG TCACAAAGTC      4980

ATCCGCCCCC ATATTGATTG CCATGACAAT ATCCATAGCC TGGTCTCTCG AAGAAAGAAA      5040

CATGATAGGT ACCTTGGAAA TCTTGCGGAT TTCCTGACAC CAGTGATAAC CATTAAACAA      5100

GGGCAAACCA ATATCCATGA GGACCAGATG AGGTTCCGAC TGAACAAATA GACTCAAAAC      5160
```

```
TTCCATAAAG TCTTCTACCA GGACCACTTC AAATCCCCAT TCAGAGAGCA TTTTCCCAAT    5220
CTGTTGACGA ATGACCTGAT CATCTTCTAT TAATAAAATC TTGTGCATGC GCTTCTCCTT    5280
TTCCATTATT ATAACAGATT TTTCCATGCT AGATGGTCTG AAACTGAATT TGAAATAGCC    5340
TGTTTTTAGC CAGTACAAAC AGGCTATGCT ACTAGCTAAT TTGAGGGAAA TTTGCTAAGA    5400
TAAATAAAAA GAAAGGAGCT CTTATGGCCA ATATTTTTGA CTATCTGAAA GATGTCGCAT    5460
ATGATTCTTA TTACGACCTT CCCTTGAATG AGTTAGACAT TCTAACCTTA ATAGAAATCA    5520
CCTACCTCTC CTTTGATAAT CTGGTCTCCA CACTTCCTCA ACGTCTTTTA GATCTAGCAC    5580
CTCAGGTTCC AAGAGATCCC ACCATGCTTA CTAGCAAAAA TCGCCTTCAA TTATTAGATG    5640
AATTGGCTCA ACACAAGCGC TTCAAAAATT GCAAACTCTC CCATTTTATC AACGACATCG    5700
ACCCTGAACT GCAAAAGCAA TTTGCGGCTA TGACTTATCG TGTCAGCCTC GATACCTATC    5760
TGATTGTCTT TCGTGGGACA GATGACAGTA TCATTGGCTG GAAGGAAGAT TTCCACCTGA    5820
CCTATATGAA GGAAATTCCT GCTCAAAAGC ACGCCCTTCG CTATTTAAAG AACTTTTTTG    5880
CCCATCATCC TAAGCAAAAG GTTATTCTAG CTGGGCATTC CAAGGGAGGA AATCTCGCTA    5940
TCTATGCTGC TAGCCAAATT GAGCAAAGTT TGCAAAATCA GATCACAGCA GTTTATACAT    6000
TTGATGCACC TGGTCTCCAT CAAGAATTGA CACAGACTGC GGGTTATCAA AGGATAATGG    6060
ATAGAAGCAA GATATTCATT CCACAAGGTT CCATTATCGG TATGATGCTG GAAATTCCTG    6120
CTCACCAAAT CATCGTTCAG AGTACTGCCC TGGGTGGCAT CGCCCAGCAC GATACCTTTA    6180
GTTGGCAGAT TGAGGACAAG CACTTCGTCC AACTGGATAA GACCAACAGT GATAGCCAGC    6240
AAGTAGACAC AACCTTTAAA GAATGGGTGG CCACAGTCCC TGACGAAGAA CTTCAGCTCT    6300
ACTTCGACCT CTTCTTTGGC ACTATTCTTG ATGCTGGTAT TAGCTCTATC AATGACTTGG    6360
CTTCCTTAAA GGCGCTTGAA TACATTCATC ATCTCTTTGT CCAAGCTCAA TCCCTCACTC    6420
CAGAAGAAAG AGAAACCTTG GGTCGCCTTA CCCAGTTATT GATTGATACT CGTTACCAGG    6480
CATGGAAAAA TAGATAATAC TCTTGAAAAT TAAATGTATA CAAAACAAAA GACCTAGAAT    6540
ACATACTTTC ATGTGCATTC TAAGTCTTTT TAAATAGAAT CTAATAGTCA ATAAAAATCA    6600
AAGAGCATTG AGAGATAATG GGGCTTGGAA CGTCCCTCTC GCTTCAACAA AATGACCCCA    6660
TTATAGATTA AAAAGATGCC ACTTAGAAAA AGCAAAAAAG GAAGTAAGAC AAAGGCAAAT    6720
ATATAAAAAG CTAACTGAAC ATTCTCGTAT CCATTTTTAT AAAAAAGGTA GGATAGATAA    6780
AAATAACTTG AAATGAGGGA TAATAAAAAT AATACTGGAT TCCACAAACT TCTATTATCC    6840
TTCCAAAATG ACACTATAAA GGCTAATACA ATTCCTATAA CGAGATACAT TTCTTACTCC    6900
```

```
TTTAATAGCT ACATTTTATC ATAATTATCC AAAGAAAAAA GAGGGCATTT ATCCCTCTTA     6960

ATCCTTCATC TGACTCTCTG CATCGGCCAC GACTTTTTCT AGACTGGTTT GACCAAGTTC     7020

TGCCTCCATA GTCAACTGAA TTCTCTCCAA TTTTTGATCC AAAACATCAT GAATATGAGC     7080

TCCTACAGGG CAATTTGGAT TCGGATTGTC ATGGAAACTG AAGAGTTGAC CTGTCTTACC     7140

AAGACATTCG ACCGCCTGAT AAACATCTAA AAGACTAATA TCCTTAAGGT CCTTGACAAT     7200

CTCTGTTCCG CCCGTTCCAC GCGCTACTGA AATCAGCTCT GCCTTCTTCA ACTGGGACAA     7260

GATCTTTCTG ATAATGACAG GATTGACCCC GACACTAGCA GCCAGAAAAT CACTGGTCAC     7320

CTTGCTTTCC TTCCCCTCGA GGGCAATGAT TATCAGCATA TGAGTCGCAA TGGTAAATCT     7380

ACTTGGAATT TGCATCCTCT TCTCCTTTTT ACGAGGCTAC CCTGCCTCTA CTCTTCTTTT     7440

TCTATTATTA TACCCTTTTT AGTTGTAATG TCAATCGTTA CCACTTTTCA ACCAGTCGTC     7500

TAACTCCCGA TCGCAGCCCT CTTTCTGAGC CAATTCTCTC AAAAATTCCT GATGATGAGT     7560

ATGGTGGATC CCATTGACCA GACTTTCATA GTAAACCTCA AAATAGGGAA GTCTCAGGTC     7620

TTTAGCCAGC TGCAATTCAG CTGCTACATC GTAGTCTACC CGTCGGAAGT CCATATCTAC     7680

CAGGCCTTTG TCATCAAACT CCAAAATCAT ATACTGGGCC CGCAAGTCCT TCCGTAGCTG     7740

AGCGTCCAAA AAGAAAGGTT GGCCAATCGA ACCCGGATTG ACAATCAATT GCCCACCAGT     7800

CCCGTAACGA AGCAACTGCT GGTGAATATG TCCATAAACA GCAATATCAC AGGGAGGATG     7860

AGTCACCAAG CGGTCAAACT CCTCTTGTTT GCCAGTATGA ATCAACTCTC GCCCCCAGTT     7920

CTTATCAGGC AGATGATGGC TAATTCCCAC CGTCAAATCC CCAAACTGAC GATGAATTTG     7980

AAGAGGTTGA TTGTGGAGCA CTTCAATTTC TTCTAGGGAA ATTTCCTCTA AAACATACTG     8040

GCACTGGCGC AAGAGATAGC GTTGACTGGG GCGAGTACTG TCCAATTCCT TACGGACACC     8100

ATGCCAAAGA CTGTCTTCCC AGTTTCCCAA AACTCTAGCC GTAATCGGTA GTTGATCCAA     8160

CAAGTCCAAA ATCCTTCTAC GCCCTGTCCC TGGCATGAGA ATATCTCCCA AAAGCCAGTA     8220

TTCATCCACT CCTATCTGCC GAGCATCTGC CAAAACAGCC TCCAAGGCGG TGGTATTTCC     8280

ATGAATATCT GAAAGAAGAG CTATTTTCGT CATATCCATC TCCTCGTTTT TTCTCTTGCA     8340

ATAAGTATAA CATAAAAAGT CACAGCTAGA GAAATCTAGC TTTTTTTGAT ATACTAGATA     8400

AAGATATTAG ACAAGAGGAA ACGAATGACC CCAAACAAAG AAGACTATCT AAAATGTATT     8460

TATGAAATTG GCATAGACCT GCATAAGATT ACCAACAAGG AAATTGCGGC TCGCATGCAA     8520

GTCTCTCCCC CTGCCGTAAC TGAAATGATC AAACGAATGA AAGTGAAAAA TCTCATCCTA     8580

AAGGACAAGG AATGTGGCTA TCTACTGACT GACCTCGGTC TCAAACTGGT CTCTGAGCTC     8640

TATCGTAAGC ACCGCTTGAT TGAAGTTTTT CTAGTTCATC ATTTAGACTA TACAAGTGAC     8700
```

```
CAGATTCACG AGGAAGCTGA GGTCTTGGAA CACACTGTCT CTGACCTGTT CGTGGAAAGA    8760
CTAGATAAAC TGCTAGGTTT CCCTAAAACC TGCCCCCACG GGGGAACTAT TCCTGCCAAG    8820
GGAGAACTAC TCGTTGAAAT CAATAACCTC CCACTAGCTG ATATCAAGGA AGCTGGCGCC    8880
TACCGCCTGA CTCGGGTGCA CGATAGTTTT GACATTCTCC ATTATCTGGA CAAGCACTCA    8940
CTTCACATCG GTGACCAGCT CCAAGTCAAG CAGTTTGATG GCTTCAGCAA TACCTTCACT    9000
ATCCTCAGTA ACGACGAGGA TTTACAAGTG AATATGGACA TTGCAAAACA ACTCTATGTC    9060
GAGAAAATCA ACTAATTTCT CAAGTCCCCT ACCAACCCTG AAAGTTTTAT TTTGGCTCTT    9120
TGTCAACTGT AGTGGGTTGA AGTCAGCTAA GCTCGAGAAA GGACAAATTT TGTCCTTTCT    9180
TTTTTGATAT TCAGAGCGAT AAAAATCCGT TTTTTGAAGT TTTCAAAGTT CCGAAAACCA    9240
AAGGCATTGC GCTTGATAAG TTTGATGAGA TTATTGGTCG CTTCCAGTTT GGCATTAGAA    9300
TAGTGTAGTT GAAGGGCGTT GACAATCTTT TCTTTATCTT TGAGGAAGGT TTTAAAGACA    9360
GTCTGAAAAA TAGGATGAAC CTGCTTTAGA TTGTCCTCAA TGAGTCCGAA AAATTTCTCC    9420
GGTTTCTTAT TCTGAAAGTG AAACAGCAAG AGTTGATAGA GCTGATAGTG GTGTTTCAAG    9480
TCTTGTGAAT AGCTCAAAAG CTTGTCTAAA ATCTCTTTAT TGGTTAAGTG CATACGAAAA    9540
GTAGGACGAT AAAATCGCTT ATCACTCAGT TTACGGCTAT CCTGTTGTAT GAGCTTCCAG    9600
TAGCGCTTGA TAGCCTTGTA TTCATGGGAT TTTCGATCCA ATTGGTTCAT AATTTGAACA    9660
CGCACACGAC TCATAGCACG GCTAAGATGT TGTACAATGT GAAAGCGATC CAACACGATT    9720
TTAGCATTCG GGAGTGAAAC AGTCTGGGAG ACTGTTTCAG CCTGAGCCTA GAAATTTGAA    9780
AGCGAAGCTG TTTAGCCAAG TCATAGTAAG GACTAAACAT ATCCATCGTA ATGATTTTCA    9840
CTTGACAACG AACGGCTCTA TCGTAGCGAA GAAAGTGATT TCGGATGACA GCTTGTGTTC    9900
TGCCTTCAAG AACAGTGATA ATATTAAGAT TATCAAAATC TTGCGCAATG AAACTCATCT    9960
TTCCCTTAGT GAAGGCATAC TCATCCCAAG ACATAATCTT TGGAAGCCGA GAAAAATCAT   10020
GCTCAAAGTG AAAGTCATTG AGCTTGCGAA TGACAGTTGA AGTTGAAATG GCCAGCTGAT   10080
GGGCAATATC AGTCATAGAA ATTTTTTCAA TTAACTTTTG AGCAATyTTT TGGTTGATGA   10140
TACGAGGGAT TTGGTGATTT TTCTTTACCA GGGGAGTCTC AGCAACCATC ATTTTTGAAC   10200
AGTGATAGCA CTTGAAACGA CGCTTTCTAA GGAGAATTCT AGAAGGCATA CCAGTCGTTT   10260
CAAGATAAGG AATTTTAGAA GGTTTTTGAA AGTCATATTT CTTCAATTGG TTTCCGCACT   10320
CAGGGCAAGA TGGGGCGTCG TAGTCCAGTT TGGCGATGAT TTCCTTGTGT GTATCCTTAT   10380
TGATGATGTC TAAAATCTGG ATATTAGGGT CTTTAATGTC TAGTAATTTT GTGATAAAAT   10440
```

```
GTAATTGTTC CATATGATTC TTTCTAATGA GTTGTTTTGT CGCTTTTCAT TATAGGTCAT     10500

ATGGGACTTT TTTTCTACAA TAAAATAGGC TCCATAATAT CTATAGTGGA TTTACCCACT     10560

ACAAATATTA TAGAACCGTA AAAATAGAAG GAGATAGCAG GTTTTCAAGC CTGCTATCTT     10620

TTTTTGATGA CATTCAGGCT GATACGAAAT CATAAGAGGT CTGAAACTAC TTTCAGAGTA     10680

GTCTGTTCTA TAAAATATAG TAGATTGAAA TAAGATGTGA ACAACTCTAT CAGGAAAGTC     10740

AAATTAATTT ATAGAATTAT TTTAGCAGTC AAGGTGTACT GTTATAGATT CAATATATTA     10800

TATGACTATT AACCTTGTCT TCTCCTAAAA TTGACTTTCT TGTTTTCTTA TCTTGTCCAC     10860

TCGAAACAAG TATTGTAAGA ATTTGATTAT TTTTGAAAGT ACTTTTAATA TACTTGATAT     10920

AGTTAAAAAA GATTTGAAAC TAAATTCCAA ATTAGAAAAA GACTTGAAAT ACTAAAAAAA     10980

AAAAAGTATA CTCTAATTGA AAACGGTAAC AAAACTAATT TAGAGAATGA AATATAGAGT     11040

ATTTCTCTCT TAAAAGTTTT TGGTGAAACG AGATGTAGAA AGGAGATTTA GCCAAAGAGT     11100

CTATTAGTGC TAGAATAATA GATTAGAATT ATTTTAGAAA AACGAAGTGA GCAGCTTATA     11160

AATTCAAGTC CCCAAATAGA TTCATACTAG TATCTTTTGC AAAAAATAAA GGGCGACTTC     11220

CTTCATGAAT ATCAATTTCA TCTATAAGGA AGGTAGCTAA TTGAACTAAC TTATTTATTC     11280

TGTTTGTCGC TAGAAAAATC AGACCTCCTT GTGAAGATTG AGGAGATACT TAATGAAAAT     11340

CAAAGAAGAA ACTAGCAAGC TAGTAGCAGA TTGCCCAAAA CACCGCTTTG AGGTTGTAGA     11400

TAAGACTGAC CTATATAATC CAAGGTGAAG CGACTGTGGT TTGAAGAGAT TTTCAAAGAG     11460

TATAGGCTAG AGAGTAGTGT TTTTATGTCC TTCTAGTAGA AAATGCTAGA CAGAAGAATG     11520

GGGAACTTGG ATAGGAAAAA TAGATTGAGA AAGGAGGTTA GAAGAGATGA TTATTACAAA     11580

AATTAGCCGT TTAGGAACTT ATGTGGGAGT AAATCCACAT TTTGCAACAT TAATAGATTT     11640

TCTAGAAAAA ACAGGACTAG AAAATTTAAC AGAAGGTTCG ATTGCTATCG ATGGTAATCG     11700

ATTGTTTGGG AATTGCTTTA CTTATCTAGC AGATGGTCAA GCAGGGGCTT TCTTTGAAAC     11760

CCACCAAAAA TATTTGGATA TTCATTTAGT TTTGGAAAAC GAAGAAGCCA TGGCTGTTAC     11820

ATCGCCGGAA AATGTAAGCG TTACCCAAGA ATATGATGAA GAGAAAGATA TTGAATTATA     11880

CACAGGGAAA GTGGAACAGT TGGTTCATTT GAGAGCTGGC GAATGCCTCA TCACTTTTCC     11940

AGAAGATTTA CATCAACCCA AGGTTCGTAT AAATGATGAA CCTGTGAAAA AAGTTGTCTT     12000

TAAAGTTGCG ATTTCTTAAT GTAGAAAGAG AAGAACGATG AAAAAAATGA GAAAGTTTTT     12060

ATGTCTAGCT GGAATTGCGC TAGCGGCTGT TGCCTTGGTA GCTTGTTCAG GAAAAAAAGA     12120

AGCTACAACT AGTACTGAAC CACCAACAGA ATTATCTGGT GAGATTACAA TGTGGCACTC     12180

CTTTACTCAA GGACCCCGTT TAGAAAGTAT TCAAAAATCA GCAGATGCTT TCATGCAAAA     12240
```

```
GCATCCAAAA ACGAAAATCA AGATTGAAAC ATTTTCTTGG AATGACTTCT ATACTAAATG    12300
GACTACAGGT TTAGCAAATG GAAATGTGCC AGATATCAGT ACAGCTCTTC CTAACCAAGT    12360
AATGGAAATG GTCAACTCAG ATGCTTTGGT TCCGCTAAAT GATTCTATCA AGCGTATTGG    12420
ACAAGATAAA TTTAACGAAA CTGCCTTAAA TGAAGCAAAA ATCGGAGATG ATTACTACTC    12480
TGTTCCTCTT TATTCACATG CACAAGTCAT GTGGGTTAGA ACAGATTTGT TAAAAGAACA    12540
TAATATTGAG GTTCCTAAAA CTTGGGATCA ACTCTATGAA GCTTCTAAAA AATTGAAAGA    12600
AGCTGGAGTT TATGGCTTGT CTGTTCCGTT TGGAACAAAT GACTTAATGG CAACACGTTT    12660
CTTGAACTTC TACGTACGTA rTGGTGGAGG AAGCCTCTTA ACAAAAGATC TTAAAGCAGA    12720
CTTGACAAGC CAACTTGCTC AAGATGGTAT TAAATACTGG GTTAAATTGT ATAAAGAAAT    12780
CTCACCTCAA GATTCTTTGA ACTTTAATGT CCTTCAACAA GCTACCTTGT TCTATCAAGG    12840
AAAAACAGCA TTTGACTTTA ACTCTGGCTT CCATATCGGA GGAATTAATG CCAACAGTCC    12900
TCAATTGATT GATTCGATTG ATGCTTATCC TATTCCAAAA ATCAAAGAGT CTGATAAAGA    12960
CCAAGGAATT GAAACCTCAA ACATTCCAAT GGTTGTTTGG AAAAATTCAA AACATCCAGA    13020
AGTTGCTAAA GCATTCTTAG AAGCACTTTA TAATGAAGAA GACTACGTTA AATTCCTTGA    13080
TTCAACTCCA GTAGGTATGT TGCCAACTAT TAAGGGGATT AGCGATTCTG CAGCCTATAA    13140
AGAAAATGAA ACTCGTAAGA AATTTAAACA TGCTGAAGAA GTAATTACTG AAGCTGTTAA    13200
AAAAGGTACT GCTATTGGTT ATCAAAATGG GCCAAGTGTA CAAGCTGGTA TGTTGACTAA    13260
CCAACACATT ATTGAACAAA TGTTCCAAGA TATCATTACA AATGGAACAG ATCCTATGAA    13320
AGCAGCAAAA GAAGCAGAAA AACAATTAAA TGATTTATTT GAGGCTGTTC AGTAGATGTA    13380
AAAGACTAGA AAATAGGTGG GATAGTGAGC TGAAAAGCTC TAGCCCAATC TTGTAAAAGA    13440
AGGGAGAAGG AGAATGGTTA AAGAACGTAA TTTAACTCGC TGGATATTTG TTTTGCCAGC    13500
TATGATTATC GTAGGATTAC TCTTTGTTTA TCCGTTTTTC TCGAGTATTT TTTATAGCTT    13560
TACCAATAAG CATTTGATTA TGCCTAATTA TAAATTTGTT GGTTTGGCTA ACTATAAAGC    13620
TGTGCTATCA GATCCCAACT TCTTTAATGC GTTCTTTAAT TCAATTAAGT GGACCGTTTT    13680
CTCATTAGTT GGTCAAGTTT TAGTAGGGTT TGTATTGGCT TTAGCTCTTC ACAGAGTACG    13740
CCACTTCAAG AAATTATATA GGACATTATT GATTGTTCCT TGGGCATTTC CTACCATCGT    13800
TATTGCCTTC TCTTGGCAGT GGATTCTAAA CGGGGTTTAT GGCTACTTAC CTAATCTAAT    13860
CGTAAAATTA GGTTTAATGG AACATACACC TGCATTTTTG ACAGATAGTA CATGGGCATT    13920
CCTATGTTTG GTGTTTATCA ACATTTGGTT TGGAGCACCA ATGATTATGG TTAATGTGCT    13980
```

```
TTCAGCTTTG CAAACAGTAC CAGAAGAACA ATTTGAGGCT GCTAAGATAG ATGGTGCTTC    14040
AAGTTGGCAG GTGTTCAAGT TTATCGTCTT TCCACATATT AAAGTGGTTG TAGGACTTCT    14100
AGTTGTTTTG AGAACTGTAT GGATCTTTAA TAACTTTGAC ATTATCTACC TCATTACTGG    14160
TGGTGGACCA GCCAATGCTA CAACGACGCT TCCAATTTTT GCTTACAACC TGGGCTGGGG    14220
AACTAAATTG TTGGGTCGTG CTTCAGCAGT TACAGTACTG CTCTTTATCT TCTTGGTGGC    14280
GATTTGCTTT ATCTACTTTG CTATCATCAG TAAGTGGGAA AAGGAGGGTA GAAAATAATG    14340
AAGAAGAAAT CCAGTATTTA TTTAGATATT CTCTCACATG TACTTTTAGT TGGTGCGACC    14400
ATCGTTGCAG TTTTCCCATT GGTATGGATT ATCATATCTT CTGTCAAAGG GAAAGGGGAA    14460
TTAACTCAGT ATCCAACACG ATTTTGGCCT GAACAGTTTA CATTAGATTA TTTCACTCAT    14520
GTTATCAACG ATTTGCACTT CATTGATAAC ATTCGAAACA GTTTAATCAT TGCCTTGGCT    14580
ACAACCCTTA TTGCGATTAT TATTTCTGCT ATGGCAGCCT ATGGTATTGT TCGATTCTTT    14640
CCTAAATTGG GAGCAATCAT GTCGAGACTA CTCGTCATTA CCTACATTTT CCCACCAATT    14700
TTGTTAGCAA TTCCCTATTC AATTGCCATT GCTAAAGTTG GGTTAACAAA TAGTTTATTT    14760
GGCTTGATGA TGGTTTATCT ATCTTTTAGT GTTCCATATG CAGTTTGGCT CTTAGTTGGA    14820
TTTTTCCAAA CAGTTCCAAT TGGAATTGAA GAAGCGGCTA GAATTGATGG TGCAAATAAA    14880
TTTGTTACGT TTTATAAAGT TGTGCTACCG ATTGTAGCAC CAGGTATTGT AGCAACAGCT    14940
ATTTATACAT TTATCAATGC TTGGAATGAA TTCCTGTATG CCTTGATTTT GATTAACAAT    15000
ACAGGAAAGA TGACAGTAGC AGTAGCCCTT CGTTCACTTA ATGGTTCAGA AATACTAGAC    15060
TGGGGAGATA TGATGGCAGC GTCTGTTATT GTAGTTCTTC CATCAATTAT TTTCTTCTCT    15120
ATCATCCAAA ATAAGATTGC AAGTGGATTA TCAGAAGGAT CTGTGAAGTA GACGAAAGAA    15180
GGAAAAAAAT GAATAAAAGA GGTCTTTATT CAAAACTAGG AATTTCCGTT GTAGGCATTA    15240
GTCTTTTAAT GGGAGTCCCC ACTTTGATTC ATGCGAATGA ATTAAACTAT GGTCAACTGT    15300
CCATATCTCC TATTTTTCAA GGAGGTTCAT ATCAACTGAA CAATAAGAGT ATAGATATCA    15360
GCTCTTTGTT ATTAGATAAA TTGTCTGGAG AGAGTCAGAC AGTAGTAATG AAATTTAAAG    15420
CAGATAAACC AAACTCTCTT CAAGCTTTGT TTGGCCTATC TAATAGTAAA GCAGGCTTTA    15480
AAAATAATTA CTTTTCAATT TTCATGAGAG ATTCTGGTGA GATAGGTGTA GAAATAAGAG    15540
ACGCCCAAAA GGGAATAAAT TATTTATTTT CCAGACCAGC TTCATTATGG GGAAAACATA    15600
AAGGACAGGC AGTTGAAAAT ACACTAGTAT TTGTATCTGA TTCTAAAGAT AAAACATACA    15660
CAATGTATGT TAATGGAATA GAAGTGTTCT CTGAAACAGT TGATACATTT TTGCCAATTT    15720
CAAATATAAA TGGTATAGAT AAGGCAACAC TAGGAGCTGT TAATCGTGAA GGTAAGGAAC    15780
```

```
ATTACCTCGC AAAAGGAAGT ATTGATGAAA TCAGTCTATT TAACAAAGCA ATTAGTGATC    15840
AGGAAGTTTC AACTATTCCC TTGTCAAATC CATTTCAGTT AATTTTCCAA TCAGGAGATT    15900
CTACTCAAGC TAACTATTTT AGAATACCGA CACTATATAC ATTAAGTAGT GGAAGAGTTC    15960
TATCAAGTAT TGATGCACGT TATGGTGGGA CTCATGATTC TAAAAGTAAG ATTAATATTG    16020
CCACTTCTTA TAGTGATGAT AATGGGAAAA CGTGGAGTGA GCCAATTTTT GCTATGAAGT    16080
TTAATGACTA TGAGGAGCAG TTAGTTTACT GGCCACGAGA TAATAAATTA AAGAATAGTC    16140
AAATTAGTGG AAGTGCTTCA TTCATAGATT CATCCATTGT TGAAGATAAA AAATCTGGGA    16200
AAACGATATT ACTAGCTGAT GTTATGCCTG CGGGTATTGG AAATAATAAT GCAAATAAAG    16260
CCGACTCAGG TTTTAAAGAA ATAAATGGTC ATTATTATTT AAAACTAAAG AAGAATGGAG    16320
ATAACGATTT CCGTTATACA GTTAGAGAAA ATGGTGTCGT TTATAATGAA ACAACTAATA    16380
AACCTACAAA TTATACTATA AATGATAAGT ATGAAGTTTT GGAGGGAGGA AAGTCTTTAA    16440
CAGTCGAACA ATATTCGGTT GATTTTGATA GTGGCTCTTT AAGAGAAAGG CATAATGGAA    16500
AACAGGTTCC TATGAATGTT TTCTACAAAG ATTCGTTATT TAAAGTGACT CCTACTAATT    16560
ATATAGCAAT GACAACTAGT CAGAATAGAG GAGAGAGTTG GGAACAATTT AAGTTGTTGC    16620
CTCCGTTCTT AGGAGAAAAA CATAATGGAA CTTACTTATG TCCCGGACAA GGTTTAGCAT    16680
TAAAATCAAG TAACAGATTG ATTTTTGCAA CATATACTAG TGGAGAACTA ACCTATCTCA    16740
TTTCTGATGA TAGTGGTCAA ACATGGAAGA AATCCTCAGC TTCAATTCCG TTTAAAAATG    16800
CAACAGCAGA AGCACAAATG GTTGAACTGA GAGATGGTGT GATTAGAACA TTCTTTAGAA    16860
CCACTACAGG TAAGATAGCT TATATGACTA GTAGAGATTC TGGAGAAACA TGGTCGAAAG    16920
TTTCGTATAT TGATGGAATC CAACAAACTT CATATGGCAC ACAAGTATCT GCAATTAAAT    16980
ACTCTCAATT AATTGATGGA AAAGAAGCAG TCATTTTGAG TACACCAAAT TCTAGAAGTG    17040
GCCGCAAGGG AGGCCAATTA GTTGTCGGTT TAGTCAATAA AGAAGATGAT AGTATTGATT    17100
GGAAATACCA CTATGATATT GATTTGCCTT CGTATGGTTA TGCCTATTCT GCGATTACAG    17160
AATTGCCAAA TCATCACATA GGTGTACTGT TTGAAAAATA TGATTCGTGG TCGAGAAATG    17220
AATTGCATTT AAGCAATGTA GTTCAGTATA TAGATTTGGA AATTAATGAT TTAACAAAAT    17280
AAAGGAGAAA AACATGGTTA AATACGGTGT TGTTGGAACA GGGTATTTTG GAGCTGAATT    17340
GGCTCGCTAC ATGCAAAAGA ATGATGGAGC AGAGATTACT CTTCTCTATG ATCCAGATAA    17400
TGCAGAGGCG ATTGCAGAAG AATTGGGAGC AAAAGTAGCA AGTTCCTTAG ATGAGTTGGT    17460
TTCTAGCGAT GAAGTAGATT GTGTTATCGT CGCAACTCCA AATAATCTTC ATAAGGAACC    17520
```

```
GGTTATTAAG GCTGCACAGC ATGGTAAAAA TGTTTTCTGT GAAAAACCAA TTGCGCTTTC     17580

TTATCAAGAT TGTCGCGAGA TGGTAGATGC GTGTAAAGAA AACAATGTAA CCTTTATGGC     17640

AGGACATATT ATGAATTTCT TTAATGGTGT TCATCATGCA AAAGAACTCA TTAATCAAGG     17700

AGTTATCGGA GACGTTCTAT ATTGTCATAC AGCTCGTAAT GGTTGGGAAG AACAACAACC     17760

GTCAGTATCA TGGAAAAAAA TTCGTGAAAA ATCAGGTGGT CACTTGTATC ACCACATCCA     17820

TGAATTGGAT TGCGTTCAAT TCCTTATGGG GGGCATGCCT GAAACTGTAA CCATGACAGG     17880

TGGAAATGTG GCCCATGAAG GTGAACATTT CGGTGATGAA GATGATATGA TTTTTGTCAA     17940

TATGGAATTT TCTAATAAGC GTTTTGCCTT GTTAGAATGG GGTTCAGCTT ATCGTTGGGG     18000

TGAACATTAT GTCTTAATCC AAGGAAGCAA AGGTGCCATC CGCTTAGACT TATTCAACTG     18060

TAAAGGAACT CTTAAGCTAG ATGGGCAAGA AAGCTATTTC TTGATTCACG AATCGCAAGA     18120

AGAAGATGAT GATCGGACTC GTATCTATCA TAGTACAGAG ATGGATGGAG CAATTGCTTA     18180

TGGTAAACCA GGTAAACGTA CTCCATTATG GCTATCATCT GTCATTGATA AAGAAATGCG     18240

CTATCTGCAT GAGATTATGG AAGGAGCTCC AGTATCAGAA GAATTTGCAA AACTTTTGAC     18300

AGGTGAAGCT GCCCTAGAAG CAATTGCTAC TGCAGATGCT TGTACCCAGT CTATGTTTGA     18360

AGATCGCAAA GTAAAATTGT CAGAAATTGT AAAATAAATT TTGGTATTCT CCTATTTATA     18420

GGTCGACTTG CTCCTCTGAA AGTACTTTTA GAGGAGCTGT TTGACTTTGC TAGTTTTTGA     18480

AACTGAAATC TATTATACTA CAAACTATTG AAAGCGTTTT AATTTTAAGG TATAATAATC     18540

TCATAGAAAT AAAGAAAAGG AGGAAAGAGG ATGCCACAGA TTAGCAAAGA AGCCTTGATT     18600

GAGCAAATCA AAGATGGAAT CATCGTTTCT TGTCAGGCTC TTCCTCATGA ACCGCTTTAT     18660

ACAGAAGCGG GAGGGGTGAT TCCCTTGCTG GTCAAAGCGG CTGAGCAAGG TGGAGCAGTC     18720

GGTATCCGAG CAAACAGTGT TCGCGATATC AAGGAAATTA AGGAAGTCAC TAAACTTCCA     18780

ATCATTGGGA TTATCAAACG TGATTATCCA CCTCAGGAAC CCTTCATCAC GGCTACTATG     18840

AAAGAAGTTG ATGAATTGGC AGAACTGGAC ATCGAGGTGA TTGCTCTGGA TTGTACCAAG     18900

CGTGAACGCT ACGATGGTTT GGAAATTCAA GAGTTCATTC GTCAGGTTAA GGAGAAATAT     18960

CCTAATCAGC TTTTGATGGC TGATACTAGT ATCTTCGAAG AAGGGCTAGC AGCTGTAGAA     19020

GCAGGAATTG ACTTTGTCGG AACAACCTTA TCAGGCTACA CATCCTACAG TCCAAAAGTA     19080

GACGGTCCAG ATTTTGAATT GATTAAGAAA CTCTGTGATG CTGGTGTAGA TGTCATTGCA     19140

GAAGGAAAAA TTCATACACC AGAACAAGCC AAACAAATCC TTGAATATGG AGTGCGAGGC     19200

ATCGTTGTTG GTGGCGCCAT TACTAGACCA AAAGAGATTA CAGAACGCTT CGTTGCTAGT     19260

CTTAAATAAG ATGTGAGGGG GAGTTTTATG TTTAAAGTTT TACAAAAAGT TGGAAAAGCT     19320
```

```
TTTATGTTAC CTATAGCTAT ACTTCCTGCA GCAGGTCTAC TTTTGGGGAT TGGTGGTGCA    19380
CTTTCAAACC CAACCACGAT AGCAACTTAT CCAATACTAG ACAATAGTAT TTTTCAATCA    19440
ATATTCCAAG TAATGAGCTC TGCAGGAGAG GTTGTATTCA GTAATTTGTC ACTACTTCTC    19500
TGTGTGGGAT TATGTATTGG CTTAGCGAAA CGAGATAAAG GAACCGCTGC GTTAGCAGGA    19560
GTAACTGGTT ACTTAGTTAT GACTGCAACG ATCAAAGCTT TGGTAAAACT TTTTATGGCA    19620
GAAGGATCTG CAATTGATAC TGGAGTTATT GGAGCATTAG TTGTCGGAAT AGTTGCCGTA    19680
TATTTGCACA ACCGATATAA CAATATTCAA TTACCTTCCG CTTTAGGATT CTTTGGAGGT    19740
TCACGCTTCG TTCCTATTGT TACATCGTTC TCTTCTATCT TGATTGGCTT TGTCTTCTTT    19800
GTTATTTGGC CACCTTTCCA ACAACTTCTT GTTTCTACAG GTGGATATAT TTCTCAGGCG    19860
GGTCCAATTG GAACTTTTCT ATATGGATTT TTAATGAGAC TTTCTGGAGC AGTAGGCTTA    19920
CATCATATAA TTTACCCTAT GTTTTGGTAT ACTGAACTTG GTGGTGTTGA AACTGTTGCA    19980
GGACAAACAG TGGTTGGAGC TCAAAAAATA TTTTTTGCTC AATTAGCCGA TTTGGCCCAT    20040
TCTGGATTAT TTACAGAAGG AACAAGGTTT TTTGCAGGTC GTTTCTCAAC AATGATGTTC    20100
GGTTTACCGG CTGCCTGTTT AGCGATGTAC CATAGTGTTC CTAAAAATCG TCGTAAAAAA    20160
TACGCGGGTT TGTTTTTTGG AGTTGCTTTA ACATCTTTTA TTACCGGTAT TACAGAACCA    20220
ATTGAATTTA TGTTTCTATT CGTCAGTCCG GTTCTATATG TTGTTCACGC ATTCCTTGAT    20280
GGTGTTAGCT TCTTTATTGC AGACCTCTTA AATATTTCAA TAGGAAACAC ATTTTCAGGA    20340
GGTGTAATCG ATTTCACTTT ATTTGGAATT TTGCAGGGGA ACGCTAAGAC GAATTGGGTT    20400
CTTCAGATTC CATTTGGACT TATTTGGAGT GTTTTGTATT ATATTATTTT TAGATGGTTC    20460
ATTACTCAAT TCAACGTTCT AACGCCAGGG CGAGGAGAAG AAGTAGATTC TAAAGAAATT    20520
TCTGAATCCG CAGATTCAAC TTCAAATACT GCAGATTATT TAAAACAGGA TAGCCTACAA    20580
ATTATCAGAG CCTTGGGTGG ATCAAATAAT ATAGAAGATG TAGATGCTTG TGTGACACGT    20640
TTACGTGTAG CTGTAAAAGA AGTTAATCAA GTTGATAAAG CACTTTTAAA ACAAATTGGT    20700
GCAGTTGATG TCTTAGAAGT GAAGGGTGGC ATTCAAGCAA TCTATGGAGC AAAAGCAATC    20760
TTATATAAAA ATAGTATTAA TGAAATTTTA GGTGTAGATG ATTAAGTACT TACTGACTTA    20820
ATAAAAAACA GAGGAGAGTG ATGGATGAGT AGGATGAAAT GAAATCGCAT ACAAGAAATA    20880
AAGAACTCAT TATCCAAGTT GGATACGCTT ATTACATAGG AGAATACAAA TGAAATTTAG    20940
AAAATTAGCT TGTACAGTAC TTGCGGGTGC TGCGGTTCTT GGTCTTGCTG CTTGTGGCAA    21000
TTCTGGCGGA AGTAAAGATG CTGCCAAATC AGGTGGTGAC GGTGCCAAAA CAGAAATCAC    21060
```

```
TTGGTGGGCA TTCCCAGTAT TTACCCAAGA AAAAACTGGT GACGGTGTTG GAACTTATGA     21120

AAAATCAATC ATCGAAGCGT TTGAAAAAGC AAACCCAGAT ATAAAAGTGA AATTGGAAAC     21180

CATCGACTTC AAGTCAGGTC CTGAAAAAAT CACAACAGCC ATCGAAGCAG GAACAGCTCC     21240

AGACGTACTC TTTGATGCAC CAGGACGTAT CATCCAATAC GGTAAAAACG GTAAATTGGC     21300

TGAGTTGAAT GACCTCTTCA CAGATGAATT TGTTAAAGAT GTCAACAATG AAAACATCGT     21360

ACAAGCAAGT AAAGCTGGAG ACAAGGCTTA TATGTATCCG ATTAGTTCTG CCCCATTCTA     21420

CATGGCAATG AACAAGAAAA TGTTAGAAGA TGCTGGAGTA GCAAACCTTG TAAAAGAAGG     21480

TTGGACAACT GATGATTTTG AAAAAGTATT GAAAGCACTT AAAGACAAGG GTTACACACC     21540

AGGTTCATTG TTCAGTTCTG GTCAAGGGGG AGACCAAGGA ACACGTGCCT TTATCTCTAA     21600

CCTTTATAGC GGTTCTGTAA CAGATGAAAA AGTTAGCAAA TATACAACTG ATGATCCTAA     21660

ATTCGTCAAA GGTCTTGAAA AAGCAACTAG CTGGATTAAA GACAATTTGA TCAATAATGG     21720

TTCACAATTT GACGGTGGGG CAGATATCCA AAACTTTGCC AACGGTCAAA CATCTTACAC     21780

AATCCTTTGG GCACCAGCTC AAAATGGTAT CCAAGCTAAA CTTTTAGAAG CAAGTAAGGT     21840

AGAAGTGGTA GAAGTACCAT TCCCATCAGA CGAAGGTAAG CCAGCTCTTG AGTACCTTGT     21900

AAACGGGTTT GCAGTATTCA ACAATAAAGA CGACAAGAAA GTCGCTGCAT CTAAGAAATT     21960

CATCCAGTTT ATCGCAGATG ACAAGGAGTG GGGACCTAAA GACGTAGTTC GTACAGGTGC     22020

TTTCCCAGTC CGTACTTCAT TTGGAAAACT TTATGAAGAC AAACGCATGG AAACAATCAG     22080

CGGCTGGACT CAATACTACT CACCATACTA CAACACTATT GATGGATTTG CTGAAATGAG     22140

AACACTTTGG TTCCCAATGT TGCAATCTGT ATCAAATGGT GACGAAAAAC CAGCAGATGC     22200

TTTGAAAGCC TTCACTGAAA AAGCGAACGA AACAATCAAA AAAGCTATGA AACAATAGTC     22260

CTTAGTTATT CTATAAAAAG TAGTTTTTTA AAGAACCTAA GAGTGTATAC CCCCTTTTCC     22320

CTCTACACAG ATAGTGTAAG AAAAGGGGGC TTTTGTTTAA AATGTAAGAA ACTGTCACGA     22380

AATTAAAATG AAGTTCTTAC ATAAGCGAAT CATAAAAAAT TTCATTTTGA TTTTAAAACA     22440

GTTCAAGAAA GTCAAAAAAT TATTCTATTT GAAAGAGAGG TGCCGACTGT GAAAGTCAAT     22500

AAAATCCGTA TGCGGGAAAC AGTGATTTCC TACGCTTTCC TAGCACCAGT ATTATTCTTC     22560

TTTGTCATCT TTGTGTTGGC TCCGATGGTG ATGGGCTTCA TTACAAGTTT CTTTAACTAC     22620

TCAATGACTA AATTTGAGTT TGTAGGCTTG GATAACTATA TCCGTATGTT TAAAGATCCT     22680

GTCTTTACAA AATCTCTGAT TAACACAGTT ATTTTGGTTA TTGGATCTGT ACCAGTTGTT     22740

GTTCTATTCT CACTCTTTGT AGCATCTCAG ACCTATCATC AAAATGTCAT TGCCAGATCC     22800

TTCTACCGTT TCGTCTTCTT CCTTCCTGTT GTAACGGGTA GTGTTGCCGT GACAGTTGTT     22860
```

```
TGGAAATGGA TTTATGACCC ACTATCAGGG ATTCTAAACT TTGTCCTTAA GTCCAGCCAC    22920
ATCATCAGCC AAAACATTTC TTGGTTGGGA GATAAAAACT GGGCATTGAT GGCGATTATG    22980
ATTATTCTCT TGACCACTTC AGTTGGTCAG CCCATCATCC TTTATATCGC TGCCATGGGG    23040
AATATTGACA ATTCACTGGT TGAAGCGGCG CGTGTTGATG GTGCAACTGA GTTTCAAGTT    23100
TTTTGGAAGA TTAAATGGCC AAGCCTTCTT CCAACAACTC TTTATATTGC AATCATCACA    23160
ACAATTAACT CATTCCAGTG TTTCGCCTTG ATTCAGCTTT TGACATCTGG TGGTCCAAAC    23220
TACTCAACAA GTACCTTGAT GTACTACCTT TACGAAAAAG CCTTCCAATT GACAGAATAC    23280
GGCTATGCCA ACACAATTGG TGTCTTCTTG GCAGTCATGA TTGCTATCGT AAGCTTTGTT    23340
CAATTTAAAG TACTTGGAAA CGACGTAGAA TACTAAAGAA AGGAGACAGC TATGCAATCT    23400
ACAGAAAAAA AACCATTAAC AGCCTTTACT GTTATTTCAA CAATCATTTT GCTCTTGTTG    23460
ACTGTGCTGT TCATCTTTCC ATTCTACTGG ATTTTGACAG GGGCATTCAA ATCACAACCT    23520
GATACAATTG TTATTCCTCC TCAGTGGTTC CCTAAAATGC CAACCATGGA AAACTTCCAA    23580
CAACTCATGG TGCAGAACCC TGCCTTGCAA TGGATGTGGA ACTCAGTATT TATCTCATTG    23640
GTAACCATGT TCTTAGTTTG TGCAACCTCA TCTCTAGCAG GTTATGTATT GGCTAAAAAA    23700
CGTTTCTATG GTCAACGCAT TCTATTTGCT ATCTTTATCG CTGCTATGGC GCTTCCAAAA    23760
CAAGTTGTCC TTGTACCATT GGTACGTATC GTCAACTTCA TGGGAATCCA TGATACTCTC    23820
TCGGCAGTTA TCTTGCCTTT GATTGGATGG CCATTCGGTG TCTTCCTCAT GAAACAGTTC    23880
AGTGAAAATA TCCCTACAGA GTTGCTTGAA TCAGCTAAAA TCGACGGTTG TGGTGAGATT    23940
CGTACCTTCT GGAGTGTAGC CTTCCCGATT GTGAAACCAG GGTTTGCAGC CCTTGCAATC    24000
TTTACCTTCA TCAATACTTG GAATGACTAC TTCATGCAAT TGGTAATGTT GACTTCACGT    24060
AACAATTTGA CCATCTCACT TGGGGTTGCG ACCATGCAGG CTGAAATGGC AACCAACTAT    24120
GGTTTGATTA TGGCAGGAGC TGCCCTTGCT GCTGTTCCAA TCGTCACAGT CTTCCTAGTC    24180
TTCCAAAAAT CCTTCACACA GGGTATTACT ATGGGAGCGG TCAAAGGATA ATACTCTGCG    24240
AAAATCTCTT CAAACTACGT CAGCTTCACC TTGCCATACT TAAGTATTGC CTGCGGTTAG    24300
CTTCCTAGTT TGTTCTTCAA TTTTCATTGA GTATAGGAAA ATCAATCTAT CAAGATACAG    24360
AAGTATATTT TATAGATTTA GAGAATATAG AGGTTATAAG TGTCTACAAA ATGGAGGGTA    24420
TGCAGTTACT TTATGAAGTT TTGTCAGACA CTTATAAACT TAAGAATGGT TTTAGTTAAC    24480
TATCAGAAAC GAAGGAAAGA GTATGATTTT TGACGATTTG AAAAACATCA CCTTTTACAA    24540
AGGGATTCAT CCTAATTTAG ACAAGGCTAT CGACTATCTC TACCAACATC GTAAGGATTC    24600
```

```
TTTCGAATTA GGAAAGTATG ATATTGATGG AGATAAAGTC TTTCTAGTTG TTCAGGAAAA    24660

TGTCCTCAAT CAAGCTGAAA ATGATCAATT TGAGTATCAT AAGAACTATG CAGATTTGCA    24720

TTTGCTGGTA GAAGGACATG AATATTCGAG CTACGGTTCA CGTATCAAAG ACGAGGCAGT    24780

AGCATTCGAC GAAGCGAGTG ACATTGGCTT TGTTCATTGT CATGAACACT ACCCACTCTT    24840

GTTGGGTTAT CACAATTTTG CGATTTTCTT CCCAGGTGAG CCACATCAGC CAAATGGTTA    24900

TGCAGGCATG GAAGAAAAGG TTCGAAAATA TCTCTTTAAA ATTTTGATTG ATTAAAAATA    24960

GGATGAATTG TTTTTTTGTA AAGCTTTGAT AATACTCTAC CATGAAATTG ATCTTTGTGA    25020

GGTAGAGAAA TGAGAATAAA ATATTTAAAA ATTGGTATCT TCTAAGTATG CTGCAAGAGC    25080

TAGTTTCTTA GATGGACAGG GGATTACAGT TGATGAGATG GCTTGGATAA TTAGGGGCAT    25140

TGTGAATGCA TTGATTGGTA GATACATAAA ATTAGGTACT TATGCGGCTA AGTATGGTAT    25200

TAGTATGGCA CGCTCGATCT TAAGTAGGGT AGCTGCAACT GCAGCAGCAA GAGTAGGATT    25260

ACTGACCAAG ATTTCTGGAT GGATTTTACG AGTAGCTGTG AATGTAGCTG ATGTATATGG    25320

TAATTTTGCC AACAATATTG CTGCAGCTTG GGATGCATAT GATAAAATTC CTAACAATGG    25380

TCGTATAAAC TTTTAAAATG CGAGAATGAA AGCACTTTGT ATTTTTTTAT TGAATATGTT    25440

AGCTTGGACA GTGCTTGCAA TGATAATTCG TGGAGGGCTA GATGGATTTG ATAGGCATAC    25500

TTGGAGTACT ATTTTAATTG CGTCGCTGTT CGGGGTATAT GATTATAAGC CCATAGATAA    25560

AAATAGAAAA AAGTCCAAAA GAAAAAATAG ATTTGTTCAT GGTAGGGACT TATGAAAGCT    25620

TTACTGACAA AAAAGAAAAC AGTTTACAAA GAAAAATGAT GGAGGAGCAA ACATGGCACA    25680

AAAAGGAGTA AGCCTTATCA AGGCAGCATT TGATACAGAT AACTTTCTCA TGCGTTTTAG    25740

TGAGAAGGTC TTGGACATCG TGACAGCCAA TCTTCTTTTT GTCGTCTCTT GTTTACCCAT    25800

CGTGACGATT GGAGTGGCTA AAATCAGCCT CTACGAGACC ATGTTCGAAG TTAAGAAGAG    25860

CAGACGGGTG CCTGTTTTTA AAATCTATCT AAGATCTTTC AAGCAAAATC TGAAACTAGG    25920

TCTTCAGCTG GGTTTAATGG AGTTAGGAAT TGTGTTTCTT ACCCTTTCAG ATCTCTATCT    25980

TTTCTGGGGT CAAACAGCTC TGCCCTTCCA ATTGCTGAAA GCCATTTGTT TAGGTATTCT    26040

GATTTTTCTT ACTATCGTGA TGCTGGCTAG TTACCCTATC GCGGCACGTT ATGACCTATC    26100

TTGGAAAGAA ATTCTTCAAA AAGGATTGAT GTTGGCTAGT TTTAACTTTC CTTGGTTCTT    26160

CCTCATGTTA GCCATTCTTG TCCTCATTGT GATGGTTCTT TATCTGTCCG CCTTCAGTCT    26220

ACTCTTAGGT GGCTCAGTCT TCCTACTTTT TGGGTTTGGA CTATTGGTCT TTATCCAGAC    26280

TGGATTGATG GAGAAAATTT TCGCAAAATA CCAATAGGAG CTTTATTTCT GAAACTACTT    26340

TCAAAGGCTC CAAACGCTAT TCTATAAGCG AGAAACTAAA ATCGG                   26385
```

```
(2) INFORMATION FOR SEQ ID NO: 4:

     (i) SEQUENCE CHARACTERISTICS:
          (A) LENGTH: 2716 base pairs
          (B) TYPE: nucleic acid
          (C) STRANDEDNESS: double
          (D) TOPOLOGY: linear


     (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

CCTGCCCGCA TTGCCCTAGG CATTAAGTAA ACATATAAAA GCATGTGAGA GACTGTTGGA        60

AAAGCGAGGA AATTTCCCCT CTTTTCCTCT AGTCTCTCCT TTCTTTTGCT GATTTTATTC       120

AAAGAAAATG ATATAATAGT AGTTATGGAG AAAAAGAAAT TACGCATCAA TATGTTGAGT       180

TCAAGTGAGA AAGTAGCAGG ACAGGGAGTT TCAGGTGCTT ACCGTGAATT AGTTCGTCTT       240

CTTCACCGTG CTGCCAAGGA CCAATTGATT GTTACAGAAA ATCTTCCAAT CGAGGCAGAT       300

GTGACTCACT TTCATACGAT TGATTTTCCC TATTATTTAT CAACCTTCCA AAAGAAACGC       360

TCAGGGAGAA AGATTGGCTA TGTGCATTTC TTGCCAGCTA CACTTGAGGG AAGTTTGAAA       420

ATTCCATTTT TCTTAAAGGG AATTGTGAAA CGCTATGTAT TTTCTTTTTA CAACCGGATG       480

GAGCACTTGG TTGTGGTCAA TCCTATGTTT ATTGAGGATT TGGTAGCAGC TGGTATTCCA       540

CGTGAAAAAG TGACCTATAT TCCTAACTTT GTCAACAAGG AAAAATGGCA TCCTCTACCA       600

CAAGAAGAGG TAGTCAGACT GCGCACAGAT CTTGGTCTTA GTGACAATCA GTTTATCGTA       660

GTAGGTGCTG GGCAAGTTCA GAAACGTAAA GGGATTGATG ACTTTATCCG TCTGGCTGAG       720

GAATTGCCTC AGATTACCTT TATCTGGGCT GGTGGCTTCT CTTTTGGTGG TATGACAGAT       780

GGTTATGAAC ACTATAAGAA AATTATGGAA AATCCCCCTA AAAATTTGAT TTTTCCAGGC       840

ATTGTATCGC CAGAGCGGAT GCGCGAATTG TATGCTCTAG CGGATCTTTT CTTGTTGCCT       900

AGTTACAATG AGCTCTTTCC TATGACTATT TTAGAAGCTG CGAGTTGTGA GGCTCCTATT       960

ATGTTGCGTG ATTTAGATCT CTATAAGGTG ATTTTGGAGG GAAATTATCG GGCGACAGCG      1020

GGTAGAGAAG AGATGAAAGA GGCTATTTTG GAATATCAAG CAAATCCTGC TGTCTTAAAA      1080

GATCTCAAAG AAAAGGCTAA GAATATTTCC AGAGAGTATT CTGAAGAGCA TCTGTTACAA      1140

ATCTGGTTGG ACTTTTATGA GAAACAAGCC GCTTTAGGGA GAAAGTAAAA AGTGAGGTAA      1200

TCTATGCGAA TTGGTTTATT TACAGATACC TATTTTCCTC AGGTTTCTGG TGTTGCGACC      1260

AGTATTCGAA CCTTGAAAAC AGAACTTGAA AAGCAGGGAC ATGCTGTTTT TATCTTTACG      1320

ACGACAGATA AGGATGTCAA TCGCTACGAA GATTGGCAAA TTATCCGCAT TCCAAGTGTT      1380
```

```
CCTTTCTTTG CTTTTAAGGA TCGTCGCTTT GCCTACCGAG GTTTTAGCAA GGCACTTGAA      1440

ATTGCTAAAC AGTATCAGCT AGATATTATC CATACTCAGA CAGAATTTTC TCTTGGCCTG      1500

TTGGGGATTT GGATTGCGCG TGAATTGAAA ATTCCAGTCA TCCATACCTA TCACACCCAG      1560

TATGAAGACT ATGTCCATTA TATTGCTAAG GGGATGTTGA TCCGGCCGAG TATGGTCAAG      1620

TATCTGGTTA GAGGTTTCCT GCATGATGTG GATGGGGTTA TTTGCCCTAG TGAGATTGTC      1680

CGTGACTTGC TATCTGATTA TAAGGTCAAG GTTGAAAAAC GGGTCATTCC TACTGGGATT      1740

GAATTAGCCA AGTTTGAGCG TCCGGAAATC AAGCAGGAAA ATTTGAAAGA ACTGCGTAGT      1800

AAACTAGGGA TTCAAGATGG TGAAAAGACG TTGCTTAGTC TTTCGAGAAT CTCCTATGAA      1860

AAAAATATTC AAGCAGTTTT AGCAGCCTTT GCTGATGTTC TGAAAGAGGA AGACAAGGTT      1920

AAACTGGTAG TAGCTGGGGA TGGCCCTTAT CTGAATGACC TCAAAGAGCA AGCCCAGAAC      1980

CTAGAGATTC AAGACTCAGT CATCTTTACA GGGATGATTG CTCCTAGTGA GACGGCTCTT      2040

TACTATAAAG CGGCGGATTT CTTCATTTCG GCATCGACAA GCGAAACGCA AGGTTTGACC      2100

TACTTGGAAA GCTTAGCCAG TGGAACACCT GTCATTGCTC ACGGAAATCC TTATTTGAAC      2160

AACCTCATCA GTGATAAAAT GTTTGGAACC TTGTACTATG GAGAACATGA TTTGGCTGGT      2220

GCTATTTTGG AAGCCCTGAT TGCAACACCA GACATGAACG AGCATACCTT ATCAGAGAAA      2280

TTGTATGAGA TTTCAGCTGA GAACTTTGGG AAACGAGTGC ATGAGTTTTA TCTGGATGCC      2340

ATTATTTCAA ATAACTTCCA GAAAGATTTG GCTAAAGATG ATACGGTCAG TCAGCGTATC      2400

TTTAAGACAG TTTTGTATCT TCAGCAACAG GTGGTTGCTG TACCTGTAAA AGGATCTAGA      2460

CGCATGTTGA AGGCTTCAAA AACACAGTTG ATCAGTATGA GAGACTATTG GAAAGACCAT      2520

GAAGAATAGA AAGAGGAACA GCTATGAAAA AAACAATTAA TGAGAAGCGG TCGTGATAAA      2580

AAGATTGCGG GTGTTTGTGC TGGGGTGGCC CATTATCTGG ATATGGATCC GACTATCGTT      2640

CAAGTCATTT GGGGTGTTCT TACTTGCTGT TACGGAGCTG GAATTGTAGC TTACATTATT      2700

TTATGGATTA TCGCGA                                                      2716
```

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 13926 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

```
CTTTGGTTTT GCCTTATTCA AGACATGAGG GCCATCAGGA ATGATCTGAA ACTGCGAATC        60
```

```
TGTTAACAGT CTATGGAGAG CTTTCATAGA ACTAAGATTC GGTTTATCTT TGCTGCCACA       120
AATTAGTAAG GTTGGATAAG GGTAAGTTCC TGCTATATCC GTTAAATCAA GTGTCTTCAA       180
CTCCTCAGAA ACTCCGACCA TAAGAGTCTT GTCTGCTCCC TGTTTTTCAA ATACTCTTTT       240
GGGAAGTAGT TTAAAAATCA GCAATTGAAG ATAAAATAGG ATATTCCCTG CTAATTTAAG       300
CGGGCATCCT GACAGAATCA AAGCTCGAAG ATTTGGTAAA TCGTAACTGG AAAGTTCTAG       360
TGTCAGGGCA GCACCTAAGG ACAATCCAAT CAAAACAAAA GGTTCTGTCT CTTGAGCTAG       420
GTGCTGATAA ACTCGCTCTT TAGCTTGTTG ATAGTTACTA ACTCCAGAAG GAAATAACTC       480
GATAGCCTCA GAAGGATAAT CTGTCAGTAG ATTCCGAACT TCTTTCCAAG ACTCTGCTGA       540
CTGCCCTAAC CCATGCAAAA ATATTAATTT CATCTAGTTC TCCTCAAGGC TTAATTCATA       600
CAAGCCTCTC ACTGCATTAC AGCCGTAAAT AGCTTCTGCT TGGGTTAAAT CTGCCAAGGT       660
CAAGACTTTC TCTTCTACCT GTCCTGTTTC TAGCAAATGC TGACGGTAAA TTCCTGGCAA       720
GATTCCAAGT CGGATAGGCG GTGTGTAGAG TTTTCCAGCG ATTTTCAGAA CCAAATTTCC       780
TATAGAGGTT TCAAGCAGTT CTCCTGACTT ATTGTGGTAA ATCTTCTCTT GTTCTCCTAG       840
GCTCAAATGC GGTCGGTGAG TGGTTTTAAA GTAGGTAAAG GATTGATTCA AAGCAGCTTC       900
CTGAAGACAG ACTTGGGCCT GACAAAAGCT TGTACTGAGA GGGGTTAATA CTTGACGATT       960
GACTTCTATC TCTCCAGATT TGCTAAGGCT GATTCGCAAG CGGTAATCTC GATTAGCTTC      1020
ACAATCCTGA CACTCTTCCT CAATCTTGTG TCCCAAGTCT TCTGCATCAA AAGGAAAAGC      1080
AAAATAACGA CTAGCTTTTC TCAGCCTTTC CAGATGTTGT TCTTCAAACA TCAGTTGTTT      1140
TTGGCTGATT TTTCCAGTTG TAATTAATTG GAAGCGAGCT TGTTTACGAT AGAGAACTGC      1200
TGCCTTTTGA TGAACCTCTC GGTATTCAGA TTCCCATGTG CTATCCCAAG TAATCCCTCC      1260
GCCAACTCCA TAAATGGCTT GACCTTTGTG AAGTTGAATG GTACGAATGG CCACATTAAA      1320
AATCCGTCGT CCATTTGGAA GCAAGAGACC AATCGTTCCA CAGTAGACTC CACGCGGTTG      1380
AGGCTCCAAG TCCTTGATAA TCTCCATTGT CGCAATTTTC GGTGCACCCG TTATGGAACC      1440
ACAAGGAAAG AGTGAGCGGA AGATTTCAAC AAGGTCCACA TCCTCTCGCA ACTGACTCTT      1500
GATGGTCGAA GTCATCTGCC AAACAGTTGA ATACTGCTCT ACCTGACACA GACGCTCCAC      1560
GTGCTCGCTC CCAACTTCAG AAATACGGTT CATATCATTG CGCAAGAGGT CCACAATCAT      1620
CATATTTTCA GAGCGATTTT TGGGATCCTG TTCCAACCAA CTGGCCTGTT CAAGATCTTC      1680
TTGGTCAGTT ACCCCACGCT GAGTCGTCCC CTTCATTGGT CGTGTTGTCA ACTCGCGATC      1740
ATTTTGCTCA AAAAAGAGCT CTGGGCTCAT GGAAATCACT GTCATCTCGT CATGTTCCAC      1800
```

```
ATAGGCATTG TAGCCCGCCT CCTGCTCTAC CACCATACGA TTGTAGATGG CAAAAGGATT      1860

GGCATTTAAC TTTTGCTTAA GTTGGACGGT GTAGTTGACC TGATAGGTAT CTCCCTGCCG      1920

TAAATGATGG TGAATTTGGG CAATGGCCTT TTCATAGTCT GCTGCAGACG TTACTTCCTG      1980

CCAATTTGAG GGCAAATCAA TATCCTCATA AGTCAGAGGA ATAGGGGAAG TTTCTACGAT      2040

ATCATGAACA GTAAAGTAAA GCAGGTACTC TCCCAGTAGG GGATCCTTGT GAACTGCTAA      2100

TTTTTCCTCA AAAGCAGGTG CAGCCTCGTA GCTGACATAC CCCACCACAT AATAACCTTG      2160

CTCTTGGTAG CTTTCCACTT GTGCCAGCAA ATCTGCCACT TCTTCTACAT TTCTCGTTTT      2220

CAACTCTTTA ATAGGCTGGG TAAAGGTATA TCTCTCCCCC AAAGTCCTAA AATCAATCAC      2280

TGTTTTTCTA TGCATACCTT AAGTATAGCA TAAAATAAGA AAACCCTCAT CCGCAAAGCA      2340

GATGAGAGAT TTCAATTATT TAAAGATTGA AGTTTTAAAG CTATTTGTTT GTTGAAGAAG      2400

TTTCTTATAA ACAGCTTCTT TTAATTTAAC TGTATTATTC ATAGATACTG TTTTATTACC      2460

GTTTGCTTCT TGTTTAAGAG TTTCGGCATC TTTTTTAACA GCTTCTTTAA ACAATGTCAG      2520

TAAATCATCG TATGATGAAA CGGAAGAACC ATTTACTTCG AATGTTGTTA ATCCTTTCGT      2580

TGCTTTATCT TTAACTTCTT TGAAGTAAGC TTTTTTAAAT TCTTCAATAG TATTAAATGT      2640

ATTGTTAGAT ATTTTCTTGA TAATATATTC ATCACTTAGA ACAGACTCAC CATCTGTTTT      2700

AGATTGTTGT TTATATTTAT TTGAAGCATA ACCTAAGAAC CCATTTTCGT ATCCGTAGTA      2760

ACCCCATAAT CTAAAAGCAT TATGTTTGAA TGAAACAGCT CCAGGAGCAC CTTTACTAGT      2820

ATTACCTCCG TAGATACCGG TCATCATTCT AACACCTACA TAAGGTGATT GATCGTTATA      2880

GCTAATTGCT TCGGGTTTAT AGATACCATT ACCTGGATTG CGATTAGTCA TTAATTGTTG      2940

ATCAACTAAA TCATTAACAG ATTGAATATT TAATTCATTT TTCTCTTCTT GACTTAGATT      3000

TCGAATTTTA TCCCATTGAT TTAATTTATT GTTATCACGG TATTCTCTAT CTATTTTTTT      3060

GAACCATGCA CTATTTAAAT CTTTATTTTG TTGAGAAATC ACAGATTCAG CCTCAATTTC      3120

ATCAAGAAGA GTTAAAGTGT CATTATAACC CTTCATATAT CTATTAATAT CTTCTCGTGT      3180

TTTTAGAGTT TTTGGATCTG TAATATACCA CTGATTCCCA TCATTTTTGC GTTTAAATAC      3240

CATATTAATA CCTAAAGAAC CAAACTCATC AAATCCACTA CCAGTAACAG GAGTTTGTAG      3300

CATACCCTGA GCATATGCTT CAGCATCAGT ACCTTCACGG TGTCCAAAGC CACCTAAGTA      3360

AATCGCACGG TCGTTGACGT GTGTTGTTTC ATGTGTGTAA ACTGAAATAC CGTATTCACC      3420

AACCATTTCT AAATGAACAT ATTTTACATC AGTTCTAATA TCATCAGAGT TAGGATATAT      3480

AGCAGCATAA GCTCCTGTTC CATTATAATT ATAATACTTA TCCATAGGAC CAAAGAATTC      3540

TCTAAGAGGA GTATATACTT TGTCGGTATT ATAGCGGCCA TATTTTTCAA CCCATCCACC      3600
```

AGGAGCGTTA TAACCTTCCC AAATAGGAAT AACAGCATCT CTTAGTAGTC GTTGTTTAAC 3660

GTTATCAGAC GCTAGACGAT ACCAGAAATC ATAATAGTTT CTATAACCAT CTGCAGCTTT 3720

GTTAACGATA TCTTTAATAT CTTCTAATGA TTTTTTACCT AATCGCTCTG CACTACCAAA 3780

GGCAATTGCA TTATAATTTG AAATTAAATA AAGATGTGCT TTATCAATAT TCAGTAGTGG 3840

GAGTATAGTA TTTCTAAGGT GACTTCGTTT TAAATTATCG AATGCACGAT GTTTAGAATT 3900

TTTAATTTCT TCGACCTCAG AAGCGCGTTC TGCGATGTAG ACATGGTCTT CTGTAGCATC 3960

AATAAACCAA TCGTTCATAT TGTCTATATT TGTGAACAAT TGTCTATTAT AATTTAAAAA 4020

TGCATCTAAA TTACCTGATT TAGTATATTT AGCCAATACT TGACCGAATG CGTCGAATGT 4080

ACGTGAACCT TTAATGTTGT TCTCTTTAGA ACCGATTTCA ATTAATCTGT CTAATACGCT 4140

AACTTTTTCA CCATAGAAAT CTGGTTTGAA TAGCATTAAT TCTTTAATAT TAACATCACC 4200

AAATTTAACT CCATAGTAAC GATTTAGGTA AGTTAAACCT AGTAATAAAG CTGCTTTGTT 4260

TTTCTCGACT TTATCACGAA TCATTTGACG AGCAGCTGGA GAATCATTTA GTTGATGTTC 4320

TTCGTTTTGA ACTAATTTTG TGATTAGGTT TGTTAAGTTT TCTTTAACAT CTGTGAAGCT 4380

TTCTTCTAAA TATAAATCTT TGATTGCATT AACTCTATAG TCACCTAATC GATTTAGATG 4440

CTGATACATC GTTTGAGACT GAAGCTCTAC TGATTCTAAA ATAGATTTTA TATCATTAAC 4500

AAGAGTAGTG TTATCTTTTT GAACGATATT AGGTGTATAT TTAATTCCTA AGTCAGTTAT 4560

AGTATATTCT TTTACATTAC TTAAACCTTC ACTGCTACAA CACAAGTTAA AGTAATCTTT 4620

TGTACCGTCC GCATAGTGAA CAATAATTTT ATTAGCTTCA TCTAGGTTTG TGATAAACTC 4680

ATTGTTGTTC ATCGCGGTAA CAGAAAGAAC TTCTTTAGTA TTTAGATGGT GTTCTTTATT 4740

TAATTTATTA CCTTGATATA CAATATAATC TTTATTGTAG AATGGTATTA ATTTTTCAAG 4800

ATTTTTATAG GCTTGGTTAT ATTCAGCGTT ATAATCTTGA ATACTAGAAT AGGCTTTTTC 4860

TTCATTAAGT TTTGCAAGAG GAGATAGATC ACTTTCTAAT TTATCAGCAG TAATATTGAA 4920

AGTAGTAACT TTAGCATCAG CTTGTTCTTT AGTTAATTTA GTAAATGTTT TAGATTTCCT 4980

AAATGATCTA TTACCTGACG AATATCCCTC TACCGCATAT AAATCTTTTA TATGAGCACT 5040

AGCATAATCA GAATCATCAA CGTCGTTAGA GCCGAATAAC TCCTCTCCAC GGATAATCTT 5100

AGCATAGCTG ACAGAATTAC TTACCGTACC TACAGGCCAA GTCTTACTTG CTATTGCTCC 5160

AACTTCTACT GGATTTGAAA CATCTATTTT ACCTTTTACA ACCGACTCAG TTAGGAGAGC 5220

TTTTGTACCA ATAAGATGGT CTAGAGTTAA TCCATAATCT ACTTTAGGAA CTAACAAGCT 5280

GGCGCGTGTT TTGTTTCCTG TAATAGTAGC ATCAACATAT GCTTTTCTAA CAATTCCTCT 5340

```
ATAGTTTGTA CCTGCAATTC CCCCTGTATG AGAGCCATTT CCACTTGTAG AGTGTAGTTT    5400
GCCAAAGAAA GCAACATTTT CAATACGAGT TCCATCATTC ATATTATTTA CAAATCCAGC    5460
AACATTATTA CGACCTGAAA GTGTGCCTGT AATTTTGACA TTTGTAATAA CTGAAGAACC    5520
TTTCATAGTA TTGGCTAATG ATGCAATATT ATCTTGACCA GAACGTTCTA TCTCTACATT    5580
TTCAAAATTC ACATTATTTA TCGTTGCGTT TGTTATCACA TTAAATAATG GATGTTCCAA    5640
TTCAGTAATA GCAAATTGTT TTCCTTCAGA ACTTAAAAGT TTTCCTGTGA ATTCTTTAGT    5700
GATATATGAT TTTCCATTAG GAACAACATT TCTAGCGCTC ATTGATTGTC CCAGACGATA    5760
TTCTTTTGAA GGATCGTTTT GAATAGCTTC CACTAATTCT TTGAAATTAT AATATACATT    5820
ATCTTCGTGG ACTTTAGGTT TTTCAATATA GTGAACGTAT TCTTCTTCAA ATTTATTATC    5880
AGCAGTTCTA GAGACTAAAT TGTCTGCGAT TGCTGTAACT TTATATACAG GTGTTCCGTT    5940
AACCGTAGTT TCTTCTATAT TTTTAACAGC TAGTAATGTA GTTTTCTGAT TATTTGAAGT    6000
TATTTTTAAA TAATAATTGC TCTTATCATC AGGAATAGTT GTTATCAGTG ATTCATTAGT    6060
TTCTTTTCCA TTTTCGTATT TGATTAAATC TGTACGTTTA ATATTTTTAA GCTCAACTTT    6120
TTTAAGATCT AATTGAATAT TTTGATTTTC TAGAGTTTCA GTTTCTTCAC CGTTACCTCT    6180
GTCGTAAATC ATAGTTGTAG ATAGGGTGTA TTCTTTGTAG TACTCTAGGT TCTTAAATGC    6240
AGCGCTTATA GTTTCTGTTG TTACCTTGTC ATCTGTAAGG ACTACAGTAT TAATAACTTC    6300
TTCTCCTTTT TTCAATTCAG CTGTGATTGA TTTGATTTTT GTTTTGTTTT GATTTTCTAG    6360
AGTATACTTA GCAACAGCTT CACGTTCCAA TATTTTCTTA TCGGTACTAG TCAATGTTAA    6420
TATTGGCTTT TCAGATAATT CAACCAATTT TTCAATAGTT GCAGTTAATT TTTCAACAGC    6480
TTCGTTAACT TCACTTTGTT TAGCATCTGT ATTAGCTGCA ACTTTTTCAG CCTTTGTAAC    6540
TTCAGTTTGG AGGTTTTGCC AACTTCTATC ACTGTAATGT TCTTTTACCT TTGTTTTTGC    6600
ATCTGCAATC GTATTGTTTA ATTCAGTTTT ATCAACGTTT AGAGCGTCAA TAGCCGTTTT    6660
AAGTTTATTT GTCTCGCTAT TTACCTCAGG CTGTTTTACA GGCTCTGAAG CATAGACACC    6720
TTTTGCAGTT TCTAAAACAG GTCCAAGAGC ATTGTAACTT GCTGTAGAAT AATCAGTAGG    6780
AGAAACTGAA CTAGCTTTAT CAATTTGATT ATTTAACTCA CTTTTATCAA CTGGTTCTTT    6840
AGTACCAATA CCCTTTATTT TATCTTCTGG TTTCGGTGTT TCCTCTACAG CCTTCTCTTC    6900
TTCAGGAACT TCTGGTTGCT TTTCTGGCTC AACTGGTGCC GTTGGTGCCT GTTCGTCTTC    6960
TCTTGGCGCG ACTGGTTCAC CTGCTTGTTC AACTTTTGGT TCCTCTGTTG GTTCTGTTTG    7020
TTTTTCTACA GCAGGCGTTT CAACTTTTGG TTGTTCAATA GATTGATTAA CAGTCTCCTC    7080
TTTTGGTTCT ACAGTTTCTT CAGCCTTGGT ATCTGGAGTT GACTCTTCTT GTTTCGGTGT    7140
```

```
TTCCTCTACA GCCTTCTCTT CTTCAGGAGC TTCTGGTTGC TTTTCTGGCT CGACTGGTGC      7200
CTTTTCGTCT TCTCTTGGCG CGACTGGTTC ACCTGCTTGT TCAACTTTTG ATTCCTCAGC      7260
TGGTTTGTCT GATGGTTGAC TTTCTGGCTT AACTGCTACT TTTTCCTCTG GTTTTGACTC      7320
AACTTCTCCA CCTACTTCTT CAACTGGAGC TGGTTCTGCT GAATCTTCTT TCCCCTCTTC      7380
TACTTTAGGA AGGGTGTCGT CAGTAGGTTT TACCTCCGAT TTTGGTTCTT CCTTTGGACT      7440
TTCTTCTGTT TTAGGTGCTT CTTCTTTTGG AGCTTCCTCT GTCTCTACTA CTTGGTTTTC      7500
TGTCCTAGCT TGCTCCTGAT TTGTTATTGA TTGAGGAGTC TCAACTTCGA CCACAGTCAC      7560
CTCTCCAGGT TTTGCTGAGG TTTCTTCTAA AACAGTGTCC AAGCCAAGCG TTTTGAGGAT      7620
GTCACCTGAT AGATAACCAA CATAGCGATA GCCCTCCATT TCAACAACAC CCTCTCGACT      7680
AGCCAGCGCT AGGGTCGCAA CTGGGTCTAC AGCCCCTGCA CTAGGAAGAA CTACCAATCC      7740
CATAGCTCCA ACTAGAAAGA CGCTAGCAAT TTTCTTTCTC TTGTAGATTA AAAGCAAGCT      7800
CCCAACAGTC AGCAAACCAA AAGCTGTCAA AACAGATGCT TCTGTCCCTG TTTGAGGCAA      7860
CTGATCTTTT TGATACACCA AACCATATAC AACTTCATTC CTGTCAGGCT TTCCTGTCTG      7920
AATTAAATCT TTAGCTTCTT GTGAAATAAT CTCTTTATTT ACATAGTGAT AGGTGGCTGC      7980
GTCCACTACA GAAGGAGCCA TCAAAAGGCT TCCAAGAAAT ACAGAGCCTA CAACTCCCTT      8040
AATCTTACGA ATTGAAAAAC GGTCTTTTTT AAACACTTTT ATCTCCTTTA TTCATTCTCA      8100
AAACTTCCTA ATAGCATCTT GCGGATAGTG CGCACGCGCA CCTCCGATTA ATTTTGGACG      8160
ACTAGCCAGT GCCGTTACAT GGGCATGACC AATCTCTCTC AAAATAGGGC GAATCGGAAC      8220
CTGAACATGC TTGACATGCA TGCCAATTGC AGTGTCTCCG ATATCCAATC CAGCATGAGC      8280
CTTGATAAAT TCAACCTCAA CTGGATCCTG CATAAACTTA AAGGCTGCCA ACTGCCCCGA      8340
ACCTCCTGCA TGAAGAGTAG GATGGACACT GACAATTTCC AGACCAAACT GCTCTGCCAC      8400
CTGACGTTCA ACAACGAGAG CCCGATTGAC ATGCTCACAA CCTTGAACTG CTAAATGGAT      8460
ACCTCTACTA CCTAGAATAT CCAAGATAGT CTCCACTATC AGCTCACCAA TCTCTTGACT      8520
GGATTCTTTC CCAATATGAC CACCTAGCAC CTCACTAGAA GATAGACCTA AAACAAAAAG      8580
GGCCCCCTGC TTCAAATTGG TCTTTTCTAA AACATCTTCC ACTACCTGAC GTGTTTCTCT      8640
TTGAATCTGT GTCTCGTTCA TCTCTGTTAC CTCTGTTGTC ACTCTTCTAT CATACCGTTT      8700
TTTCTTGTTT TTAGCAAGAT AGACAACCTA GAAAGTTTGC CCAATTACGC ATAAAACTCC      8760
CAGAATTGAC TGGGAGTTAG CTAGTTTCTA TTCTATTTAT ATATATTTCA ACTTTCGTCC      8820
CTTTTTGGGG TCTAGAATCA ATCTTCATAT GGTAATTGGC TCCAAAATGA AGTTTGAGCC      8880
```

```
GTTGATCGAC ATTTTGAAGA CCAACTCCCC CACGTTTGAG TTGACTTTGA CTACTATCAC     8940
CAGCATCTTG GAAGCCAACG CCATCATCCT CAATACGGAT GACCAATCCC GAATCCTGTT     9000
TCTGGACAGA AAGTTTAATA TGGCCCTGAC CTTCCTTTTC CTTAATGCCA TGGTAAAGAG     9060
CATTTTCTAC AAGGGGTTGT AGGACCAGCT TGGGTAAGAC TAAATTATCA AAGGCAACAT     9120
TTTCATTAAT TTCGTATTCC AGCTTATCTC CATAGCGTTG TTTCTGGATA AAGAGATACT     9180
GGCGGACATG ATTGATTTCG TCAGAGAGAC AAATCAAGTC CTTGCCTTGA TTGAGCGCCA     9240
AGCGGAAATA GGTTGCCAAG GACTTGGTCA CCTGCACCAC TCGCTGACTA TCATGAAATT     9300
CAGCCATCCA GATGATGGTG TCCAAAGTGT TATAGAGGAA ATGTGGATTA ATCTGGCTCG     9360
AAAGGGCTTG AAGTTGGTAC TGACGGGTCG TTTCTTCCTG GCTACGAATA GCTACCATCA     9420
ACTGATCAAT CTGATCCAAC ATAGCATTAA ATTGGCGAGT TACTTCTCTC AGTTCATAGG     9480
CACCAACTTC CTTGGCACGA AGATTTTGAG CACCAGAAGC AATTTCCAAC ATGGTTTCTC     9540
TCAAATCCTT CAAAGGAGCA ATCCAGCGTT TAAGACTGAA CCACACTAAG CAGAGACAGA     9600
CAAGAAGAGA TGTGACACTG GCCCCAAGCA AGGTCCACAA GAGCTGACTC CGAACCTGGT     9660
CTAACTTTTC CAATGATGAC ACGCCAAGCA CCGTCCAATC AGTTCCTGCA ATCTTCTCTT     9720
GACTGACGTA GGATTTGTGA CCAGGAGTAT AACCCTGACC TGTATCGATG TAGGGTTTCA     9780
TAGCCTCCAT TTTGCTAGAC GAACTATAAA CTGTGTGTTG AGGATGGTAG ACAAATTCAT     9840
GGTTTTCATT GATAATGAAG GCAAAGCCCT GCTGCCCCAA CTGGAGTTGA TTGAGATAGG     9900
CTTCCAGAGT TTCATAAGAA ATATCCAAAC GAAGCACACC AAGATTGGCT CCCTTTGCAT     9960
CAACAAGTTC TTGAGTGACA GAAATGACCC ACTGACTATC TGATTTACGA GCTGGAGTCA    10020
AAACAGGCAT AGCTCCCTGA TGAATGGCCT TTTGGTACCA ATCCTCAGCC ATCATATCAG    10080
AGGAAGTTTT CATCTGCACA CTGTCATCTG TAGAAATGAC CTGACCAGAT TTGGTCACCA    10140
GCACAACAGT TTTCAAGTCC TTATCTGACT TCAAGATGGT CAAAAACAAA TCTCGGATTC    10200
CCTCGACCTT GTCTTGACTG GGATTCTCAG CATAGGCCAG AACATCCGTC TGCTGGGTCA    10260
AACCAGTCGA GGTGGTTTCT AGTTTTTTGA TATAAGACTG AATAAAGTGG CTAGTCTGGC    10320
TGATGGTCGT TTGGCTGTTG CCCTCAATGG TGGCCTCAAT GGCTGAAGAA CTTGATTGAT    10380
AGTAGAAAGT TCCAACCAGA GCTAGGAGAA TGAGAAAGAC CAGAAAGATG GAAATAACCA    10440
TTCTAACTAA AAGAGAAGAA CGCTTCATCG GTCTTCTCCC TTCTTAAACT GACGAGGTGT    10500
CACACCTGCA ATCTGCTTAA AACGTTGGGT AAAATAGTTC ATATCTTCAA AACCAACCTT    10560
CTCTGCGATC TCATAAATCT TCAGATCTGT AGTTAAAAGC AAGAGCTTGG CTTGTTTAAC    10620
ACGTTCTCTC ACCAGATAAT CCTGAAAAGG CAAGCCCAAC TCTTTCTTAA TCAAGGAACT    10680
```

CAGATAGGTC GGACTAAAAC CTAAGTCACT GGCTAAAGAC TTTAAACTAA ATTGGCTATC 10740

AGCCAGATGA GACTGGATTT TCTGGGCCAT GTTTCCTTCA AACCTATTAG TCAATAAATC 10800

TTGTAACTGC TCTTCTTTCT CTTCCTTGTC TAGTTTTTGT TTGATTTTCC CCAACATTTC 10860

CTCAATATCC TGACGAGAAA AGGGTTTGAG CAGGTAGTCG TCCACACCTA GTTTGACAGC 10920

AGACAAGGCA TAATCAAAAT CATCGTAACC TGTTAAAAAG ACCAAATGAA CCTGAGGATA 10980

GGTTTCTCGT ACCAGACTGG CCAACTGGAT GCCATTTAGA TGAGGCATGT TGATATCGGT 11040

TAAAATGATA TCTGGCACCT GCTTTTGGAT CAATTCCCAA GCCTGCCTTC CATTTTCAGC 11100

CTGACCGATG ATTTCCATAT CGTAGGCTGC TACATTGACC AGTTTAGTCA AACCTTGTCT 11160

TACCAGATAT TCATCTTCTA CGATTAAGAT TGTGTAGGTC ATGCTCTGCT CCTTTACCAC 11220

TTACTAGTAT CAGTATAGCA AAATTCTCCT CTAACTGCTT AGGAAAGACC TCTTATACTC 11280

AATAAAAATC AAAAAGTAAA CTAGGAAGAT AGCCACAGGT TTCTCAAAGT ACCGCTTTGA 11340

GGTTGTAAAT AAAACTGACG AAGTCGACTC AAAGTATAGC TTTGAGGTTG TAGATAAAAC 11400

TGACGAAGTC GATAACCCTA CATACGGTAA GGCGACGCTG ACGTGGTTTG AAGAGATTTT 11460

CGAAGAGTAT TAATCAACAT AATCTAGTAA ATAAGCGTAc CTTTTTCTTC CATTTGGTCT 11520

TTGGGAATAA AGCGGATAGA GAGGCTATTG ATACAGTAAC GTAAGCCGCC CTTGTCCTGT 11580

GGACCATCCG TAAAGACATG CCCAAGGTGA GAATCTCCTA CTCGGCTCCG CACTTCCATA 11640

CGCGTCATAT TGTAGGACTT ATCTTCCTTG TAGGTGACAA CATCTGGACT GATGGGTTGG 11700

GTAAAACTAG GCCAGCCACA ACCAGACTCA AATTTGTCTT TTGATGAAAA GAGAGGTTCC 11760

CCAGTTGCTA TATCCACATA GATACCGGAT TCAAATTTAT CCCAGTAACG GTTTGAGAAA 11820

GCTCGTTCTG TTTGATTTTC CTGGGTAACT GCATACTCCT CAGGTGACAG GGTCTTTTTC 11880

AATTCCTCAT CACTTGGTTT TGGATATTTG CTGGCATCAA TGACAGGATA GGCCGCCTGA 11940

TTAACATTGA TATGGCAGTA GCCATTTGGA TTTTTCTTGA GATAGTCTTG ATGGTAATCC 12000

TCAGCCACCA CAAAATTCTT CAAGTTTTCC TTTTCAACTG CTAGAGGTTG ATCGTATTTC 12060

TTAGCCACCT CATCAAAGAC TTGGTTAATC ACTTCCAAAT CCTTGTCATC TGTGTAATAA 12120

ACACCAGTAC GGTACTGGGT CCCCACATCA TTTCCTTGTT TATTTTTGCT GGTTGGATTG 12180

ATAATGCGGA AATAGTGAAG CAGGATTTCC TTGAGAGAAA TTTGCTTGGC ATCATAGGTG 12240

ACATGGACGG TTTCTGCATG ACCTGTTTGG TTAATCAATT CGTACTTGGT TGTTTCTCCT 12300

CTACCATTTG CATAGCCTGA AACGGCATCC GTCACCCCGG GAACACGTGA GAAATATTCC 12360

TCCACTCCCC AGAAACAACC TCCAGCTAGA TAAATTTCGT GCAAGTCTGC GTCTTTACTA 12420

```
ATTTCTGTTT TTTTCACTGC TTTTCCTCCT TGGCTAACTG CCGCCTTTTC AATTTGCGAG     12480

GCATCTGTCT GCCCTGCATT TCGTATCAAT AGAACATAGA AACCGGTTAT GGCTAGAAAA     12540

AATACTCCTA GCAACAAGAA GATTTTTAAC TTATCATTCA TAAGACGCCT CCTAGGCTAA     12600

TTCCTTCAAA GTTTGCAAAA TTGCATCTTT TTCCATGAAT CCTGGATGTG TTTTGACCAG     12660

CTTGCCTTCT TTGTCTATAA AGGCTTGGGT TGGGTAAGAA CGGACACCAT AAGTTTCCAA     12720

AAGTTTGCCT GATGGGTCAA CTAGGACTGG GAGATTTTTA TAATCCAATC CCTTATACCA     12780

ATTCTTAAAG TCCGCTTCAG ATTGCTCTCC CTTATGTCCT GGTGACACTA CTGTCAAGAC     12840

CACATAGTCA TCACCAGCTT CTTTAGCAAT CTCATCCGTA TCTGGAAGAC TAGCCAGACA     12900

GATGGAACAC CAAGAAGCCC AGAATTTGAG ATAGACTTTC TTGCCCTTGT AATCAGATAA     12960

ACGGTAGGTC TTGCCATCTA CTCCCATCAA TTCAAAATCA GCCACCTCTT TCCCTTTAGC     13020

TGCGCTTGTT TTACTAGCTG TCTGCTCCGT CTTCATTTCA TCTTTCGTTT GGTGTTCACT     13080

AGTCACGGAC TTGCCTGAAC AAGCCGTCAA ACAAAGGAGC GAACCTGCTC CAAGAACACA     13140

TGTTTGCCAT TTTTTCATAT TGATATTCCT TTCCATTTTA TTCAAATAAT TGACTTAAAA     13200

TTGAAGCATT TCCAAACAGA ACCAAGAAGC CCATCACAAT AATGAGAAAA CCACCCACTT     13260

TTTTGAGGAT TCCGAGATAG GGATGAAGTT TTCGGAAATG TTTCAAAACA TAACTAGAGG     13320

TCAGAGCTAG AAGCAAGAAT GGTAGCGCCA AGCCCAGCGT ATACACCAAC ATGAGACCAG     13380

CTCCCTGCCA AGCTCCTGAA CCACCTGAAG CCGCCAAGGC CAAAACAGAC CCCAGAACCG     13440

GCCCCACGCA AGGCGTCCAA GCAAAACTAA AGGTCAAGCC CAATAAAAAT GCCTGACTAT     13500

AGCCCTTACC ATTTTGCCCC TGTCCTTGCA GTTGTAGCCT CTTTTCCTTA TAAAGCCCCT     13560

TAAAGTGTAG AATCTCCATT TGGTGCAAAC CAAGAAGGAT AATAATTGCC CCAGTAAGAT     13620

ATTGGAACCA AGAAGCATAA AGCAAATCGC CTAAAAAACC AGCTCCATAG CCCAACAAAA     13680

TAAATATAAA GGAAATTCCT GCTATAAAGG CCAGAGTTCG TAATAAACTA GTAACTGAGA     13740

TTGAAAATTT GCCGCTAGAA GCCTGAGCAC CATCCTTATC ATCTAGTAAC ACTCCTGTAT     13800

AGACCGGTAA CAAAGGTAAG ATACAAGGAG AAAAGAAGGA TAGAATCCCT GCCAAAAAGA     13860

CACTTAGAAA AAAGAAAATA TGACCCATAA AGTTCCTCCT ATCATTTTAT TGATAGATTT     13920

ATTATA                                                                13926
```

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20199 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

```
CCCAGCAGAA AAATGGCATT TGGAGATAAT GGAAATCGTA AAAAAACTAT GTTTGAGAAA      60
ATAACCTTGT TTATCGTGAT TATCATGCTA GTAGCAAGTT TATTGGGAAT TTTTGCAACT     120
GCAATTGGTG CCCTCAGTAA TCTATAAAAT AGATTCAAGA AAATTTAGTG ACTGGGATTT     180
CCCAGCCCTT TTTTAAAGTG AGAAGAAATA ATGAGTATGT TTTTAGATAC AGCTAAGATT     240
AAGGTCAAGG CTGGTAATGG TGGCGATGGT ATGGTTGCCT TTCGTCGTGA AAAATATGTC     300
CCTAATGGAG GCCCTTGGGG TGGTGATGGT GGTCGTGGAG GCAATGTGGT CTTCGTTGTA     360
GACGAAGGAC TACGTACCTT GATGGATTTC CGCTACAATC GTCATTTCAA GGCTGATTCT     420
GGTGAAAAAG GGATGACCAA AGGGATGCAT GGTCGTGGTG CTGAGGACCT TAGAGTTCGA     480
GTACCACAAG GTACGACTGT TCGTGATGCG GAGACTGGCA AGGTTTTAAC AGATTTGATT     540
GAACATGGGC AAGAATTTAT CGTTGCCCAC GGTGGTCGTG GTGGACGTGG AAATATTCGT     600
TTCGCGACAC CAAAAAATCC TGCACCGGAA ATCTCTGAAA ATGGAGAACC AGGTCAGGAA     660
CGTGAGTTAC AATTGGAACT AAAAATCTTG GCAGATGTCG GTTTAGTAGG ATTCCCATCT     720
GTAGGGAAGT CAACACTTTT AAGTGTTATT ACCTCAGCTA AGCCTAAAAT TGGTGCCTAC     780
CACTTTACCA CTATTGTACC AAATTTAGGT ATGGTTCGCA CCCAATCAGG TGAATCCTTT     840
GCAGTAGCCG ACTTGCCAGG TTTGATTGAA GGGGCTAGTC AAGGTGTTGG TTTGGGAACT     900
CAGTTCCTCC GTCACATCGA GCGTACACGT GTTATCCTTC ACATCATTGA TATGTCAGCT     960
AGCGAGGGCC GTGATCCATA TGAGGACTAC CTAGCTATCA ATAAAGAGCT GGAGTCTTAC    1020
AATCTTCGCC TCATGGAGCG TCCACAGATT ATTGTAGCTA ATAAGATGGA CATGCCTGAG    1080
AGTCAGGAAA ATCTTGAAGA CTTTAAGAAA AAATTGGCTG AAAATTATGA TGAATTTGAA    1140
GAGTTACCAG CTATCTTCCC AATTTCTGGA TTGACCAAGC AAGGTCTGGC AACACTTTTA    1200
GATGCTACAG CTGAATTGTT AGACAAGACA CCAGAATTTT TGCTCTACGA CGAGTCCGAT    1260
ATGGAAGAAG AAGCTTACTA TGGATTTGAC GAAGAAGAAA AAGCCTTTGA AATTAGTCGT    1320
GATGACGATG CGACATGGGT ACTTTCTGGT GAAAAACTCA TGAAACTCTT TAATATGACC    1380
AACTTTGATC GTGATGAATC TGTCATGAAA TTTGCCCGTC AGCTTCGTGG TATGGGGGTT    1440
GATGAAGCCC TTCGTGCGCG TGGAGCTAAA GATGGGGATT TGGTCCGCAT TGGTAAATTT    1500
GAGTTTGAAT TTGTAGACTA GGAGACTGGT ATGGGAGATA AACCGATATC TTTCCGAGAT    1560
GCGGATGGTA ATTTTGTTTC CGCCGCAGAC GTTTGGAATG AAAAGAAATT GGAAGAACTA    1620
```

```
TTTAATCGTC TCAATCCAAA TCGTGCCTTG AGATTGGCAC GAACTAAAAA GGAAAATCCA    1680
TCTCAGTAAA GAAGCTAAAA AATCCCGTGC CTCATCAGAC ACGGGATTTT GTGGTACGAC    1740
AGGCATGTAT AGCAAACTGA ATCTGGAATA GCACAGCATA TCTTCTAAAA TATAGTAAAA    1800
TGAAATGAGA ACAGGACAAA TCGATCAGGA CAGTAAAATC GATTTCTAAC AATGTTTTAT    1860
AAGCAGAGAT GTACTATTCT AGTTTCAATC AACTATATTG TTATAAATTG ATTTGAATTT    1920
CAAAATTAAA TTGTTTGATT CTTATTTCAA TTTGTTATAG TATATCTGAT GTCAAAGTTC    1980
TCGGCGAGTC AAATAGCGAT TCCCAAGCCT GACTATCGTG AGGTAGCGGA TTAAAATGGT    2040
CTGGGGATAG ACCGTTTTAA GTCTGACGCT GGAAATAAGA ATTGTCAGAA GAAGGGATAG    2100
CGAAATCGTG GCTCTACGAA CAGGAACGTG ATAATAAGGC GTATATAGCG GATAAGAGGG    2160
CATCAAACTC TAAAGTCCAA AAAGGTAGTC GTAACCTATA TGCGTAAATC ACGAGAGTAA    2220
TTGAATTCGT ACTAAGATTT TCTATTTTCA CTGTAACCTT TTAACGCCCT TATATCTTGT    2280
ATACACGAGG AAAGATGTAC GACTTATCCC GTGAGGTCTA TCACTATAAA GAGAAAACGA    2340
CAGATAGAAG TGATCCTGAG TCACGGTTAT CTGTCTGATA GGACGGTATG TATAAAACGC    2400
TTCTGTGAAC TGAGAGAAGG GGGAGAAGTT CTTGCTAAAA TTTAGTTGAA CAGCCGTATT    2460
CCGATACTTA GATAAGAGAT CTAGTCTTAG CTCCTACTCA GTTTTAGGGG ATAAAAAAGG    2520
GGCAATAGCG ATTCGAGAAA GATTATACTC TTCGAAAATC TCTTCAAATC ACGTCAATAT    2580
CGCCTTGTCG TATGTGTAGG ATACTGACTA CGTCAGTTCC ATCTACAACC TCAAAACAGT    2640
GTTTTGAGCA ACcTGCGGCT AGTTTCCTAG TTTGATCTTT GATTTTCATT GAGTATTAGT    2700
AATTCAGTTA CTAACTCGTC AACTCTGATT TATCCAATAA AATTGAAAAG GATGGAAAAA    2760
AGGATAAATT TATGATATAC TTTATTTTGA AGACCTTATT AGAAATCTTG AAAGAGTATT    2820
GAAAACTTAG AATGAGAAAA ATTGTTATCA ATGGTGGATT ACCACTGCAA GGTGAAATCA    2880
CTATTAGTGG TGCTAAAAAT AGTGTCGTTG CCTTAATTCC AGCTATTATC TTGGCTGATG    2940
ATGTGGTGAC TTTGGATTGC GTTCCAGATA TTTCGGATGT AGCCAGTCTT GTCGAAATCA    3000
TGGAATTGAT GGGAGCTACT GTTAAGCGTT ATGACGATGT ATTGGAGATT GACCCAAGAG    3060
GTGTTCAAAA TATTCCAATG CCTTATGGTA AAATTAACAG TCTTCGTGCA TCTTACTATT    3120
TTTATGGGAG CCTCTTAGGC CGTTTTGGTG AAGCGACAGT TGGTCTACCG GGAGGATGTG    3180
ATCTTGGTCC TCGTCCGATT GACTTACACC TTAAGGCGTT TGAAGCTATG GGTGCCACTG    3240
CTAGCTACGA GGGAGATAAC ATGAAGTTAT CTGCTAAAGA TACAGGACTT CATGGTGCAA    3300
GTATTTACAT GGATACGGTT AGTGTGGGAG CAACGATTAA TACGATGATT GCTGCGGTTA    3360
AAGCAAATGG TCGTACTATT ATTGAAAATG CAGCCCGTGA ACCTGAGATT ATTGATGTAG    3420
```

```
CTACTCTCTT GAATAATATG GGTGCCCATA TCCGTGGGGC AGGAACTAAT ATCATCATTA    3480

TTGATGGTGT TGAAAGATTA CATGGGACAC GTCATCAGGT GATTCCAGAC CGCATTGAAG    3540

CTGGAACATA TATATCTTTA GCTGCTGCAG TTGGTAAAGG AATTCGTATA AATAATGTTC    3600

TTTACGAACA CCTGGAAGGG TTTATTGCTA AGTTGGAAGA AATGGGAGTG AGAATGACTG    3660

TATCTGAAGA CAGCATTTTT GTCGAGGAAC AGTCTAATTT GAAAGCAATC AATATTAAGA    3720

CAGCTCCTTA CCCAGGCTTT GCAACTGATT TGCAACAACC GCTTACCCCT CTTTTACTAA    3780

GAGCGAATGG TCGTGGTACA ATTGTCGATA CGATTTACGA AAAACGTGTA AATCATGTTT    3840

TTGAACTAGC AAAGATGGAT GCGGATATTT CGACAACAAA TGGTCATATT TTGTACACGG    3900

GTGGACGTGA TTTACGTGGG GCCAGTGTTA AAGCGACCGA CTTAAGAGCT GGGGCTGCAC    3960

TAGTCATTGC TGGGCTTATG GCTGAAGGTA AAACTGAAAT TACCAATATC GAGTTTATCT    4020

TACGTGGTTA TTCTGATATT ATCGAAAAAT TACGTAATTT AGGAGCGGAT ATTAGACTTG    4080

TTGAGGATTA AACCGTAGAG GTGTTTATGA ATATTTGGAC CAAATTAGCA ATGTTTTCTT    4140

TTTTTGAAAC GGATCGCTTG TATTTGCGTC CTTTCTTTTT TAGTGATAGT CAGGACTTCC    4200

GCGAGATAGC TTCAAATCCA GAAAATCTTC AATTTATTTT CCCAACGCAG GCAAGTCTGG    4260

AAGAAAGTCA ATATGCACTG GCCAATTACT TTATGAAGTC CCCTTTGGGA GTGTGGGCAA    4320

TTTGTGACCA GAAAAATCAA CAAATGATTG GTTCTATTAA ATTTGAGAAG TTAGATGAAA    4380

TCAAAAAAGA AGCTGAGCTT GGCTATTTTT TGAGAAAAGA TGCTTGGTCG CAACCATTTA    4440

TGACAGAGGT TGTTAGAAAA ATTTGTCAGC TTTCTTTTGA GGAATTTGGC TTAAAACAAT    4500

TATTTATCAT TACCCACCTT GAAAATAAAG CTAGCCAAAG AGTTGCTCTT AAGTCTGGAT    4560

TTAGTTTGTT CCGTCAGTTT AAGGGAAGTG ATCGTTACAC AAGAAAAATG CGGGATTATC    4620

TTGAATTTCG GTATGTAAAA GGAGAGTTCA ATGAGTAAGC ATCAGGAAAT TCTAAGCTAT    4680

TTGGAGGAAT TACCAGTAGG TAAAAGGGTC AGTGTTCGTA GCATTTCGAA TCATCTAGGA    4740

GTTAGTGATG GAACAGCCTA TCGGGCTATT AAAGAAGCTG AAAACCGTGG AATTGTGGAG    4800

ACCCGTCCTA GAAGTGGAAC AATTCGTGTT AAATCCCAGA AAGTTGCTAT AGAGAGATTA    4860

ACGTTTGCTG AAATTGCAGA AGTGACTTCT TCTGAGGTTC TGGCTGGGCA AGAAGGTTTA    4920

GAGAGAGAAT TTAGTAAGTT TTCAATTGGT GCCATGACTG AACAAAATAT CTTGTCTTAC    4980

CTTCATGATG GGGGGCTCTT GATTGTCGGA GACCGAACCC GTATTCAGTT GCTAGCCTTG    5040

GAAAATGAAA ATGCAGTTCT GGTTACAGGG GGATTTCAGG TTCATGATGA TGTGCTTAAA    5100

CTGGCCAATC AAAAAGGGAT TCCTGTTCTA AGAAGTAAGC ATGATACCTT TACCGTCGCG    5160
```

```
ACCATGATCA ATAAAGCCTT GTCAAATGTC CAAATCAAGA CTGATATTCT GACAGTTGAG   5220
AAACTTTATC GCCCTAGTCA TGAGTATGGT TTTCTGAGAG AGACAGATAC AGTTAAAGAT   5280
TATTTGGACT TGGTTCGTAA GAATCGTAGC AGCCGTTTCC CTGTTATCAA TCAACATCAG   5340
GTCGTTGTTG GTGTTGTAAC CATGAGAGAC GCTGGTGATA AATCACCAAG CACGACAATT   5400
GATAAGGTTA TGTCTCGTAG TCTATTTTTG GTTGGATTAT CGACAAATAT TGCCAATGTG   5460
AGTCAACGGA TGATCGCAGA AGACTTTGAA ATGGTACCAG TTGTTCGAAG CAATCAAACT   5520
TTGCTTGGCG TTGTGACGCG ACGAGATGTC ATGGAGAAGA TGAGCCGTTC CCAAGTTTCG   5580
GCTCTACCAA CTTTTTCTGA GCAGATTGGA CAAAAGCTCT CTTATCACCA TGATGAAGTA   5640
GTCATTACAG TGGAACCCTT TATGCTAGAA AAAAATGGAG TTTTGGCTAA TGGTGTATTG   5700
GCAGAAATTC TGACCCACAT GACCCGATTT AGTTGTTAAT AGTGGTCGCA ATCTCATTAT   5760
CGAGCAGATG CTGATCTACT TTTTGCAGGC TGTTCAGATA GATGATATAT TGCGCATTCA   5820
GGCACGGATT ATTCATCATA CGAGACGGTC AGCTATAATT GATTACGATA TTTATCATGG   5880
TCACCAGATT GTTTCAAAAG CAAATGTGAC TGTTAAAATT AATTAGAAAC TAGGAGAAAA   5940
GATGATAACA TTAAAATCAG CTCGTGAAAT CGAAGCTATG GACAAGGCTG GTGATTTTCT   6000
AGCAAGTATT CATATAGGCT TACGTGATTT GATTAAGCCA GGCGTAGATA TGTGGGAAGT   6060
TGAAGAATAT GTCCGCCGTC GTTGTAAAGA AGAAAATTTC CTTCCACTTC AGATTGGGGT   6120
TGACGGTGCC ATGATGGACT ATCCTTATGC TACCTGTTGC TCTCTTAACG ATGAAGTGGC   6180
TCACGCTTTC CCTCGTCATT ATATCTTGAA AGATGGTGAT TTGCTCAAAG TTGATATGGT   6240
TTTGGGAGGT CCCATTGCTA AATCTGACCT AAATGTCTCA AAATTAAACT TCAACAATGT   6300
TGAACAAATG AAAAAATACA CTCAGAGCTA TTCTGGTGGT TTAGCAGACT CATGTTGGGC   6360
TTATGCTGTT GGTACACCGT CCGAAGAAGT CAAAAACTTG ATGGATGTAA CCAAAGAAGC   6420
TATGTACAAG GGTATTGAGC AAGCTGTTGT TGGAAATCGT ATCGGTGATA TCGGTGCGGC   6480
TATTCAAGAA TACGCTGAAA GTCGTGGTTA CGGTGTAGTG CGTGATTTGG TTGGTCATGG   6540
TGTTGGCCCA ACTATGCACG AAGAACCAAT GGTTCCTAAC TATGGTATTG CAGGTCGTGG   6600
ACTCCGTCTT CGTGAAGGAA TGGTCTTAAC CATTGAACCA ATGATCAATA CAGGCGATTG   6660
GGAAATTGAT ACAGATATGA AAACTGGTTG GGCGCATAAG ACCATTGACG GTGGATTGTC   6720
ATGTCAGTAT GAACACCAAT TTGTCATTAC GAAAGATGGA CCTGTTATCT TGACTAGCCA   6780
AGGTGAAGAA GGAACTTATT AATAAAAAGT GAAAAGACTA CTGGAAGTTT ATTTTGATAA   6840
AAAATCCAGT AGATCTTTTC ATAATAAAAC GCATTGTATC AAGTGTTAGG GGCTGATATC   6900
ATGCGTTTTT CTGCTTTTAA GATTTTTTCC AACTCTGTTT GTAAGCGCAT CATAACAAAG   6960
```

```
GGTCTAGGAT TCAGGGCTCT CCTCCTATAT ACTATTAGTA AAGTAAAACT AAGGGAGGAT    7020
ATTTTAGTGT CGCAGTCTAT TGTTCCTGTA GAGATTCCAC AATATTGTCG TTTTGATTCT    7080
AAAAAGAGAA ATGGAATTCT GTTTAATGTT CGTATTGCCA ATCTTAAATT TACTTTTTTA    7140
TATTATACTT CCTGCGAAAC AAAATATGGT ATAGTAGTTC TATGAATGAT GAAGCAAGTA    7200
AACAACTAAC TGATGCACGA TTTAAGCGTC TTGTTGGTGT TCAGCGTACC ACTTTTGAAG    7260
AGATGTTAGC TGTATTAAAA ACAGCTTATC AACTTAAACA CGCAAAAGGT GGACGAAAAC    7320
CTAAATTAAG CCTAGAAGAC CTTCTTATGC CCACTCTTCA ATAGTGCGAG AATATCGAAC    7380
TTATGAAGAA ATTGCGGCTG ATTTTGGTAT TCACGAAAGC AACTTTATCC GTCGGAGCCA    7440
ATGGGTTGAA ATAACTCTTG TTCAAAGTGG TTTTACGGTT TCAAGAACTC CTCTCAGTTC    7500
TGAGGACACG GTAATGATTG ATGCGACGGA AGTAAAAATC AATCGCCCTA AAAAAACAAT    7560
TAGCGAATGA TTCTGGTAAA AAGAAATTTC ACGCTATGAA GGCTCAAGCG ATTGTCACAA    7620
GTCAAGGGAG AATTGTTTCT TTGGATATCG CTGTGAACTA TAGTCATGAT ATGAAGTTGT    7680
TCAAAATGAG TCGTAGAAAT ATCGAACAAG CTGGTAAAAT CTTGGCTGAC AGTGGTTATC    7740
AAGGGCTCAT GAAGATATAT CCTCAAGCAC AAACTCCACG TAAATCCAGC AAACTCAAGC    7800
CGCTAACAGC TGAAGATAAA GCCTATAACC ATGCGCTATC TAAGGAAAGA AGCAAGGTTG    7860
AGAACATCTT TGCCAAAGTA AAAACGTTTA AAATATTTTC AACAACCTAT CGAAATCATC    7920
GTAAACGCTT CGGATTACGA ATGAATTTGA GTGCTGGTAT TATCAATCAT GAACTAGGAT    7980
TCTAGTTTTG CAGGAAGTCT ATTGAGGTAT TGAGCTAGTT TATGAAAAAA TTGGGTGAAA    8040
AGTCGAGTGT TTTAGAAACC CACAGTGTAG TATTCTAGTT TCAATCCACT ATATTTTGCT    8100
ACTCCCCGTA AAGTTTCTAT TTTCCCTGAT TTCTGATATA ATAGAAATAT TGACTTCAAG    8160
AGTAAGGAAG AGAAGATGAA CGCATTATTA AATGGAATGA ATGACCGTCA GGCTGAGGCG    8220
GTGCAAACGA CAGAAGGTCC CTTGCTAATC ATGGCAGGGG CTGGTTCTGG AAAGACTCGT    8280
GTTTTGACCC ACCGTATCGC TTATTTGATT GATGAAAAGC TGGTCAATCC TTGGAATATC    8340
TTGGCCATTA CCTTTACCAA CAAGGCTGCG CGTGAGATGA AAGAGCGTGC TTATAGCCTC    8400
AATCCAGCGA CTCAGGACTG TCTGATTGCG ACCTTCCACT CCATGTGTGT GCGTATTTTG    8460
CGTCGCGATG CGGACCATAT TGGCTACAAT CGTAATTTTA CAATTGTGGA TCCTGGTGAA    8520
CAGCGAACGC TCATGAAACG TATTCTCAAA CAGTTGAACT TGGACCCTAA AAAATGGAAT    8580
GAACGAACTA TTTTGGGGAC CATTTCCAAT GCTAAGAATG ATTTGATTGA TGATGTTGCT    8640
TATGCTGCCC AAGCTGGCGA TATGTATACG CAAATTGTGG CCCAGTGTTA TACAGCCTAT    8700
```

```
CAAAAAGAAC TTCGTCAGTC TGAATCCGTT GACTTTGATG ATTTGATTAT GCTGACCTTG      8760
CGTCTCTTTG ATCAAAATCC TGATGTTTTG ACCTACTACC AGCAAAAATT CCAATACATC      8820
CACGTTGATG AGTACCAAGA TACCAACCAC GCTCAGTACC AATTGGTCAA ACTCTTGGCT      8880
TCCCGTTTTA AAAATATCTG TGTGGTTGGG GATGCGGACC AGTCTATCTA CGGTTGGCGT      8940
GGTGCTGATA TGCAGAATAT CTTGGACTTT GAAAAGGATT ACCCCAAAGC CAAGGTTGTT      9000
TTGTTGGAGG AAAATTACCG CTCAACCAAA ACCATTCTCC AAGCGGCCAA CGAGGTTATT      9060
AAAAATAATA AAAATCGCCG TCCTAAAAAT CTCTGGACTC AAAACGCTGA TGGGGAGCAA      9120
ATCGTTTACT ATCGTGCCGA TGATGAGCTG GATGAGGCTG TATTTGTAGC CAGAACCATC      9180
GATGAACTTA GTCGCAGTCA AAACTTCCTT CATAAGGATT TTGCAGTTCT CTATCGGACT      9240
AATGCCCAGT CCCGTACAAT TGAGGAAGCC CTGCTCAAGT CTAACATTCC TTATACCATG      9300
GTTGGCGGAA CCAAATTCTA CAGCCGTAAG GAAATTCGCG ATATTATTGC TTATCTCAAC      9360
CTTATTGCTA ATTTGAGTGA CAATATTAGT TTTGAGCGTA TTATCAACGA GCCTAAACGT      9420
GGAATTGGTC TAGGTACAGT TGAGAAAATC CGTGATTTTG CAAATTTGCA AAATATGTCT      9480
ATGCTGGATG CTTCTGCTAA TATTATGTTG TCTGGTATCA AGGGTAAGGC AGCCCAATCT      9540
ATCTGGGATT TTGCCAATAT GATGCTTGAT TTGCGGGAGC AGCTAGACCA CTTAAGCATT      9600
ACAGAGTTGG TTGAGTCCGT CCTAGAAAAA ACAGGTTATG TCGATATTCT TAACTCCCAA      9660
GCGACTCTAG AAAGCAAGGC ACGGGTTGAA AATATCGAAG AGTTTCTTTC TGTTACGAAG      9720
AACTTTGATG ACACCACGGA TGTGACAGAA GAGGAAACTG GTCTGGACAA ACTGAGTCGT      9780
TTCTTAAATG ACTTGGCTTT GATTGCCGAC ACAGATTCAG GTAGTCAGGA GACATCAGAA      9840
GTGACCTTGA TGACCCTGCA TGCTGCCAAA GGTCTCGAAT TTCCAGTTGT CTTTTTGATT      9900
GGGATGGAAG AAAATGTCTT TCCACTTAGT CGTGCGACTG AAGATTCAGA TGAATTAGAA      9960
GAAGAGCGCC GTCTAGCCTA TGTAGGTATC ACGCGTGCAG AGAAAATTCT CTATCTGACC     10020
AATGCCAACT CACGCTTGCT TTTTGGTCGT ACCAATTATA ACCGTCCGAC TCGTTTTATT     10080
AACGAAATCA GTTCAGACTT GCTTGAGTAT CAAGGTCTGG CTCGTCCTGC AAATACAAGC     10140
TTTAAGGCAT CATATAGCAG TGGTAGTATT TCCTTTGGTC AAGGTATGAG TTTGGCTCAG     10200
GCTCTTCAAG ACCGTAAACG CGGTGCTGCC CCAAAATCAA TCCAGTCAAG CGGTCTTCCA     10260
TTTGGTCAAT TTACAGCTGG CGCAAAACCA GCATCTAGCG AGGCAAATTG GTCCATTGGT     10320
GATATTGCTC TCCACAAGAA ATGGGGAGAG GGAACCGTTC TGGAAGTTTC AGGTAGCGGT     10380
GCTAGGCAGG AATTGAAAAT CAATTTCCCA GAAGTAGGTT TGAAAAAACT TTTAGCCAGT     10440
GTGGCTCCAA TTGAGAAAAA AATCTAATTT TCCATCCTTC TCACGAATAA TAAAGTGAGG     10500
```

```
AGGATTTTTA TGTACAGTAT TTCATTCCAA GAAGATTCAC TATTACCAAG AGAAAGGCTG    10560
GCCAAGGAAG GAGTTGAAGC GCTTAGTAAC CAAGAGTTGC TAGCTATTTT ACTCAGGACA    10620
GGAACACGTC AAGCTAGCGT TTTTGAAATT GCCCAAAAAG TCTTGAACAA TCTTTCAAGC    10680
CTAACGGATT TGAAAAAAAT GACCCTGCAG GAATTGCAGA GTTTGTCTGG TATTGGGCGT    10740
GTTAAGGCCA TAGAATTACA AGCTATGATT GAACTGGGGC ATCGTATTCA CAAACACGAG    10800
ACTCTTGAAA TGGAAAGTAT TCTCAGCAGT CAAAAGTTGG CCAAGAAGAT GCAGCAGGAA    10860
TTAGGGGATA AAAAACAAGA GCACCTGGTG GCACTCTATC TCAATACTCA AAATCAAATC    10920
ATCCATCAGC AGACCATTTT TATCGGGTCT GTAACTCGTA GTATCGCTGA ACCGCGAGAG    10980
ATTCTTCACT ATGCAATCAA GCATATGGCG ACTTCTCTTA TCTTGGTCCA CAATCATCCT    11040
TCAGGAGCGG TAGCGCCTAG CCAAAATGAT GATCATGTCA CTAAACTTGT TAAAGAAGCC    11100
TGCGAATTGA TGGGGATTGT TCTCTTGGAC CATTTGATTG TCTCTCATTC TAATTACTTT    11160
AGTTATCGTG AAAAGACAGA TTTAATCTAA AGTTCATTAA CGACATAGTC AAAGAGTTTT    11220
TTATCTTTGG GACGATTTTC AAAAAGAAGT TCTGGATGCC ATTGGACACC GAGAAAGGCG    11280
ACATCATCCG TACTCATGAC AGCCTCAATG ATACCATCTT TAGGATCATG AGCCACAACT    11340
TTTAAATTTG GTGCTAAGTC CTTGATGCTC TGGTGGTGGA AGGAGTTGAT ATGAGAGATT    11400
TCTCCATAGA TTTCTTGGAG AACGGTATCT GGTTCTGTTA CCAAGCGTTG AGTTGTGTAC    11460
TCAACAGAAG AATCCTGCCA ATGGTCTTCG ATATCTTGGT ACAAAGTTCC ACCCATGGCA    11520
ACGTTAAAGA GTTGGGTACC ACGGCAGACA GAGAAAATGG GCTTTTTCTG TTTAATAGCT    11580
TCCTTGATGA GGGCCAGTTC GAAGATATCT CTTTGAAGGT GATAGTCATC ACTATCAATG    11640
GTTTTGGGTT CGCCATAAAA TTTTGGATCG ACATTTTGCC CACCTGTCAA GATGAGCTTG    11700
TCAATCAAAC TGATATAGTG GCAGGCCATT TCTTGATCAC CAATCGGTAG GATGATGGGA    11760
ATCCCTCCAG CATCTTTAAC GCCTTCAACA AAGCCTTTTG CTGCGTAGCT CATCATGATG    11820
TCATCATCTG GATGAGTTTT TTCGTTTCCT GTAATCCCAA TAACTGGTTT TTTCATAAAA    11880
TGATTTTCGC TTTCTAATCC TCTTTTCGCA TGAAGTAGAG GAGGGTTTGG AGTTCACTTG    11940
TCAAATCGAC ATACTGAACG ACCACGTCTT TTGGTAAATG CAGATGGACT GGTGAAAAAC    12000
TGAGAATTCC TTTCACACCA GCATCAACCA AGAGATTAGC AACCTCTTGT GACTTGACGC    12060
TGGGAACAGT TAGGATAGCA GTCTTCACAT CAGCATCCTT GATTTTATCC TTGATCTGAG    12120
AAATCCCGTA AATGGGAATC CCGTCAGGAG TTTGGGTACC GACTTCAGGA TGGTCGTCTA    12180
GGTCAAAGGC CATGATAATC TTCATCTTGT TACGTTCGTG GAAGCGGTAG TGGAGAAGGG    12240
```

```
CATGGCCCAT ATTTCCAATA CCAACCAGCA TGACATTGGT AATAGAGTTG TCATTGAGCA    12300

AATCGGCAAA AAATGTCATT AGTTTTTTGA CATCATAGCC AAAACCACGA CGACCAAGTT    12360

CACCAAAATA GGAAAAATCA CGACGTACGG TCGCTGAATC AATACCGATA GCCTCTGCAA    12420

TTTGCTTAGA GTTGGCACGT TCAATCTTTT CTGCATGAAA TCTCTTAAAA ATTCGATAGT    12480

AGAGAGAGAG TCTTTTTGCT GTAGCTTTTG GAATAGCAAA CTGTTTATCT TTCACAAAAT    12540

CACAACCTTT CTATTCTTCT ATTTTATAGA AACATTGTGA AAAAATCAAC AAAAATAAGA    12600

AAAAACTAAG AAAAATCTTA GTTTTGATGT AAAAAATCTG CATGAGATAG AAAACGGTAG    12660

AGGTCTCCGA CCAGCCCCTG ATAAACTTTT TTGCCCCTAA AAGTCAGAGA AGTCACATAA    12720

AGTGTATCTG GTAAGGTTAC ACATCCTGAC AAAGTCAACA TGAGAGCCTC ATGATCCTCA    12780

TACTTGAGAG TACGCTCTAC ATGATAGCAG TCCTTATAGG TCAGTTCAAA CATTTTGGCT    12840

CTATCTTTCC GATTTTGTAA AGACACCACG TTCTACCAAG CTATCCATGA GGAAGTAGAA    12900

TTTTTCCTGA TGAATATGGT GGTCTTCTGA TTTGAAAATA TCAACTAGAC GAAGGCCAAA    12960

CTTGTCAGTG ATATTGATTT TAGCCCCTGT AAGTTCCTTG TTAATGATGA TTTTGAGTTG    13020

GAAGCCTTCA CCGCTGTTTG GCACTTTTTC CAAAAGGCGA GTCAGTTCAT AGTTACCAAC    13080

CTTAGTTTCA AAAAAGGTGT TATCTTTGAG GGTGAATTTT TTAACAGAAG GGCTAAGAGT    13140

GTAATCGTAA CGACAATTTT TTAACTGAAT GATTTTTTCA AATGCCATAT GGCTAACCTC    13200

CGATAATTTC TTTTAAGGTT TTTGCGAGGG TTTGTAGGTC TTCAACGGTA TTTTGTGGCG    13260

ACAAACTGAT GCGAAGGGAT TCCTTCAAGC GTTCTGAATT TGCGCCATAC ATGGCTTCAA    13320

GAACATGGCT GGATTGGACA ACGCCTGCAG TACAGGCTGA GCCAGTAGAG ATTGAAATTC    13380

CAGCTAAATC TAGCCGAAGG AGTAAGAGGT CATTTTTCTG ACCAGGAAAT CCAATATTGA    13440

GAACATAAGG GAGATGATGT TTTCCTCTAT TCAGGTAATA CTGAATGCCC TCCAGCTCTG    13500

CCAGAAAGGC AGTTTCTAGA TTTTGTACAT GTTGAAAATG TTCTTCTTGT TTTTCTAGGT    13560

CTTCTTTTAG GGCTGCAACC ATGCCTACAA TGGCAGGCAG ATTTTCAGTT CCTGCACGTT    13620

TTTTCTGTTC CTGGTCTCCG CCATGTAGAT AGGAATCAAA GTCCATGCTA GATGCGTAGA    13680

GAAAACCGAT TCCCTTAGGA CCATGGAATT TGTGGGCAGA AGCAGTGAGA AAATCAATGC    13740

CCAATTCTTC TGAATGAATT GGGATTTTAC CAATAGCCTG AACTGCATCA ACATGATAGG    13800

CAGCAGGGTG TTGCTTGAGT ATTTGGCCAA TTTCAGCGAT GGGCAGTAGG TTTCCTGTCT    13860

CATTATTGAC AAACATGGTA GAAACCAAAA TCGTATCGTC ACGTAAAGCC TTTTGAATTT    13920

GCTGGGCTGT GATTTCTTGA TTTTCTGGCT GGATAATGGT TGCTTCAAAC CCAAAGTGTT    13980

GAACCAAGTA ATCAATTGTT TCAAGGACAG CATGGTGCTC GATGGCAGTT GTGATGATAT    14040
```

```
GTTTTCCTTG TTCTTGGTGA CGAAGACAGT AGCCAATGAT GGTAGTATTA TTGCCTTCAG    14100
TCCCACCAGA AGTGAAAAAG ATATGTTGAG GTTTTGTCCT TAGTAACTGG GCTAGTTCCT    14160
GACGGGCTTC TCGCAAGAGT TTGCCAGCTT GACGACCATG ACCATGAATA CTAGAAGGAT    14220
TTCCGTGGGT TTCTTGCATA ACCTTGGTCA TAGCTGAAAT AGCAACTGCT GACATAGGAG    14280
TCGTTGCAGC ATTGTCCAAA TAAATCAAAG AATCACCTTA TTTCTTTTTA TTGTAGGCAA    14340
AGAGTGGGCT GACTGGTTTT CTTTCGTGAA TACGGACGAT AGCATCACCA ATTAACTCAC    14400
TAGCAGTGAT GTAGCATACA TTTTTAGGAG TTTTTTCTTT TGTTGCTACT GAATCAGTCA    14460
CAAGAATTTC TTTAATATTA GTATTGTCAA GAAGCTCAGC AGCTCCCTCG ACGAAGAGAC    14520
CGTGGCTAGA AACAGCATAA ATTTCTGTAG CTCCTTCACG TTCAACGATT TTAGAAGCTT    14580
CAGAGAAGGT ACGTCCTGTA TTTAAAATAT CATCAATCAA GATAGCTTTC TTACCTTCAA    14640
CATCACCAAT AATATAACCT TCGTTACGAG TTGCATCGTC TTGAGGGTAG TCGATAATGG    14700
CGATAGGAGC ATCAAGATAT TCAGCCAGGC TACGCGCACG TTTGACACCT GAATTTTTAG    14760
GGCTAACGAC AACAACATCT GAACCAAGCA ATCCTTTATC GCAGTAATGT TTTGCGAATA    14820
GGGGAACAGT GAAAAGATTA TCCACTGGAA TATCAAAGAA ACCTTGAACC TGAACGGCAT    14880
GCAAATCAAG AGTCAGGATA CGATCAACTC CAGCCTTAAC CAGCATATTG GCAACTAGTT    14940
TTGCTGTAAG TGGCTCACGA GGACAAGCAA TGCGGTCTTG ACGTGCATAG CCAAAATATG    15000
GAAGGACAAC GTTGATACTG TGGGCACTTG CACGCACACA AGCATCGACC ATGATTAACA    15060
ATTCCATTAG GTGGTTGTTG ACAGGGAAAC TTGTTGATTG GATGATGTAA ACATCATAAC    15120
CACGGACACT TTCTTCGATA TTTACTTGGA TTTCTCCGTC TGAAAATTGA CGTGATGATA    15180
GTTTTCCAAG TGGGACACCA ACAGCTTGGG CAATTTTTTG TGCAATCTCT TGGTTAGAGT    15240
TGAGTGCGAA AAGTTTCATG TTTTTTCTAT CTGACATTAT AGACCGTCCT CTGTAAACTT    15300
TATAAATCCT AGTTATATTT ACCTTACATA TATGAACTGG GATTTGTGTA TTTTTATCTT    15360
TTCTATTTTA CCAAAAAATG GAGATTATTT CAGCTATTTT TCATACTTTT GACAAATCGA    15420
ACCAATTTTG AAGGAGCTTT TTGATAGGAA ATCTGATTTT TCTCTAAAAA TTGTCGAAAA    15480
TCCTGTTTGC CTTGCTCATG ATTTTCCACT TCAAGCTCCA ATTCGTAATC TGTTATATCA    15540
AAGTATCGGC TCTGATCCAG TGCCATGAGA CCAATAGCTG TTTTCATTTC ATAGCGAAGC    15600
GTTGTTAGAC AACCAAGAAC CTGCCAGTTC TTACTTTGGA TACCATGTTT CGCCAATTCA    15660
TCCAGTACTA GCCCTTGAGG AAGTTCTTCC TTACTCAGAT AGTTCTCAGC ATCTTTTAGT    15720
TGCAATTTTT GGTTGTATTC CATGTTTCCA ACACTCTGCG GGACTTTGAG TGTCAACTCA    15780
```

```
GCCCAGTCTT CAAAGGTTCG AATGCGCATA GCGACTTTCT TTTCTCGCAG TTCAAAATCA      15840

GGCGTGTCGA TGTAGTAATT TGTTTGAAGA ACAGGAGTGA CACCTGTGAA CTGGTCTTTT      15900

AGACGATTGT ATTCATCTTT TTTCAATAGT GTTTTCAATT CAATTTCTAA ATGTTTCATT      15960

TTTCTTACCT TTTTTTATCG TTGAAAGCGG ATTTATGGTA TAATAAGCAT TGTATTTATT      16020

GTATATGAAT CTGGAGAAAA AATCAAAGAT ATTTTTGACG GATAATATGA GAACAAGGGA      16080

GAATATATGA CCTTAGAATG GGAAGAATTT CTAGATCCTT ACATTCAAGC TGTTGGTGAG      16140

TTAAAGATTA AACTTCGTGG TATTCGTAAG CAATATCGTA AGCAAAATAA GCATTCTCCA      16200

ATTGAGTTTG TGACCGGTCG AGTCAAGCCA ATTGAGAGCA TCAAAGAAAA AATGGCTCGT      16260

CGTGGCATTA CTTATGCGAC CTTGGAACAC GATTTGCAGG ATATTGCTGG CTTACGTGTG      16320

ATGGTTCAGT TTGTAGATGA CGTCAAGGAA GTAGTGGATA TTTTGCACAA GCGTCAGGAT      16380

ATGCGAATCA TACAGGAGCG AGATTACATT ACTCATAGAA AAGCATCAGG CTATCGTTCC      16440

TATCATGTGG TAGTAGAATA TACGGTTGAT ACCATCAATG GAGCTAAGAC TATTTTGGCA      16500

GAAATTCAAA TTCGTACTTT GGCCATGAAT TTCTGGGCAA CGATAGAACA TTCTCTCAAC      16560

TACAAGTACC AAGGGGATTT CCCAGATGAG ATTAAGAAGC GACTGGAAAT TACAGCTAGA      16620

ATCGCCCATC AGTTGGATGA AGAAATGGGT GAAATTCGTG ATGATATCCA AGAAGCCCAG      16680

GCACTTTTTG ATCCTTTGAG TAGAAAATTA AATGACGGTG TAGGAAACAG TGACGATACA      16740

GATGAAGAAT ACAGGTAAAC GAATTGATCT GATAGCCAAT AGAAAACCGC AGAGTCAAAG      16800

GGTTTTGTAT GAATTGCGAG ATCGTTTGAA GAGAAATCAG TTTATACTCA ATGATACCAA      16860

TCCGGATATT GTCATTTCCA TTGGCGGGGA TGGTATGCTC TTGTCGGCCT TTCATAAGTA      16920

CGAAAATCAG CTTGACAAGG TCCGCTTTAT CGGTCTTCAT ACTGGACATT TGGGCTTCTA      16980

TACAGATTAT CGTGATTTTG AGTTGGACAA GCTAGTGACT AATTTGCAGC TAGATACTGG      17040

GGCAAGGGTT TCTTACCCTG TTCTGAATGT GAAGGTCTTT CTTGAAAATG GTGAAGTTAA      17100

GATTTTCAGA GCACTCAACG AAGCCAGCAT CCGCAGGTCT GATCGAACCA TGGTGGCAGA      17160

TATTGTAATA AATGGTGTTC CCTTTGAACG TTTTCGTGGA GACGGGCTAA CAGTTTCGAC      17220

ACCGACTGGT AGTACTGCCT ATAACAAGTC TCTTGGCGGT GCTGTTTTAC ACCCTACCAT      17280

TGAAGCTTTG CAATTAACGG AAATTGCCAG CCTTAATAAT CGTGTCTATC GAACACTGGG      17340

CTCTTCCATT ATTGTGCCTA AGAAGGATAA GATTGAACTT ATTCCAACAA GAAACGATTA      17400

TCATACTATT TCGGTTGACA ATAGCGTTTA TTCTTTCCGT AATATTGAGC GTATTGAGTA      17460

TCAAATCGAC CATCATAAGA TTCACTTTGT CGCGACTCCT AGCCATACCA GTTTCTGGAA      17520

CCGTGTTAAG GACGCCTTTA TCGGCGAGGT GGATGAATGA GGTTTGAATT TATCGCAGAT      17580
```

```
GAACATGTCA AGGTTAAGAC CTTCTTAAAA AAGCACGAGG TTTCTAAGGG ATTGCTGGCC    17640
AAGATTAAGT TTCGAGGTGG AGCTATTCTG GTCAATAATC AACCGCAAAA TGCAACGTAT    17700
CTATTGGACG TTGGAGACTA CGTTACCATT GACATTCCCG CTGAGAAAGG CTTTGAAACC    17760
TTGGAGGCTA TTGAGCTTCC ATTAGATATT CTCTATGAGG ATGACCACTT TCTAGTCTTG    17820
AATAAACCCT ATGGAGTGGC TTCTATTCCT AGTGTCAATC ACTCTAATAC CATTGCCAAT    17880
TTTATCAAGG GTTACTATGT CAAGCAAAAT TATGAAAATC AGCAGGTTCA CATTGTTACC    17940
AGACTAGATA GGGATACTTC TGGCTTGATG CTCTTTGCCA AGCACGGTTA TGCCCATGCA    18000
CGATTAGACA AGCAGTTGCA GAAGAAATCT ATCGAGAAAC GCTACTTTGC TTTGGTTAAG    18060
GGAGATGGAC ATTTGGAGCC AGAAGGGGAA ATTATTGCTC CGATTGCGCG TGATGAAGAT    18120
TCCATTATTA CCAGACGAGT GGCTAAAGGC GGAAAGTATG CCCATACTTC ATACAAGATT    18180
GTAGCTTCTT ATGGAAATAT TCACTTGGTC TATATTCACC TGCACACTGG TCGAACCCAT    18240
CAAATCCGAG TCCATTTTTC TCATATCGGT TTTCCTTTGC TGGGAGATGA TTTGTATGGT    18300
GGTAGTCTGG AAGATGGTAT TCAACGTCAG GCTCTGCATT GCCATTACCT ATCCTTTTAT    18360
CATCCATTTT TAGAGCAAGA CTTGCAGTTA GAAAGTCCCT TGCCGGATGA TTTTAGTAAC    18420
CTTATTACCC AGTTATCAAC TAATACTCTA TAAAAACTGT CTCAGAGTAT AATTATTATC    18480
TTAAAGGAGA AAACTCATGG AAGTTTTTGA AAGTCTCAAA GCCAACCTTG TTGGTAAAAA    18540
TGCTCGTATC GTTCTCCCTG AAGGGGAAGA GCCTCGTATT CTTCAAGCAA CAAAACGCTT    18600
AGTAAAAGAA ACAGAAGTGA TTCCTGTTTT GCTTGGAAAT CCTGAAAAAA TTAAAATTTA    18660
TCTTGAAATT GAAGGAATCA TGGATGGTTA TGAGGTCATC GACCCTCAAC ATTATCCTCA    18720
ATTTGAAGAA ATGGTTTCTG CCTTGGTGGA GCGTCGCAAG GGCAAAATGA CTGAAGAAGA    18780
TGTACGCAAG GTTTTGGTTG AAGATGTCAA CTACTTTGGT GTGATGTTGG TTTACTTGGG    18840
CTTGGTTGAT GGAATGGTGT CAGGAGCGAT TCACTCAACA GCTTCAACAG TTCGCCCAGC    18900
TCTACAAATC ATCAAAACTC GTCCAAATGT AACTCGTACT TCAGGAGCCT TCCTCATGGT    18960
TCGTGGTACG GAACGTTACC TATTTGGAGA CTGTGCCATT AACATCAATC CAGATGCAGA    19020
AGCCTTGGCT GAAATTGCCA TCAACTCAGC AATCACAGCT AAGATGTTTG GCATCGAACC    19080
TAAAATTGCC ATGTTGAGCT ATTCTACTAA AGGTTCAGGG TTTGGTGAAA GCGTTGATAA    19140
GGTCGTTGAA GCAACTAAAA TTGCTCACGA CTTGCGTCCT GACCTTGAAA TCGATGGTGA    19200
GTTGCAATTT GATGCAGCCT TTGTTCCTGA AACTGCAGCT CTGAAAGCTC CTGGAAGTAC    19260
GGTAGCTGGT CAAGCAAATG TCTTCATCTT CCCAGGTATC GAGGCAGGAA ATATTGGTTA    19320
```

```
CAAGATGGCT GAACGCCTGG GTGGCTTTGC GGCTGTAGGA CCTGTTTTGC AAGGTTTAAA     19380

CAAGCCAGTT AATGATCTTT CTCGTGGATG TAATGCAGAT GATGTTTACA AGTTGACCCT     19440

CATCACAGCA GCTCAAGCAG TTCATCAATA GTGAAAACTA TAAAGTGATA TACTATGCTA     19500

TACTGTAGTT ATGAAACTAT GTACGAAAAG CACTGCCATT AATTCCTGAG AACTAAATTA     19560

CTGATTGGTG TCAAAAAGGA AAACTTCCAA GCGATGATAT CCTGTCTATA CACGACCTAT     19620

AGAAATCTGT AATATACATA TCCGTAAAAC GATAAATTCC CTTTTTGATT TTAAATGAGT     19680

ATGAAAAGAG AATTTTTTGG CTCTTTGTCA ACTGTAGTGG GTTGAAGAAA AGCTAAGCTC     19740

GAGAAAGGAC AAATTTCATC CTTTCTTTTT TGATATTCAG AGCGATAAAA ATCCGTTTTT     19800

TGAAGTTTTC AAAGTTCCGA AAACCAAAGG CATTGCGCTT GATAAGTTTG ATGAGATTAT     19860

TGGTCGCTTC CAGTTTGGCG TTAGAATAGT GTAGTTGAAG GGCGTTGATA ATCTTTTCTT     19920

TATCTTTGAG GAAGGTTTTA AAGACAGTCT GAAAAATAGG ATGAACCTGC TTAAGATTGT     19980

CCTCAATAAG TCCGAAAAAT TTCTCTGGTT CCTTATTCTG GAAGTGAAAA AGCAAGAGTT     20040

GATAGAGCTG ATAGTGGTGT TTCAAGTCTT CCGAATAGCT CAAAAGCTTG TTTAAAATCT     20100

CTTTATTGGT TAAGTGCATA CGAAAAATAG GACGATAAAA TCGCTTATCA CTCAGTTTAC     20160

GGCTATCCTG TTGAATGAGT TTCCAGTAGC GCTTGATAG                            20199
```

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 19702 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

```
ACCCGATGTA TCAGCGGATA TTTACTCTAT TTTTCAAACG ATGTTATACC CACAATAAAA        60

GAAAAAAGAC CCTAAGGTCT CCTTTGCTTT TATTATTAAA CGCGTTCAAC TTTACCTGAT       120

TTCAAAGCAC GAGCTGAAGC CCAAACTTTT TTAGGTTTAC CATCGATAAG AACAGTAACT       180

TTTTGAAGGT TTGGTTTTAC GGCACGTTTT GTTTGGTTCA TCGCGTGTGA ACGGTTGTTT       240

CCTGATACAG TCTTACGACC TGTAAAGTAA CATACTTTAG CCATTGTGTT TTCCTCCTAT       300

TAGATCTAAT ATAGCGGATG TGCTAGCACC ACATACCGTA CTATGTTATC ACATTTTCTT       360

GTTTTTTGCA AGGGAATTGG AAGATTTTTT ATTTGTGTCT TAAATCAGGT CTTGCGTGAC       420

ATTTcTGCTC TCCACATGCC ATCGTTGATT AACAGAACAC CAGAATTAAA ATTATGTGTA       480

TAAAAATCAT CTCTAACTGC AGCTAAGGGT ATAGCCGTCA AGTCCAAATC CCACAGCTCA       540
```

```
TCTATCGATT TTCTTACAAC AATATCTGAA TCCAAATACA GTACACGAGA CTCGCTTACA     600
TACTTTGGAA TAAAATACCT AAAAAAGCCG CATATGAAAG TCCCTCAAAG GGGAGACGAT     660
AACCTTTCAG AATATTACTG TCAATCTAAA CATTCACAAT CTCACTATTC AAAGTCTCTA     720
GTCTTTTTTC CATCAATTGG AACCATTCTC GCGGAAGGTC ATCATTAAAA ACATAAAACT     780
TAAGATTATA ATGATGAACA CAAAGAGATT TTATTGTTGT TTCAACTTTA TCCATATAAG     840
CATTATCTGC ACCTAAGACA ATCGCTTTTT TCTCTTCTTT CACTTTTTAT CTCATTTCTT     900
TTTATTCCCA TCATATTATT CCCATCATAT GTTTCCCATC ATATGTTTCT ACGTAACCAT     960
TATTTTCGCC TATTCGTTCG TAAAACCATA CCAGTGGAGA TTTTAGATGA AGTCCCATTA    1020
CGGTTTACAA TTTTTACATT ACGACACGGA GTTTTACAAA TCGATTTCAT TTGCCAAACG    1080
TAGTTAGTGA GGCAGTTAGC TAGTTCGCCA AATAGCGACT AGCGTCCAAC AATTTGGAAC    1140
TTTAGTTCCA ATTGTTGGTA CTGAGTCACA TCTTCTCCTC TAACTCTACG TCTGGATACT    1200
TGTCCGCAAA CCAGCGGAGG GCAAAGTCAT TTTCAAAGAG AAAGACTGGT TGGTCAAAAC    1260
GGTCTTTGGC TAAGATATTG CGACTTGACG ACATCCGTTC ATCCAAGTCC TCAGGCTTGA    1320
TCCAACGAAC GGTCTTTTTA CCCATTGGGT TCATAACTAC TTCCGCATTG TACTCGCCTT    1380
CCATGCGGTG TTTAAAGACT TCAAACTGGA GTTGACCTAC AGCGCCTAGC ATGTACTCAC    1440
CTGTTTGGTA ATTCTTATAA AGCTGAACGG CTCCTTCTTG CACCAATTGC TCAATCCCCT    1500
TGTGGAAGGA TTTTTGCTTC ATAACATTCT TAGCAGAAAC TTTCATGAAA ATCTCAGGTG    1560
TAAAGGTTGG CAGGGGTTCA AATTCAAACT TGTTTTTTCC AACCGTCAAG GTATCCCCAA    1620
CCTGATAAGT ACCGGTATCG TAAACCCCGA TAATATCACC TGCCACGGCA TTGGTCACAT    1680
TCTCACGACT CTCCGCCATA AACTGGGTAA CATTAGATAG TTTAGCCCCC TTACCAGTAC    1740
GAGGGAGATT GACACTCATG CCGCGCTCAA ATTCGCCAGA TACGATACGG ACAAAGGCAA    1800
TACGGTCACG GTGACGAGGG TCCATGTTGG CTTGGATTTT AAAGACAAAG CCTGAGAAAT    1860
CCTTGTCATA AGGATCCACA ATTTCACCGT CTGTTTTCTT GTGACCATGT GGTTCTGGAG    1920
CAAACTTGAG GAAGGTTTCA AGGAAGGTCT GCACACCAAA GTTTGTCAGG GCTGAACCGA    1980
AAAAGACAGG CGTCAATTCT CCAGCCAGAA TAGCTTCCTC TGAAAACTCA TTCCCGGCTT    2040
CATTTAAAAG CTCAATGTCA TCCTTGACTT GCTCGTAGAA AGGATTGCTA CCAAAGAGTT    2100
TGTCCCCGTC TTCTAGACTG GCAAAACGCT CATCCCCTTT GTAAAGCTCT AAACGTTGGT    2160
TATAGAGGTC ATACAAGCCC TCAAAGGCTT TCCCCATCCC GATAGGCCAG TTCATAGGGT    2220
AGCTAGCAAT GCCCAAGATT TCTTCCAATT CTTGCAAGAG ATCCAAAGGC TCACGACCGT    2280
```

```
CACGGTCCAG CTTGTTCATA AAGGTAAAGA CTGGAATGCC ACGATGTTTC ACAACCTCAA      2340

ACAATTTCTT GGTTTGAGCC TCGATCCCCT TGGCAGAGTC CACGACCATG ACCGCAGCAT      2400

CCACCGCCAT CAAGGTACGA TAGGTATCTT CTGAGAAGTC CTCGTGCCCT GGCGTGTCTA      2460

AGATATTCAC GCGCTTGCCG TCGTAGTCAA ATTGCATAAC AGATGAAGTA ACAGAAATCC      2520

CACGTTGCTT CTCGATATCC ATCCAGTCAG ATTTAGCAAA AGTCCCTGTT TTCTTCCCTT      2580

TTACCGTACC AGCCTCACGA ATCTCACCCC CAAAGTAGAG TAACTGCTCA GTGATGGTTG      2640

TTTTCCCCGC GTCCGGGTGG GAGATAATGG CAAAGGTACG ACGTTTCTTA ATTTCTTCTT      2700

GAATATTCAT AAGTTCTCTT TCTTTGATTC TCTATTTTTC TTGTTTCAAT AGCTGAGAAT      2760

GATTTTTACA TTGGATTTTA CCATTCCTTT CAACACTCCA TTATATCGGA TTTTAGCATT      2820

TTTTTCAATT TCTATTTCTT TTCACTTCCC CCTCCCTTAT TTATAGGAAA ATATGGTAAA      2880

ATAGAACAGA CTAAAAATCA TCATTTCACG AAAGGATGCA AGATGAAAAT TACGCAAGAA      2940

GAGGTAACAC ACGTTGCCAA TCTTTCAAAA TTAAGATTCT CTGAAGAAGA AACTGCTGCC      3000

TTTGCGACCA CCTTGTCTAA GATTGTTGAC ATGGTTGAAT TGCTGGGCGA AGTTGACACA      3060

ACTGGTGTCG CACCTACTAC GACTATGGCT GACCGCAAGA CTGTACTCCG CCCTGATGTG      3120

GCCGAAGAAG GAATAGACCG TGATCGCTTG TTTAAAAACG TACCTGAAAA AGACAACTAC      3180

TATATCAAGG TGCCAGCTAT CCTAGACAAT GGAGGAGATG CCTAATGACT TTTAACAATA      3240

AAACTATTGA AGAGTTGCAC AATCTCCTTG TCTCTAAGGA AATTTCTGCA ACAGAATTGA      3300

CCCAAGCAAC ACTTGAAAAT ATCAAGTCTC GTGAGGAAGC CCTCAATTCA TTTGTCACCA      3360

TCGCTGAGGA GCAAGCTCTT GTTCAAGCTA AAGCCATTGA TGAAGCTGGA ATTGATGCTG      3420

ACAATGTCCT TTCAGGAATT CCACTTGCTG TTAAGGATAA CATCTCTACA GACGGTATTC      3480

TCACAACTGC TGCCTCAAAA ATGCTCTACA ACTATGAGCC AATCTTTGAT GCGACAGCTG      3540

TTGCCAATGC AAAAACCAAG GGCATGATTG TCGTTGGAAA GACCAACATG GACGAATTTG      3600

CTATGGGTGG TTCAGGTGAA ACTTCACACT ACGGAGCAAC TAAAAACGCT TGGAACCACA      3660

GCAAGGTTCC TGGTGGGTCA TCAAGTGGTT CTGCCGCAGC TGTAGCCTCA GGACAAGTTC      3720

GCTTGTCACT TGGTTCTGAT ACTGGTGGTT CCATCCGCCA ACCTGCTGCC TTCAACGGAA      3780

TCGTTGGTCT CAAACCAACC TACGGAACAG TTTCACGTTT CGGTCTCATT GCCTTTGGTA      3840

GCTCATTAGA CCAGATTGGA CCTTTTGCTC CTACTGTTAA GGAAAATGCC CTCTTGCTCA      3900

ACGCTATTGC CAGCGAAGAT GCTAAAGACT CTACTTCTGC TCCTGTCCGC ATCGCCGACT      3960

TTACTTCAAA AATCGGCCAA GACATCAAGG GTATGAAAAT CGCTTTGCCT AAGGAATACC      4020

TAGGCGAAGG AATTGATCCA GAGGTTAAGG AAACAATCTT AAACGCGGCC AAACACTTTG      4080
```

```
AAAAATTGGG TGCTATCGTC GAAGAAGTCA GCCTTCCTCA CTCTAAATAC GGTGTTGCCG      4140
TTTATTACAT CATCGCTTCA TCAGAAGCTT CATCAAACTT GCAACGCTTC GACGGTATCC      4200
GTTACGGCTA TCGCGCAGAA GATGCAACCA ACCTTGATGA AATCTATGTA AACAGCCGAA      4260
GCCAAGGTTT TGGTGAAGAG GTAAAACGTC GTATCATGCT GGGTACTTTC AGTCTTTCAT      4320
CAGGTTACTA TGATGCCTAC TACAAAAAGG CTGGTCAAGT CCGTACCCTC ATCATTCAAG      4380
ATTTCGAAAA AGTCTTCGCG GATTACGATT TGATTTTGGG TCCAACTGCT CCAAGTGTTG      4440
CCTATGACTT GGATTCTCTC AACCATGACC CAGTTGCCAT GTACTTAGCC GACCTATTGA      4500
CCATACCTGT AAACTTGGCA GGACTGCCTG GAATTTCGAT TCCTGCTGGA TTCTCTCAAG      4560
GTCTACCTGT CGGACTCCAA TTGATTGGTC CCAAGTACTC TGAGGAAACC ATTTACCAAG      4620
CTGCTGCTGC TTTTGAAGCA ACAACAGACT ACCACAAACA ACAACCCGTG ATTTTTGGAG      4680
GTGACAACTA ATGAACTTTG AAACAGTCAT CGGACTTGAA GTCCACGTAG AGCTCAACAC      4740
CAATTCAAAA ATCTTCTCAC CTACTTCTGC CCACTTTGGA AATGACCAAA ATGCCAACAC      4800
TAACGTGATT GACTGGTCTT TCCCAGGAGT TCTACCAGTT CTCAATAAAG GGGTTGTTGA      4860
TGCCGGTATC AAGGCTGCTC TTGCCCTCAA CATGGACATC CACAAAAAGA TGCACTTTGA      4920
CCGCAAGAAC TACTTCTATC CTGATAACCC CAAAGCCTAC CAAATTTCTC AGTTTGATGA      4980
ACCAATCGGA TATAATGGCT GGATTGAAGT CAAACTAGAA GACGGTACGA CCAAGAAAAT      5040
CGGTATCGAA CGTGCCCACC TAGAGGAAGA CGCTGGTAAA AACACCCATG GTACAGATGG      5100
CTACTCTTAT GTTGACCTCA ACCGCCAAGG GGTTCCCTTG ATTGAGATTG TATCTGAGGC      5160
AGATATGCGT TCTCCTGAAG AAGCCTATGC TTATCTGACA GCCCTCAAGG AAGTTATCCA      5220
GTACGCTGGC ATTTCTGACG TTAAGATGGA GGAAGGTTCG ATGCGTGTGG ATGCCAACAT      5280
CTCCCTTCGT CCTTATGGTC AAGAGAAATT CGGTACCAAG ACTGAATTGA AGAACCTCAA      5340
CTCCTTCTCA AACGTTCGTA AAGGTCTTGA ATACGAAGTC CAACGCCAGG CTGAAATTCT      5400
TCGCTCAGGT GGTCAAATCC GCCAAGAAAC ACGCCGTTAC GATGAAGCGA ATAAAGCAAC      5460
CATCCTCATG CGTGTCAAGG AAGGGGCTGC TGACTACCGC TACTTCCCAG AACCAGACCT      5520
ACCCCTCTTT GAAATTTCTG ACGAGTGGAT TGAGGAAATG CGGACTGAGT TGCCAGAGTT      5580
TCCAAAAGAA CGTCGTGCGC GTTATGTATC TGACCTTGGT TTATCAGACT ACGATGCTAG      5640
TCAGTTGACT GCTAATAAAG TCACTTCTGA CTTCTTTGAA AAAGCTGTTG CCCTAGGTGG      5700
TGATGCCAAA CAAGTCTCTA ACTGGCTCCA AGGGGAAGTC GCTCAGTTCT TGAATGCTGA      5760
AGGTAAAACA CTGGAACAAA TCGAATTGAC ACCAGAAAAC TTGGTTGAAA TGATTGCCAT      5820
```

```
CATCGAAGAC GGTACTATTT CATCTAAGAT TGCCAAGAAA GTCTTTGTCC ATCTAGCTAA    5880

AAATGGCGGT GGCGCGCGTG AATACGTGGA AAAAGCAGGT ATGGTTCAAA TTTCAGATCC    5940

AGCTATCTTG ATCCCAATCA TCCACCAAGT CTTTGCCGAT AACGAAGCTG CTGTTGCCGA    6000

CTTCAAGTCA GGCAAACGTA ACGCCGACAA GGCtTTACAG GATTCCTTAT GAAGGCAACC    6060

AAAGGCCAAG CCAACCCACA AGTTGCCCTT AAACTACTTG CACAGGAATT GGCGAAGTTG    6120

AAAGAAAACT AGACAGAACA AAACCAGCCC TAAGGTTGGT TTTTTCTTCT CTACCAACTC    6180

CCAATAACTA TTTTGGCTTT ATTTCCAGAG TATTTTATGG TAAAATGAAG AGTAATAATA    6240

TTTATTAAAG AGGTAAAAAC ATGATTGAAG CAAGTACCTT AAAAGCTGGT ATGACCTTTG    6300

AAACAGCTGA CGGCAAATTG ATTCGCGTTT TGGAAGCTAG TCACCACAAA CCAGGTAAAG    6360

GAAACACGAT CATGCGTATG AAATTGCGTG ATGTCCGTAC TGGTTCTACA TTTGACACAA    6420

GCTACCGTCC AGAGGAAAAA TTTGAACAAG CTATTATCGA GACTGTCCCA GCTCAATACT    6480

TGTACAAAAT GGATGACACA GCATACTTCA TGAATACAGA AACTTATGAC CAATACGAAA    6540

TCCCTGTAGT CAATGTTGAA AACGAATTGC TTTACATCCT TGAAAACTCT GATGTGAAAA    6600

TCCAATTCTA CGGAACTGAA GTGATCGGTG TCACCGTTCC TACTACTGTT GAGTTGACAG    6660

TTGCTGAAAC TCAACCATCT ATCAAAGGTG CTACTGTTAC AGGTTCTGGT AAACCAGCAA    6720

CGATGGAAAC TGGACTTGTC GTAAACGTTC CAGACTTCAT CGAAGCAGGA CAAAAACTCG    6780

TTATCAACAC TGCAGAAGGA ACTTACGTTT CTCGTGCCTA ATCTCTAGAA AGAGGTCATT    6840

CTATGGGAAT TGAAGAACAA CTTGGCGAAA TCGTTATCGC CCCACGTGTA CTTGAAAAAA    6900

TCATTGCTAT CGCTACTGCA AAGGTAGAGG GTGTTCACTC TTTTTCAAAC AGATCAGTGT    6960

CTGATACCCT TTCAAAACTT TCACTCGGCC GTGGCATTTA TCTTAAAAAC GTGGACGAAG    7020

AACTCACAGC AGATATCTAT CTCTACCTTG AGTACGGAGT AAAAGTTCCT AAGGTAGCGG    7080

TTGCTATCCA GAAAGCTGTC AAAGATGCCG TCCGTAATAT GGCTGATGTA GAACTCGCTG    7140

CTATCAATAT TCACGTTGCA GGTATCGTCC CAGATAAAAC ACCAAAACCA GAATTGAAAG    7200

ATCTATTTGA CGAGGACTTC CTCAATGACT AGTCCACTAT TAGAATCTAG ACGCCAACTC    7260

CGTAAATGCG CTTTTCAAGC TCTCATGAGC CTTGAGTTCG GTACGGATGT CGAAACTGCT    7320

TGTCGTTTCG CCTATACTCA TGATCGTGAA GATACGGATG TACAACTTCC AGCCTTTTTG    7380

ATAGACCTCG TTTCTGGTGT TCAAGCTAAA AAGGAAGAAC TAGATAAGCA AATCACTCAG    7440

CATTTAAAAG CAGGTTGGAC CATTGAACGC TTAACGCTCG TGGAGAGAAA CCTCCTTCGC    7500

TTGGGAGTCT TTGAAATCAC TTCATTTGAC ACTCCTCAGC TGGTTGCTGT TAATGAAGCT    7560

ATCGAGCTTG CAAAGGACTT CTCCGATCAA AAATCTGCCC GTTTTATCAA TGGACTGCTC    7620
```

```
AGCCAGTTTG TAACAGAAGA ACAATAAGGC TCTTTGTCAA CTGTAGTGGG TTGAAAAAAA    7680
GCTAAGCTCG AGAAAGGACA AATTTCGTCC TTTCTTTTTT GATGTTCAAA GCGATAAAAA    7740
TCCGTTTTTT GAAGTTTTCA AAGTTTCGAA AACCAAAGGC ATTGCGCTTG ATAAGTTTGA    7800
TGAGATTATT GGTCGCTTCC AGTTTGGCAT TAGAATAGTG TAGTTGAAGG GCGTTGACAA    7860
TCTTTTCTTT ATCTTTGAGG AAGGTTTTAA AGACAGTCTG AAAAATAGGA TGAGCCTGCT    7920
TAAGATTGTC CTCAATAAGT CCGAAAAATT TCTCTGGTTC CTTATTCTGG AAGTGAAACA    7980
GCAAGAGCTG ATAGAGCTGA TAGTGGTGTT TCAAGTCTTG TGAATGGCTC AAAAGCTTGT    8040
CTAAAATCTC TTTATTGGTT AAGTGCATAC GAAAAGTAGG ACGATAAAAT CGCTTATCAC    8100
TCAGTCTACG GCTATCCTGT TGAATGAGTT TCCAGTAGCG CTTGATATCC TTGTATTCAT    8160
GGGATTTTCG ATGAAACTGA TTCATGATTT GGACACGCAC ACGACTCATG GCACGGCTAA    8220
GATGTTGTAC AATGTGAAAG CGATCAAGAA CGATTTTAGC ATTCGGGAGT GAAACAGTCT    8280
GGGAGACTGT TTCAGCCTGA GCCTAGGAAT TTGAAAGCGA AGCTGTTTAG CCAAGTCATA    8340
GTAAGGGCTA AACATATCCA TAGTAATAAT TTTGACGCGA CATCGGACAA CTCTATCGTA    8400
GCGAAGAAAG TGATTTCGAA TGATAGCTTG TGTTCTACCC TCAAGAACAG TGATGATATT    8460
GAGATTGTTA AAATCTTGCG CAATGAAGCT CATCTTTCCC TTTGTAAAAG CATACTCATC    8520
CCAAGACATA ATCTCAGGAA GACAAGAAAA ATCATGTTTA AAGTGAAAAT CATTGAGCTT    8580
ACGAATAACA GTTGAAGTTG AGATGGAAAG CTGATGGGCA ATATCAGTCA TAGAAATCTT    8640
TTCAATCAAC TTTTGAGCAA TCTTTTGGTT GATGATACGA GGGATTTGGT GATTTTTCTT    8700
GACGATAGAA GTTTCAGCGA CCATCATTTT TGAACAGTGA TAGCACTTGA ATCGACGCTT    8760
TCTAAGGAGA ATTCTAGTAG GCATACCAGT CGTTTCAAGA TAAGGAATTT TAGAAGGTTT    8820
TTGAAAGTCA TATTTCTTCA ATTGGTTTCC GCACTCAGGG CAAGATGGGG CGTCGTAGTC    8880
CAGTTTGGCG ATGATTTCCT TGTGTGTATC CTTATTGATG ATGTCTAAAA TCTGGATATT    8940
AGGGTCTTTA ATGTCTAGTA ATTTTGTGAT AAAATGTAAT TGTTCCATAT GAATCTTTCT    9000
AATGAGTTGT TTTGTCGCTT TTCATTATAG GTCATATGGG ACTTTTTTTC TACAATAAAA    9060
TAGGCTCCAT AATATCTATA GGGGATTTAC CCACTACAAA TATTATAGAG CCAACAATAA    9120
AAAGAAAAAG TGTTTGATAG ATATCAAACA CTTTTTTCTT TGCCTCCCAC TATCTAAAAA    9180
AATGATAATA GATATAATTG TAAACAAAAA TCCAGATAGG TTTTGCATGA TTGAGAAAGT    9240
TAAAAAAACT ATGGCAGAGA ATCGTTAATC TCAGATTGTC GGTAGAACGA TAAACAAGGG    9300
CAAAAAAGAA ACCAATCAGA CTATAATATA ATAAACTAAT TGGATCTCTG TGAGATAGTA    9360
```

```
TCAAATGGCT AATCCCAAAG ATGATAGCAG ATAGGATAAC ATCCAAATAG TACTTGGACT      9420

AGGGAAAGAA GGTATTCATA AAATACCCTC TATCAAGAGT CTCCTCAAAA ACAGGACCGA      9480

TGATTACAGG CAGGACAAAA GATAAGATAG TCGATAAAAA GGTTGGTTGT CCATTTGAAA      9540

AAAGCACGGT AAAATACTCA TCATGAATAT TCCTATGATT AATCAAATGA GCATAGCGTG      9600

CCCAAAAATT ACCGAGAATC TGATAAACCA CATAAGTTGC AAATAAGTAG AAGACAAATG      9660

ACCAGTTCCA GCTCTTTTTC TCAAAGATAA AGAGCATCTT TTTCTTTTTT AACCTCCAAA      9720

TTAATAGAAG GAAACTTCCC ACTAATCCCA TTGTTAAAAT AAGAGAATAG ACATCAGCTC      9780

CTAACCCTAA AATGATCGTC ACATACAATC CAATTGTTTG TGGTAAATAG GTAGATAGTA      9840

AAATAATAAG CAAAAATATT CCAAATTGTC TTAGTTTTTT TGTGTTTCTC ATCGTACTTT      9900

TTTGAAAGAT TACCCTGCTC GGAAGCCGTA CTTCCAAGCA TCTATATAAG AATTAAGTGC      9960

CCCTTGCCTC ATATAGGGAG CAAATTCTCT ATAATATAAC CATCTACTAT ATCCATCTTC     10020

CCAAACAGCA AGACCACCTG AAGTTTGCTC CAAGTCCTCA GTTGAAAGAA CTGTAAATGT     10080

ATTTGTACCT GTCATTGCAA GTACCTTCTT AAAATAGATT GTTGTAGGCT CACATTTATA     10140

GTATATTTCT TTTTTTGTCT ATTTTATAGC CCATCTCCTC AACTGGCAAT TTTTCGACCT     10200

GAATTACATT TTTCCATAAA AAATGAGACC TTTCTAGTCT CATTTAGTCA TTCTTAGTAT     10260

TTTCTAAATC GTTGATAGCG TTCTTCCAGC AACTCTTCTA GCGGTTTTTG TGAAAGTCTA     10320

GCCAGCTCCG TTTGGAGTTC TTTTTTGACA CTCTTAATCA GTTCTTTACT AGAAAGTCCT     10380

ATTTCAGAAA TCACCTTATC CACCACGTCC ATTTCTAACA GTTCATGCGA AGTGATTTTC     10440

ATCAGTTCTG CTGCTTCCAT AGCGCGAGTA CCGTCCTTCC ATAAAATGGA AGCAAAGCCT     10500

TCTGGACTGA GAATGGCATA GATAGAATTT TCCAGCATCC AGACACGGTC CGCGACAGCT     10560

AGAGCCAGAG CCCCGCCTGA ACCACCTTCA CCGATAATAA TGGCGATAAT AGGAACTTTC     10620

AGGTCACTCA TTTCCATGAG ATTGCGAGCG ATAGCTTCCC CTTGACCACG TTCTTCCGCT     10680

CCGACACCAG GATAAGCACC TGCTGTATTG ATAAAGGTCA CAACTGGACG GCCAAATTTC     10740

TCAGCCTGTT TCATCAACCG CAGTGCCTTT CGGTAGCCTT CTGGATGTGG TTGGCCAAAA     10800

TTCCGTTTGA GGTTGTCTTG CAAACTCTTG CCTTTTTGGA TACCAACCAC TGTTACAGCT     10860

TGGTCTCCAA GCCAACCAAT ACCACCAACA ACTGCACCAT CATCACGAAA AGAACGGTCA     10920

CCATGTAATT GGATAAATTC ATCAAAAATG CCTGTCGCAA AGTCCAAGGT TGTCAAGCGA     10980

CTCTGCTCAC GCGCTTCTCT GACTATTTTT GCAATATTCA TCTAGGACTC CCTCCATGCA     11040

ATCTGACTAG GCTAGCAATC GTATCTGGTA AGTCTCTTCT TTTGACAATA GCATCCACAA     11100

AGCCATGTTC TAATAGGAAT TCTGCCTTTT GGAAATCCTC AGGCAAGCTT TCACGAACCG     11160
```

```
TATTTTCAAT CACACGACGC CCAGCAAAAC CAACCAAGCT CTGTGGTTCA GCCAGAATGA    11220
TATCGCCTTC CATAGCGAAA GAAGCTGTCA CACCACCAGT CGTTGGATCT GTCAAAATGG    11280
TCAGGTAAAA GAGACCAGCA TTTGAATGGC GTTTAACCGC CGCAGAGATC TTAGCCATCT    11340
GCATGAGACT CATGATTCCT TCCTGCATAC GGGCTCCACC AGAGGCTGTG AATAGGACAA    11400
CTGGCAATTT TTCGACAGTC GCATACTCAA ACAAACGAGT GATTTTTTCA CCTACAACCG    11460
TACCCATAGA AGCCATGATA AAGTTAGAAT CCATAATCCC AAGAGCCACA GTCTGACCTT    11520
TAATAAGAGC AGTTCCTGTC ACAACGGCTT CATGCAGACC TGTTTTTTCA CGCATAGATG    11580
CCAGTTTCTT TTGGTAACCA GGGAAATGCA AGGGATCCTT GCTTTCAATC CCTGTAAACA    11640
ATTCTTTGAA GGTTCCCATA TCAATCGTCA AAGCCAAGCG TTCTTGGGCA GAAATACGAA    11700
AGGTATAGCT ACAGTGCGGA CAGATACGTT CACTTCCCAG ATCCTTCTGA TAGATGGTAT    11760
GCTTACAGCC TGGACACTGG GAAAATAATT CATCTGGAAC CTCTGGCTTA GCTTGAGGTT    11820
TTTCCCTAAC CGAACGATTG GGATTGATTC GAATATACTT ATCTTTTTTA CTAAATAGAG    11880
CCATTGATTC CCCTTTTCGG TTTAAACTCT TAAAGTCATT TTATTCTTTT TCTTGATATT    11940
TAGGTAAGAA GGTTTCCATC AAGAAGGAAG TATCATAATC CCCAGCAATG ACATTGCGAT    12000
CTGAAATGAG GTCAAGCTGG AAATCTGCAT TGGTCTGCAC TCCTTCAATT TCTAATTCAT    12060
AGAGGGCACG TTGCATTTTC ATCAAGGCGT CAAAACGATT TTCGCCGTGT ACTATGATTT    12120
TGGCAATCAT ACTATCATAA TAAGGCGGAA TGGTATAACC TGGATAAACT GCTGAATCCA    12180
CGCGCAAGCC AACTCCACCA CTTGGCAGAT AGAGATTAGT AATCTTACCT GGACTTGGAG    12240
CAAAGTTAAA GGCTGGGTTT TCTGCATTGA TACGACACTC GATGGCATGA CCGCGTAGGA    12300
CAATATCTTC TTGCTTAACA GACAAAGGCT GACCTGCCGC AATGCAAATC TGTTCCTTAA    12360
CGATATCAAC ACCTGAAACA AACTCTGTTA CTGGATGTTC TACCTGAACA CGAGTATTCA    12420
TCTCCATGAA ATAGAAATTG CTACTTGCTT CATCAAGAAG AAATTCAATG GTTCCTGCAT    12480
TCTCATAGCC AACAAACTCT GCCGCTCGAA CAGCAGCAGC ACCTATTTCA TGACGCAGCG    12540
TTTTTCCGAT TGCAATCGAG GGACTTTCTT CCAAAACCTT TTGGTTATTC CTTTGAAGAG    12600
AACAATCCCG TTCACCCAAG TGAATCACAT GTCCATGCTC ATCACCTAGG ATTTGAACCT    12660
CAATGTGCCG AGCTGGATAG ATAACCCGTT CTATGTACAT GGCACCATTG CCATAATTGG    12720
CCTTGGCCTC ACTAGAGGCA GTTTCAAAGG CAGAAACGAG GTCATCTGGT TTTTCAACCT    12780
TACGAATCCC TTTACCACCT CCACCTGCTG AAGCCTTGAG CATAACAGGA TAGCCAATTT    12840
TTTCAGCAAC AATCAAAGCT TCTTCAGAGT TATGCACTTC TCCATCTGAA CCTGGTATAA    12900
```

```
CAGGCACACC TGCTTTAATC ATCTGAGCAC GCGCATTGAT CTTATCCCCC ATCATATCCA    12960

TAACATGACC AGATGGACCG ATAAACTTGA TACCTACTTC TTCACACATG GTCGCAAATT    13020

TGGAATTTTC ACTGAGAAAT CCAAAACCAG GGTGAATAGC TTCTGCCTCA GTCAAGACTG    13080

CAGCTGATAG AACTGCATTA ATATTGAGAT AAGACTCTGT TGCCTTGCCA GGACCAATAC    13140

AAACTGCTTC ATCTGCCAAA AGCGTATGAA GAGCTTCCTT ATCAGCAGTT GAATAAACCG    13200

CTACCGTCGC AATCCCCAAT TCACGTGCCG CACGGATAAT ACGAACCGCA ATTTCACCAC    13260

GATTGGCAAT TAAAATTTTT CGAAACATGG AGAACCTCCT TAGTTCCCAA TTGCAAAAGT    13320

AAGGGTACCA CTGGCTGCAA GCTTGCCATC CACTTCAGCC TTTGCTTCAA CCACAGCTAT    13380

GGTGCCACGA CGTTTTACAA AAGTCGCTGT CATAACCAAT TGGTCGCCTG GTACAACTTG    13440

CTTCTTGAAC TTAACCTTGT CCATACCAGC GTAAAAGACC AGTTTTCCTT TATTTTCAGG    13500

TTTTGATAAC TCCAACACAC CGGCAGTTTG CGCCAAGGCT TCCATAATCA CAACACCTGG    13560

CATAACTGGG TATTGAGGAA AGTGGCCGTT AAAGAAAGGC TCGTTGATGG TCACATTTTT    13620

GATAGCAACA ATGGTATCCT CGCTCACTTC CAAGACACGG TCCACTAGAA GCATAGGATA    13680

ACGGTGGGGA AGAGCTTCTT TGATTCCTTG AATATCGATC ATTTGATACG TACCAATCCT    13740

TTACCAAACT CAACCATTTC TTCGTTAGAG ACGAGAATTT CCGTTACCAC ACCATCCTTA    13800

GGAGCTGGGA TTTCATTCAT GACTTTCATG GCTTCGATAA TTACCAATGT TTGACCTTTT    13860

TTGACACTAT CACCAACTGT AACGAAGGCA GGTTTATCTG GTCCAGCAGC CAAGTAAACC    13920

ACTCCAACAA GTGGACTCTC TACAAGATTT CCCTCAGTAG CCACACTTGC TTCAGCTGGA    13980

GCTGGAACTT CTTCTGCTAC AGTCTCTGCT GGAGCAGATG TAGGAGCTAC TGGACTCGGT    14040

GTTGCTAGAA CGGGTGCTGG AGCGACTTGA GTTGCAACTT CAGGCACAGG TCTTGCTTCA    14100

TTCTTGCTAA ACTGCAACTC ATCCGTCCCA TTTTTATAAG AAAATTCTCT CAAACTTGAC    14160

TGGTCAAATT GAGTCATCAA GTCTTTAATA TCGTTTAAAT TCATACTTAT CTATTCTCCC    14220

AACGTTTGAA AGCAAGAACT GCATTGTGGC CTCCAAAACC AAAAGTATTT GAAATAGCGT    14280

ATGGAATTTC TTTCTCCAAG CCTTGTCCAT AAACGACATT AGCTTCGATA TAATCTGATA    14340

CTTCACTTGT CCCAGCTGTC ATTGGTACAA AGTTATGACG CATAGCTTCG ATGGTGACGA    14400

TAGCTTCTAC TGCACCCGCA GCCCCCAGCA AATGTCCTGT AAAAGACTTG GTTGATGATA    14460

CAGGTACTTC CTTACCAAGA ACAGCTACGA TAGCACCACT TTCTCCTTTT TCATTGGCAG    14520

GAGTTGACGT TCCGTGAGCA TTGACATAGG CTACTTGCTC TGGAGAAATC TCAGCTTCTT    14580

CCAAGGCTAG TTTGATGGCC TTGATAGCTC CCTGACCTTC TGGATGTGGA GAAGTCATGT    14640

GGTAGGCATC ACAAGTATTT CCGTAACCAA CCACTTCAGC CAGGATAGTA GCTCCACGTT    14700
```

```
TTTCAGCGTG TTCAAGACTT TCTAGAACCA ACATCCCTGA ACCTTCACCC ATAACAAACC    14760
CATTGCGATC CTTATCAAAT GGGATCGAAG CACGAGTTGG ATCCTCTGTA GTAGAGAGAG    14820
CTGTTAAGGC TTGGAAACCA GCGATGGCAA AAGGTGTGAT AGAAGCTTCT GTTCCTCCCA    14880
CCAACATCAC ATCTTGGAAA CCAAACTTAA TGGAGCGGAA GGCATCCCCA ATCGCATCAT    14940
TTGATGAAGA GCAGGCAGTA TTGATAGATT TACAAACACC GTTTGCACCA AAACGCATGG    15000
CTACATTCCC AGAAGCCATA TTTGGTAAAG CTTTTGGAAG AGTCATTGGT TTGACACGTT    15060
TGGGTCCTTT TTCATGAAGG CGAAGTACCT GATCTTCAAT TTCCTTGATT CCACCAATAC    15120
CAGATGCAAC GATAACACCA AAACGATCCC TATTAAGAGC CTCTACATCA AGATTGGCAT    15180
GATTTACAGC CTCTTGGGCT GCATACAAGG CATATAAAGA ATAGTTATCA AAACGGTTGG    15240
TATCTTTTTT TACAAAGTAT TTATCGAACG GAAAATCTTG GATTTCTGCC GCATTATGCA    15300
CATCAAAGTC ACTATGATCA AATTTTGTAA TGCCACCAAT GCCGATTTTC CCAGTTGCTA    15360
AACTATTCCA AAATTCTTCT GGTGTATTTC CGATTGGAGA TGTTACTCCA TAACCTGTTA    15420
CCACTACTCG ATTTAGTTTC ATTCTTTTCA CCTCTAGCTT TCGCTACATA CTTAAGCCAC    15480
CATCAATGGC AACCACTTGT CCAGTTAGAT AATCTTGGCC TGCTAAAAAT ACTGTCAAAT    15540
CTGCAACCTG CTCTGCCTGC CCAAATTCTT TCATCGGAAT CTGAGCTAGT GTAGCTTCCT    15600
TAATCTTATC TGACAGGATA GCGGTCATAT CAGACTCAAT CATTCCTGGA GCAATCACAT    15660
TGACTCGTAT ATTCCGACTA GCGACCTCGC GTGCCACAGA CTTGGTAAAG CCAATCAACC    15720
CAGCCTTAGA AGCAGCATAA TTAGCTTGAC CAATATTCCC CATCAAACCA ACAACACTAG    15780
ACATATTAAT GATAGCACCT TCTCTGGCTT TCATCATCGG TTTCAAGACT GATTGTGTCA    15840
TATTAAAGGC ACCAGTCAGA TTGACCTTGA GCACTTTTTC AAAATCTGCT TCTGTCATCT    15900
TGAGCATAAG AGTATCTTGG GTAATCCCTG CATTGTTGAC CAAAACATCT ACTGAACCCA    15960
GTTCTGCAAT AGCTTGATCA ATCATACGCT TAGCGTCTGC AAAATCTGAT ACATCTCCTG    16020
AAATGGGAAC CACCTTGATA CCATAGTTTG AAAACTCAGC GAGCAATTCT TCTGAGATTG    16080
CCCCACGACT GTTTAAGACA ATGTTGGCTC CTGCTTGAGC AAACTTGTGG GCGATGGCAA    16140
GACCAATTCC ACGACTCGAA CCTGTAATAA AGATATTTTT ATGTTCTAGT TTCATTTTTT    16200
TCCTTTCAAA ACTTCTACTT ATTTTAGTCT ATTTTTCTAA AAGTGCTACT AAACTCGCTT    16260
GATCTTCCAC ATGAGCTAAG TGAGCAGTTT GATCAATTTT TTTAACAAAA CCTGACAAGA    16320
CTTTCCCCGG TCCAATCTCG ATAAAGTTGC TTATGCCTGC TTCTTGCATG ACCCCAATAC    16380
TTTCATAGAA ACGAACGGGT TCCTTGACCT GACGCGTCAA GAGCTGAGCA ATGTCCTCTT    16440
```

```
TTTGCATCAC AGCAGCTTCT GTATTGCCGA CTAGGGGACA AGTAAAATCT GAAAAACTTA    16500

CCTGAGCTAG AGTTTCAGCT AGTTTCTGGC TAGCAGGTTC AAGGAGAGCG GTGTGAAAGG    16560

GACCTGACAC CTTAAGAGGA ATCAAGCGTT TGGCACCTGC TTCTTGCAAA AGTTCAACCG    16620

CTCGATCAAC TGCAACCACT TCTCCAGCAA TGACGATTTG TGCAGGTGTG TTATAGTTGG    16680

CTGGAGTAAC CACTCCAAGT TCAGAAGCTT TTTGACAGGC TTCTTCAATG ACCTCTACTG    16740

GCGTATTGAG AACTGCTACC ATCTTGCCAG AGTCAGCAGG AGCCGCTTCT TCCATATAGG    16800

CTCCACGCTT AGCTACCAAG GCAACCGCAT CTTCAAAATC CAAGGCGCCA CTTGCCACCA    16860

AGGCAGAGTA TTCTCCAAGA GACAAACCAG CAACCATATC AGGCTGATAG CCCTTTTCTT    16920

GCAATAAACG GTAGATAGCA ACCGAAGTCG CTAGAATGGC TGGTTGCGTA TAGCGGGTCT    16980

GATTGAGTTT GTCTTCTTCC GTATCGATGA GATAACGCAA ATCATAACCG AGCACCTGGC    17040

TCGCTCGATC AATCGTTTCT TTAACAATCG GATACTGATC ATAGAAATCC CGTCCCATCC    17100

CTAGATACTG GGCACCTTGA CCAGCAAATA AAAAGGCTGT TTTAGTCATT TCTTACAACT    17160

CCTGTCCAGC GAGAGGCTTC TTCTTGAATT TTCTTAGCGG CTCCGTAATA CAAATCTTTT    17220

AGGATTTCTT CAGCTGTTTC TTCTTTAGAA ACAAGCCCTG CGATTTGACC TGCCATAACA    17280

GAGCCACCAT CCACATCACC GTGAACAACT GCTTTGGCTA GAGCACCTGC TCCCATTTGT    17340

TCAAAGATTT CTAAATCAGG ATCTTCTTGC TTAAAGGCAT CTTTTTCAGC CAGTTCAAAA    17400

TCTCTAGTCA ACTGATTTTT AATAGCACGA ACAGCATGAC CAAAGTGCTG AGCTGAAATC    17460

GTAGTATCAA TATCCCTTGC TTTTAAAATT TTCTCCTTGT AGTTTGGATG GGCATTCGAC    17520

TCTTTTGCAA CTACAAACCG TGTCCCCACC TGTACAGCCT CTGCACCTAG CATAAAGCCA    17580

GCCGCAGCAC CTTCACCATC CGCAATTCCT CCTGCAGCAA TAACAGGAAT AGATATAGCT    17640

GTGGCTACCT GTCGCACCAA GGTCATGGTT GTTAATTTAC CGATATGCCC CCCAGCTTCC    17700

ATTCCTTCTG CAATAACAGC GTCTGCACCG ATTTTTTCCA TGCGTTTAGC TAAAGCGACA    17760

CTAGGAACAA CAGGAATAAC GATTATCCCA GCTTCATGGA AACGTTCCAT ATACTTGCTT    17820

GGATTTCCTG CTCCTGTTGT GACAACTTTA ACACCTTCTT CAATAACGAG ATCCACGATG    17880

TCTTCCACAA AGGGAGATAA GAGCATGATG TTGACCCCAA AGGGTTTATC AGTCAATGAT    17940

TTGATTTTAT CAATATTGGC CTTGACAACT TCTTTCGGGG CATTTCCCCC ACCGATAATT    18000

CCTAATCCTC CAGCCTTGGA AACAGCCCCT GCCAAATCAC CATCAGCAAC CCAGGCCATC    18060

CCTCCTTGGA AAATAGGATA ATCAATCTTC AATAATTCTG TAATACGCGT TTTCATAGTG    18120

CCTCCAACCT TCCTTGCTTA CGTAATAGTT CGATTTCACC ATAATTTGAC AGTCAAACTA    18180

TTACCTAAAC AAGAGGGAGT GGGTTTCTCC CTACTCCTTC TACTAATATT CTGCTTATTT    18240
```

```
TGCTTGCTCT TCAACGTAAG CAACCAAGTC ACCAACTGTT TTCAAGTCAT TTTCTGCTTC     18300

GATTTGGATA TCAAAAGCAT CTTCGATTTC TGAGATTACT TGGAACAAGT CCAATGAATC     18360

TGCGTCCAAA TCATCAAAAG TTGATTCAAG TGTTACTTCT GATGCGTCTT TTCCAAGTTC     18420

TTCAACGATA ATTTCTTGTA CTTTTTCAAA TACTGCCATG ATAGGACTCC TTTAAAATAA     18480

ATAGTTTTTT TATAACAATG TGTTCACCAC ATGATTACCT AAATTGTAAG AATGAGCGTG     18540

CCCCAGGTCA AGCCTCCACC GAAGCCTGAT AGAAGAACAG TCTGGCTACC ATCTAAAGGG     18600

ATGAGACCTT GTTCTACACA CTCTGAAAGT AAAATCGGGA TACTGGCTGC ACTGGTATTG     18660

CCATATTCCA TCATATTGGC TGGAAGTTTG GCTCGGTCAA CACCAATTTT TCTAGCCATC     18720

TTATCCAAAA TACGGTCATT GGCTTGATGA AGTAGCAGAT AATCCAAGTC TGTCACCTCT     18780

ATAGGAGATT CATCAATAGT CTGCTTGATA GACTTGGCTA CATCTCGAAT GGCAAAATCA     18840

AAGACTGTGC GTCCATCCAT CTTCAAAAAC GAATCTGCAC TTTCTTGATC TGAAAATGGA     18900

GAATGTAAAC CTGAATGCCC ATAAGTTAAA CACTCGCTGC GACTTCCATC GCTATTGAGA     18960

CTCTCAGCTA AGAAATGCTC TTGCTCGCTA GCTTCTAACA AGACACCACC AGCACCATCT     19020

CCAAACAACA CAGCTGTTGA TCGATCCGAC CAATCGACTG CCTTAGAGAG GGTTTCACTA     19080

CCAATCACCA AGCCTTTTTG AAAGCGACCA GAAGCGATAA ACTTTTCAGC AGTTGAAAGA     19140

GCAAATACAA ATCCACTGCA AGCCGCGGTT AAGTCAAAAG CAAAGGCTTT ATTAGCACCA     19200

ATATTAGCTT GAACACGAGC AGCTGTAGAG GGCATCATCG AATCTGGAGT AATGGTAGCT     19260

AGGATGATAA AATCCAGTTC TTCTCCTGTT ATTCCAGCTT TTGCCATCAG TTTCTTAGCA     19320

ACCTCTGTAG CCAAATCACT GGTAGATTCT GTTCTTGAAA TATGCCTTTG TCGTATTCCC     19380

GTTCGACTTG AAATCCACTC ATCATTGGTA TCCATAATCT GAGCCAAGTC GTGATTTGTA     19440

ACCACTTGCT CTGGCACATA ATGAGCAACC TGACTTATTT TTGCAAAAGC CATTATTTCA     19500

AATCCTCCAA AAATTGGTAA AGATTAGTCA AACCTTTACC CATGACAGCA ATTTCTTCCT     19560

CGCTCATGCC ATCAATAATT TTTTCTACCA TGGCCTTGTG GAAGCGTTTA TGCAGTCTAT     19620

GAATCAAGCG ACCCTTCTTT GTCAAATGCA GATGCACCAC ACGACGATCC TGTTCTGACC     19680

GAACTCGCTC AATGTAGCCC GG                                              19702
```

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 6211 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

```
GAAAATTTCC TCTCTTCTCT TGAAAAATTT TGAAAAAATG GTATGATAGT AACAAGTTAT      60
TTTTAAGAGG AAAGAAAGGG GAATAATGGA GAAAATCAGT TTAGAATCTC CTAAGACGGG     120
GTCGGACCTA GTTTTGGAAA CACTTCGTGA TTTAGGAGTT GATACCATCT TTGGTTATCC     180
TGGTGGTGCG GTTTTGCCTT TTTATGATGC GATATATAAT TTTAAAGGCA TTCGCCACAT     240
TCTAGGGCGC CATGAGCAAG GTTGTTTGCA TGAAGCTGAA GGTTATGCCA AATCAACTGG     300
AAAGTTGGGT GTTGCCGTCG TCACTAGTGG ACCAGGAGCA ACAAATGCCA TTACAGGGAT     360
TGCGGATGCC ATGAGCGATA GCGTTCCCCT TTTGGTCTTT ACAGGTCAGG TGGCGCGAGC     420
AGGGATTGGG AAGGATGCCT TTCAGGAGGC AGACATCGTG GGAATTACCA TGCCAATCAC     480
TAAGTACAAT TACCAAGTTC GTGAGACAGC TGATATTCCG CGTATCATTA CGGAAGCTGT     540
CCATATCGCA ACTACAGGCC GTCCAGGGCC AGTTGTAATT GACCTACCAA AAGACATATC     600
TGCTTTAGAA ACAGACTTCA TTTATTCACC AGAAGTGAAT TTACCAAGTT ATCAGCCGAC     660
TCTTGAGCCG AATGATATGC AAATCAAGAA AATCTTGAAG CAATTGTCCA AGGCTAAAAA     720
GCCAGTCTTG TTAGCTGGTG GTGGAATTAG TTATGCTGAG GCTGCTACGG AACTAAATGA     780
ATTTGCAGAA CGCTATCAAA TTCCAGTGGT AACCAGTCTT TTGGGACAAG GAACGATTGC     840
AACGAGTCAC CCACTCTTTC TTGGAATGGG AGGCATGCAC GGGTCATTCG CAGCAAATAT     900
TGCTATGACG GAAGCGGACT TTATGATTAG TATTGGTTCT CGTTTCGATG ACCGTTTGAC     960
GGGGAATCCT AAGACTTTCG CTAAGAATGC TAAGGTTGCC CACATTGATA TTGACCCAGC    1020
TGAGATTGGC AAGATTATCA GTGCAGACAT TCCTGTAGTT GGAGATGCTA AGAAGGCCTT    1080
GCAAATGTTG CTAGCAGAAC CAACAGTTCA CAACAACACT GAAAAGTGGA TTGAGAAAGT    1140
CACTAAAGAC AAGAATCGTG TTCGTTCTTA TGATAAGAAA GAGCGTGTGG TTCAACCGCA    1200
AGCAGTTATT GAACGAATTG GTGAATTGAC GAATGGAGAT GCCATTGTGG TAACAGACGT    1260
TGGTCAACAC CAAATGTGGA CAGCTCAGTA TTATCCCTAC CAAAATGAAC GTCAGTTAGT    1320
GACTTCAGGT GGTTTGGGAA CAATGGGCTT TGGAATTCCA GCAGCAATCG GTGCTAAAAT    1380
TGCTAACCCA GATAAGGAAG TAGTCTTGTT TGTTGGGGAT GGTGGTTTCC AAATGACCAA    1440
CCAGGAGTTG GCTATTTTGA ATATTTACAA GGTGCCAATC AAGGTGGTTA TGCTGAACAA    1500
TCATTCACTT GGAATGGTTC GCCAGTGGCA GGAATCCTTC TATGAAGGCA GAACATCAGA    1560
GTCGGTCTTT GATACCCTTC CTGATTTCCA ATTGATGGCG CAGGCTTATG GTATTAAAAA    1620
CTATAAGTTT GACAATCCTG AGACCTTGGC TCAAGACCTT GAAGTCATCA CTGAGGATGT    1680
```

TCCTATGCTA ATTGAGGTAG ATATTTCTCG TAAGGAACAG GTGTTACCAA TGGTACCGGC 1740

TGGTAAGAGT AATCATGAGA TGTTGGGGGT GCAGTTCCAT GCGTAGAATG TTAACAGCAA 1800

AACTACAAAA TCGTTCAGGA GTCCTCAATC GCTTTACAGG TGTCCTATCT CGTCGTCAGG 1860

TTAATATTGA AAGCATCTCT GTTGGAGCAA CAGAAGATCC GAATGTATCG CGTATCACTA 1920

TTATTATTGA TGTTGCTTCT CATGATGAAG TGGAGCAAAT CATCAAACAG CTCAATCGTC 1980

AGATTGATGT GATTCGCATT CGAGATATTA CAGACAAGCC TCATTTGGAG CGCGAGGTGA 2040

TTTTGGTTAA GATGTCAGCG CCAGCTGAGA AGAGAGCTGA GATTTTAGCG ATTATTCAAC 2100

CTTTCCGTGC AACAGTAGTA GACGTAGCGC CAAGCTCGAT TACCATTCAG ATGACGGGAA 2160

ATGCAGAAAA GAGCGAAGCC CTATTGCGAG TCATTCGCCC ATACGGTATT CGCAATATTG 2220

CTCGAACGGG TGCAACTGGA TTTACCCGCG ATTAAAAATC CAACTTAAAT TTATTAAACC 2280

AGCCTAAAAG GCAATAAATA ATAGAAAAGA GAGAAAAGCT ATGACAGTTC AAATGGAATA 2340

TGAAAAAGAT GTTAAAGTAG CAGCACTTGA CGGTAAAAAA ATCGCCGTTA TCGGTTATGG 2400

TTCACAAGGG CATGCGCATG CTCAAAACTT GCGTGATTCA GGTCGTGACG TTATTATCGG 2460

TGTACGTCCA GGTAAATCTT TTGATAAAGC AAAAGAAGAT GGATTTGATA CTTACACAGT 2520

AGCAGAAGCT ACTAAGTTGG CTGATGTTAT CATGATCTTG GCGCCAGACG AAATTCAACA 2580

AGAATTGTAC GAAGCAGAAA TCGCTCCAAA CTTGGAAGCT GGAAACGCAG TTGGATTTGC 2640

CCATGGTTTC AACATCCACT TTGAATTTAT CAAAGTTCCT GCGGATGTAG ATGTCTTCAT 2700

GTGTGCTCCT AAAGGACCAG GACACTTGGT ACGTCGTACT TACGAAGAAG GATTTGGTGT 2760

TCCAGCTCTT TATGCAGTAT ACCAAGATGC AACAGGAAAT GCTAAAAACA TTGCTATGGA 2820

CTGGTGTAAA GGTGTTGGAG CGGCTCGTGT AGGTCTTCTT GAAACAACTT ACAAAGAAGA 2880

AACTGAAGAA GATTTGTTTG GTGAACAAGC TGTACTTTGT GGTGGTTTGA CTGCCCTTAT 2940

CGAAGCAGGT TTCGAAGTCT TGACAGAAGC AGGTTACGCT CCAGAATTGG CTTACTTTGA 3000

AGTTCTTCAC GAAATGAAAT TGATCGTTGA CTTGATCTAC GAAGGTGGAT TCAAGAAAAT 3060

GCGTCAATCT ATTTCAAACA CTGCTGAATA CGGTGACTAT GTATCAGGTC CACGTGTAAT 3120

CACTGAACAA GTTAAAGAAA ATATGAAGGC TGTCTTGGCA GACATCCAAA ATGGTAAATT 3180

TGCAAATGAC TTTGTAAATG ACTATAAAGC TGGACGTCCA AAATTGACTG CTTACCGTGA 3240

ACAAGCAGCT AACCTTGAAA TTGAAAAAGT TGGTGCAGAA TTGCGTAAAG CAATGCCATT 3300

CGTTGGTAAA AACGACGATG ATGCATTCAA AATCTATAAC TAATTAGAAA TATATAGCGC 3360

TGGAGATGAT TTTATGAAAA AGATTATGAG AAAAATTGCA TCGTTATTAT TGGTTCTAGT 3420

```
TGTATAATGT AATTACACCG TCGGTAATAG TGCTAGCAGA CCAAAATAAA GCAGATTGGT      3480

CGTATGATGA AAATGCTGTA ATTAACATTT ATGATGATGC TAATTTTGAA GATGGTAGGT      3540

TGCATATGAA CTTTGAACAA TTCTTCAAAT TGGCACAAAT AGCTAGAGAA GAAGGTCTTG      3600

AAATTCATTC TCCGTTTGAG AGAGCTGGTG CGACTAAATC TGCTCGTTAT ATAGCGAAAT      3660

GGATTTTGAG AAATAAAAAA CATTAACAAA TATAGTTGGT AAATCATTAG GACCTAAATC      3720

AGCTGTTAGA TTCGGAGAAG CTTTATCCTA TATTGAAGGT CCTCTTCGCA GAATAAATGA      3780

GACGATAGAT GGCGGTTTAT ATCAAATAGA GCAAATTATT GCATCTGGAT TGAAAGAATC      3840

GGGTTTAAAT GACTGGACTG CGAAAACTTT AGCTTCAGCT ATTCGTGGGA TATTAGATGT      3900

ACTTATTTAG GGGTTGAAAT CATATGAATA TTACCAATTT GTTTTCTATC AAGACAGGAT      3960

GTGATGAAAC TGATAGGCAA CTGCAAAAAC TATTTTTTCA GTTGGATTTA CAATTGGGAG      4020

AATTGACAGA TCAACTAAGA AAATTAGATT CTAATTTTGT TCCTCGTAGT CAATTTGTAG      4080

ACACGTTGGA TTTGAATGAT GTAGAATATA AAGAAATTTT AAACTATTTT ATCTTCCATC      4140

GTAATGATAG TGAAGAAAGT TTGGTAGAAT GGTTATATGA TTGGATTTCC ACAAATCGTT      4200

ATGAACTTCC TAAAGAGTTT TCGATTCGTA TGGCTCATAA ATACCATGAA AGTGTTACTG      4260

AAGTTTTCGG AGATGAATAA CTAAAAAACA GTCATTAGTG ACTGTTTTTT ATAGAAAAAG      4320

AGGTTTTATA TGTTAAGTTC AAAAGATATA ATCAAGGCTC ACAAGGTCTT GAACGGTGTG      4380

GTTGTGAATA CTCCACTGGA TTACGATCAT TATTTATCGG AGAAGTATGG TGCTAAGATT      4440

TATTTGAAAA AAGAAAATGC CCAGCGTGTT CGCTCCTTTA AAATTCGTGG TGCCTATTAT      4500

GCCATTTCCC AGCTCAGCAA GGAAGAACGT GAACGTGGGG TAGTCTGCGC TTCTGCGGGA      4560

AATCATGCGC AGGGAGTAGC CTATACTTGT AATGAAATGA AAATTCCTGC TACTATCTTT      4620

ATGCCCATTA CTACGCCACA ACAAAAGATT GGTCAGGTTC GCTTTTTTGG TGGGGATTTT      4680

GTAACTATTA AACTAGTTGG AGATACCTTT GATGCCTCAG CCAAAGCAGC TCAAGAATTT      4740

ACAGTCTCTG AAAATCGTAC CTTTATTGAT CCTTTTGATG ATGCTCATGT TCAAGCAGGT      4800

CAAGGAACAG TTGCTTATGA GATTTTAGAA GAAGCTCGAA AAGAATCGAT TGATTTTGAT      4860

GCTGTCTTGG TTCCTGTTGG TGGTGGCGGT CTCATTGCCG GGGTTTCTAC CTATATCAAG      4920

GAAACAAGTC CAGAGATTGA GGTTATCGGA GTAGAGGCGA ATGGAGCGCG TTCCATGAAA      4980

GCTGCCTTTG AGGCTGGAGG TCCAGTAAAA CTCAAGGAAA TTGATAAATT TGCTGATGGG      5040

ATTGCTGTGC AAAAGGTAGG TCAGTTGACC TATGAAGCAA CTCGTCAACA TATTAAAACT      5100

TTGGTAGGTG TCGATGAGGG ATTGATTTCT GAAACCTTGA TTGACCTTTA CTCTAAGCAA      5160

GGGATAGTCG CAGAACCTGC TGGAGCGGCT AGTATCGCCT CTTTAGAGGT TTTAGCTGAA      5220
```

TATATTAAGG GGAAAACCAT TTGTTGTATC ATTTCTGGAG GAAATAATGA TATCAACCGT 5280

ATGCCAGAAA TGGAAGAGCG TGCCTTGATT TATGATGGTA TCAAACATTA CTTTGTGGTC 5340

AATTTCCCAC AACGTCCAGG AGCTTTGCGT GAGTTTGTAA ATGATATCCT GGGGCCAAAT 5400

GATGATATCA CACGTTTTGA GTATATCAAA CGAGCTAGCA AGGGAACAGG CCCAGTATTA 5460

ATTGGGATCG CTTTAGCAGA TAAGCATGAT TATGCAGGTT TGATTCGTAG AATGGAAGGT 5520

TTTGATCCAG CTTATATTAA CTTAAATGGT AATGAAACGC TTTATAATAT GCTTGTCTGA 5580

GGACTAATAA AAAAATATCA TACCTTCATT TTGATTTCCT ATCTATTGAC AAGCATAGTC 5640

ACACTGTCTT TAATACTCTT CGAAAATCTC TTCAAACCAC GTTAGCTCTA TCTGCAACCT 5700

CAAAACAGTG TTTTGAGCAA CTTGCGGCTA GCTTCCTAGT TTGCTCTTTG ATTTTCATTG 5760

AGTATAAGGT ATGATTTGAT TTCTTTTTGT TGACAAATAT ACTATATTAA AAAGATATAT 5820

AAGTAATTAA CTGAGCTTAT CTGTCTTGTC ATCTCTATTA AGGATGGTTT AGATAATCGG 5880

GTGTCTGCTT CTAGGCTAGC ACCTCAATAT CCAAAGGAGT GATGAATTTG AAGGACATAA 5940

GGAATACCTA TCTCTCAGAT GATTTATTGA GGAAGAAAGA TAGGAGTTTT TGAGCTAGTG 6000

AAGGCTTGGA TTTCTAAAGG TTAGAACTAT CATCTTCAGT TCTTAAATCG AAGAAATAAG 6060

CTATCTTACG GAAATAGAGA AGCATTTTTT AAGAACTTGA ATAATTTCGC ACCTTAAGAG 6120

GGTAATAATA CAGTATTTTT ATTAGCAAAT ATTTATGGTG TAGAGGCTAG CAAAACCTAT 6180

ATATTATCGG ATTTAAAAAG GAAGTAAGAA A 6211

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7939 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

CCGGACTCCC CACGATTCTT CAAAATAACT GAGTATATTT CTATCTTGAT TTTCAGATAT 60

AAATTCTTCC TTCTGTGGCC TCTTCTTACG CTTGAGAAGA GCTTCTCCGA CATGGCTTCT 120

TCCTTACTGA GCAAAACCTT GAGCATAGAT AAGTTTGACT GGCAAGCGTG CTCTTGTATA 180

TTTGGCTCCC TTCCCACTAT TGTGGATAGC GAGGCGTCTT CTCATATCAG TCGTATAGCC 240

TATATAGTAG GATCCATCAC GACACTCCAG AACGTACATA TAAGCCTTAT GATCCATAAT 300

AAATCTCTTC GATTTCGGGC GTATAAGAGC CATCATCATT GTGGACAATC AAAGGAGGTA 360

```
AGACCTTAAA GCCACTTGTT GAGCCATCCT TGATCGCCTC AATCAAAAGC ATATTGGCTT     420

CCTTTTCTCT TTTTGGATAA ACAAACTGCA GGCGCTTAGG GGCTAGATTA TGTCGTTTTA     480

ACGTATCCAA AATATCCAGA AGTCGATCAG GACGATGAAC CATGGCCAAA CGCCCATTAG     540

ACTTGAGAAT ACTCTGGGCA CTACGACAGA TTTCTTCCAA ATTAGTCGTG ATTTCGTGTC     600

GAGCCAAGAG ATAATGTTCA CTCTCGTTCA GATTAGAATA AGGATTCACC TTGAAATAGG     660

GTGGATTACA CAAAATCATA TCCACCTTAC TCCCCTGAAT GTGAGCAGGC ATATTTTTCA     720

AATCATCGCA GATGACCTGC ATTTGCTCCT CTAATCCATT CAAACGGACA GAGCGTTCAG     780

CCATATCCGC CAAACGCTCC TGAATCTCAA CAGACAATAT CTGTGCTTGA GTACGAGTGC     840

TAGCAAAAAG CCCCACTGCT CCATTCCCAG CACAGAAATC CACAATCAAC CCCTTCTTAG     900

GAAAACGTGG AAATCGTGAT AAGAGAACAC TATCCACCGA ATAGCTAAAA ACCTCTCTAT     960

TTTGAATGAT TTTGATATCT GTCGAAAAGA GCTGGTTAAT GCGCTCTCCT GATTTTAATA    1020

ATTGTTCTTC TTCCATGGTC CTATTATAGC AAATTCATAT TAACATTACA AAAAATATAA    1080

AACTCTAAAC TACTTCTTCT TTTTTAAATG GTGCAGGGCT TCTCCAGTCC AGATTGGTAG    1140

CATTCGTCGA AAGGGAGCAA AGCCGTAGTT AAAGCGGTCG CTTGAAAAGC GTCTCCGTCT    1200

AGGAAACTGG TACTTTTCTT CCTCCAAAGT GCGGATAGAA AGACTGGCTT TCCCTGTAAA    1260

TTCATCTAAA TCCACTACCT GAACTTGAAC CTCTTCATCG ACTTTCAAGG TTTCATGAAT    1320

ATTTTCAATA AATCCTGTCC GAATCTCTGA AATGTGAATC AGCCCCGTAT CACCCGTCTC    1380

TAACTCAACA AAGGCACCGT AGGGCTGAAT CCCTGTAATA CGCCCCTTTA GCTTATCACC    1440

GATTTTCATC TTAGTCCTCG ATTTCAATAG TTTCAATTAC AACATCTTCA ACTGGCTTGT    1500

CCATAGCTCC TGTCTCAACA GCAGCAATGG CATCCAAGAC AGCGTAAGAT GCTTCATCAG    1560

CTAACTGACC AAAAACCGTG TGACGGCGGT CTAGGTGAGG TGTCCCACCT TGATTGGCAT    1620

AGATTTCTGC AATCGGTTCT GGCCAACCAC CACGAGTAAT TTCTTTCTTA GAATAAGGTA    1680

GGTGTTGGTT TTGCACGATA AAGAACTGGC TGCCGTTGGT ATTTGGACCA GCATTTGCCA    1740

TGGAAAGAGC ACCACGGATA TTGTAAAGCT CTTCTGAGAA TTCATCCTCA AAAGATTCGC    1800

CGTAGATTGA CTCGCCACCC ATACCAGTTC CAGTTGGGTC TCCACCTTGG ATCATAAAGT    1860

CCTTGATAAT ACGGTGGAAA ATGACACCAT CATAGTAGCC ATCTTTTGAA AGAGATACAA    1920

AGTTAGCCAC TGTTTTAGGA GCATGTTCAG GGAAAAGCTT GATACGTAAG TCTCCGTGAT    1980

TGGTCTTAAT AGTCGCAAGA GGACCTTCTA CTGTTTCAAT GTCTACTTGT GGAAAATGCA    2040

ATTCTTTTTC TACCATACCA AATACTTCTA AGGCAGCAAA AATGCCATCT TCTTCTAATG    2100

TTTTTGTAAT ATAATCTGCT TTTTCTTTGA TTTTATCATG AGAAATTCCC ATGGCAACGC    2160
```

```
TGATTCCAGC ATAATCAAAG AGTTCCAAGT CGTTGAGACC ATCTCCAAAA ACCATGACCT    2220
TCTCTGGTTT CAAGCCAAGG TGTTCCACAA CCTTTTCCAC CCCCGTCGCT TTGGAGCCTG    2280
AAATCGGCAC AATATCAGAC GAATGTTGAT GCCAACGAAC CATGCGAAGT TTGTCTGAGA    2340
GACTGTCAGG CAAGTGCAAG TCATCTCCCT TATCTTCAAA AGTCCACATC TGATAGATAT    2400
CTTCTTTTTC ATGGAAATCG GGATCTACAT CTAAGTCGGG ATAAATTGGA TTGATAGCTT    2460
CACTCATCAT ATCGGTGCGA GTCGACAACT TGGCATCATG ACTCCCAACC AAGCCATACT    2520
CAATTCCTTC TTGCTTAGCC CAAGAGATAT ACTCCTCAAC ATCTGACTTT TCAATCTGAT    2580
GCTGATAAAT GACCTGACCT TTTTTATCTT CGATATAAGC CCCATTCAAA GTTACAAAAA    2640
AGTCAGGCTT GAGATCACGA ATCTCTGGAA CAACACCAAA AATGCCACGT CCAGAGGCGA    2700
TTCCTGTTAA AATTCCTTTT TCACGCAACT GTTTAAAAAC AGTGGGAATT GTAGTTGGAA    2760
TAAACCCTGT CTTTGAATTC CGCAATGTAT CATCAATATC AAAAAAGACA ATCTTGATCT    2820
TCTTTGCCTT GTATCTTAAT TTCGCGTCCA TCTCACTACC TCTTTCAATC TAACTCTTTC    2880
CATTATATCA TAAAGTAGGC AAATCCCCTA TTTTCAAAAA GTTTATCATT TTTATTTTAA    2940
TTTCTTGGAT GAGAAAAGAG ACATATTTAT GAAAAAGCTC CATCGTGCTT TTAATGTGTT    3000
CTCTTGTTTT CAAACTCGTA AAAAGGGAGC CACTGATCCT AACTCGCTCT CTCATTTCAA    3060
AGCTTGTGAA AAAAGACCCG TTGGGGTCTT AATTCGCTTT CTTGTTTTCA AGCTCATGAA    3120
AAAGAGACCC AACTGGGTCT TTTCTTTAAT CTTCGTTTAC GAAAGGCATC AAAGCCATTA    3180
CGCGAGCGCG TTTGATAGCT GTTGTTACTT TACGTTGGTT TTTAGCTGAA GTTCCTGTTA    3240
CACGACGAGG AAGGATTTTC CCACGTTCTG AAACGAAACG GCTAAGAAGC TCAGTATCTT    3300
TGTAATCAAC ATATTCAATT TTGTTTGCTG CGATGTAATC AACTTTTTTA CGGCGTTTGA    3360
ATCCGCCACG ACGTTGTTGA GCCATGTTTT TTCTCCTTTA TAAGTTTAGT TGTCCATTAG    3420
AATGGTAAAT CATCATCTGA AATATCCAAT GGGTTTGTTG CTCCAAATGG ATTTTCATTA    3480
CGTGAAAAGT CTGGTACTGA ATTTGTAGGT GCTGAATAGT TTGCAGTTGG TGCAGAGTAA    3540
GCTCCACCTG TGTGACCCTC ACGCACACTA CGGCTTTCCA ACATTTGGAA ATTCTCAGCC    3600
ACGACCTCTG TCACGTAGAC ACGTTGTCCT TGCTGGTTAT CGTAACTACG AGTCTGGATA    3660
CGACCTGTCA CCCCGATAAG TGAGCCTTTT TTAGCCCAGT TAGCAAGATT TTCAGCCTGT    3720
TGGCGCCACA TAACGACATT GATAAAATCA GCCTCACGTT CACCATTTTG ACTCTTAAAT    3780
GTACGGTTTA CTGCAAGAGT AAAAGTCGCA ACTGCTACAT TTGATGGGGT ATAACGCAAC    3840
TCAGCGTCAC GTGTCATACG CCCTACAAGT ACAACATTGT TAATCATAGT TTACCTTCTT    3900
```

```
ACGCGTCAAT TTTGACGATC ATGTGACGAA GAATGTCAGC GTTGATTTTT GAAAGACGGT      3960

CAAACTCTTT AAGAGCTGCA TCGTCATTTG CTTCAACGTT AACGATGTGG TAAAGTCCTT      4020

CACGGAAATC TTGGATTTCG TATGCAAGAC GACGTTTTTC CCAAGTTTTT GATTCAACAA      4080

CAGTTGCACC GTTGTCAGTC AAAATAGAGT CAAAACGTGC TACCAAAGCG TTTTTAGCTT      4140

CTTCTTCAAT GTTTGGACGA ATGATATAAA GAATTTCGTA TTTAGCCATT GATATGTTCC      4200

TCCTTTTGGT CTAATGACCC CAAGACTTTG CAAGGGGTAA GTGAGGTTCG CTCACAATAA      4260

ACTATTATAC TAGAAAAAAT TTTTTTACGC AAGTAAAAAC ACTAGAATTC GAAAAAACGC      4320

CACATGGGCG TTTTCCTGTT CTTATGGTTT GATACGGTGC AACATACGTG GGAATGGAAT      4380

AGCTTCACGG ATATGTTTTG TTCCTGCTGC GAAGGTTACC ATACGTTCGA TACCGATACC      4440

AAATCCTCCG TGTGGAACTG TACCGTATTT ACGAAGGTCA AGGTAGAATT CATATTCTGT      4500

ACGATCCATG CCAAGTTCAT CCATCTTAGC GACAAGGGCA TCGTAATCTT CCTCACGCAT      4560

AGACCCACCG ATAATTTCTC CATAGCCTTC TGGAGCAAGC AAGTCTGCAC AAAGCACGCG      4620

CTCTGGATTT CCAGGAACTG GTTTCATGTA GAAGGCCTTG ATGGCTGCTG GATAGTTCAT      4680

GACAAATGTT GGCACACCAA AGTGGTTTGA AATCCAAGTT TCGTGTGGTG ACCCAAAGTC      4740

ATCACCATGC TCAAGATGCT CGTAGTCAGC ATCTTCATCA TTTTCATGCT CTTGCAAGAG      4800

GTCAATGGCT TGATCGTAAG TGATACGTTT GAATGGCTCT GCAATGTAGC GTTTCAAGAG      4860

TTCTGTATCA CGTTCCAAGG TTTCCAAGGC TTGAGGCGCG CGGTCAAGAA CACCTTGTAG      4920

AAGAGCTTTC ACATAAGCTT CTTGCAAGTC AAGCGACTCA TCATGTGTCA AGTATGAGTA      4980

CTCAGCATCC ATCATCCAGA ACTCAGTCAA GTGACGGCGT GTTTTTGATT TTTCAGCACG      5040

GAAAACTGGA CCAAAGTCAA AGACACGACC AAGAGCCATA GCCCCTGCTT CTAGGTAAAG      5100

CTGACCTGAT TGGCTCAAGT AGGCTGGCGT TCCGAAGTAG TCAGTTTCAA AGAGTTCTGT      5160

AGAATCTTCT GCCGCATTTC CTGAAAGAAT TGGGCTGTCA AACTTCATAA AACCGTTCTT      5220

GTCAAAGAAC TCATAAGTTG CATAGATAAT AGCGTTACGG ATTTGCAACA CAGCTACTTG      5280

CTTACGAGAG CGTAgCCACA AGTGACGGTT ATCCATCAAA AAGTCTGTTC CGTGTTCTTT      5340

TGGTGTGATT GGGTAGTCTT GAGATTCACC GATCACTTCG ATGTCTGTGA TGTCCAACTC      5400

ATAGCCAAAT TTAGAACGTT CGTCCTCTTT GACAATACCT GTCACATAAA CAGACGTTTC      5460

TTGGCTCAAG CGTTTGATAA CATCAAACTT CTCAAGTCCC ACTTCTTCAC CAAATTTTTC      5520

GACAAAGTTT GGTTTAAAAG CCACACCTTG AAAGAAGGCT GTTCCATCAC GCAATTGTAA      5580

GAAAGCGATT TTTCCTTTTC CTGATTTGTT GGCAACCCAA GCGCCAATCG TCACTTCCTG      5640

ACCAACATAG TCTTTTACGT CAATAATCGT TACACGTTTT GTCATTATTT TTCCTTTTCT      5700
```

```
TTTTTATTCT TTATGGCAAA CCACCTCTAT ATTGTTCCCA TCCAGGTCAA TCATAAAAGC      5760
AGCATAGTAA ATCGGATGCT CACTTCGATA ACCAGGAGCC CCATTGTCTC GCCCACCTGC      5820
CTCTAAGCCA GCCTCATAAC AAGCCTGAAC TTCTTCCTTA TTTTCTGCTA AAAAAGCAAA      5880
ATGAACAGGA TCTTGTGTTC CCTGAGTCAG CCAAAAATCA CCACCAGGAT GAGGGCTGTT      5940
CGGGGATAGA AAACTAATTA GAGAACTAGT CTTAAAAGCC AATTTATAGT CCAAAGGAGC      6000
GAGAAAACTC CTATAAAATC CTTATGAAAT TTGTAAATCC TTTACCTTAA TCTCAAAATG      6060
ATCAATCATT CTCACTACCC ATAAATGCTT TCAAGCGTTC GACTGCTTCT TTAAGCGTGT      6120
CTAGGTCTGT CGCATAGCTG AGGCGGACAT TTTCTGGTGC TCCAAATCCA GCTCCTGTTA      6180
CCAAGGCCAC TTCGGCTTCT TCTAAGATAA CAGTTGTAAA GTCTGTCACA TCCGTGTAGC      6240
CTTTCATCTC CATGGCCTTT TTGACATTTG GGAAGAGATA GAAGGCCCCT TGCGGTTTGA      6300
CCACTTCAAA TCCTGGTACC TCTGCAAGGA GGGGATAGAT GGTATTAAGA CGTTCCTCAA      6360
AGGCCTGACG CATGCTTTCT ACAGTATCTT GCTCACCTGA TAGAGCCTCA ACTGCTGCAT      6420
ATTGGGCTAC TGCTGACGGA TTCGAAGTTG TTTGACCTGC AATCTTGGAC ATGGCAGCGA      6480
TAATGTCTGC TTCTCCAACG GCATAACCAA TCCGCCAACC AGTCATGGCA TAAGTTTTAG      6540
ACACACCATT GATGACCACT GTTTGCTTGC GAATCGCTTC CGATAGGCTA GAAATCGGTG      6600
TGAACTCATG ACCATTATAA ACCAAGCGGC CATAGATATC GTCTGCTAGG ATGAGAATAT      6660
CATTTTCTAC AGCCCAGTTT CCAATTGCCA AGAGTTCCTC ACGGGTGTAA ATCATACCTG      6720
TGGGATTAGA TGGCGAATTC AGCACCAAAA CCTTGGTCTT GTCAGTGCGA GCTGCTTCTA      6780
ACTGCTCTAC GGTCACCTTA AAGTGATTGT CTTCCTTAGC AGAAACAAAG ACGGGAACGC      6840
CTTCTGCCAT CTTGACCTGA TCTCCATAGC TAACCCAGTA TGGGGTTGGG ATGATGACTT      6900
CATCACCTGG ATTGACCACA GCCATAAAGA AGGTATAGAG AGAATATTTG GCTCCCGCAG      6960
CGACTGTCAC TTGATTTGAC GCTACAGAAT AGCCGTAAAA GCGCTCAAAG TAGCTATTGA      7020
CCGCCGCCTT AAGCTCTGGC AGACCTGAGG TTACTGTATA AAAAGAAGCA CGCCCATCTC      7080
GAATCGATGC AATGGCGGCA TCTTGGATAT TTTTGGGAGT AGTGAAATCT GGCTCACCCA      7140
AGGTTAGAGA CAAAATATCT CTACCCTCAG CCTTCAGTGC TTTGGCACGG GCTCCAGCAG      7200
CCAAAGTCAC ACTTTCTTCC ATTTCTAAAA CACGGTTGGA TAGTTTCATA GGCCCTCCTT      7260
GTTGACCAAT GCTCCTGTTT CAAAATCTAC TAGATAAAAA TCAGATCCTG ACTTAACTTC      7320
CCAGATTGGC TTATCTTGAT AACGGCCAAA GGTTATCTTG TCAATCTCGC CAGCTCCCTT      7380
TTCCTTAGAA ACCGTTTCTG CTTTTTCTTG TGAAACACCC TGATTTAGCT GATAAACGTA      7440
```

AATCTTATGG TCATCTTTAC CAATCAGGAC AGCAAGCGCT TCTTGCTGTT TGTTACGACC 7500

AAGAACGCTG TAATAAGATT CCAAGCCATT GTATAAATCA ACCTGATCAG CCTGCTCTAA 7560

TCCTGCATAC TGCTGAGCTA ATTTTTCTCC TTCACTTTTA GCTGTTTGAT AGGGTTTCAT 7620

GCTAAGAGAA ACCATATACA GAAAGGAACC ACTGATAACC ACAAACAAAA TCGTCATCCC 7680

TAGACCATAC TGCCACAGTA GATTATTTTT TGCTTTGTTT TGTCTTTTTT TCACTCGTCT 7740

ATTTTACCAT CTATTAAGCT TTATTACAAG TGAATATAAG AATACTCTTC GAAAATCTCT 7800

TCAAACCACG TCAGCTTTAT CTGCAGACCT CAAAGCTGTG CTTTGAGCAA CCAATTCTAT 7860

TTCTCCCTTC AAACAAAACC GATTTTGAAA GTGAAACAGT TCTTACTTTT TCAGTCACAA 7920

ATGATTAGAG TTTGCCGGG 7939

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 9897 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

CCGCTCTACC GTCAAATAAT TACCATTTTG TTTAATACCG AAATTTTTAT CTACTGAAAA 60

TTCAGTTGGT CTGTTGGTAC GATCGTCGTA TACAGTACCA TTCTCACGAA TAGTATAATT 120

GTAATCAGTA TCACCTTGTT TCCTTAATTT AAGGTAATAA TTACCATCAA TTTGTTTATA 180

ACCTGAATCT TTTCTAGTTG CTTCTCTAAA ACTTACTCCA GCAGGCATCA CATCAGCAAA 240

CATGAGTACT TGTTTGTTCT TTTTTTCAAC AATAACAGAG TCAATATAGG TTGCACCACC 300

GCTGATTTGT AAGTCACGTC CACCAACTTC ACGAGGCCAT TCTAATGGTA CTGGCGCAAA 360

ATCATCGAAT GCCAATGTTA ATTTTGGTTT AGTCCATGTC TTACCATTAT CATCACTATA 420

ACTTGTAGCA ATATTAATTT TATTCAAGAA ATCATGAGTT CCACCGTAAC GAGCGTCAAT 480

GCTTGAAAAT ACCCGACCAT TGCTAAAAGT ATACAGAACT GGAATACGGA AATAGTTAGA 540

ACCTGTTGTA TCATTAGCCG TATAAATTAA ATGTCCAGTA ACAGCGTTTG TTGTCATCTT 600

TTTAACAGTT TCTTCATCCA ATGCACTATT AAAGAATTTG ATATTTTCTA GTGTTCCGTT 660

AAAACCAAAC GCCGTTTTTC CTGCACGTTT CACTCCCCCA AGCATATAGT AATCAATACC 720

TTTAATATCC TTGATGTTTA GGAAATTATC CACTTTCTTT TCTACTACTT TTGTACCATT 780

TGCGTATAAA GAATATGTTT TTTTGACTGA ATCTGCTACT ACTGCAACAG TGTTAGTCAC 840

AGCCTCTTGT TTGTACTTAC CCCAAACTGA AGCAGGTCTG GATACTAGGT TATTTTTATT 900

```
GGAAGAAGTA TCACGCGCTT CCATCCCCAA CTCACCATTG TCTCTAAGGA ACACATCTAC     960
ATAACTATTT TGTTGACCGG GTTTGGAATT AGATATTCCA AACAGAGCTT GTAAGCCTTT    1020
CTCACTTGAC TGATTGTACT TAATCACTAC AGTAAAGTCA CCGCTAGTAA ATTTATCCTT    1080
TAACTCTTTA GTAACATTTT CTCCGCCCCC TGTTAAAGTA ACATTATTTT TTTCTAAGAC    1140
AGGAGTTTCT TCCGCTGTAG AAGATGGATC CTTAACAGTA GTTTCAACTG TTCGAGGTTG    1200
TACAGTAACT TCCGAAGAGT TATCCGATGT AGGTTGTACT TCCGAAATCG GAGTCGTTGG    1260
TGCAACAGGT TGCACCAACT TTGGTGTTGA TACTTCAGAA GTTTCAGTCT CCTGAGCTGC    1320
AACTGAGTTA GCAACAAATG CTGATAATAC CACTACAGTA CCTAAGGTTA CATATTGTTT    1380
AATATTTTTT TTCATTTTAT TTTTCCTCGT TTAAAACTTT GATAACAAGT TTTTTAACAG    1440
TTTCATCATT GCAATGAATC TTTGGTTGGT GAAGATCTTC TTCAAAAGTC ACCAACATAT    1500
TCCCTGGAAG CAATTCAACA ATTTGATAGT CTTTGCTATC GTAAAAAGCA ATATCCTTCT    1560
CTTCGCTAAA AGGTACACGT GACTGGGCAC GAACTGGGGA AGTTACTGCC ATTTTTTCAG    1620
TATTTTCAAC AACAATATGA ATATCTAAAT ATTTCTTATG AGTTTCAAAA ATATCTCCTG    1680
GAACTCCATC AGCTAGATAA GTCATACAAT TTGCAAAAAC ATTTTCCCCG TCAATATCAA    1740
TTTTTCCATC AACTAAATCT GTCAAATTTG TATTTTCTAA AAAATCACAG ACTTTTGAAA    1800
AATATTTATT GACAGAAGCA TATCGTTTAA AATCAGATTG TTCAGAAATA ATCATATTAT    1860
TTTCTCTTTT CTATTAGTGA CGAACTTCCC AACTTGAATC CGCTTTAATT TCTGTAATAT    1920
CATGAATCGT TGTATATTTA GGTGCAGATA CTTTATTTCC AGTAAGAACA GATACAATAT    1980
AACCTGAAAC TACTGATACA GAGATTGAAA TCAATGAATA TGCCCAGTAG CTAACAGCTG    2040
TTGGAGGAAG GAAGTATTTA ATAAATACCA TGACGATGGT TGATACAATC AGCGCTGCAT    2100
AAGCACCTTG TTTATTTGCT TTTTTAGAAA CAAATCCAAG AATAAATACA CCACCAAGTA    2160
GACCAAGTAC AAGTCCCATG AAACTATTGA ACCATTCGTA TGCAGATTTA ATATCTGAGT    2220
GAGCCATGAC AATGGAAACA CCAATTGAGA ATAAACCTAC TGCTAGAGAT ACGAATTGTG    2280
CAATTTTCGT ACGACGATTG TCTGACATAT TTTTAGAAAT GACATCTTGA ATATCCAATG    2340
TCCATGAAGT TGCAACAGAG TTCAAACCTG TTGAAATAGT TGATTGAGAT GCTGCATAAA    2400
TCGCTGCCAA GATCAAACCT GTGATACCTA CTGGTAACTG GTATGCAATA AAGTACATAA    2460
AGATTTGGTC TTGAGGGATA TTGCTAGCTG CACTATCTGC ATTTTGTACT TGATAGAATA    2520
CGTACAAGCC TGTACCAATC AAGTAAAAGA CTGTTGCAGT TGCAAGTGAC AAAACACCGT    2580
TTGTGAACAA CATCTTATTA AGTTTCTTAA TATTTTGTGT TGTAGTAAAA CGTTGAACCA    2640
```

```
AATCTTGAGA TGAAGCATAG GAAGACAAGA TTGTAAAGCC TGAACCCATC ACAATTAAAA      2700

AGATGGAGTT TGAAAGCAAG TTAGGATCGA AAAGTTTTTC ATTTGCAGCA AGGAATTTCC      2760

CGTTTGCTAA TGTTTCTGCT ACTGCACCAA AGCCACCTTT AATATTAGCA ATCAGTACAA      2820

ATAAAGCTAA AACGACACCA CTAATCAGAA TCACACCTTG AATAAAGTCT GTCCATAATA      2880

CGGATTTTAG ACCACCAGTA TAAGAATAAA CAATTGCAAC TACACCCATC AAAATAATCA      2940

AAATATTGAT GTCAATTCCT GTCAATACTG ATAAACCAGC TGATGGGAGG TACATAATGA      3000

TAGACATACG TCCCAATTGA TAAATAATAA ACAAGAGTGC TGAAATAATA CGAAGTGCTT      3060

TAGAATTAAA ACGTTTATCC AAGTAATCAT ATGCCGTATC GATGTCTATC CGTGCAAAGA      3120

TAGGTAAGAT AAAACGAATT GTCAGTGGAA TAGCTACTAC CATCCCTAAT TGAGCAAACC      3180

ATAAAATCCA GCTACCTGCA TAAGAGCTAC CAGCGAGTCC CAAGAAGGAA ATCGGACTGA      3240

GCATTGTGGC AAAAATGGAT ACCGAAGTAA CATACCAAGG AACCGAACCA TCTCCTTTAA      3300

AGAACTCTTT TCCTTTCATC TCTTTTTTAG AGAAATAGAT ACCTGCAACC AACACCGCAA      3360

GTAAATAAAC AATCAAGATA ATTAAGTCAA TTATTGTAAA TCCTGTTGTG CCCATAACAT      3420

ATCTCCATAT TGATTTTATT TATTATAAAA ATTCTTTTCG TGCTTGTTGA ATAAGTTCTG      3480

CTGCTTGTTT TGCAACTTCC AAGTCACCTT CTGCCAATGC TTCTAAAGGT TGACGAACAG      3540

AACCTAAATC AAGTTTTTCA TTTAGACGCA AAACTTCTTT TGCTACAGCA TACATATTTG      3600

CCTTACCTGA TATCATCTTA TAGATAACTT CATTGATAGC ATATTGAAGT TTTTTAGCTG      3660

TATCTAAATC TCGTTCTTGA ATCAAACTTT CCAATTTCAA GAACAAATCT GGCATAACGC      3720

CATAAGTACC ACCAATACCA GCTTCTGCTC CCATCAAGCG ACCACCAAGA TATTGTTCAT      3780

CTGGACCATT GAATACAATG TAATCTTCTC CACCTGCAGC TACAAACATT TGAATATCTT      3840

GTACAGGCAT AGAAGAATTT TTAACTCCAA TCACACGAGG ATTTTGACGC ATTGTTGCAT      3900

ACAAACTACC AGTCAACGCA ACCCCTGCCA ATTGTGGAAT ATTATAGATA ATAAAATCTG      3960

TATTTGACGC AGCTTCACTC ATTGCATTCC AATATGCTGC GATTGAATAC TCTGGCAATT      4020

TGAAATAAAT AGGTGGGATA GCTGCAATAG CATCGACTCC AACACTTTCT GAATGTTTTG      4080

CCAATTCGAT ACTATCTTTC GTGTTATTAC ATGCAATATG GTTGATAACT GTTAATTTAC      4140

CTTTAGCAAC TTCCATAACA GCTTCAATAA TTTGTTTACG ATCTTCTACA CTTTGGTAAA      4200

TACATTCACC TGAAGAACCA TTTACATAGA TACCTTTTAC ACCTTTGTCA ATGAAATATT      4260

GTACCAGAGA TTTTACACGA TCTTGGCTAA TTTCACCATT TTCATCATAG CAAGCATAAA      4320

ATGCAGGGAT AACGCCTTTG TATTTAGTTA AATCTTTCAT CAGATTTCTC CTTTATATTG      4380

TTTTTTATTT GATGACATTA ATAAATCGCT GAGCAATTTC TTTTGGACGT GTAATCGCTC      4440
```

```
CACCAATGAC TACACTGGTA ACACCTAAAC TATAAGCTTT TTTTAATTGT TCTGGATAAT    4500
GAATTTTTCt TCGGCAATTA CCGGAATATT AAAATCAGCC AATTTTTTCA TTAGTTCAAA    4560
ATCAGGCTCA TCTGATTGTA CACTTGTACT TGTGTAACCT GATAATGTTG TACCAACAAA    4620
ATCAACGCCT GATTTAAATG CATAGAGACC TTCATCTAAA TTACTTACAT CCGCCATCAG    4680
CAATTGATTC GGATATTTTT CTTTTATTTT TTTGATAAAT TCACTGACAA CTAAGCCATC    4740
ATATCTTGGT CTTAAAGTTG CATCAAATGC AATGACTGTT GTTCCGCATT CTACAAGTTC    4800
ATCTACTTCT TTCATCGTAG CAGTAATATA TGGTTCTTGA GGTGGATAAT CCCTTTTGAT    4860
AATTCCAATT ATTGGTAAAT CTACTACTTT CTGAATTGCT TTAATATCAC GCACAGAATT    4920
TGCGCGAATG CCCACTGCTC CTGCCTCTAA AGCTGCTTTA GCCATAAAAG GCATCAAGCT    4980
AAATTCTTCA TTATAAAGGG CTTCACCAGG TAAAGCTTGA CAAGAAACAA TGACTCCACC    5040
TTGAACTTGG CTTATAAATT TTTCTTTAGT CCAAATTTGG CTCATTTTAT TATTCCTCCT    5100
TATGGATAAT AGTTTGATTG TAATAATATT GTCTCTCTGG ACTTTCCAGA TAATTAGAGA    5160
ATAAGCAGTC TGTAATTAAA AGTATTGGAA ACTGAGGTGA TATGCGATTG CCATACGAGA    5220
GATGATCGGT CGAAGCTAAT AACAATAGTT CATCAAAGAA ACAATCTTCT TCGTCAAATT    5280
TTCTTGTAGT CATTAAAACT GTTTTAGCGC CTTTATCTGC AGCTTTTTGT AGACCTTCTA    5340
GTACAATATC AGTTTGACCT GAAATGGATG CTCCAATGAC AAGGCAATTT TCATTAAGTA    5400
GTAAGCTACT CCACAAAATC ATATCCTCGT CTGATAATAC TTCACCAATC ACTCCGAGAC    5460
GCATAAATCT CATCTTCATT TCTTGTAAAG CAAGAACAGA ACTTCCTTTA CCGTAGAGAT    5520
ATACACGCTC AGCAGTTTCT ATCATCTCAG CAATACGCTC AAGTTGAACT TCATCAAGAA    5580
CCGTGTAAGT TTTTCTCAAC ATTTCCTCAT AGTCGGATAA AACTTTTTCT GTTGCCTCTG    5640
TATATAATGC CAACTTTTCT TTCTCATGAA TCATCTCTTG GTATTTGAAA ATGAATTGTC    5700
TAAAACCTTT AAAACCACAT TTTTTCGCAA ATCGAGTCAA TGTTGCTTTG GATACATTAA    5760
GGTATTCGCA CAATGCTTTA GATGAATAAT CATTCAGAGG TTGCTGTTTT AAGAAGAATT    5820
TAGCAATGTC TTTTTCAGCA TATGCCATAT TTGGTAAGTT AGCTTCTATC ATTGGAATTA    5880
GTTCTTTTTG CAGTAACATA TGAGCTCCTT AGTTGAAGTA AACGTTTACA TTCTTTATTT    5940
TAACACTTTT TTTTTTTTTC AATATTTTTC ATAAATTAGA AACTAGTTTC CAATTTCTTT    6000
CGTTTCATAA CAGAACAACA AACATAAAAA TATAATAGTT TTTATTCTTT TTATCGTAAT    6060
TATATGTATT GTAAGAACGT TTATCACTAA TAATATGTTC ATATTAAAAT ATTTTAGTAA    6120
TATTTTATTT TGGTTTTATT ATTTCTTTTC GGAATTTCTA TATAATATTT TATTTCTAAA    6180
```

```
AAAATTGAAA AAATATTTCT AGTTTCTTTA TTTTATATAG GTAATATATT TTATTTCTAA      6240

ATTAAAAGAG AATCCCATAA AAACTACAGA TTTATGAGAT AAATCAGGTC ACCTATTTTA      6300

AAAAAGCAGC AAACTATAAA CTAAAAAGTT CCACACCAAA TGTAACCCCA TACTTCCCCA      6360

TAAGTCAGAT TTATAGCGCA CCATACCTAA AAACATTCCA AGTGAAACGT ACAGACACCA      6420

AGCTAGAATG GTTCCTGGAT GATGTACTAA GGCAAATAAA ACACTTGTCA AAGCAACTCG      6480

AATATCTAAT TTTCTAACCA AGTTCCATAA AATTTCACGA TACAGAAATT CTTCAACCAT      6540

ACTCGCATTG ATTAAGAACA ATAAAAATGA AAACCAAGGA ACTTGATGTT GAAGGCCAAT      6600

TAAATTTGTT TGATTCGTGC TTCCTTGAGC ATGAATCAGG CTAAAACATA GACTTATAAT      6660

CAGTAGACTA GCTAGTCCAA TACCAAGGCA TTTCATCCTA GTTTTCATAT TGACCTTGAC      6720

CACTTGTTTT CGTTGACCAT ACATCCATAA AAAAGAAAAA AGAGACGCAC CATAGAGAAC      6780

CTGTAGTATA GTTAACTCAC CGATACAAAG AAATTTCAAT AAGTATAGAG ATACCAATAG      6840

GACATTTACT TGTTGGAATA TATAAACTGG AATTATTCTT TTCATAGTTA CCTCCGAAAT      6900

AAATCTTCAT AATCTAAATC TAATATCTGC ACAATCCTTT CTACCCATGG ACTTTGAGGC      6960

ATTCGTTGTT CCATCTTGTA GTGGCGAATC TTTTGATATA AACGATTCAA TTCACTTGGA      7020

TAGTGAAACT CTCCCGCAAA CATTTTTCTG GTTAACTCAA TCCAGCTGAT ATTTCTTTCA      7080

GCCAAAATAA TGGACAAGTT CTCCCAAAAT CGTTCAGCCA TATTrCTTCT CCTTTAGTTA      7140

GATAAATAAT GTGTTTGyGC CATGTAAATC AATTGTTTCG TATCTCTTGG CAATAGAGCT      7200

CTAGCCTCTT CCAAATTCAG ACTTGGATAA ACCCGCTTAT TTGAAACCAC AAAAGGAAGT      7260

CCGATGGTTA GTTCAGGATT TTTTAAAATT ATCTCAACGA AATCCGTTAA TCTTAGATTG      7320

TCACGGTTCT TAAATCGTAA TAAATTGGGA GATAAAAACT CAAAACAATC TGAAGAATAG      7380

CTCATCATCT CAATTAATTT GTCCTTTGTC ATTTCAGAAA CTGAATGACA AGATACCTCA      7440

ATGCCATAGT TTTGGAAGAA GTCTAAAAGA AGTTGATTTC TTTGGCTATT TTTACTTAGA      7500

TAGAGATCAA TCATGGGAGA CCTCCAACAA ATTTGCTTCC ATTTGATATT CTGAGACGAT      7560

TAAGGAATCT AACAACTTTG AGAAGTTAAT CGATTTCTTG TCTTCATCAT AAGCTTTTAC      7620

AGTTACTTGG GTTGTAAGTA TCCCCTCTTT TCCCTCGGCT CGATAGTCTT GTCAATATAA      7680

AACAAAAACA AGATTCTGAT TATCATCTAC AAAGGCATTA ACTCCGTTCT TTATATCCTG      7740

ACTTTCAAGG AATTCCATAA CGTTTTGAAG ATAGGATTCA TAAAATAGTG GGTAATTATG      7800

TTTTTTATGG TAATCATCTA AAAATGTTAC CTCAAACTCA CATGGATAAT TGGGCATCAA      7860

AAATATTTGT TCATCCAGCT GTTTGATTTC TGCATCATGT AATTCTGTTT CTAATTCATC      7920

ACAATCTAGT ATTGATTCTT TATTTAATGC TTTTATCTTT TTCCTCTATT TCTTTTAATT      7980
```

```
TCTTTGCGAT TGCGGCAATC ACAGGAACGG TTACACTATT ACCAACTTGT TTATAGAGCT    8040
GACTATTAAT AGAGACTTTT CTAGCAGCTT CAAAAGCCTA ATCAGGAAAG CCATGCAATC    8100
GAAAACACTC TTTAGGAGTG ATTCGTCGTA TTCTCAAACG GTAAAATTGT CCATCTATTA    8160
AAACACCAGC TACTTGGTAA ACTTGTTTAT CTTCTCCTTC ATAGCTAGCC ACTACTACTC    8220
CCATTTGACC ACTAGTTGTT AACGTATTAG CTATACCTTT TCCAACTCTA CCACGACGAT    8280
ACTGAGAACT TGGTCTTTCT AAATTGATTG AATCCCCAAT CTCTGCTTGA GCATATCCTT    8340
TTTTCGTTGC TTCCCGTACT TTTAGAAATT GGATTGGTTC TGGAATTAGT ATTTTGGGGA    8400
TTTTATCTCC TCCTTGCATC GTAGTCAGTG TTGGAGATAA GCCCTCACTT CCATAGACAC    8460
GACCTGTCTC CTTAAAGCTA GTCGGTAAAT CTCCAACAAC GACAATGCCA TAACGATCCT    8520
GAGTATTTAA AGTAAACATC GGCTCTTGAT TTTCCTTAAA GCGTCTCCCA TTTTGTCTCT    8580
TGTCTAATCT ATCTGGTGTC ATACAAGGAA TCGCAACTTT AAATCCTTCT CCTTTACCAC    8640
GAACTAAGGT TGGCGCAAGA CCTTCTGAAT AATAGACTTT ACCGCTCATT CCACTTCTTG    8700
ATGGATTCAA ATTTCCTAGT GCTTTCAAAG TCTCAGAGTT AGTTGCTTGA CCTTCTCGTC    8760
TGAAAGGAAA TAAGAGTCTG GTACCTTTCT TTCTAGAATG TCCGATAATA AACACCCTCT    8820
CTCTGTTTTT GGGAACGCCA AAATCCTTAC TGTTAAGCAC CTGCCACTCA ACATCAAACC    8880
CCAACTCATC AAGTGTGGTA AGTATTGTGG TGAACGTCCG TCCCTTATCG TGATTGAGTA    8940
GGCCTTTAAC ATTTTCAAGA AAAAGAAAAC GTGGTTGGAT TTGTTTGGCC GCCCGACCAA    9000
TTTCAAAGAA CAAAGTTCCT CTAGTATCTT CAAATCCCAA TCGTCTTCCT GCGATTGAAA    9060
ATGCTTGACA AGGGAATCCC CCACAGATGA CATCGACTTT CCCTCTAAGT TTTTTAAATT    9120
CGTCATCTGA AACATCTCGT ATGTCATGAA ATTCTATTTC TCCTTCCGTT TGAAAAATGG    9180
ACTTATAAGA TTTCCTAGCA AATTTATCAA TCTCACAAAA TCCCAAGCAC TCATGCCCTT    9240
GAGCTTCCAT TCCCATCCTA AAGCCTCCTA TCCCAGCAAA TAAATCTAAA ACCCAAATCA    9300
TTCATACCTC TCTCAACTAG ATGTAACTTA CAAAACCCCT GACCTCATGA GCCACTTTCT    9360
TCCTCCTCAT GAGGTCAGTT TTACTTTCTG CTGTTCCAGT ATCGTTTTTC CTCGCTAGAT    9420
TTCCTCAAAA GGGCAGACTC CTCCCTTGGT TCGTCACACG ATTTTTTCAT CTCGACTGTT    9480
CTTTAATGCA TCATTAACGA CGCTTTTCTT CTAGGTGGTT CATAAGGAAC AGGAAGATTC    9540
AGGTTGACTT TTCTAATCCT AGAATAAAGT GCTGAAAACA ATTCGGAATA GGCATAGAGA    9600
CTAGACAATT TGAGGAGCTG CTTGCGTCCT GTTCGAACAC ATTTTCCTAC CACGTGAAGA    9660
AAAAGATGGC GGAAGCGTTT GATTGTTAAA GTTTGGAAGT CACCTCCAGC TAGATGTTTG    9720
```

```
AGAAAAAGAT AGAGATTGTA GGCGATACAG CTCATCATCA TACGAACTCG TTTTTGATTA     9780

AGGTTGAACT ATCCGTTTTA TCGCCAAAAA ATCCCTCCTT CATCTCCTTG ATGAAATTCT     9840

CGGCTTGACC ACGTCCACGA TAAAGCTGAA ACTGGTCTTG GCTTGTTCCG GTACCGA        9897
```

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 8148 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

```
CCGTGGAACA AGCCAAGACC AGTTTCAGCT TTATCGTGGA CGTGGTCAAG CCGAGAATTT       60

CATCAAGGAG ATGAAGGAGG GATTTTTTGG CGATAAAACG GATAGTTCAA CCTTAATCAA      120

AAACGAAGTT CGTATGATGA TGAGCTGTAT CGCCTACAAT CTCTATCTTT TTCTCAAACA      180

TCTAGCTGGA GGTGACTTCC AAACTTTAAC AATCAAACGC TTCCGCCATC TTTTTCTTCA      240

CGTGGTAGGA AAATGTGTTC GAACAGGACG CAAGCAGCTC CTCAAATTGT CTAGTCTCTA      300

TGCCTATTCC GAATTGTTTT CAGCACTTTA TTCTAGGATT AGAAAAGTCA ACCTGAATCT      360

TCCTGTTCCT TATGAACCAC CTAGAAGAAA AGCGTCGTTA ATGATGCATT AAAGAACAGT      420

CGAGATGAAA AAATCGTGTG ACGAACCAAG GGAGGAGTCT GCCCTTTTGA GGAAATCTAG      480

CGAGGAAAAA CGATACTGGA ACAGCAGAAA GTAAAACTGA CCTCATGAGG AGGAAGAAAG      540

TGGCTCATGA GGTCAGGGGT TTTGTAAGTT ACATCTAGTT GAGAGAGGTA TGAATGATTT      600

GGGTAAATAC AATGAGCTTG AAAGAAGTAG CAAACTCACC AAGCGCCAAT TCTTTGAGAA      660

TCAGATGCTG GATTATACCA TCATTGCGCA TGAGAGTTTT GAAATCATCC GTCATTCTGT      720

CTACCAGACA GATGATCGTG AAGTGGAAAA TGCTCTGGCT TTTGAAGTGA AAAATGATGA      780

AACAGACAAG CTGATTCTGT TATTAAGCGA GGATATTGGT GTAGGTGAAA AATTGTGCCT      840

CGTTGACGGA ACAAAAATGC GTGGAAAATG TTTAGTATAT GATAAAATAA ATGAGAGAAT      900

GATTCGCTTG CAGTGCTAGA AATAGGCATT TTGAATAGTG AATATGTTAT AATAAGTATT      960

AGTAGGAGGT GTTTTAGATT GGAGAAGAAA CTGACCATAA AAGACATTGC GGAAATGGCT     1020

CAGACCTCGA AAACAACCGT GTCATTTTAC CTAAACGGGA AATATGAAAA AATGTCCCAA     1080

GAGACACGTG AAAAGATTGA AAAAGTTATT CATGAAACAA ATTACAAACC GAGCATTGTT     1140

GCGCGTAGCT TAAACTCCAA ACGAACAAAA TTAATCGGTG TTTTGATTGG TGATATTACC     1200

AACAGTTTCT CAAACCAAAT TGTTAAGGGA ATTGAGGATA TCGCCAGCCA GAATGGCTAC     1260
```

```
CAGGTAATGA TAGGAAATAG TAATTACAGC CAAGAGAGTG AGGACCGGTA TATTGAAAGC      1320
ATGCTTCTCT TGGGAGTAGA CGGCTTTATT ATTCAGCCGA CCTCTAATTT CCGAAAATAT      1380
TCTCGTATCA TCGATGAGAA AAAGAAGAAA ATGGTCTTTT TTGATAGTCA GCTCTATGAA      1440
CACCGGACTA GCTGGGTTAA AACCAATAAC TATGATGCCG TTTATGACAT GACCCAGTCC      1500
TGTATCGAAA AAGGTTATGA ACATTTTCTC TTGATTACAG CGGATACGAG TCGTTTGAGT      1560
ACTCGGATTG AGCGGGCAAG TGGTTTTGTG GATGCTTTAA CAGATGCTAA TATGCGTCAC      1620
GCCAGTCTAA CCATTGAAGA TAAGCATACG AATTTGGAAC AAATTAAGGA ATTTTTACAA      1680
AAAGAAATCG ATCCCGATGA AAAAACTCTG GTATTTATCC CTAACTGTTG GGCCCTACCT      1740
CTAGTCTTTA CCGTTATCAA AGAGTTGAAT TATAACTTGC CACAAGTTGG GTTGATTGGT      1800
TTTGACAATA CGGAGTGGAC TTGCTTTTCT TCTCCAAGTG TTTCGACGCT GGTTCAGCCC      1860
TCCTTTGAGG AAGGACAACA GGCTACAAAG ATTTTGATTG ACCAGATTGA AGGTCGCAAT      1920
CAAGAAGAAA GGCAACAAGT CTTGGATTGT AGTGTGAATT GGAAAGAGTC GACTTTCTAA      1980
AATGAAGGAA AATGACTTGC AATCTCTGTT AAGAAATAAA ATAATCCCAC CTAGAACAAG      2040
CTAGGTGGGA TTATTTGCCT ATGAAATGAG AAATTATGGG AGCAAGCTCC TAAATCAACT      2100
GTTTTTGATC TACTTCTTTA ACTACTTGAT AAAAGTTATA GAAGTAGGCC AAACTTGAAA      2160
TGATGGTTAC GACTAGGAAT ATTGAAAATT TCCATTGGAC AGGGTTGGTT AAAAGTTGTG      2220
GAAAGGATAT GAGGAGAAAG AAGAGGGCTG CGTTGAGGAC AGGTATCCGT TTTGATTGTA      2280
TTTTCTCAAG TCCTTTATTG AGCGCAGGAA GAAAGAGGAG TAGGAGTAGT AAAACTGTAT      2340
GAGAAATAGC TCCTGAAGTA AGGGCGAAGA AAAGGAAAAT ACTGATAAAA ACATGAATGA      2400
TCAGTAGTCT AGCTAGTGAT TTCATAAGGC ACCTCCTAAT CCTGGTCTTT TTTAGCTCTT      2460
GCAATACGAA GTGAGTCGAC AATATGTATC ATCACTCCGA AAAAGAAAGC TCCCAGTATA      2520
GTTTTAAAAA TATGTTTTGT ATTTAGAAGA GAACTGATAA AATTTGGATT TTCACTTGTT      2580
AGGGTATCAA TGAGTGGAAT TATAAAAAAT ATCACTGTTC CATAAATCGA ACCTGCTTTC      2640
AGACCAGGAT AACGTAACTG TTTCTTTTCT TTTTTCATGA GTTTCCTCCT AATCCTCATC      2700
TTGATTTTTC TTAGTTTTTG CAATGCGACG GGAGATGAGG AACTGTATGC TCGCTCCGAA      2760
GAAAATAGAA CCGAGAATAC TTGATACACC ATTTCTTATA GTGAGAAGAG AATGAAAATA      2820
GTCCTGACCT TCATCTATGA GTATCCTGAG AAGAGGAGTT ATAAAAAACA TCCATAGACC      2880
AAAGAACAAA CCTGCTTTCA GACCTGGGTA GTGTAGTTGC TTGCTTTCTT TCTCATTCAG      2940
CATATCTGGT TCAATGACTG TGATGCCTGT TTTTTTCATT TGGTAGGTGA CATAGCCAGA      3000
```

AGCGATGAGG GCAATCACTA AAATCAGAGG AGGATAGATT AGAGCCACTT CTTGAGGGTA 3060

TTTATAGGCC AGAAGGAGTG GAATAAGATT TCCGAAAATC ATCAGATAAA AGAGGATGAT 3120

AAAGACTTGG TTCCCAATAC TATCGGCCTC ACGCCGTTTG TATTCGTCAA GGGGACCAGA 3180

AATACCGTAT GTGCGTTTGA TCAGTTTTTC AGTGAAGGTT TCTTTTTTCA TGAGTTTGCT 3240

CCTTTTTTAA AAATCTTCCT CCCAAAAGAG ACTGTTGAGG TCAGTTTGGA GGCTGCGGGC 3300

GAGATTGAGA CAGAGTTCCA AGGTTGGATT GTACTTGTCG TTTTCAATCA TATTGATAGT 3360

CTGTCTCGAG ACACCGATAT CCTTGGCGAG TTCGAGCTGG GAAATACCCA ATTCCTTGCG 3420

AAATTCTTTC ACACGATTCA TCTGTTCTCC TTTCTGATTT ATGTCGTATA TATTTGACTA 3480

TATTATAGTC TTTTAAACAT AAAGTGTCAA GTATTTTTGA CATATTTTTT GAAGAAATAG 3540

TAGTCTCCTT GTCCTATTTG TCTGACAAGT GCAAGCTGGT CGGATTTGTG GTAAAATAGA 3600

TAAGATATGA CAAAAGAATT TCATCATGTA ACGGTCTTAC TCCACGAAAC GATTGATATG 3660

CTTGACGTAA AGCCTGATGG TATCTACGTT GATGCGACTT TGGGCGGAGC AGGACATAGC 3720

GAGTATTTAT TAAGTAAATT AAGTGAAAAA GGCCATCTCT ATGCCTTTGA CCAGGATCAG 3780

AATGCCATTG ACAATGCGCA AAAACGCTTG GCACCTTACA TTGAGAAGGG AATGGTGACC 3840

TTTATCAAGG ACAACTTCCG TCATTTACAG GCATGTTTGC GCGAAGCTGG TGTTCAGGAA 3900

ATTGATGGAA TTTGTTATGA CTTGGGAGTG TCTAGTCCTC AATTAGACCA GCGTGAGCGT 3960

GGTTTTTCTT ATAAAAAGGA TGCGCCACTG GACATGCGGA TGAATCAGGA TGCTAGCCTG 4020

ACAGCCTATG AAGTGGTGAA CAATTATGAC TATCATGACT TGGTTCGTAT TTTCTTCAAG 4080

TATGGAGAGG ACAAATTCTC TAAACAGATT GCGCGTAAGA TTGAGCAAGC GCGTGAAGTG 4140

AAGCCGATTG AGACAACGAC TGAGTTAGCA GAGATTATCA AGTTGGTCAA ACCTGCCAAG 4200

GAACTCAAGA AGAAGGGGCA TCCTGCTAAG CAGATTTTCC AGGCTATTCG AATTGAAGTC 4260

AATGATGAAC TGGGAGCGGC AGATGAGTCC ATCCAGCAGG CTATGGATAT GTTGGCTCTG 4320

GATGGTAGAA TTTCAGTGAT TACCTTTCAT TCCTTAGAAG ACCGCTTGAC CAAGCAATTG 4380

TTCAAGGAAG CTTCAACAGT TGAAGTTCCA AAAGGCTTGC CTTTCATCCC AGATGATCTC 4440

AAGCCCAAGA TGGAATTGGT GTCCCGTAAG CCAATCTTGC CAAGTGCGGA AGAGTTAGAA 4500

GCCAATAACC GCTCGCACTC AGCCAAGTTG CGCGTGGTCA GAAAAATTCA CAAGTAAGAG 4560

GGAAAAAGAT GGCAGAAAAA ATGGAAAAAA CAGGTCAAAT ACTACAGATG CAACTTAAAC 4620

GGTTTTCGCG TGTGGAAAAA GCTTTTTACT TTTCCATTGC TGTAACCACT CTTATTGTAG 4680

CCATTAGTAT TATTTTTATG CAGACCAAGC TCTTGCAAGT GCAGAATGAT TTGACAAAAA 4740

TCAATGCGCA GATAGAGGAA AAGAAGACCG AATTGGACGA TGCCAAGCAA GAGGTCAATG 4800

```
AACTATTACG TGCAGAACGT TTGAAAGAAA TTGCCAATTC ACACGATTTG CAATTAAACA      4860
ATGAAAATAT TAGAATAGCG GAGTAAGATA TGAAGTGGAC AAAAAGAGTA ATCCGTTATG      4920
CGACCAAAAA TCGGAAATCG CCGGCTGAAA ACAGACGCAG AGTTGGAAAA AGTCTGAGTT      4980
TATTATCTGT CTTTGTTTTT GCCATTTTTT TAGTCAATTT TGCGGTCATT ATTGGGACAG      5040
GCACTCGCTT TGGAACAGAT TTAGCGAAGG AAGCTAAGAA GGTTCATCAA ACCACCCGTA      5100
CAGTTCCTGC CAAACGTGGG ACTATTTATG ACCGAAATGG AGTCCCGATT GCTGAGGATG      5160
CAACCTCCTA TAATGTCTAT GCGGTCATTG ATGAGAACTA TAAGTCAGCA ACGGGTAAGA      5220
TTCTTTACGT AGAAAAAACA CAATTTAACA AGGTTGCAGA GGTCTTTCAT AAGTATCTGG      5280
ACATGGAAGA ATCCTATGTA AGAGAGCAAC TCTCGCAACC TAATCTCAAG CAAGTTTCCT      5340
TTGGAGCAAA GGGAAATGGG ATTACCTATG CCAATATGAT GTCTATCAAA AAAGAATTGG      5400
AAGCTGCAGA GGTCAAGGGG ATTGATTTTA CAACCAGTCC CAATCGTAGT TACCCAAACG      5460
GACAATTTGC TTCTAGTTTT ATCGGTCTAG CTCAGCTCCA TGAAAATGAA GATGGAAGCA      5520
AGAGCTTGCT GGGAACCTCT GGAATGGAGA GTTCCTTGAA CAGTATTCTT GCAGGGACAG      5580
ACGGCATTAT TACCTATGAA AAGGATCGTC TGGGTAATAT TGTACCCGGA ACAGAACAAG      5640
TTTCCCAACG AACGATGGAC GGTAAGGATG TTTATACAAC CATTTCCAGC CCCCTCCAGT      5700
CCTTTATGGA AACCCAGATG GATGCTTTTC AAGAGAAGGT AAAAGGAAAG TACATGACAG      5760
CGACTTTGGT CAGTGCTAAA ACAGGGGAAA TTCTGGCAAC AACGCAACGA CCGACCTTTG      5820
ATGCAGATAC AAAAGAAGGC ATTACAGAGG ACTTTGTTTG GCGTGATATC CTTTACCAAA      5880
GTAACTATGA GCCAGGTTCC ACTATGAAAG TGATGATGTT GGCTGCTGCT ATTGATAATA      5940
ATACCTTTCC AGGAGGAGAA GTCTTTAATA GTAGTGAGTT AAAAATTGCA GATGCCACGA      6000
TTCGAGATTG GGACGTTAAT GAAGGATTGA CTGGTGGCAG AACGATGACT TTTTCTCAAG      6060
GTTTTGCACA CTCAAGTAAC GTTGGGATGA CCCTCCTTGA GCAAAAGATG GGAGATGCTA      6120
CCTGGCTTGA TTATCTTAAT CGTTTTAAAT TTGGAGTTCC GACCCGTTTC GGTTTGACGG      6180
ATGAGTATGC TGGTCAGCTT CCTGCGGATA ATATTGTCAA CATTGCGCAA AGCTCATTTG      6240
GACAAGGGAT TTCAGTGACC CAGACGCAAA TGATTCGTGC CTTTACAGCT ATTGCTAATG      6300
ACGGTGTCAT GCTGGAGCCT AAATTTATTA GTGCCATTTA TGATCCAAAT GATCAAACTG      6360
CTCGGAAATC TCAAAAAGAA ATTGTGGGAA ATCCTGTTTC TAAAGATGCA GCTAGTCTAA      6420
CTCGGACTAA CATGGTTTTG GTAGGGACGG ATCCGGTTTA TGGAACCATG TATAACCACA      6480
GCACAGGCAA GCCAACTGTA ACTGTTCCTG GGCAAAATGT AGCCCTCAAG TCTGGTACGG      6540
```

```
CTCAGATTGC TGACGAGAAA AATGGTGGTT ATCTAGTCGG GTTAACCGAC TATATTTTCT    6600

CGGCTGTATC GATGAGTCCG GCTGAAAATC CTGATTTTAT CTTGTATGTG ACGGTCCAAC    6660

AACCTGAACA TTATTCAGGT ATTCAGTTGG GAGAATTTGC CAATCCTATC TTGGAGCGGG    6720

CTTCAGCTAT GAAAGACTCT CTCAATCTTC AAACAACAGC TAAGGCTTTA GAGCAAGTAA    6780

GTCAACAAAG TCCTTATCCT ATGCCTAGTG TCAAGGATAT TTCACCTGGT GATTTAGCAG    6840

AAGAATTGCG TCGCAATCTT GTACAACCCA TCGTTGTGGG AACAGGAACG AAGATTAAAA    6900

ACAGTTCTGC TGAAGAAGGG AAGAATCTTG CCCCGAACCA GCAAGTCCTT ATCTTATCTG    6960

ATAAAGCAGA GGAGGTTCCA GATATGTATG GTTGGACAAA GGAGACTGCT GAGACCCTTG    7020

CTAAGTGGCT CAATATAGAA CTTGAATTTC AAGGTTCGGG CTCTACTGTG CAGAAGCAAG    7080

ATGTTCGTGC TAACACAGCT ATCAAGGACA TTAAAAAAAT TACATTAACT TTAGGAGACT    7140

AATATGTTTA TTTCCATCAG TGCTGGAATT GTGACATTTT TACTAACTTT AGTAGAAATT    7200

CCGGCCTTTA TCCAATTTTA TAGAAAGGCG CAAATTACAG GCCAGCAGAT GCATGAGGAT    7260

GTCAAACAGC ATCAGGCAAA AGCTGGGACT CCTACAATGG GAGGTTTGGT TTTCTTGATT    7320

ACTTCTGTTT TGGTTGCTTT CTTTTTCGCC CTATTTAGTA GCCAATTCAG CAATAATGTG    7380

GGAATGATTT TGTTCATCTT GGTCTTGTAT GGCTTGGTCG GATTTTTAGA TGACTTTCTC    7440

AAGGTCTTTC GTAAAATCAA TGAGGGGCTT AATCCTAAGC AAAAATTAGC TCTTCAGCTT    7500

CTAGGTGGAG TTATCTTCTA TCTTTTCTAT GAGCGCGGTG GCGATATCCT GTCTGTCTTT    7560

GGTTATCCAG TTCATTTGGG ATTTTTCTAT ATTTTCTTCG CTCTTTTCTG GCTAGTCGGT    7620

TTTTCAAACG CAGTAAACTT GACAGACGGT GTTGACGGTT TAGCTAGTAT TTCCGTTGTG    7680

ATTAGTTTGT CTGCCTATGG AGTTATTGCC TATGTGCAAG GTCAGATGGA TATTCTTCTA    7740

GTGATTCTTG CCATGATTGG TGGTTTGCTC GGTTTCTTCA TCTTTAACCA TAAGCCTGCC    7800

AAGGTCTTTA TGGGTGATGT GGGAAGTTTG GCCCTAGGTG GGATGCTGGC AGCTATCTCT    7860

ATGGCTCTCC ACCAAGAATG GACTCTCTTG ATTATCGGAA TTGTGTATGT TTTTGAAACA    7920

ACTTCTGTTA TGATGCAAGT CAGTTATTTC AAACTGACAG GTGGTAAACG TATTTTCCGT    7980

ATGACGCCTG TACATCACCA TTTTGAGCTT GGGGGATTGT CTGGTAAAGG AAATCCTTGG    8040

AGCGAGTGGA AGGTTGACTT CTTCTTTTGG GGAGTGGGAC TTCTAGCAAG TCTCCTGACC    8100

CTAGCAATTT TATATTTGAT GTAAGAATGG CACCCTGATG TTTCAGGG                 8148
```

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 9909 base pairs
(B) TYPE: nucleic acid

(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

```
TACTCCACCC TTAATATCCG TTCCTGTAAA TACTTTACCG CTTTTAAGTT CATAGAATTG      60
AACTTTTAAA TGCTTGTCTT CAAGCATCTT TTCCATCCAA TTTTTAGGAG TTTGACCAGC     120
TTTAAATAAA AACCTTGCTG GGGTGATTAG TATAGATTTA TCTGCGATTT TATAAGCTTC     180
ATCAATAAAA TAGTGATATA TCGGCTCATC TCTGGCTTCT CCTGTTTCCT GATACGGAGG     240
ATTTCCTATC ACGACATCAA ATTTCATTTC ACTTTCCTCG CTAGATAGGC GCTCAAAACC     300
TATCATTCTA TTCTTTTTCC AGTCTTTGAT ATGGGTTTTA GATTCTTCTA CTTCTTGGAC     360
TTCTAGCTCA TCCGCAAACA AACTCAATTG TTGAGATTGC TTTTGTTTAG CTGAATAAGG     420
ACTACTTTTT TTCAATCCAT CCATCTGAAA GACATTGTAA GAGATAATAG TCGCAATTTC     480
TTTCTTTTGC TCTAATGTTG GTTGATTTCC AGTCTTAGCT AGATAATAGT CCTCAAAAGT     540
TGCCAAAAGA TTCTCACGCG CCAAAAGGAG AGAATCTCCT TGATACTCAT AACCATACGA     600
AGCATGATAA GCATCTTTTA CAAGTTTATA AAATGTGACT TCATCTGAAA CCTCACGACT     660
AATCCGTTGC AGTTTTCTAT CAACAAAACC AACTCGCTCA GATAATGGAA TTTCCTCACC     720
AGTTACGGTA TCATATCTCG TTACCATATA AGGTGCTTCA CCACAAGTTA CCTCTAACCA     780
TCGTAAGTCC ACATACTCCT CAACACTTAA CGAGCCTAAT TTCGATTCTA CATATCCATT     840
TTGCTTTGCG ACCAACCACG TTGGTGTAAA CACTTCTGCC CTTATTTTTG TCCGATCTTT     900
TTGTTCATAT TTGGATTTTT CAGATCTGGG CTGAATCAAG TTGGCAAAGT TTCCAGTAAC     960
CTTACTTGGA TTGATGCGAT CACTTGGAGC AAATCCCTTT CCTAACAATT CATAAGAATG    1020
CGTAnGCCAA ACAATTGATT TCTTTGTCGT TCGATCTTTT AAAAGAATTT TTAATAAGTC    1080
AGCCGATTCT TTAGCCAAAC TTTCTTCACT AATATCTATT GTCATCAGCA ACCTCTCTTA    1140
TATTGTAAGC CCTATTATAT CATATTTTAA AGAATGAAAA TTTACTTGAA AAAAGTAATT    1200
CAATAAATAT CTCTCCGATG ACCAACTTCT AGAGTAGCAA CGACTAATTC ATCATCTACA    1260
ATTTGTACGA TAACTCGATA ATTACCAATT CTATAGCGCC ATTGACCAAC GCGATTACCA    1320
ACCAAAGCCT TTCCGTGTCG TCTTGGGTCT TCCAAAACAT TGGTTTGTAA ATAGTTTGTA    1380
ATTAGCTTCT GCGTATAACG GTCCAATTTT TTCAATTGCT TGATAAAACG TCTTGTTGGA    1440
ACTAATTTAT ACAAATTATT CATCCTTCAA GCCTAAATCA TGCATCATTT CTTCCCAAGT    1500
AATGGGTTCA ACTCCTTTTT CCAAGTCTTC TAAATACTCT TGATAGGCTA AATCTGCCAC    1560
```

```
ACGAGCATCG TATTCATCTT CTAGGGCTTC AAGAGTTTTG GTGCGAATAA GTTCCGAAAG    1620

GGAAACTCCT TCAAACTTAG CCATTGCTTT CATAAATGTT TTATCAGCTT CAGAAACTTT    1680

TAATGTAATA GTAGTCATCT TTTGTGCTCC CTTTTTTAAT GGTAACACCA TTGTATTACT    1740

TTTTAGGTGT TCAGTCAATA TAAAAAGAAC ACCTTCTCAG CGTTCTTTCT ATATCTCTGT    1800

CAATGGTGTT GCGGTATCTG GTGAGGTATC ATAAACCTTA AAGTCTACTC CGACTCCCAG    1860

ATCAGCTTGA GCCAGCTGAT TGACCATGGT CATATGAGCC AGTTCCTTGA TATTGTTTTC    1920

CTTAGATAAA TGCCCAAGGT AAATCTTCTT AGTACGATTT CCTAGCGTCC GAATCATAGC    1980

TTCAGCACCG TCCTCGTTAG AAAGGTGACC AAGGTCAGAT AGGATTCGTT GTTTGAGTCG    2040

CCAAGCGTAA GAACCTGATC GCAAAATCTC TACATCATGG TTGGCCTCGA TAAGATAACC    2100

ATCCGCATTT TCGACAATGC CCGCCATACG GTCACTGACA TAACCTGTAT CTGTCAAGAG    2160

GACAAAACTC TTATCATCCT TCATAAAGCG ATAGAACTGC GGTGCGACTG CATCATGGCT    2220

TACACCAAAA CTCTCGATGT CGATATCTCC AAAGGTTTTG GTTTTACCCA TTTCAAAAAT    2280

ATGCTTTTGC GAAGAATCCA CCTTGCCAAG ATATTTACTA TTTTCCATAG CTTGCCAGGT    2340

CTTTTCATTG GCATAAAGAT CCATACCATA CTTGCGAGCC AAAACGCCTA CTCCATGGAT    2400

ATGATCTGAA TGCTCATGGG TAATCAAGAT GGCATCCAGG TCTTCTGGCT TACGGTTAAT    2460

TTCAGCTAGC AGACTGGTAA TTTTCTTGCC AGACAAGCCT GCATCTACTA AAAGCTTCTT    2520

TTTTGAGGTT TCCAGATAAA AAGAATTTCC ACTGGAACCC GACGCTAAAA TACTGTATTT    2580

AAAGCCTATT TCACTCATTC TAGTCTTCTA CTTCATCCTC CCATACTTCT TCTTTCACTG    2640

CATCCTTATC ATAAGGGAGT ACAATGGTAA AGGTTGAACC CTTGCCGTAT TCACTCTTGG    2700

CCCAAATAAA GCCCTTATGT TGTTTGATAA TTTCTTTAGC GATAGACAGT CCTAGACCTG    2760

TACCACCTTG TGCACGACTT CTAGCACGAT CCACACGATA GAAACGGTCA AAGATACGTG    2820

GTAAATCCTG CTTAGGAATC CCCAAACCGT GGTCAGAAAT GGATAAAATC ATCTGGTCTT    2880

CAGTTGTCTT CATTCTGACA GTGATTTTAC CCCCATCTGG CGAATACTTA ATAGCATTAT    2940

TTAAAATATT GTCGACAACC TGCGTCATCT TATCTGTATC AATTTCCATC CAGATAGAAT    3000

TGATGGGATA ATCTCTCACC AACTCATATT TTTTCTCCTT TTCCTGTCCT TTCATCTTGT    3060

CAAAACGATT GAGGATAAAG GTAATAAAAG CAGTGAAGTT AATCAGTTCC ACATCTAGGT    3120

GACTGGTAGC ATTATCAATA CGTGAAAGAT GGAGGAGATC CGTCACCATG CGCATCATAC    3180

GGTTGGTCTC ATCAAGAGAA ACCTTGATAA AGTCTGGTGC TACAGTTTCA CACAAAGCCC    3240

CCTCATCCAA GGCTTCAAGA TAGGATTTTA CGCTAGTCAG AGGAGTCCGT AACTCATGGC    3300

TAACATTGGA AACAAAGAGT CTTCGTTCGC GTTCTTCCTT CTCCTGCTCC GTCGTATCAT    3360
```

```
GCAAAACAGC CACCAAACCT GAAATAAAGC CAGACTCTCG ACGTATCAAG GCAAAGCGAA      3420
CTCGAAGGTT CAAATATTCG CCATTGATAT CTTGGGAATC TAGCAACAAT TCTGGACTTT      3480
GGGTAATCAA ATCACGCAAT TCATAGTTTT CTTCTATCTT GAGCAATTCC AAAATGCTTC      3540
TATTCAGAAC ATCTTCCTTA ACCAACCCCA GTTGCTTCTT GGCTGTATCG TTAATCATGA      3600
TAATCTGACC CCGACGGTTA GTCGCAAGAA CCCCATCTGT CATATAAAAC AGAATACTAT      3660
TTAGCCTCTT ACTCTCTTGT TCTAGATTTT CCTGAGTGAG ACGAATAACC TCCGACAAGT      3720
CATTCAAATT ATTGGTAATA TTGGTGATTT CAGACCCACC TTGCATATCA AGAACCTTGG      3780
AATAATCTCC TGCAATCAAA TCTTTAACCT TTTGATTGAC TTGCTTCAAC TGAATATTAT      3840
CACGTCTATT TTCCAGTAAT AAGAGGGTCA CAACAAGGAT GAAACCTAAC AAAATCAGGA      3900
TAAAGATAAA ATCTCTGGTA AAAATGGTTT GTTTCAGTAA ATCAAGCATT ATTTCTCATG      3960
TAATACCCTA CACCACGGCG CGTCAAGATA TACTCTGGTC GGCTGGGCGT ATCTTCAATC      4020
TTCTCACGCA GACGTCGTAC AGTCACATCA ACTGTACGGA CATCACCAAA ATAGTCATAA      4080
CCCCAGACAG TCTCAAGCAA GTGTTCGCGC GTGATGACTT GACCTGTATG CGATGCTAAA      4140
TGATACAAAA GCTCAAATTC ACGATGGGTT AAGTCTAGTT CTTCGCCATA TTTTTTAGCC      4200
ACGTAGGCGT CTGGAACAAT TTCTAAATCC CCAATTTGGA TAGGTTGAGG TTTACTATCT      4260
GCTTCCTGAC CATCTACTGG CATAGGTTGA GAACGACGCA GAAGAGCTTT AACACGCGCC      4320
TGCAACTCAC GATTGGAGAA GGGTTTTGTT ACATAGTCAT CTGCCCCAAG TTCCAAACCG      4380
ATAACCTTAT CAAATTCACT ATCTTTGGCT GAAAGCATAA GAATGGGCAC ACTGCTTGTC      4440
TTACGAATGG TCTTAGCAAC TTCTAAACCA TCAATTTCTG GAAGCATCAA ATCCAGAATA      4500
ATAATATCTG GTTGCTCTGC TTCAAATTGC TCTAGCGCTT CACGACCATT AAAAGCAGTT      4560
ACAACTTCGT AACCTTCCTT GGTCATATTA AACTTGATAA TATCCGAGAT TGGTTTCTCA      4620
TCATCTACAA TTAGTATTTT TTTCATATGT TCACCTTTTT CTCTACTATT ATACCAAAAA      4680
AATAGTCAGA AGACACAATA GCTAGTCTTG GCTACTGTCT AAGTTGGCTT GTGCATAAAC      4740
CTGCCAGATT TTTTGTTGGG GTTTGGCAAG TGGGTAATTC TTGAATTCTT CTGGTGAAAG      4800
CCAGCGAACT TCCCTATCTG AAAAATCATG GAAGTCACTC ACCTGACCTG CTACAATCTG      4860
TACATGCCAT TTTCGATGAC TAAAAACATG CTGGACTGTA TCAAAACAAA CATCAAGCCA      4920
ATCAACATCT AGGTCATAGT CCTGCTGGAA ACTCTCTTCT GGACTGGGAC CAAAGTTCAC      4980
ACTTTCTTCC GCAACCTGAT GAAAGAGGTC AAACTGCTCT TCTTGCGAAA AGTTATCAAC      5040
TTCTATAAAG GGGAAATGCC AAAAACCTGC CAAGAGCTTT TCGCTTTCAT TTTTTTCAAG      5100
```

```
TAAAAATTGT CCTTGAGAAT TTTTCACAAC TAAGGCTTTA AGATAAATAG GAACCGGCTT      5160

TTTCTTAGGA GATTTAATTG GATAACGGTC CATGGTTCCA TTCTGATATG CCGCACTAAA      5220

GTCCTTGACT GGGCTTTCTT CAGGTCTGGG ATTTACAGGA GACTCAATAT CAGACCCTAA      5280

GTCCATCAAG GCTTGATTAA AATCACCCGG ACGATCCGGA TTAATCAAGA TCTCCATCAT      5340

TGCCTGAAAA ATTTTTCGAT TACTTGGAAT CCCAATATCG TGGTTGACTT CAAACAGACG      5400

CGCCAAGACC CGCATGACAT TACCATCTAC AGCTGGCTCA GGCAAGTTAA AAGCAATACT      5460

GGAAATGGCT CCTGCTGTGT AAGGTCCAAT CCCTTTCAAG CTGGAAATTC CTTCATAGGT      5520

ATTTGGAAAT TGGCCACCAA AGTCAGTCAT AATCTGCTGG GCTGCAGCCT GCATATTGCG      5580

AACTCGAGAA TAATAGCCCA AGCCCTCCCA AGCTTTCAGT AAACTCTCCT CAGGCGCAGT      5640

TGCCAGACTT TCGACAGTTG GAAACCAGTC CAAAAATCTT TCGTAGTAAG GGATAACTGT      5700

ATCCACCCTG GTCTGCTGAA GCATGATTTC AGATACCCAG ATGTGATAAG GATTTTTACT      5760

TCTCCTCCAA GGCAAATCTC TTTTGTTTTC ATCATACCAA GCGAGAAGTT TCTCACGGAA      5820

AGAAATGACT TTCTCCTCCG GCCACATGAC GATACCGTAT TCTTTCAAAT CTAACATATC      5880

TCTAGTATAA CACAGAAGGT TTCACCTGTC TTTGTATCTG ATTTATAATA TTTTCAATAG      5940

ATAGTATATA ACTTTTCTAT CTACTTATAC TCAATGAAAA TCAAAGAGCA AACTAGGAAG      6000

CTAGCCGCAG GTTGCTCAAA ACACTGTTTT GAGGTTGTGG ATAGAACTGA CAGAGTCAGT      6060

ATCATATAcT ACGGCAAGGT GAAGCTGACG TAGTTTGAAG AGATTTTCGA AGAGTATAAA      6120

TCTTATTGAT GAACTGCTTG CAGTCTGAGA AAAAATGAGC TTGGATATTA TTTCCAAACT      6180

CACTTAAAGT CAATTTCAAT CCACTAGAAC AAGCCTAGTA CAGTTCCATC GCTTTCAACA      6240

TCCATGTTGA GAGCTGCTGG ACGTTTTGGA AGACCTGGCA TGGTCATAAC ATCACCAGTT      6300

AAGGCAACGA TGAAGCCTGC ACCTAATTTT GGTACCAATT CACGAATGGT AATTTCAAAG      6360

TTTTCTGGTG CTCCAAGCGC ATTTGGATTG TCTGAGAAAC TGTATTGAGT TTTAGCCATA      6420

CAGATTGGCA ATTTGTCCCA ACCGTTTTGA ACGATTTGAG CAATTTGTGT TTGAGCTTTC      6480

TTCTCAAAGT TCACTTTGCT ACCACGATAG ATTTCAGTGA CAATTTTTTC AATCTTTTCT      6540

TGGACAGAAA GGTCATTATC ATACAAACGT TTATAGTTAG CTGGATTTTC AGCAATTGTC      6600

TTAACAACTG TTTCGGCAAG TGCTACTCCA CCTTCTGCTC CATCAGCCCA GACACTAGCC      6660

AATTCAACTG GTACATCGAT TGAGGCACAG AGTTCTTTTA AGGCTGCAAT TTCAGCTTCT      6720

GTATCAGATA CAAATTCGTT AATAGCTACA ACTGCTGGAA TACCGAACTT ACGGATATTT      6780

TCAACGTGGC GTTTCAAGTT AGCAAAACCT GCACGAACTG CCTCTACATT TTCTTCAGTC      6840

AGAGCGTCTT TAGCCACACC ACCATTCATC TTAAGGGCAC GAAGGGTTGC GACAATAACA      6900
```

```
ACTGCATCTG GAGATGTTGG CAAGTTTGGT GTCTTGATAT CAAGGAATTT CTCAGCACCA     6960
AGGTCCGCAC CAAAACCAGC TTCAGTAACA GTGTAATCAG CCAAGTGAAG GGCTGTTGTC     7020
GTCGCCAAAA CAGAGTTACA GCCATGAGCG ATATTGGCAA ATGGACCACC GTGTACAAAG     7080
GCAGGTGTAC CGTAAATTGT CTGAACCAAG TTTGGCTTAA TAGCATCCTT CAAAATCAAA     7140
GCCAAGGCAC CCTCAACCTG CAAATCACCT ACAGAAACAG GCGTACGGTC ATAGCGATAA     7200
CCAATAACGA TATTCGCCAA ACGACGTTTC AAGTCCTCGA TGTCCGTTGC CAAGCAAAGA     7260
ATTGCCATGA TTTCTGAAGC AACTGTAATA TCAAAACCAT CCTCACGTGG AATACCGTTT     7320
AGAGGACCAC CAAGACCAAC AGTCACATGG CGGAGCGTAC GGTCGTTCAA GTCCACAACG     7380
CGTTTCCAGA GGATACGACG TTGATCAATT CCCAGCTCAT TCCCTTGGTG CAAGTGGTTG     7440
TCAATCAAGG CAGAAAGGGC ATTGTTGGCA GTTGTAATAG CATGCATATC TCCAGTAAAG     7500
TGGAGGTTGA TGTCTTCCAT TGGCAGAACT TGTGCATACC CACCACCAGC AGCACCACCC     7560
TTGATCCCCA TGACTGGACC AAGAGACGGT TCGCGGATAG CAATCATGGT TTTCTTGCCA     7620
ATCTTGTTCA AGGCATCCGC AAGACCAATG GTAAGCGTCG ACTTTCCTTC ACCTGCAGGT     7680
GTTGGGTTGA TGGCAGTAAC CAAGATCAAT TTACCGACTG GATTGCTCTC AACTGCACGA     7740
ATTTTATCAA AGCTGAGTTT AGCCTTGTAC TTTCCGTACA ACTCCAAATC GTCATAAGAA     7800
ATACCAAGTT TCTCTACAAC ATCAACAATT GGCTTCAACT CAATACTCTG TGCGATTTCA     7860
ATATCTGTTT TCATTCAAAA TTCCTCTAAC CTCTTATATG ATAATTCATT ATATCACAAA     7920
ACAAGATTTT TAACATCCTA AAACTCTCTA AACGTTCGTA AATATCTCTG TTTTTAAGAC     7980
TTTTAGAGTC CTTTCTTAAA TTTTATATGG CTTTATAGTT TGAAACTATA ATAAATCTTC     8040
GTTTTTACCA AAAATTTATC ACTTTCATTT TACTTACCGC TTATTTTTGT GTACAATAGT     8100
GCTATGAAAA TTTTAGTTAC ATCGGGCGGT ACCAGTGAAG CTATCGATAG CGTCCGCTCT     8160
ATCACTAACC ATTCTACAGG TCACTTGGGG AAAATTATCA CAGAGACTTT GCTTTCTGCA     8220
GGGTATGAAG TTTGTTTAAT TACGACAAAA CGAGCTCTGA AGCCAGAGCC TCATCCTAAC     8280
CTAAGTATTC GAGAAATTAC CAATACCAAG GACCTTCTAA TAGAAATGCA AGAACGTGTT     8340
CAGGATTATC AGGTCTTGAT CCACTCAATG GCTGTTTCTG ACTACACTCC TGTTTATATG     8400
ACAGGGCTTG AGGAAGTTCA GGCTAGCTCC AATCTAAAAG AATTTTTAAG CAAGCAAAAT     8460
CATCAGGCCA AGATTTCTTC AACTGATGAG GTTCAGGTTT TGTTCCTTAA AAAGACACCC     8520
AAAATCATAT CCCTAGTCAA GGAATGGAAT CCTACTATTC ATCTGATTGG TTTCAAACTG     8580
CTGGTTGATG TTACCGAAGA TCATCTGGTT GACATTGCAC GAAAAAGTCT TATCAAGAAT     8640
```

CAAGCAGATT TAATCATCGC GAATGACCTG ACTCAAATTT CAGCAGATCA GCACCGAGCT 8700

ATATTTGTTG AGAAAAATCA GCTTCAAACA GTCCAGACTA AAGAAGAAAT TGCAGAACTC 8760

CTCCTTGAAA AAATTCAAGC CTATCATTCT TAGAAAGGAA AACTATGGCA AACATTCTCT 8820

TGGCTGTAAC GGGTTCAATC GCCTCTTATA AGTCGGCAGA TTTAGTCAGT TCTCTAAAAA 8880

AACAAGGCCA TCAAGTCACT GTCTTAATGA CTCAGGCTGC TACAGAGTTT ATCCAACCTT 8940

TGACACTACA GGTACTCTCA CAGAATCCTG TCCACTTGGA TGTCATGAAG GAACCCTATC 9000

CTGATCAGGT CAATCATATC GAACTTGGAA AAAAAGCAGA TTTATTTATC GTGGTACCTG 9060

CAACTGCTAA CACTATTGCA AAACTAGCTC ACGGATTTGC GGACAACATG GTAACCAGTA 9120

CAGCTCTAGC CCTACCAAGT CATATTCCCA AACTAATAGC TCCTGCTATG AATACAAAAA 9180

TGTATGACCA TCCAGTAACT CAGAATAATC TGAAAACATT AGAAACTACG GCTATCAGCT 9240

GATTGCTCCT AAGGAATCCC TACTAGCTTG TGGAGACCAC GGACGAGGAG CTTTAGCTGA 9300

CCTCACAATT ATTTTAGAAA GAATAAAGGA AACTATCGAT GAAAAAACGC TCTAATATTG 9360

CACCCATTGC TATCTTTTTT GCTACCATGC TCGTGATACA CTTTCTGAGC TCACTTATCT 9420

TTAACCTTTT TCCATTTCCA ATCAAACCGA CCATTGTTCA TATTCCTGTC ATTATTGCCA 9480

GCATTATTTA TGGTCCACGA GTTGGGGTTA CACTTGGATT TTTGATGGGA TTACTTAGCT 9540

TGACGGTTAA CACGATTACG ATTCTACCGA CAAGCTACCT CTTCTCTCCC TTCGTACCAA 9600

ACGGAAACAT CTACTCAGCT ATCATTGCCA TCGTCCCACG TATTTTGATT GGTTTAACTC 9660

CTTACTTAGT CTATAAACTG ATGAAAAACA AGACTGGTCT GATTTTAGCT GGAGCCCTTG 9720

GTTCcTTGAC AAATACTATC TTTGTCCTTG GAGGAATCTT CTTCCTATTT GGAAATGTTT 9780

ATAATGGAAA TATCCAACTT CTTCTGGCAA CCGTTATCTC AACAAATTCA ATTGCTGAAT 9840

TGGTCATTTC TGCAATTCTA ACCCTAGCCA TTGTTCCACG ACTACAAACC TTGAAAAAAT 9900

AAAAACAGG 9909

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1126 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

TAATTTTCAT ATAATAGTAA AATAGAATGT GTGATTCAAT AATCACCTCA AATAGAAAGG 60

AAATTCTATG TCAAATCTAT CTGTTAATGC AATTCGTTTT CTAGGTATTG ACGCCATTAA 120

```
TAAAGCCAAC TCAGGTCATC CAGGTGTGGT TATGGGAGCG GCTCCGATGG CTTACAGCCT       180

CTTTACAAAA CAACTTCATA TCAATCCAGC TCAACCAAAC TGGATTAACC GCGACCGCTT       240

TATTCTTTCA GCAGGTCATG GTTCAATGCT CCTTTATGCT CTTCTTCACC TTTCTGGTTT       300

TGAAGATGTC AGCATGGATG AGATTAAGAG TTTCCGTCAA TGGGGTTCAA AAACACCAGG       360

TCACCCAGAA TTTGGTCATA CGGCAGGGAT TGATGCTACG ACAGGTCCTC TAGGGCAAGG       420

GATTTCAACT GCTACTGGTT TTGCCCAAGC AGAACGTTTC TTGGCAGCCA AATATAACCG       480

TGAAGGTTAC AATATCTTTG ACCACTATAC TTACGTTATC TGTGGAGACG GAGACTTGAT       540

GGAAGGTGTC TCAAGCGAGG CAGCTTCATA CGCAGGCTTG CAAAAACTTG ATAAGTTGGT       600

TGTTCTTTAT GATTCAAATG ATATCAACTT GGATGGTGAG ACAAAGGATT CCTTTACAGA       660

AAGTGTTCGT GACCGTTACA ATGCCTACGG TTGGCATACT GCCTTGGTTG AAAATGGAAC       720

AGACTTGGAA GCCATCCATG CTGCTATCGA AACAGCAAAA GCTTCAGGCA AGCCATCTTT       780

GATTGAAGTG AAGACGGTTA TTGGATACGG TTCTCCAAAC AAACAAGGAA CTAATGCTGT       840

ACACGGCGCC CCTCTTGGAG CAGATGAAAC TGCATCAACT CGTCAAGCCC TCGGTTGGGA       900

CTACGAACCA TTTGAAATTC CAGAACAAGT ATATGCTGAT TTCAAAGAAC ATGTTGCAGA       960

CCGTGGCGCA TCAGCTTATC AAGCTTGGAC TAAATTAGTT GCAGATTATA AAGAAGCTCA      1020

TCCAGAACTG GCTGCAGAAG TAGAAGCCAT CATCGACGGA CGTGATCCAG TCGAAGTGAC      1080

TCCAGCAGAC TTCCCAGCTT TAGAAAATGG TTTTtCTCAA CCAACT                     1126
```

(2) INFORMATION FOR SEQ ID NO: 14:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 2520 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

```
CCGGCAACAA AAAAGAAAAA ATCAACAGTT AAAAAAAATC TAGTCATCGT GGAGTCGCCT        60

GCTAAGCCAA GACGATTGAA AAATATCTAG GCAGAAACTA CAAGGTTTTA GCCAGTGTCG       120

GGCATATCCG TGATTTGAAG AAATCCAGTA TGTCCGTCGA TATTGAAAAT AATTATGAAC       180

CGCAATATAT TAATATCCGA GGAAAAGGCC CTCTTATCAA TGACTTGAAA AAAGAAGCTA       240

AAAAAGCTAA TAAAGTTTTT CTCGCGAGTG ACCCGGACCG TGAAGGAGAA GCGATTTCTT       300

GGCATTTGGC CCATATTCTC AACTTGGATG AAAATGATGC CAACCGTGTG GTCTTCAATG       360
```

```
AAATCACCAA GGATGCAGTC AAAAATGCTT TTAAAGAACC TCGTAAGATC GATATGGACT     420
TGGTCGATGC CCAACAAGCT CGTCGGATCT TGGATCGCTT GGTAGGGTAT TCGATTTCGC     480
CTATTTTGTG GAAGAAGGTC AAGAAGGGCT TGTCAGCAGG TCGCGTTCAG TCCATTGCCC     540
TTAAACTCAT CATTGACCGT GAAAATGAAA TCAATGCCTT CCAGCCAGAA GAATACTGGA     600
CAGTTGATGC TGTCTTTAAA AAGGGAACCA AACAATTTCA TGCTTCCTTC TATGGAGTAG     660
ATGGTAAAAA GATGAAACTG ACCAGCAATA ACGAAGTCAA GGAAGTCTTG TCTCGTCTGA     720
CGAGTAAAGA CTTTTCAGTA GATCAGGTGG ATAAGAAAGA GCGCAAGCGC AATGCTCCTT     780
TACCCTATAC CACTTCATCT ATGCAGATGG ATGCTGCCAA TAAAATCAAT TTCCGTACTC     840
GAAAAACCAT GATGGTTGCC CAACAGCTCT ATGAAGGAAT TAATATCGGT TCTGGTGTTC     900
AAGGTTTGAT TACCTATATG CGTACCGATT CGACTCGTAT CAGTCCTGTA GCGCAAAATG     960
AGGCGGCAAG CTTCATTACG GATCGTTTTG GTAGCAAGTA TTCTAAGCAC GGTAGCAAGG    1020
TCAAAAACGC ATCAGGTGCT CAGGATGCCC ATGAGGCTAT TCGTCCGTCA AGTGTCTTTA    1080
ATACACCAGA AAGCATCGCT AAGTATCTGG ACAAGGATCA GCTTAAGCTA TATACCCTTA    1140
TCTGGAATCG TTTTGTGGCT AGCCAGATGA CAGCGGCCGT TTTTGATACC ATGGCTGTTA    1200
AATTGTCTCA AAAAGGGGTT CAATTTGCTG CCAATGGTAG TCAGGTTAAG TTTGATGGTT    1260
ATCTTGCCAT TTATAATGAT TCTGACAAGA ATAAGATGTT ACCGGACATG GTTGTTGGAG    1320
ATGTGGTCAA ACAGGTCAAT AGCAAACCAG AGCAACATTT CACCCAACCG CCTGCCCGTT    1380
ATTCTGAAGC AACACTGATT AAAACCTTAG AGGAAAATGG GGTTGGACGT CCATCAACCT    1440
ACGCGCCAAC CATTGAAACC ATTCAGAAAC GTTATTATGT TCGCCTGGCA GCCAAACGTT    1500
TTGAACCGAC AGAGTTGGGA GAAATTGTCA ATAAGCTCAT CGTTGAATAT TTCCCAGATA    1560
TCGTAAACGT GACCTTCACA GCTGAAATGG AAGGTAAACT GGATGATGTC GAAGTTGGAA    1620
AAGAGCAGTG GCGACGGGTC ATTGATGCCT TTTACAAACC ATTCTCTAAA GAAGTTGCCA    1680
AGGCTGAAGA AGAAATGGAA AAAATCCAGA TTAAGGATGA ACCAGCTGGA TTTGACTGTG    1740
AAGTGTGTGG CAGTCCAATG GTCATTAAAC TTGGTCGTTT TGGTAAATTC TACGCTTGTA    1800
GCAATTTCCC AGATTGCCGT CATACCCAAG CAATCGTGAA AGAGATTGGT GTTGAGTGTC    1860
CAAGCTGTCA TCAGGGACAA ATTATTGAGC GAAAAACCAA GCGTAATCGC CTATTCTATG    1920
GTTGCAATCG CTATCCAGAA TGTGAATTTA CCTCTTGGGA CAAGCCTGTT GGTCGTGACT    1980
GTCCAAAATG TGGCAACTTC CTCATGGAGA AAAAAGTCCG TGGTGGTGGC AAGCAGGTTG    2040
TTTGTAGCAA AGGCGACTAC GAGGAAGAAA AGATGGCTCT TTGTCAACTG TAGTGGGTTG    2100
AAGTCAGCTA AGCTCGAGAA AGGACAAATT TTGTCCTTTC TTTTTTGATA TTCAGAGCGA    2160
```

TAAAAATCCG TTTTTTGAAG TTTTCAAAGT TCCGAAAACC AAAGGCATTG CGCTTGATAA 2220

GTTTGATGAG ATTATTGGTC GCTTCCAATT TGGCGTTAGA ATAGTGTAGT TGAAGGGCGT 2280

TGACGATTTT CTCTTTGTCC TTTAGAAAGG TTTTAAAGAC AGTCTGAAAA AGAGGATGAA 2340

CCTGCTTTAG ATTGTCCTCA ATGAGTCCGA AAAATTTCTC CGGTTCCTTA TTCTGAAAGT 2400

GAAACAGCAA GAGTTGATAG AGCTGATAGT GATGTTTCAA GTCTTGTGAA TAGCTCAAAA 2460

GCTTGTTTAA AATCTCTTTA TTGGTTAAAT GCATACGAAA AGTAGGGCGA TAAAAATGTT 2520

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 10993 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

TTTTCTCGAT AATAACTTCC ACCTTATTAT TTGGGATACC CTCCTCTTCT TCACCACCAC 60

GTTCATAGTA GTCATCGCGA TAGAGAAAAG CTACGATATC AGCGTCCTGC TCAATAGACC 120

CAGATTCACG AATATCAGAC AAGACCGGTC TCTTGTCCTG ACGTTGTTCT ACACCACGAG 180

AAAGCTGACT CAGAGCGATT ACTGGAACCT TCAATTCCTT GGCTAGTATT TTCAACTGAC 240

GAGAAATTTC AGAAACTTCT TGTTGACGAT TTTCTCGACC AGTTCCCGTG ATAAGTTGCA 300

AATAGTCTAT CAAAATCAAA CCAAGATTTC CAGTTTCTTG AGCCAATTTA CGAGAACGAG 360

AACGAATCTC TGTAATCCGA ATACCTGGCG TATCATCGAT ATAGATACTG GCGTTAGcTA 420

GATTACCCTG AGCAATAGTA TATTTTTGCC ACTCCTCATC TGTCAATTGC CCTGTACGGA 480

TAGAATGTGA CTCCACTAAG CCTTCTGCAG CTAACATACG ATCTACCAAG CTTTCCGCAC 540

CCATTTCGAG TGAAAAAATA GCAACCGTTT TGTCCAACTT AGTCCCAATG TTCTGAGCGA 600

TATTCAAGGC AAATGCTGTC TTACCAACTG CTGGACGAGC TGCTAAGATA ATCAACTCCT 660

CCTCATGAAG TCCTGTTGTC ATATGATCCA AATCACGATA ACCTGTCGCA ATACCTGTAA 720

TATCGGTCGT TTGTTGCGAG CGAGCTTCCA GATTTCCAAA GTTGAGATTC AACACATCTC 780

GAATGTTCTT AAACCCGCTT CGATTTGCAT TTTCACTGAC ATCAATCAAC CCTTTTTCTG 840

CCTGAGCAAT AATTTCATCA GCTGGTTGTG ACGCTTCGTA AGCTTGGTTG ACAGACTCTG 900

TCAACTTGGC AATTAAACGA CGTAGCATTG CTTTTTCTGC AACAATCTTA GCATAATACT 960

CCGCATTAGC AGAAGTTGGC ACAGAATTAA CAATCTCAAC CAAGTAAGAC AAGCCACCAA 1020

```
TATTCTGTAA ATCACCTTGA TTATCAAGGA TAGTACGAAC CGTTGTTGCA TCTATGGCAT      1080
CACCACGATC GGATAAATCG ACCATGGCTT GGAAAATCAA ACGATGGGCA TACTTAAAAA      1140
AGTCCCGAGA CTCAATGTAT TCTCGCACAA AAACAAGTTT ACTCTCATCA ATAAAGATAG      1200
CCCCTAAAAC GGATTGCTCA GCTAAGATAT CTTGAGGTTG TACTCGTAAC TCTTCTACTT      1260
CTGCCATCAG ACTTCCCTTC CTTTTACAAT CTTGTCAAGA AGGTGTAAAC TTATCCTTCT      1320
TTCACACGAA GATTGATTAC ACTTGTGATA TCTTGATAGA TTTTCACTGG CACATCAATC      1380
AAACCAACCG CTCGAATCGG AGCTTGTACT TGAATATGAC GTTTATCAAT CTTAATTCCA      1440
AATTGCTTTT GCAATTCTTC TGCAATCTTC TTATTGGTAA TAGAACCAAA GGTACGACCA      1500
TCTGGACCAA CTTTTTCAAC AAATTCTACA ACAGTTTCTT CTGCTTCAAG TTGTGCTTTA      1560
ATTGCTTTTC CTTCTGCAAT CATCTCAGCG TGAGCTTTTT CTTCCGATTT TTGTTTACCA      1620
CGAAGTTCAC CTACAGCTTG AGCAGTCGCT TCTTTGGCTA GATTCTTTTT GATAAGAAAG      1680
TTTTGCGCAT ACCCTGTTGG TACTTCCTTA ATTTCGCCTT TTTTACCTTT TCCTTTAACA      1740
TCTGCTAAAA AGATTACTTT CATTCTTCTT TCTCCTTTTC CTTCATTTCA TTTAATACAA      1800
TTTCTGTCAG TTTTTCACCT GCTTCTGACA AGGTTACATC TTTAATTTGA GCTGCTGCCA      1860
AATTAAAGTG GCCTCCACCG CCTAACTCTT CCATAATCCG TTGTACATTC AGTTTACTAC      1920
GACTTCGAGC TGAGATAGAG ATAAATCCTT GTGTATTCTT CGCAAGAACA AAACTCGCTT      1980
CAATACCTGA CATGGCTAAC ATGGCATCTG CTGCCTTACT AATAACAACT GTATCATAGC      2040
ATTTCATGTC CTTAGCCTCT GCTATTAGTA CATCTGAACC TAATTTACGC CCCTGTAAAA      2100
TAAGTTCATT GACCTCACGA TATTCTTCAA AATCTGTCGC AGCGATTTCC TGGATAGCAA      2160
TACTATCACT TCCGCGCGTT CTGAGATAGC TAGCAACATC AAATGTCCGA CTAGTTACTC      2220
GCGAGGTGAA ATTTTTAGTA TCCAACATCA TACCAGCCAT CAAGACACTT GCTTGCATAC      2280
GACTCAAACG ATTTTTCTTA GAATTCTGGA ACTGAATCAA TTCCGTTACC AACTCACTGG      2340
CACTACTTGC ACCACTTTCG ATATAAGTAA TAACCGCATT ATCTGGAAAA TCCTGATCCC      2400
TTCTATGGTG GTCAATAACA ATGGTTTGGG TAAATAAATC ATAAAATTCT TTTGATAATG      2460
TTAAGGCTGT CTTTGAATGG TCTACAAGAA TCAACAAAGA ACGATTGGTC ACCATCCCCA      2520
TTGCATCCTT AACAGACAAC AACTTCGTAA CTCCTTCTTT TTCTATGAAT GAAACAGCTC      2580
GTTCAATATC TGGAGACATT TGTTCTTCAT CATAAAGAGC ATAGCTATTT TCAATCACAT      2640
TGCTGGCGAA CAACTGCATA CCTACAGCAG AGCCCAAAGC ATCCATGTCT AAATTTTTGT      2700
GACCGACTAC AAAAACCTGA TCTACACTCC GAATCTTATC TGAAATAGCT GTCATCATAG      2760
CGCGCGTACG AGTCCGTGTA CGCTTGATTG AAGCAGCAGA CCCACCACCA AAATAAACTG      2820
```

```
GATTTTTCGT TTCGTCGTTT TCCTTAACAA CCACCTGGTC GCCACCACGT ACTTCAGCCA      2880
AGTTCAAATT GAGCAAAGCA ACTTTCCCTA TCTCATCATG ATTTCCATCG CCATAAGAAA      2940
ATCCCATACT TAAGGTCAAG GGCAACTGTC TCTGTTTCGA CTCTTCTCTG AAAGCATCAA      3000
TAACAGAAAA TTTATCATTC ATCAAGCCCT CAAGCACCGT GTAGTCAGTA AATAGATAAA      3060
ATCGATCCAT ACTTACCCGA CGAGAAAACA TCATGTGTTT TTCTGAAAAC TCTGATATAA      3120
AATTAGCTAC AAAACTATTG ATTTGACTAA TATCTGACTC AGAAGTTTCA TCCTCCAAAT      3180
CATCATAATT ATCCACAGAG ACAATCCCAA TCACTGGTCT ACTTGTTACC AATTCATCTG      3240
TTATGGCTTG TTCCCTGGAT ACATCTACAA AATACAAAAC ACCGGAAGAA GCATCCATAT      3300
GAACAGCATA ACGCTTCTCA CCAAGCTTGG CATAAGTAGA CGGATTTCCT ACTGAAGCCT      3360
TGATAATCGT TTGAACAGCT TCTAAATCAA AATCACCATC TTCCTTGGTC AAAATCAATT      3420
CAGCATAGGG ATTAAACCAC TCAACCTCTC CAGAAGATAA ATTCAATTTC ATAACACCTA      3480
CAGGCATCTG TTCCAATAGA GCTGTCAAAC TTTCTTCCGC TTGGTGGTTT ACATACTGTA      3540
TCTGTTCTAC ATCACTCCTT GTATAATGCA CTCTCAGTTT CTTAAATAAA AAAACATAGC      3600
CTCCTACAAA AAGAAACAAA ATTAAAACCG TCAACAGATT ATTATTAACA AAAATAATGA      3660
AAGTGGATAA GACTCCAAAC GCAATCAATC CTACTAGAAT AGGAAAAATT GGACTTACAT      3720
AAAATTTTTT CATTCAAAAC CTCTTGGCAC CCATTATACC ATAATACCCC TCAAAAAGCG      3780
ACTTTTTAAA AGTGTAATCA GTAATTCTAT CAATTATAAG AAAAAGGTAG TTTACAATTC      3840
AGTAAACCTA CCTTTACACA TATTGAAATT AAGATTCTTT AACCTCTAAC AAACCAATTT      3900
CGCCATCCTC ACGACGATAA ATCACATTGG TTGTCTGATC TTCAACATCC ACATAGATAA      3960
AGAAATCATG CCCCAATAAA TCCATTTGTA GAATTGCTTC TTCCAAATCC ATTGGTTTTA      4020
AATCAATTTG TTTTGAACGA ACAACTTTAG ACTGGACAAT ATTTGAATCT TCCACCAAAG      4080
CATCTGTAAA TAATTGACCA GTTGCTACCT TATTTTTATT TTTACGCTCG ATTTTTGTTT      4140
TATTTTTACG AATCTGACGT TCAATTTTAT CAGTTACAAG GTCAATTGAA CCATACATAT      4200
CTTGAGATAC ATCTTCTGCG CGGAGAGTAA TAGATCCAAG CGGAATCGTT ACTTCCACTT      4260
TAGCCGTTTT TTCACGATAA ACTTTTAAGT TAATTCGGGC ATCCAACTCT TGTTCTGGTT      4320
GGAAGTACTT TTCGATCTTT TCGAGTTTAG AAACTACATA ATCACGAATT GCTTCTGTTA      4380
CTTCTAGGTT TTCACCACGG ATACTATATT TAATCATATG AGTACCTTCT TTCTAAACAT      4440
TTTTGTTTTT ATGATTTTAT TATAACGCTT TCATTCTATT TTTGCAAATT TTTTCCTCAT      4500
CTTACAAGGG AAAATGTTTT TACATCCTTA GCACCAGCTT CTTCCAACAG TTTCTTAACA      4560
```

```
CGATTTATAG TTGCTCCTGT AGTATAGATA TCATCTATAA GTAGGATTTT TTTAGGAATA     4620
GTGACTCCAC TTTTAATAAA GAAAGGAAGT TCTGTCCCCA AGCGCTCTGA ACGATTTTTA     4680
GAAGAACTGG CTCTCTCTTC TCTTTTCTCT AATAAATCCA GATACTCAAA GCCTGCTGCC     4740
TCTACCAAGC CCTCAACCTG ATTAAATCCT CTATTAGCAT ATCTATCAGG ACTTAGGGGA     4800
ATTACAACAA ATTGATACTC TTTGTACTTT TTCAACTCCT CACTTAAAAA TGAAGCGAAA     4860
ACTTTTCTTA ACAGGAAGTC TCCATCAAAC TTATACCGAC TGAAAAAATC CTTCATAGCT     4920
TGATTGTAAG TAAAAATCGC TCTATGACTG ACTTCAACTC CCTCTTTACA CCAAAGTTGA     4980
CAATCTTGAC ACTTTGTTGA CAACTCTGTT TTCATACAAT TTGGACAGTT CTCTTCCCCA     5040
ATTCTTTCAA AAGTAGAATC ACAGTCTGAA CAAAGACAAG AGTCATCATT CCTCAGAAGT     5100
AAGAGACTAC TAAAAGTTAA AACAGTCTTC ATAGTCTGCC CACATAACAA GCACTTCATA     5160
GACCAGCCTC CTTATTCATC ATCTGAATTT CCTTAATCGC CTTCTTGATT GAAGCATTTA     5220
ACCCATCATG GAAGAAAAGC AAATCTCCTG TCGGTCTATC CATGCTTCGT CCAACTCGTC     5280
CACCAATCTG AATCAAACTA GACTTGGTAA ACAAACGATG ATTGGCCTCT ACTACGAAAA     5340
CATCCACACA AGGGAAGGTA ACTCCGCGCT CCAAGATTGT CGTACTGATA AGTATTGTCA     5400
GTTCTCCATC TCGAAAAGCT TGTACTTGCT CTAATCGATC CTCTGTTACA GAAGATACAA     5460
AGCCAATTTT CTCATTTGGA AATTGCTCCT GTAAGATTTC TGCTAACTGC TCCCCTTTCT     5520
TAATTTCTGA AGCAAAAATG AGTAACGGAT AAGCTGTCTT TCTCTGCTTC TCAATATAGG     5580
ACTTTAACTT TGGTGACAAA CGATTCTTGT CTAAGTAGCG ATTAAAATCC GATAACCAAA     5640
TTGGTTTTGG AATAATCAAC GGATTTCCAT GAAACCGTCT CGGTAAATTC AGTCTTTTTA     5700
GTTCTCCTAA ACGGACCTTT TTATCTAACT CATTGGTCGA AGTCGCTGTT AAAAAGATTC     5760
TCAATCCATT CTCCTTTACA CTATTCTTGA CAGCGTGGTA AAGCATGGGA TTATCAACAT     5820
AAGGAAAAGC ATCTACTTCA TCCACTATCA GCAAATCAAA AGCTTGATAA AACTTCAATA     5880
ACTGATGGGT TGTTGCAACA ACTAGTGGTG TTCGAAAATA AGGTTCCGAT TCTCCATGTA     5940
GCAAAGCTAT CCCGCAAGAA AAATCCTGTT GCAGGCGCTT GTACAGCTCC AAACAAACAT     6000
CTATGCGAGG ACTAGCCAAA CACACTGCAC CACCCGCATT GATCACTTTA GCCACTACTT     6060
GATAAATCAT TTCTGTCTTT CCAGCTCCTG TTACCGCATG AACTAAGGTT GGCTTTTGCT     6120
TGTCTACTAC TTGAAGCAAT CCCTCTGACA CCTTCTCTTG AAAAGGAGTT AATTGGCCGC     6180
GCCATTTGAG AACATCTTGC TTTGGAAAAT CCTCCTGCGG AAAATAGTAT AAAGTTTGAT     6240
CACTTCTGAC TCGCTTCATC AGCAAGCACT CTCGACAATA GTAAGCACCG ATGGGCAAAT     6300
ACCATTCTTC TAGAATAGTA CTATTACAGC GTTGACAGAA AAGTTTCCCC TTCTCCTTTC     6360
```

```
TCATTGCTGG AAGTTTCTCC GCCAACTGAC GTTCTTCTTC TGTTAATTCA TTCTCAGTAA      6420
ATAAACGACC GAGATAATCT AAATTTACTT TCATACTTCT TTATTCGTAA AAACTAGCAC      6480
TTTAGATGAT TTTTTAGTAC AATTAAATCA TGGAATTTAG GACAATTAAA GAGGACGGTC      6540
AAGTCCAAGA AGAAATCAAA AAATCTCGCT TTATCTGCCA TGCCAAGCGT GTTTATAGCG      6600
AAGAAGAGGC TCGTGACTTC ATTACTGCCA TCAAAAAAGA ACACTACAAA GCGACACATA      6660
ACTGCTCTGC CTTCATTATT GGAGAACGTA GTGAAATTAA ACGTACAAGT GATGATGGTG      6720
AGCCTAGTGG TACTGCTGGT GTTCCCATGC TTGGGGTACT AGAAAATCAC AATCTCACCA      6780
ATGTCTGTGT GGTCGTGACA CGCTACTTTG GTGGTATTAA ACTAGGCGCT GGAGGACTAA      6840
TTCGTGCTTA CGCCGGCAGT GTCGCCTTAG CTGTCAAAGA AATTGGTATT ATTGAAATAA      6900
AAGAACAGGC TGGCATTGCT ATTCAAATGT CTTATGCTCA GTACCAAGAG TACAGTAACT      6960
TCCTTAAAGA ACATGGTCTC ATGGAGCTGG ATACAAACTT TACAGATCAA GTCGATACGA      7020
TGATTTATGT TGATAAAGAA GAAAAAGAAA CTATTAAAGC TGCACTTGTG GAGTTTTTTA      7080
ATGGAAAAGT CACTTTAACT GACCAAGGTT TACGAGAGGT TGAAGTTCCT GTAAACTTAG      7140
TGTAAACAAT GAATAATACA GCGTTTCGTT GACATTCTCA CAACTACTTT AGCGAGCAAA      7200
ATAAAAAGAG GCGTACCAAA ATATACTAGA AAATGAAGCA ATTCAAACGA AACCTGATAT      7260
CGTTTTCCTT CACACCTATT TACTAGAATT AGCTGAACGC AATCACTTGA AAATTAATGA      7320
CTTTGATCTA TGATATATAG AAATGGTATG GATAGCGTTA TACTAAACAT ATCTTATACA      7380
AAGAGGTATT CATATGTCTA TTTATAACAA CATTACTGAA TTAATCGGTC AAACACCGAT      7440
TGTTAAACTT AACAACATCG TGCCAGAAGG TGCTGCAGAC GTCTATATAA AGCTTGAAGC      7500
ATTTAATCCT GGTTCATCTG TAAAAGACCG TATTGCCCTT AGCATGATTG AAAAAGCTGA      7560
ACAAGATGGT ATTCTGAAAC CTGGTTCTAC TATTGTTGAA GCAACAAGTG GAAACACCGG      7620
TATTGGACTT TCATGGGTAG GTGCTGCTAA AGGGTATAAA GTCGTCATCG TTATGCCTGA      7680
AACTATGAGT GTAGAACGAC GTAAAATTAT CCAAGCTTAT GGTGCTGAAC TCGTCCTAAC      7740
TCCTGGTAGC GAGGGAATGA AAGGTGCTAT TGCTAAGGCT CAAGAAATCG CTGCTGAACG      7800
TGATGGTTTC CTTCCTCTTC AATTTGACAA TCCAGCTAAT CCAGAAGTAC ACGAAAGAAC      7860
AACAGGAGCT GAGATACTAG CTGCTTTCGG TAAAGATGGA TTAGATGCCT TTGTTGCTGG      7920
AGTAGGTACT GGTGGAACGA TTTCTGGTGT TTCTCATGCA CTCAAATCAG AAAATTCTAA      7980
CATTCAAGTT TTTGCAGTAG AAGCAGATGA ATCTGCTATT CTATCTGGTG AAAAACCTGG      8040
TCCTCACAAA ATTCAAGGTA TCTCAGCTGG ATTTATTCCT GATACACTTG ATACTAAAGC      8100
```

```
CTATGATGGT ATCGTTCGTG TAACATCAGA TGACGCTCTT GCACTCGGAC GTGAAATTGG      8160

TGGAAAAGAA GGCTTCCTTG TAGGGATTTC CTCAGCTGCA GCTATCTACG GAGCCATCGA      8220

GGTTGCCAAA AAATTAGGTA CAGGTAAAAA AGTCCTTGCC CTAGCACCAG ATAACGGTGA      8280

ACGTTATCTC TCTACAGCAC TTTATGAATT GTAACCGTCC AATAACGAAG TCTATTGAAA      8340

AATCTCCAGA CTAGAGAACT CACGGATAGT TCCTAATCTG GAGATTTCTT ATTTGCACTT      8400

TTCTTGTACA ACTTTAGTCC ATGGTAAATA GGCCTCTAAA ACCTCTTTGT TTACGAGAGT      8460

TTCCACGTTT GGAAGACATT CTAGAAGATA GGATAGATAT TTCTCACTAT TTATAATGGA      8520

TTGAAATAAG ATATGAACAA ATCGATTAGA ACATGATGGT AAAGCGTAAT CCCTTGTTTC      8580

TCAGCTTTCC CAGACAAAAA AGTCCAATAG TAAGTCAGCT GACTATCACT CTCTAGCACC      8640

CTATAAGAAG TTTCATCCGC ATGAAGTAAG GGCTGAGTCA ATAGTCTCTC TCGCAAGAGG      8700

TTATAAAGGG GCTCCAAATA GTATTGACTC GTCTTGATAT GCCAATTAGA GATTTCCTTA      8760

CGTGTGATTG GTAAACCCAT CCTAGCCCAA TCTTCTTCTT GGCGATAATT GGGTACCTTC      8820

AGATTAAACT TCTGATGGAT GGTGTGAGCG ATAATAGAAG CTGAGCCAAA GTTATGCGCT      8880

AAAGGGGCTT TAGGAATAGG AGCTTTCACA AGCTTATCCA GATGATTATC TTTTACTCGT      8940

TATGGACAAT GCTATATGGC ATAAATCAAG TACCTTAAAG ATTCCGACTA ATATTGGCTT      9000

TGCATTTATT CCTCCATACA CACCAGAGAT GAACCCCATT GAACAAGTGT GGAAAGAGAT      9060

TCGTAAACGT GGATTTAAGA ATAAAGCCTT TCGAACTTTG GAAGATGTCA TACAAGGACT      9120

GGAGAAGGAG GTGATAAAGT CCATCGTTAA TCGGAGACGG ACTAGAATGC TTTTTGAAAA      9180

CAGATGAGTA TAAAAAGAAA GTCCTCATTT CAATAGAAAT CACGACTTTC TGATGAATTT      9240

ATAGTAAAAT GAAATAAGAA CAGGATAGTC AAATCGATTT CTAACAATGT TTTAGAAGCA      9300

GAGGTGTACT ATTCTAGTTT AAATCCACTA TATTTGGGGA GTGATAGAAA AGCCCTTCAT      9360

CAGCCAATCT ACTTGTTCAG GTGCGAGAGC TTTGACATCC TTTTCTGTAC TGGACCAAGT      9420

CAGTTTTCCG TTCTCAAAGC GTTTATATAA TATCCAAAAT CCTTGACCAT CCCAGTAAAG      9480

AACTTTAAAG CGGTCTTTAC GTCCACCACA AAAGAGAAAG ACTTGATCGG AGAAAGGATC      9540

CAATTCAAAG TGGGTTTTAA CTACATAGGC TAATGAGTCT ATTCCCTGCC TCATATCTGT      9600

CTTGCCACAA ACAAGGTGAA CTTGACCTAA ATCACTTAGT TGAATTATCA TAGTACAATA      9660

CCTTTCCTCC GATAATTATT TTTTATCTGG TATACTGGAA GTTGGGGAAT TAGGATAGAT      9720

ACCTTGTTAT GACGCGCTTA CTATGAATTT GAAGTATAGT CTCCTAAATG CACTTAGCCC      9780

TTATTATAGG GCTTTTTGTT TTAATTATTC TAATCGAGTG AGACTGGGGA AAAAACAATT      9840

TCAGGAAAAA TCTAAGCCCT ATACAAAAAA GGAAGCAATT TGCTTCCTTT CTATTATTAG      9900
```

```
TTATTCAAGG CTGCTGCCAT TGTAGCTGCA ACTTCAGCTT CGAAGTCGTT TGCAGCTTTC      9960

TCGATACCTT CACCAACTTC AAAGCGAGCA AACTCAACTA CCGAAGCGTT AACTGATTCA     10020

AGGTATGCTT CAACTGTCTT GCTGTCATCC ATGATGTAAA CTTGTGCAAG AAGTGTGTAA     10080

GCTTGGTCAA CTTTAGTGTT ATCAAGCATG AAGCGATCCA TTTTACCTGG AATAATTTTG     10140

TCCCAGATTT TTTCTGGTTT GCCTTCTGCA GCCAATTCAG CTTTGATGTC AGCTTCAGCT     10200

TGAGCAATAA CATCATCAGT TAATTGAGCT TTTGATCCAT ACTTCAAGTG TGGAAGAGCT     10260

GGTTTATTAA CCATTGCACG GCTTTCGTTG TCTTGGTCGA TAACGTGATT CAATTGTGCC     10320

AACTCATCTT TAACGAATTG CTCATCCAAT TCTTTGTAAG AAAGAACTGT TGGTTTCATC     10380

GCTGCGATGT GCATTGACAA TTGTTTAGCA AGTGCTTCGT CTCCACCTTC AACAACTGAA     10440

ATAACACCGA TACGTCCACC GTTATGTTGG TATGCTCCAA AGTGTTGTGC GTCTGTTTTT     10500

TCAATCAATG CAAAGCGACG GAATGAGATT TTCTCTCCGA TAGTTGCTGT TGCAGATACG     10560

TATGCAGCTT CAAGAGTTTC ACCTGAAGGC ATTATCAAAG CAAGAGCTTC TTCGTTGTTA     10620

GCAGGTTTTC CTTCAGCAAT GACTTTAGCT GTAGTATTTA CCAATTCAAC GAATTGAGCG     10680

TTTTTTGCAA CGAAGTCAGT TTCAGCGTTT ACTTCAATAA CTGCTGCAAC ATTACCGTTA     10740

ACATAAACAC CAGTCAAACC TTCTGCAGCA ACACGGTCAG CTTTCTTAGC TGCCTTAGCC     10800

ATACCTTTTT CACGAAGCAA TTCAATCGCT TTTTCGATGT CACCGTCTGT TTCTACAAGC     10860

GCTTTTTTAG CGTCCATAAC ACCGGCACCA GATTTTTCAC GCAACTCTTT TACAAGTTTA     10920

GCTGTAATTT CTGCCATTTT AATTCTCCTA TATTTTTTGA AAATAGGAGA GCGCGGCTAA     10980

GCCCCGCCTC CGG                                                        10993
```

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 8411 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

```
CGACGGGGAG GTTTGGCACC TCGATGTCGG CTCGTCGCAT CCTGGGGCTG TAGTCGGTCC        60

CAAGGGTTGG GCTGTTCGCC CATTAAAGCG GCACGCGAGC TGGGTTCAGA ACGTCGTGAG       120

ACAGTTCGGT CCCTATCCGT CGCGGGCGTA GGAAATTTGA GAGGATCTGC TCCTAGTACG       180

AGAGGACCAG AGTGGACTTA CCGCTGGTGT ACCAGTTGTC TTGCCAAAGG CATCGCTGGG       240
```

```
TAGCTATGTA GGGAAGGGAT AAACGCTGAA AGCATCTAAG TGTGAAACCC ACCTCAAGAT      300

GAGATTTCCC ATGATTATAT ATCAGTAAGA GCCCTGAGAG ATGATCAGGT AGATAGGTTA      360

GAAGTGGAAG TGTGGCGACA CATGTAGCGG ACTAATACTA ATAGCTCGAG GACTTATCCA      420

AAGTAACTGA GAATATGAAA GCGAACGGTT TTCTTAAATT GAATAGATAT TCAATTTTGA      480

GTAGGTATTA CTCAGAGTTA AGTGACGATA GCCTAGGAGA TACACCTGTA CCCATGCCGA      540

ACACAGAAGT TAAGCCCTAG AACGCCGGAA GTAGTTGGGG GTTGCCCCCT GTGAGATAGG      600

GAAGTCGCTT AGCTTTAATC CGCCATAGCT CAGTTGGTAG TAGCGCATGA CTGTTAATCA      660

TGATGTCGTA GGTTCGAGTC CTACTGGCGG AGTAATtGAT AAAAGGGaAC ACAGCTGTGT      720

TCCTCTTTTT GTATCAATTT GTATCACCAA GCATTTTCAT AAGGAAGTCT GTTATTTCTT      780

GAGAACTTTC TTTTTTTCCA TGTGCAATCC AAGTTTGGCA GACACCAAAA AGTGCATGAG      840

TTAGATAGAT GCTACTATAT TCTAATTCAG TGGTATTTAG ATTCAGTTGC ATAAATCGCT      900

TTTGTAAATC TGTACTAAGC ATGATATGAA GTTTATTTCG TAAGAAATTT TGGATTTCTT      960

TAGTCCCATT TTCAGAAAGA AGGGCAGCCA GAAGTGGTTC TGACTCTAGA TATTCAAAAA     1020

CTTCTAAAAT AGCGTCTCTT TTGTGATGAG CATGTTTTTG AAAAATATAT TCAAATGTAT     1080

GGAATAGCTT GCTTTGATAG TGCTCAATCA TATCATACTT ATCCTTATAG TGAGTATAGA     1140

AGCTGGAACG ACTAATTCCG GCTTTTTCTA CTAATTTGAC AGTAGAAATT TTATCAAATG     1200

GCTGTTCCAT CAGTAATTGT ACCATAGCAT TTTCAATAGT TCGCTTTGTT TTTAAGCGTT     1260

TGTTACTTTC TTGCATATTT CCTCCTTGTA AACAAATTAG ACTATATGTC TAAAAATAGA     1320

TTTTTTATCT TGTAATTTAG ATTTTTTAAT GTATAATCTA TTATATCAAA ATTTTAGACA     1380

ATATGTTTAA AAAAGGAGAA ACTAAGTTTA AAGAATGGAA AGCAATTTAA AAAAAACCAA     1440

CCTTTATTAT TGTCATGATC GGGATTTCTC TTATTCCAGA TCTGTACAAT ATCATATTTT     1500

TGTCATCAAT GTGGGATCCA TATGGGCAAT TGTCTGACTT ACCTGTGGCA GTTGTAAATA     1560

ATGATAAAGA GGCTTCCTAT AATGGTAATA CTATGGCAAT AGGAAAAGAC ATGGTGTCCA     1620

ATTTAAAAGA AAATAAAACC TTGGATTTTC ATTTTGTAGA TGAAGAGGAA GGAAAGAAGG     1680

GATTGGAAGA TGGCGATTAC TATATGGTAG TGACTTTACC AAGTGATTTA TCTGAAAAAA     1740

CAACTACATT ATCCAATATT CAATCGACAG CAGCTTATCA ATCATTGACA AGTGAGCAAC     1800

AAACTGAGAT AAGTGATTCT GTATCTCAAA ATTCAACTGA TAGTATTCAA TCGGCTCAGT     1860

CAATTGTAGC TTTAGTACAA GATTTACAGG GAAGTTTAGA AAACTTACAA AATCAATCTT     1920

CTAATCTTTC GACTTTAAAA AATCAATCTA ATCAAGTATC ACCTATTACT TCTACTTCTT     1980

TGATAGGATT GTCAAGTGGA TTAACAGAGA TACAAGGAGA TGTTACTAGC AAATTAGTTC     2040
```

```
CTGCCAGTCA GTCGATTGCA TCAGGTGTAA ACGCATATAC TACAGGTGTT GATAAAGTTT      2100
CTCAGGGCGC AAGTCAACTA AGTGAAAAAA ATGCCACCTT GACAGGTAGT TTGGATAAAC      2160
TAGTTTCAGG CTCAAACACC TTGACACAAA AATCTTCTAG ATTGACAGCA GGAGTTGGTT      2220
AATTACAATC AGGATCTGGG CAATTAGCAG ACAAATCCAG TCAGTTACTT TCAGGTGCTT      2280
CTCCATTAGA GAATAGAGCT AATAAATTGG CAGATGGATC TGGGAAACTA GCAGAAGGTG      2340
GAACAAAGTT AACTTCTGGA TTGGAAGATT TACAGACAGG ACTTGCTTCT TTAGGACAAG      2400
GACTAGGTAA TGCTAGTGAT CAACTCAAAT CAGTATCAAC AGAATCTAAA AATGCAGAGA      2460
TTTTGTCAAA TCCACTCAAT CTTTCAAAAA CAGACAATGA TCAAGTTCCT GTAAATGGAA      2520
TCGCAATAGC TCCTTATATG ATATCAGTTG CTCTTTTTTT GCAGCAATAT CAACAAATAT      2580
GATATTTGCG AAATTGCCTT CAGGACGTCA TCCAGAGAGC CGTTGGGCTT GGTTGAAATC      2640
TTGAGCTGAA ATAAATGGTA TTATAGCTGT TTTGGCAGGA ATTTTGGTAT ATGGAGGAGT      2700
TCAGCTTATT GGTTTAACTG CTAATCATGA GATGAGAATA TTTATTCTCA TCATCCTAAC      2760
AAGTTTAGTA TTCATGTCTA TGGTGACCAC TTTAGCAACG TGGAATAGCC GTATAGGAGC      2820
TTTTTTCTCA CTTATTTTGC TTTTACTACA GTTAGCATCA AGTGCAGGTA CTTATCCACT      2880
TGCTTTGACA AATGATTTCT TTAGATCTAT TAATCCCTGG TTACCAATGA GCTATTCAGT      2940
TTCGGGATTA CGACAAACAA TCTCTATCAA CAAGTCATTT TCCTAGCTGT CATACTAGTT      3000
CTATTTACTA GTTTAGGTAT GCTAGCCTAT CAACATAAGA AAATGGAAGA AGATTAAAAA      3060
AATCGACCGA TTAACTGGTC GATTTTTTAT GCCTTAGATG ACTTTCGTCT GTGATTATAG      3120
ATTCCAAATA GTAAGAGAGA AGTAAAGGAA CAGATTGCTC CAGTAATAAA ACCATTGGGA      3180
ATGAAGGAAA GTGTAATAGT TCCTTTCCCC TTGGGAATGT CAACTTTCAT AAATCCAGTT      3240
TGAGCTTGTT TAATTTCTAT TTTCTTACCA TCTTGGTAGG CAGACCAACC TTTGTCATAA      3300
GGAATGGTGA AGAAAATAGA TGTATCTTGT TGGACATCAT ATGTAGCAAA AACCTTGTTT      3360
TTAGAAGTTG ATACTGTGAC AGGTTGTTCT TTAATTTTTT GAATTGCCTC GGTGAAAGTT      3420
TTGGTATCTA AACGATAGAA GGTAGGAGAT TCAAATGATA CTTGTGAATT TCCAGGGAAA      3480
CTAACATTGA TATTGAAAGT TTTTTTCTCT TTAGTATATC CTAGATTAAA GAAGGAGAAG      3540
ACATTATCAG TTGTAAAAGT CTTTTTTTCA CCATTTACAA GGATGTCAAC CTTCTTTTGT      3600
TTATCGTTAG AAAAGTGAAG GTTTATGAAA GAGAGATAAA CTTGGCTGTT TTCTGGAACT      3660
TCAATTTGAT ACTGGATTGC TGCATCTTCA TTTGAAGAAC TTGTGACACT AATCAAATCA      3720
TTAGTATTTT CTATTTTTTC TGTTTTTTCA, TAAGGTATTG GAGAAAAATA ATCAAAATTG     3780
```

```
ACGTTAGCAA GTTGATTTAA AAATGAGGCC TGATTATCCA AGGTATGTTC ATTGAACTTG     3840

ACATCATTGT AAACAGATTG ACTCGCAACT GCAATCGGAA GAGAGTATTG ATTTTCATAT     3900

AGGGTAAGAT TATCTTTTTG ATAGATATCT TTAAAGCCAT ACTTATCAAT AGGACTGTCT     3960

GAGATATTGT ACTGGATACC AAATAAACTA TCAGCCAAAA TACTATTATT TGCATATCGG     4020

AGATTGAGAT TAGTCCCAGA GGATTTAAAA CCAAGTTTAT CTAAAGTAGA GCTTGATGAA     4080

CGATTTCGAA CAGATGAAAA TTGAGAGATT CCATTGTAGT TGAATTTCAT ACTGTCATTT     4140

CCTGTCTGAG TTTGTAGTTT TTCAGTACGA GTAAATTGAT TTCCAATATA TGTTGAGAAA     4200

GATTCCATAG CTGGGATATC TCGACTATAA GCACTTCGAG AAGCAAATCC CCATTCCTTA     4260

GCAATTCCGT CCATTTGAGA TGAAGCATTT AAACTCATTT CAACCAGTAT AAATAAAGAG     4320

ATTAGAATGG CAAATAGATT CACAGATATA AACTTTTTGA TAACTGCAAG GAGTAAAAGA     4380

GAATAGACAA CCAAAAATTC AAGAGTAAGC AGAATATTCA AATCTGTTAA AAAAGAATAA     4440

TGCGATTTTA GATAGATGGT AGCTAAAAAT CCTGCTACTA CAAGAAAAAG CGAAACTAAA     4500

AAATTCCAGA CTTTAAGTTC TTTCAGACGC TTTAAGACTT CTGCTGCTGT GTAAATTAAC     4560

AAGGTAGAGA AAATCCAAGC ATAGCGATGT AAAAACATGT TTGGAGTATG CATGCCTTGC     4620

CAAAATAAGT CAAGAGCTTC TATGTAAAAG CTTGCAATTA GAAATGCAAA GAATATTACA     4680

TATATGAGTT TCACGTGAAA CTTAATAGAT TTCAGCGTAA AAAATAAAAT GGTCAAAATA     4740

AAGGGAAATA GTCCAACAAA AATCATTGGG ATGGCCCCAT ACTTTGTTGT GTCAAAGGAA     4800

CCAATGAATT GCTTAGCAAA GAGATCAAGA TACCAGCTAC TTTCAGTTTG AAACTTTGTA     4860

ACTTCAGTCA ATTTTTCCCC ATGTGTCTGT AAATCAAATA GAGTGGGAAG AGTCATAATC     4920

AAACTAGCCA TACCAGCTAA AAAGGAGATA ACTATGAAAT CAAGAACAGA TGATTTTCGA     4980

GTCTTAAAGT CCCACGAAAT TTGACAGAGA TACCAGAAAA TAAGAAACAA TACTGTCATA     5040

TATCCAAAAT AATAATTTTG AATAAATAAG ATTGACAGAC TTGTAAAGTA CAATAGGAGT     5100

TTCTTTTCAG TTATCAGTAG ATGTAAACCA GTTATAATTA AAGGAATCAA GATAAAAACA     5160

TCTAGCCAGG TTTTTATCTC TAATTGACTG ACAGTGAAAC TCATCAGAGC ATAGGAAGTA     5220

GATAAGGCTA GTTTTAAAAT CTGAGGGATA GATTGAAACA ATTTATTCAA ACTAAAAAAG     5280

GTTGACAGAC CAATCAATCC AAATTTTAAG AGAGTTGTCA GATAGATAGC ATCTGGCATA     5340

TTCGTTAGAT CAAAAAAGTA AACCAGAGGC GCGAGAAAAC TACCCAAGTA ATAACTAGAT     5400

AGGGCATAGA AGTTTAGCCC TAGACCACTT GTAAAGGTGT AAAACAGATT ACTATTTCCA     5460

TGTAGGATAT TTCGTAAGGC TACATCAAAA ATAACGTATT GATGAAAGCC ATCTCCTAAT     5520

AGAGGAGAGT TGTCGCTATT CCAGTAGATA CTTTGAGATA GATATACTCC AGACATAATC     5580
```

ACTACAGGAA TGATGAAAGA AATAAAATAG GTTCGATATG TTTTTAAAAA TGATTTCATG 5640

TTACCTCGTA GAATGATAGA AAACTCAGTT GGTTAACCCA ACTGAGTTTT GAAGTTTTAT 5700

TTAGTCTTTC CAAAGTTCTT TAACTTTTGC TTGTACTTCT GCATTTTCTA GGAATTCATC 5760

GTAGGTTTCA TCGATACGGT CAATGACGCC ATTTTTAGAT AAGACAATGA TATGGTTAGC 5820

CAAAGTTTGA ATAAATTCGT GGTCATGGCT GGCAAAGATG ATTGATTCTT TAAAGTTTTT 5880

CAATCCATCA TTCAAGCTTG AGATAGATTC CAAGTCCAAG TGATTTGTTG GATCATCAAG 5940

TACAAGGACA TTTGATTTTA AGAGCATGAG TTTTGAAAGC ATGACACGAA CTTTTTCTCC 6000

CCCTGACAAG ACATTTACAG GTTTGTTAAC TTCATCTCCA GAGAAGAGCA TACGGCCGAG 6060

GAAGCCACGT AGGAAAGTAT TGTCATCTTC TTCTTTACTT GCGAATTGAC GCAACCAGTC 6120

AAGAATTGAT TCTCCTCCTG CAAAATCAGC TGAGTTATCT TTTGGTAGGT AAGATTGACT 6180

AGTTGTAACT CCCCACTTGA CAGTTCCTTC ATAGTCAATA TCTCCCATGA TTGCACGAAT 6240

TAATGCAGTC GTTTGAATAT CATTTTGTCC AATAAGTGCT GTCTTATCAT CTGGACGCAA 6300

GATGAAACTA ATATTATCCA AGATAGTTTC ACCATCAATC TTTACAGTTA AATTTTCTAC 6360

TGTCAAGAGA TCATTACCAA TCTCACGTTC CGCTTTAAAG TTGATAAATG GATATTTACG 6420

ACTAGATGGC ACAATCTCTT CTAGCTCAAT CTTATCAAGC ATTCTCTTAC GTGATGTTGC 6480

CTGCCTTGAC TTAGAAGCAT TGGCAGAGAA ACGAGCAACA AATTCTTGCA ATTGTTTAAT 6540

TTTTTCTTCT GCTTTAGCAT TACCCTCTGC TAGCAATTTA GCAGCAAGCT CAGAAGATTC 6600

CTTCCAGAAG TCGTAGTTTC CGACATAGAG TTTGATTTTT CCAAAGTCAA GGTCGGCCAT 6660

GTGAGTACAA ACTTTGTTTA AGAAGTGACG GTCGTGGGAT ACTACGATAA CTGTGTTATC 6720

AAAGTCAATC AAGAAGTCTT CTAACCAAGT AATCGATTGG ATATCCAAAC CGTTAGTAGG 6780

CTCGTCCAAG AGAAGAACAT CTGGTTTACC AAAAAGTGCT TTGGCGAGGA GAACCTTTAC 6840

TTTTTCACCG TTGGCCAATT CGCTCATGTT TTGGTAGTGT AATTCTTCTG GAATGTTTAG 6900

GTTTTGAAGT AGTTGAGAGG CTTCACTCTC TGCTTCCCAA CCTCCAAGTT CGGCAAACTC 6960

TCCTTCGAGT TCGGCAGCAC GAACCCCGTC CTCGTCTGAG AAATCTTCCT TCATGTAGAT 7020

AGCATCTTTC TCTTTCATGA TGCTATAAAG TTTTTCATTT CCCATGATAA CGACATCAAT 7080

GGCACGTTCA TCTTCGTAGT CAAAGTGATT TTGACGAAGA ACAGAGAGAC GTTCATCTGG 7140

ACCAAGAGAG ATGTGACCAG TAGTAGGTTC GATATCTCCA GCTAAAATTT TTAAAAAGGT 7200

TGATTTTCCG GCACCATTAG CACCGATTAA TCCGTAAGTA TTTCCTTCTG TAAATTTGAT 7260

ATTGACATCA TCAAAAAGTT TGCGATCACT AAAACGTAGT GAAACATCAG ATACTGTAAG 7320

CAATGTTTTT CTCCTATATG TGTAATATAT TTATTCTACT AGAAAATACA GAAATATTCA 7380

AATTTTTATT TGTCAATTTT GTGTAAATTA TATTTACAGT ATCCTTTACA CAAATCTGTA 7440

AAAAGCAAGG CTGATTTATT TTGATAAATT ACGGTTATTT CATTAAAAAA ATGCTATAAT 7500

TGAAAGGACT ATATCGAAGG AGAACAAAAT GACTAAACCC ATTATTTTAA CAGGAGACCG 7560

TCCAACAGGA AAATTGCATA TTGGACATTA TGTTGGAAGT CTCAAAAATC GAGTATTATT 7620

ACAGGAAGAG GATAAGTATG ATATGTTTGT GTTCTTGGCT GACCAACAAG CCTTGACAGA 7680

TCATGCCAAA GATCCTCAAA CCATTGTAGA GTCTATCGGA AATGTGGCTT TGGATTATCT 7740

TGCAGTTGGA TTGGATCCAA ATAAGTCAAC TATTTTTATT CAAAGCCAGA TTCCAGAGTT 7800

GGCTGAGTTG TCTATGTATT ATATGAATCT AGTTTCGTTA GCACGTTTGG AGCGAAATCC 7860

AACAGTCAAG ACAGAGATTT CTCAGAAAGG ATTTGGAGAA AGCATTCCGA CAGGATTCTT 7920

GGTCTATCCA ATCGCTCAAG CAGCTGATAT CACAGCTTTC AAGGCTAATT ATGTTCCTGT 7980

TGGGACAGAT CAGAAACCAA TGATTGAGCA AACTCGTGAA ATTGTTCGTT CTTTTAACAA 8040

TGCATATAAC TGTGATGTCT TGGTAGAGCC GGAAGGTATT TATCCAGAAA ATGAGAGAGC 8100

AGGGCGTTTG CCTGGTTTAG ATGGAAATGC TAAAATGTCT AAATCACTAA ATAATGGTAT 8160

TTATTTAGCT GATGATGCGG ATACTTTGCG TAAAAAAGTA ATGAGTATGT ATACAGATCC 8220

AGATCATATC CGCGTTGAGG ATCCAGGTAA GATTGAGGGA AATATGGTTT TCCATTATCT 8280

AGATGTTTTT GGTCGTCCAG AAGATGCTCA AGAAATTGCT GATATGAAAG AACGTTATCA 8340

ACGAGGTGGT CTTGGTGATG TGAAGACCAA GCGTTATCTA CTTGAAATAT TAGAACGTGA 8400

ACTGGGTCCG G 8411

(2) INFORMATION FOR SEQ ID NO: 17:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 9064 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

TGCCGTACTC AAGTACAGCC TGCGCTAAGT TTCCTAGTTT GCTCTTTGAT TTTCATTGAG 60

TATTAGTAAC CAAAATCCGA CCACATAGCC AGCCCCTATG AATATAGCCA TTAAAGCTAG 120

CATGGAATTT AGGAAATTAA AAACCACCGC AGATACAAAG GTTAGCACAA AAACATTAAA 180

AGCAATGGTG TCAGAAGCCA AGACTAGAAT ATAGGGTGTC AACCGATCTA AAGTTTTGGA 240

ATCTAGGAAA AATAAGTGTT TATACATGAT GACCTCCTCT ATGGCTGAAA AGCAAGCCTT 300

```
TTGTTTTTTT ACCCCAAGAC CCTATGTAGA AAAGTGAGCA AAAACGGGAA GGTCGCTACA        360
ATATTATTGA TCACATGCAC CGCATAGGAT GGATAAATGC TCTTGGTATA GCGGGTCAAA        420
CCAGCAAAGA TGATTCCAAC TGTTGCAAAG ACGAAGATAT CTAACAGACT AGGCAGGCTT        480
GAAAAATGAG GGAGAGCAAA TAAAATAGAA GGAAGAAGCA AATCAAGACC AAATCGCGAA        540
TGCTTAAAGA AAGCATGTTG CAGTAATCCT CTATAAATCA ATTCTTCCAT CAGTGGAACC        600
AGAAAGAACA GGGCTATATA AATACCTAGC TCTGCAAAGT TAGTCCCACT ATAACCAATC        660
AATACAGCCC AACCTTCCGC AGTTGACTGA ACATGTTTAG CTGTCTGAAC GTTAAAAGAG        720
ATCTGGAACA CTAGCACTAA TACTGTCAAA ATCGAATACC AAAGCCATTT TTTTCTTGGA        780
ATGCGGAAGA GATAACCATG GCCTGTCTTA ACAAGAACCA CAATCATGAC TCCAATAAAA        840
AGTAAACTCA AGATATTTTG AATCCAGAAT AAATTGCCTA TCTGAGAAGA AAATTGCCAA        900
TAGTTTTGGA CGATAAGCGT CAGCTGAGAA AGACTAAATA CGAAAAATAA GTAAGAGAAG        960
ACTGCACTTA TTTTGAATAG AAGTTGATAC TTTTTCATAG AAATCCTCCC TACTATGACC       1020
TCACCTTGTC AGGCTCTACT GCTGTAAGAT TAAGAAGACA GTTTGTTTTT TTTAAGGCTA       1080
ACCTGACTAC TAGATAATAG ATACATTAAG GCATTAAAGA CAATGAAAAT ATGTCCATAG       1140
AATAAAATCA ACCTCGCATC CAAACCAAGA TAAAGTTTGA TTATCAAAAA GATGAGCAAA       1200
AGAATTTGAA ACCATAAGGT TTTTCCAAAA ATAAATTTAA AGCGATTTCG AATATCTACT       1260
TCCTTGATTT TTACCGCCAC CCCTTTATTA GCAAGAAGGA AAACTCCTGC TTCAAACAAA       1320
CCACTGTAAA GAACAAGCCA CCCAATAGAT ACGATAGAGA TTTGTAAAAA TGTCCCTAAA       1380
AGAATATCCA ACACACTACT CAAGAAAATA ACAAAAAATA ATCTGTATTT CATATTAAAT       1440
ACCTCCATTC ATTTATTTCA CTAACAATTT AATAGAGCCT TCTACTCAAA TATCCTGTCA       1500
GAAAAGGATA GAAAGCTACT TTTTATAATA CTTCAAGCCC CACATGAGCA GAAGCGTGAT       1560
AAACAAGCAG AGAATACACC TATATAAGCG ATTAGTTGTT GATAGAATTC TGTTTCTGAA       1620
ATACCTCTAT ACAAACAAAT GACAAACATA AAATCTGCCA AGCCGATAAA CATAAGTTGA       1680
TTGGTTCTAG GACTAACCAA ATCATCATTT ACTTATATTT AAGAGTATCT CTTTTATTTT       1740
AATGTATGTT AGCACTGAAA AGCAAGACAG GCCAATAATA TTTAAAATGA ACAGTAACGG       1800
GGTTAAGTCT CTAAAAAAAT TATCTACTGA CACTACAAGA AATACTATAC ATATTATAGT       1860
CGAAACTATC TTTTTCTTAT CCATAATTAT TTACTCCTTT CCTAACAAAT CCAGCTTATC       1920
AATCAAGAGC GATTTTTAAC ATAATGTAGC AGCACCCGTT GCAACTTTGA CAAGTTTAGT       1980
ATATCATTGT TTTTTAAAAT TTTTCATCCA AATCTTGAAT TGTCATCGAA ACATCTTGAA       2040
```

```
TTGTTAAAAA ATTTAAAAAG TAAGCATTAA AAACATACTT TCCTCTTTAT ATTGTATTGA      2100

TACCAACTTG TTTGTAGACT TTTCATCCTG CTATCACATA TCATTTTGAC AGGCGAAACA      2160

ATATTAAAGA AACTCCCCTG TAAATTAAGC TAGCAAATAC AGGGGAGAAA TTTATTTTTT      2220

AGAGAGTACT ATCCGTATCC TTTTTGGAAG ATTTTGAAAA TATTTTTCTA ATTAAGTCAT      2280

CCATATAAGG ACCAAATATA CCAACTACTA AACCAATAAT AAAACTTTTA AAATCCATAA      2340

TTACCACCAA CATATTGCTG CATAGGCTAC ACCTCCAAGT ATAGCTCCAC CTGCAGCACC      2400

AGTTACACCT ATTCCTATAG CAAATGGTCC CAATAGAAAT GTCAAACCGT TGTTGCACAC      2460

CCATCAATTG CGCCATATGC AACCCCTGCT GCACAACTAA TTTTTCTTCC CCAATCAATA      2520

TCTCCACCTT CAACGCAAGC AAGCATTTCA TTATCCATAA CTGCAAATTG TGACATCATT      2580

TTTGTATCCA TATAGTGTAT CACTTTTCAG TTACGGAACA AGTTTAATAT AAAAATTATC      2640

AAAAAAACAT AGGCAATAAA GAGAAAAATT AATTTATCAT AGATTAGAAA TAATATGACA      2700

AAACAATTCA ATGATGTTAA TTCAATAGTC TTTTGTTTTT TATCGGAGAT ACTTATGGAT      2760

AGATAAATAA GATAGGTTTG AAAAGCGAAG AGAATAATAA AGAATATAGC CTTCATAAAA      2820

TTTAGCTTTC ATTTTTATGA TGTAGCGGTA TAGGCTAAAT ATCCACAAAC CACTGCTCCT      2880

CCAATTCCTC CTATTGCAGC GCCCCATGGT CCTAGAAGTC TCCCATATTT CACTCCACCC      2940

GCTGCACAAC CTAAAGCAGC AACTACAGCT GCTCCTCCGG AATTACCTCC ATAAACCTCA      3000

CTCAGCATTG TTTCATTTAT ATTACAATAA GTATTCATAC AAGTCTCCTT TTATTAAAAT      3060

CCACCCGTTG CCCCTGTTAC TCCTGCCCAA AGATCCACAC CAAATTTAGC TCCTATGTAT      3120

CCACATGCTC CCATAAATGG TGCTCCAACA CCACTCGCAG CACAAATAGC TGTCCCTAGC      3180

CCCCAGCCAC CAAAAGCAGC ACCACCACCT TCTAAGACAT TAGTTTGCCA ATTATTCTTG      3240

CCTCCTTCAA TACTAGATAA CATAGTTATA TCCATTTCAT GAAATTGTTC CATAATTTTT      3300

GTATCCATGA CAAATACTCT TTTTTATTTT TAATTTTTGT CTTGTTGTAA CTTTGACAAG      3360

TTTAGTATAT CATCGTTTTT TAAAATTTTT CATCCAGATT TTGAATAGTC ATCGAAACGT      3420

CTTGAATTGC AAAAATTACA TTAGACTTCC TGCAAAACTA GAATCCTAGT TCATGATTGA      3480

TAATACCAGC ACTCAAATTC ATTCGTAATC CGAAGCGTTT ACGATGACTT CGATAGGTTG      3540

TTGAAAACAT TTTAAACGTT TTTACTTTGG CAAAGATGTT CTCAACCTTG CTTCTCTCCT      3600

TAGATAGCGC ATGGTTACAG GCTTTATCTT CAACTGTTAG CGGTTTGAGT TTGCTGGATT      3660

TACGTGAAGT TTGTGCTTGA GGATATATCT TCATGAGCCC TTGATAACCA CTGTCAGCCA      3720

AGATTTTACC AGCTTGTCCG ATATTTCTGC GACTCATTTT GAACAACTTC ATATCATGAC      3780

AATAGTTCAC AGTGATATCC AAAGAAACAA TTCTCCCTTG ACTTGTGACA ATCGCTTGAG      3840
```

```
TCTTCATAGC GTGAAATTTC TTTTTACCAG AATCATTCGC TAATTCTTTT TTTAGGGCGA    3900
TTGATTTTTA CTTCCGTCGC ATCAATCATT ACCGTGTCCT CAGAACTGAG AGGAGTTCTT    3960
GAAATCGTAA CACCACTTTG AACAAGAGTT ACTTCAACCC ATTGGCTCCG ACGGAGTAAG    4020
TTGCTTTCGT GAACACCAAA ATCAGCCGCA ATTTCTTCAT AAGTGCGGTA TTCTCGCACA    4080
TATTGAAGAG TGGCCATAAG AAGGTCTTCT AGGCTTAATT TAGGTTTTCG TCCACCTTTT    4140
GCGTGTTTAA GTTGATAAGC TGTTTTTAAT ACAGCTAGCA TCTCTTCAAA AGTCGTGCGC    4200
TGAACACCAA CAAGACGCTT AAATCGTGCA TCAGTTAGTT GTTTACTTGC TTCATAATTC    4260
ATAGAACTAT AGTAAAATGA AATAAGAACA GGATAAATCG ATCAGGACAG TCAAATCGAT    4320
TTCTAACAAT GTTTTAGAAG TAGAGGCGTA CTATTCTAGT TTCAATCTAC TATACTATAC    4380
CATATTTTGT TTCGCAGGGA ATCTATTATA AAAGGGTAAG TATTGCAAAA ACACTTACCC    4440
TTTTCTTTTA TACTTCATTA AGCTCTACTT TTTATAATAC TTCAAGCCCC ACATGAGCAG    4500
AAGCATGATG ATTAAGCAGA GAACAGCGCC AATATAAGCG ATTATTTGTT GGTAGGATTC    4560
TCCTGCTGTG ATACCTCTAT ACAAACAAAT AATAGACATA AAACCTGTCA AGCCGATGAA    4620
CATAAGTTGA TTGGTTCTAG GACTAACCAA ATCATCATCT TCAAACTCTC TTATCCTCAT    4680
TTCCCTAGTG AGATAAACAG TAACCAAAAT AGAAGCCAAG TTAATAACTA CTAAAAGAAA    4740
TTGGAAAACT ACGGAAAAAT TTAAAAACTG ACGAGATAGA AATAGATAAG TAGAAACAAG    4800
CAAGGGCAAC TGACCTAAGA ACAATCTCGC AAGGAAGATG TTCCGTTTTT TAGCAAGAAA    4860
AGTTTTCATT TCTTTTCTCC TTTCTTTTTA TTGATAGCAA AATAGATCAT AACTGCAATC    4920
ACATAGGCTA TGGTATAAAA TAGCTGATAC CAAGCACTCT CCCTAAGCGG ATATAGAAAG    4980
ATGGACATGA TTAGATACAG AACGAAAATA ATCAGTATTT TTTTCTTCAT AAGATTTCCT    5040
CCTAAATGTG CGATTTATCT TAGTTGAGCA AGAACATTTA CACTGCTAGT ATAGCACTTA    5100
TTTTGACCTT GGATCACTCA AATCATAAAT GGTCATCAAA ACCTCTTGAA TTGTAAAAAT    5160
TAAAAAAGCA AGCATGAAAA ACATACTTTC CTCTTTATAT TGTATTGATA CCAACTTGTT    5220
TGTAGACTTT TCATCCTGCT ATCACATATC ATTTTGACAG GCGAAACAAT ATTAAAGAAA    5280
CTCCCCTGTA AATTAAGCTA GCAAATACAG GGGAGAAATT TATTTTTTAG AGAGTACTAT    5340
CCGTATCCTT TTTGGAAGAT TTTGAAAATA TTTTTCTAAT TAAGTCATCC ATATAAGGAC    5400
CAAATATACC AACTACTAAA CCAATAATAA AACTTTTAAA ATCCATAATT ACCACCAACA    5460
TGTTGCTGCA TAGGCTACAC CTCCAAGTAT AGCTCCACCC GCAGCACCAG TTGCTGCACC    5520
TTGCCATGTT CCTGTTTTAA TGCCTAGTTG AAGACCTCTT GCTGCTCCTC CTCCAACACC    5580
```

```
TGCTTTGGCA AAATCTCCCC AATTGCATCC GCCACCTTCA ACGCAAGCAA GCATTTCAGT    5640
ATCCATAACA GAAAATTGTG ACATCATTTT TGTATCCATG ACAAATACTC CTTTTTTAAA    5700
AAACTAAAAT AAATCAGAAT AGAATCCTCA TAATTTTACT ATAAGTCTTA CCAACTTAGT    5760
CCCAATTTAT CACCAACCAT ACCTCCTAAG CATGTTAATC CACCCCCAAT TGCACCAATG    5820
TGTGCTCCAA CAAATGCACC AGCAAGTCCA GCTACTCCTA AAGTGGCCAA ACCTGCTCCA    5880
GTTCCACCAG TTATAATTCC CGTAGTGACT CCTGTAATCA GTGCATTTTG ACAATCAGTG    5940
GAGCTATACC CCCCTTCAAC TTTCGCAAGC ATTTCAGTAT CCATAACCTC TAACTGTGAC    6000
AACATTTTTG TATTCATGAT GAATACCTCC TTTTTATTTT CAATTTGTTA CCAAAGTCTT    6060
AAATTCAATA AACAAATAGA TTTTTTATAG TATCTTTTTG ATTTTCTTAA AAAAGTATAT    6120
ACGTCTACTA TCTTCTTAAA GGTAGCAGTA CCTATTTTTT AGTCTAAGAT TTCAATAATC    6180
TTGAGTATCT AAAATATCTT AATTTCGTTA TTCTCCTTGC AATAAAAAGT TTTACTATAC    6240
TATTTATTAA CTTGCAGAAA GCAAAAAATA TTAGTAAATA ATAGTTTATA GTTAAGTTTT    6300
TTATTCCTAC CAATCCATCA ACTAAGTAAA GCATCAACGA TTACATAAAC GATTGATAAT    6360
ATAATTAAAA TTTTGCTAAC TATCTTATTC TCATCATTCT TAGATAACTT TGATATTTTG    6420
TAAGTAAGTA AATAAGACAG TAAATTAATA GCGATAATAA TACTATATTT AAGAATCATA    6480
ATCTTACAAA GAGGACATAA TTCCTGAACC TACACAAATA AGTGTTGCTG CTCCCCCAGT    6540
TATCGGACCA GTCGCAGCAG CTAATAGTAC TGCTCCAATA CAACCACCGA TTGCAGATCC    6600
TAAATTGCCT CTTCCTCCAC TAACTATTTC GAGTTCTTCA TTATCCATAA CAGAAAATTG    6660
TTCCATCATT TTTGTATTCA TGACAAATAC TCCTTTTTTC TTTTTTTATT TTTGTCTTGT    6720
TGTAACTTTG ATAAGTTTAG TATATCATCG TTTTTTAAAA TTTTTCATCC AGATCTTGAA    6780
TTGTCATCGA AACGTCTTGA ATTAGCTTTT TTATTTCAAG CCACCTCTAA ATGTTTAAAA    6840
AAAATAATTT CTAATCACTT TTTTACCATT CAGGAAGTTT TAATGACTAT TCAAGATTTC    6900
ATAAAATATG AACTTAGTTT TATGACATAA TAGACCTATC CACTATATGA AAGGAATTGC    6960
CAATGACTTC TTATAAACGT ACATTTGTTC CTCAAATAGA TGCGAGAGAC TGTGGTGTCG    7020
CTGCCTTAGC CTCGATTGCT AAATTCTATG GTTCAGATTT TTCTCTAGCT CACTTGAGAG    7080
AACTTGCAAA GACCAATAAA GAAGGGACGA CTGCTCTTGG CATTGTAAAA GCCGCTGATG    7140
AAATGGGCTT TGAAACAAGA CCTGTTCAAG CAGATAAAAC GCTCTTTGAC ATGAGTGATG    7200
TCCCCTATCC ATTTATCGTT CACGTTAACA AAGAAGGAAA ACTCCAACAT TACTATGTTG    7260
TCTATCAAAC AAAGAAAGAC TATCTGATTA TTGGTGATCC TGACCCTTCT GTAAAAATCA    7320
CTAAAATGTC AAAAGAACGC TTTTTCTATG AATGGACTGG AGTAGCTATT TTTCTAGCTA    7380
```

```
CCAAACCCAG CTATCAACCC CATAAAGATA AAAAGAATGG TCTACTAAGC AAGCTTCCTT      7440
CCTCTGATTT TCAAACAAAA ATCTCTCATT GCTTACATTG TTCTCTCAAG CTTATTGGTC      7500
ACTATTATCA ATATAGGTGG TTCTTACTAT CTCCAAGGAA TCTTGGATGA ATACATTCCA      7560
AATCAGATGA AATCAACTTT AGGAATCATC TCAGTTGGTC TGGTTATCAC CTATATCCTC      7620
CAACAAGTCA TGAGCTTCTC CAGAGATTAT CTCCTAACCG TTCTGAGTCA GAGATTAAGT      7680
ATTGATGTGA TTTTATCCTA TATTCGCCAT ATTTTTGAAC TTCCCATGTC TTTCTTTGCG      7740
ACACGTCGTA CAGGAGAAAT CATTTCACGA TTCACAGATG CTAACTCTAT TATAGATGCC      7800
TTGGCTTCTA CCATTCTTTC TCTTTTTCTG GATGTTTCTA TTCTGATTCT TGTAGGAGGC      7860
GTCTTACTGG CACAAAACCC TAATCTCTTC CTTCTTTCTC TTATTTCCAT TCCTATATAC      7920
ATGTTCATCA TCTTTTCTTT TATGAAACCT TTCGAAAAAA TGAACCATGA TGTCATGCAA      7980
AGTAATTCTA TGGTTAGCTC TGCCATTATC GAAGATATCA ACGGGATTGA AACTATAAAG      8040
TCGCTCACGA GTGAAGAAAA TCGCTATCAA AATATAGACA GCGAATTTGT AGATTATTTG      8100
GAAAAATCCT TTAAGCTCAG TAAATATTCT ATTTTACAAA CGAGTTTAAA GCAGGGAACA      8160
AAATTAGTTC TGAATATCCT TATCCTATGG TTTGGCGCTC AATTAGTCAT GTCAAGTAAA      8220
ATTTCTATCG GTCAGCTGAT TACCTTTAAC ACACTTTTTT CTTACTTTAC AACTCCTATG      8280
GAAAATATTA TCAACCTCCA AACCAAACTC CAATCTGCGA AGGTCGCTAA TAACCGTTTG      8340
AACGAAGTCT ATCTAGTCGA ATCTGAATTT CAAGTTCAAG AAAACCCTGT TCATTCACAT      8400
TTTTTGATGG GCGATATTGA ATTTGATGAC CTTTCTTATA AGTATGGTTT TGGATGAGAT      8460
ACCTTAACAG ATATTAATCT CACGATTAAA CAAGGAGATA AGGTTAGCCT AGTTGGAGTT      8520
AGTGGTTCTG GTAAAACAAC TTTAGCCAAA ATGATTGTCA ATTTCTTTGA ACCCTACAAA      8580
GGGCATATTT CCATCAATCA TCAGGATATT AAAAACATTG ATAAAAAAGT CTTGCGCCGT      8640
CATATTAATT ACCTACCCCA ACAAGCCTAT ATCTTTAATG GCTCTATTTT GGAAAACTTA      8700
ACCTTGGGCG GTAATCATAT GATTAGTCAA GAAGATATTC TAAAAGCTTG TGAAGTAGCT      8760
GAAATCCGTC AAGACATTGA AAGAATGCCT ATGGGCTATC AAACTCAGCT CTCTGATGGA      8820
GCTGGTCTAT CAGGAGGACA GAAGCAACGA ATCGCTCTCG CTCGTGCTCT TTTAACTAAA      8880
TCTCCTGTTT TAATACTAGA TGAAGCTACT AGCGGTCTTG ATGTCTTGAC TGAGAAAAAG      8940
GTTATAGATA ATCTTATGTC TCTAACTGAT AAAACCATTC TCTTTGTAGC CCATCGTCTC      9000
AGTATAGCCG AACGAACCAA CCGTGTCATT GTTCTTGACC AGGGGAAAAT CATTGAAGTT      9060
GGTA                                                                   9064
```

(2) INFORMATION FOR SEQ ID NO: 18:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7780 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

```
CTCCATTTTT TTGATTTCAT AAATAAACAA CCTCTCTGTT AATTTTGTAT AATTATAACG      60
ATATCCAAGT TACTTGTCAA GTGTTTTTTA AATTTTTATC TCAAAAATAT TTTTTCGTTC     120
AAAAAAAGGA GCCATCAGTT GATTTCAAGC TCCCTTTTAT ACAGAATTAA ACTATTTTAT     180
AGTTCGACAA TCTTACCTGT TTCAAAGTAG ACAACCCATT CACAGATATT TTTAGCATAG     240
TCACCGATAC GCTCCAAGTA GGAAATAACT TGGAAATAAT CACGACCCGT AACAATGGCT     300
TCTGGATTTT TCTTAATCTC TTCAGTCGCA AGGTCACGGA TAGTTTCAAA ATAGTGGTTA     360
ATTTGCTCAT CCATGGAGGC CACCCGGTAT GCGTCGTCAA CAGAACCATT AAGATAAAGA     420
TCAAGTGCTG CTTCCACAAC GCTTTTAACT TCACGTCCCA TTTTTTTAAT TTCTTCCTCT     480
ACAGCTGGAA TGCGCTCTTC CCCCTTCATA CGGATGGTTG CCTGGGCAAT GGCTACAGCG     540
TGATCCCCCA TACGCTCCAC ATCTGATACA GCCTTAAGGA CAGTCAAGAC TGTACGCAAA     600
TCTTGAGAGA CTGGTTGTTG GAGTGCGATC ATTTCAAATG ATTTCTTTTC CAGTTTCACT     660
TCGTATTCAT TTACTTCTGC ATCATCTTCG ATGACCTCTT TTGCCAGGTC ACGGTCATGC     720
GTGACAAAAG CACGTACCGT ACGATTGATT TGTGAGAGCA CTTCTTGTCC CATAGCGTAG     780
AACTGGTTAT GTAATTTCTC TAAATCTTCT TCAAATTGAG ATCGTAACAT CTTTCATCTC     840
CTTATCCAAA TTTTCCTGTA ATATAGTCTT CCGTTTCCTT GTGTTGGGGA TCAAGGAACA     900
TCTGCTTGGT ATCATTAAAT TCAATCAAAT CTCCATCTAG GAAAAATCCT GTCTTATCAG     960
AGATACGTGA AGCTTGCTGC ATGGAACGGG TTACCAGAAG CATGGTGTAC TTGTCTTTTA    1020
GACCATACAA GGTTTCCTCA ATTTTACCAG CTGAAATCGG ATCCAAAGCC GAAGTTGGCT    1080
CATCCAAGAG GATGATTTTA GGACTAGTTG CCAAGACACG GGCCACGCAG ACACGCTGCT    1140
GTTGACCACC TGACAATCCA ATAGCTGAAT CATATAGACG ATCCTTGACC TCATCCCAGA    1200
TAGAGGCACC TTGCAAGGCT TTTTCTACGG CTTCATCCAG AACCTGCTTA TCCTTAATTC    1260
CATTGATACG AAGCCCGTAG ACAACATTCT CATAGATAGT CATAGGGAAA GGATTAGGTT    1320
GTTGGAAAAC CATTCCGATT TCCTTACGTA ATTCAACCGT ATCTGTACGC GGACTGTAGA    1380
TGTTGTGACC ATTGTACACC ACGGATCCAG TTGTGGTCAC CTCTGGATTG AGATCTCCCA    1440
```

```
TGCGGTTGAG AGACTTGAGG AGGGTTGACT TCCCTGATCC AGATGGACCA ATCAAGGCTG      1500
TAATTTCCTT AGGTTGGAAA GATAGGGAAA CACTATTCAA AGCCTTCTTT TTATTATAAT      1560
AAACGGACAG GTCTGATACC TGTAAAATCG CATCTGTCAT ACGGTTTCCT TTCTAACCAA      1620
AGTGACCAGA TACATAGTCA TTGGTGGACT GTAGCTTGGC ATTTTGGAAA ATAGTTGCAG      1680
TCTTGTCATA CTCAATCAAA TCACCCAAGT AAAAGAAGCC TGTATAGTCA CTTGCACGAG      1740
CAGCCTGCTG CATATTATGC GTTACAATGA TGATGGTAAA GTTTTTCTTG AGCTCAAACA      1800
TGGTCTCTTC TAGTTGCATG GTCGCAATCG GATCCAAGGC TGAGGCTGGC TCATCCATTA      1860
AGAGGATATC TGGCTTAACA GAGATGGCAC GAGCGATACA GAGACGTTGT TGCTGACCAC      1920
CTGATAAGGT CAAGGCTGAC TTGTGGAGAT CGTCTTTAAC CTGATCCCAG AGGGCAGCCT      1980
GACGAAGGGA GGTTTCTACG ATTTCATCTA GGACTTGCTT ATCCTTAACT CCAGCACGTT      2040
CATGCGCAAA GGTAATATTA CGGTAAATTG ACTTAGCAAA TGGATTGGGA CGTTGAAAAA      2100
CCATTCCAAT GTGTTTACGC ATTTCATAAA CGTTGATTTC TGGACGGTTG ACATCAATTC      2160
CACGATAGAG AATCTGCCCA GTTACTTTAG CAATATCAAT AGTATCATTC ATGCGATTGA      2220
GACTGCGTAA GTAGGTAGAT TTCCCCGATC CCGACGGGCC AATCAAAGCT GTAATTTTAT      2280
TTCTTTCAAA TTGCATATCA ATCCCCTTAA TGGATTCATT TTTACCATAG TAAACATGGA      2340
CATCCTTAGT AGAAAGGGCT ACTTTTTCTT CAGGAAAGGT AAGGATATGC TTCTCATCCC      2400
AGTTATATGT TGACATGGCT TCTCCTTTAG GCAGCGGTTA ATTTCTTGTG TAGATACCTT      2460
CCGAACTTAC GAGCTCCAAA GTTAAAAATC AGGATAAAGA TCAGGAGCAC AGCGGCAGAA      2520
CCTGCTGATA CAATGGTTCC ATCTGGAATA GTGCCTTCAC TATTGACTTT CCAGATATGG      2580
ACAGCCAAGG TTTCTGCTTG ACGGAAGATA GAGATGGGGC TAGTCACACT GAGGATATTC      2640
CAGTTAGACC AGTCAAGAGC TGGCGCCGAT TGCCCTGCTG TATAGATCAG AGCTGCAGCT      2700
TCGCCAAAGA TACGACCAGA TGCCAAGACG ACACCCGTTA CAATACCTGG AAGCGCTTCC      2760
GGAATAACAA CATGAACCAC TGTCTCCCAG CGAGAAATCC CAAGAGCCAG ACCAGCCTCA      2820
CGTTGGGTAT GGTGAACGTG TTTCAAACTA TCCTCTACAT TACGCGTCAT CTGAGGCAAG      2880
TTAAAGACTG TCAAGGCCAA GGCACCTGAA ATGATTGAAA ATCCATACTC AAACTGGACT      2940
ACAAAGATCA AGTAACCAAA GAGACCCACC ACCACTGATG GTAAAGAGGA CAAAATTTCA      3000
ATACAAGTCC GCACAAAGTT GGTAACAGGA CCTTTTTTAG CATATTCAGC CAAGTAAATC      3060
CCAGCTCCCA TAGAAAGAGG TACAGAAATA ATCAAGGTAA TGACCAATAG GAAAAAGGAA      3120
TTGTAAAGCT GAATGCCAAT CCCACCACCT GCTTGAAAAG CAGAAGACCT TCCAGTCAAG      3180
```

```
AAAGACCAAG AGATATGGGG CAAGCCCCGA ACCAAGATAT AGAGAATCAA GGAAGCCAAG      3240

ATTGTCACAA TGATGCTAGC AATCGTATAG AGGACAGCTG TTGCAAGTTT ATCTAATTTC      3300

TTAGCGCGCA TAATTTTTCT TTCCTCTTTC TTTCGTAATC AATTTAATCA CACTGTTAAA      3360

AACTAAGCTC ATCAAGAGCA GTACCAAGGC CAGTGACCAG AGAACATTAT TATTTACAGT      3420

TCCCATGACA GTGTTCCCAA TTCCCATAGT TAATATAGAA GTTAAAGTTG CAGCTGGTGT      3480

GGTCAAGGAA GTTGGGATAA CAGCTGAGTT TCCGACAACC ATCTGGATAG CTAGAGCCTC      3540

ACCAAAGGCA CGCGCCATCC CAAAGACCAC TGCAGTGAAA ATACCAGAAC GGGCCGCCTT      3600

CAAGATCACA CGCCAGATAG TCTGCCAGCG AGTGGCTCCC ATAGCGAAAC TGGCTTCACG      3660

ATAATAACGA GGAACCGCAC GCAAGCTATC CGTTGTCATA AAGGTTACGG TCGGCAAAAT      3720

CATGACAAAG AGGACGGAAA TCCCTGACAA AATCCCAAAA CCAGTCCCAC CAAAGACACT      3780

GCGAACAAAG GGAACGACGA CTTGCAAGCC AATAAATCCG TACACTACTG AAGGAATCCC      3840

AACCAGGAGT TCAATAGCTG GTTGCAAAAT CTTCGCCCCT TTTGGTGATA CTTCGGTCAT      3900

AAAAACTGCT GCACCAATAG CAAAGGGTGT TGCGATAAGG GCTGAGAGAA TGGTAACGAT      3960

AAAGGAACCC AAAATCATAG GAAGGGCACC AAATTCTTTA CTAGAAGGAT TCCAAGTTCC      4020

TCCCAAAAGA AAGTCAAAGA TATTCACACC ATTGACAAAG AAGGTCGACA AGCCTTTTTG      4080

CGCTACGAAA ACCAAAATCA TGGCCACAAG GATGACTATC AAAGAAAGAC AGGCAAAGGT      4140

CAAACCTTTT CCTAATTTCT CCAGACGAGA ATTCTTTGAT GGAAGCAACA TTTTCTTAGC      4200

TAATTCTTCT TGATTCATTA TTGTCTCCCT TCCAACACTG TCACAGTTCC GGCAGCATCT      4260

TTTTCAACCT TCATTTCCTT AATCGGAATA TACTTCAATC CTTTGACAAT CCCTTCTTGG      4320

GTCTCATCCG AGAGAACAAA ATTGAGAAAT TCTGCAGCCA ACTCATTGGG CTGCCCCAAT      4380

GTATACATAT GCTCATAAGA CCACAAGGGC CAATTATTGC TACTTATATT TTCTGGACTT      4440

AAGTCATAGC CATTCAACTT CATGCTTTTG ACCGAATCAT CTATATAGGT AAGAGATAAA      4500

TAAGAGATAG CTCCTGGACT TTTTGATACG ATTGATTTTA CCGCTCCATT TGAATCCTGC      4560

TCCTGACTTT GCATGGCAGA CTGACCTTCC ATAATGACAG TATCAAAGGT AGCACGAGAG      4620

CCAGAGCCGG CTGCCCGATT GATAACAGAG ATGGGTAAGT CCTTACCACC AACCTCTTTC      4680

CAATTGGTTA CCTCACCTAT GAAGATTTGA CGAAGTTGCT CTGTCGTTAG GTTATCAACA      4740

TCAACCTCCT TATTGACAAT CAGAGCCAAG CCAGCTACCG CGACCTTGTG GTCAACAAGA      4800

GCAGAAGCAT CAATTCCGTC TTTTTCCTCA GCAAATACAT CTGAGTTTCC TATATCAACT      4860

GCCCCAGACT GAACCTGGGA CAAGCCTGTA CCAGAACCTC CCCCTTGGAC ATTGACCGTT      4920

TTTCCAACAT GGATCGTGCC AAATTCATCT GCCGCTACTT CAACCAAGGG. TTGCAAGGCA     4980
```

```
GTTGAGCCAA CAGCCGTTAT GGATTCTCCA CGATCAATCC AGCTAGCACA GCCTACTAAA   5040
CAAGCCGTCA GCCAAAAAGC GATAAGAGAC AGAGCAAGCT TTTTTCTTTT TTTCACTGTT   5100
TTTCTCCTCG AAAATAATTA TGAATACTGT GAATTTTTTA AGTAGTTCTT TATGAGTTGA   5160
CGCATGAATT CTTACCAAAT TTCTGCGCAA TTGATTATTT ATATAATATA GGCTATATTA   5220
CTCTTTCCTA ACCTCCTTTT TTCATATGTG GATAAAATCT CTTGTCTATC CCTTCCCCCA   5280
TTGTCACCCA TTATAGTCAT TTCGTGTCTC TTTTTCCCCT TTTTAATGCA AGGGAAATTA   5340
CTCTCCTTAG ATGATAATCC AAAAGCTAGA AAGGTATCTC AAACCTCTCT ACTCTCCCAG   5400
ACTAGTTTAC AACTAAAAGG AAAAGATTCT ATTTTATGAG AAATCTAGTT TACAAGCGGT   5460
AAGAACGCTA ATAACTAAAC TTCTTGTACT CTTTGAAAAT CTCTTCAAAC CAGTGTTTTG   5520
AGCTATCTAT GGCTAGCTTC CTAGTTTGCT CTTTGATTTT CATTGAGTAG TAAAACTACA   5580
TGTAATGGCA ATCAAGATAT CAAGAATCAT CCTACTAAAA AAATCCATAC TTTCACTATA   5640
ACATAGAATA AGATATTTGA CTAGCATTTT CATTTGAATC TGAGGCCTTT TGGAAAATAA   5700
TTTTTCAAAA CATTTCCAGT AACCTTTGCA AAGCCCAAGC CATTGCCTTT AACCAAAACT   5760
TGGTACCAAC CATTTGGCAG ACTTTCTGCC AGCTGAACGG TTTCTCCAGC CGCATACTTG   5820
ACAAACGCTT CTTGGCCAAT TTCAACCGAC TGTTCGACCT GACTCGGTTT CAAGGCTAAA   5880
CCAAGAGCGA AACTGGGCTC AAAGCGTTTC TTCTTAAAAG TACCCAGATG CAGTCCATTG   5940
CGAGCAATCT TGAGCTTCCA TAAATCTGGC AAAAGTTCTG GCAAGAGATA AAGCTGGTCT   6000
CCAAAAATCT GCAAGATACC CGGTAGATTG ACCTTCAAAT GGTTTTGGGC AAATTCCTGC   6060
CACAAGGCAA CTTGTTCACG GCTGAGGTTA CTCTTACTTG CCTTAAATTT AGGAGCTGGA   6120
TTGTTACCCT TAAACTGTAG ATGGGCAACA AACTGACCCT CTCCCTTAAA CTGATGAGGA   6180
TACATCCGAG CCGTTTCTGG CAGGTCAATA CCAGCTACCA TTCCATTGAT ATGCTCTACT   6240
GGCAACAAGT CAAAATCATA CTCTTCCAGC AACCAATTGA CAATCTCTTC GTTTTCCTCG   6300
GGTGCCCAGG TACAGGTCGA ATAAACCAGA TGACCACCTT CAGCTAACAT GGTCACTGCA   6360
TCCTCCAGAA TTTCTCTTTG CAAGCTAGCA CATTGACTCG GATAATCTAA GCTCCAATAG   6420
TCCATAGCAT CAGGTTGCTT ACGAAACATT CCTTCACCAG AGCAAGGGGC ATCAAGAACG   6480
ATTAAGTCAA AATAGCCTTT AAAGACCTTG ACCAAGCGGT CGGCAGATTC ATTGGTCACC   6540
ACGACATTTG TCGCTCCAAA ACGCTCCATG TTTTCAACCA AAATCTTAGC CCGTTTGCTT   6600
GAAATTTCAT TGGAAnCAAG TAGCCCCTCC CCTGCTAGAT AGGCTGCCAG TTGAGTTGAT   6660
TTGCCCCCCG GTGCAGCAGC CAAGTCCAAG ACCTTCATAC CAGGACTGGG TTGGGCTACT   6720
```

TGAGCCACCA TTTGAGCAGC AGGTTCTTGC GAATAAACTA AACCTGTAGC ATGCTCAGGC 6780

GATTTCCCTG AAACCTTCCC ATAGTGGCCC CAAGGGGTTT GAGTAATGGC ATCAGAAAAG 6840

GAAAGTTGCT CTTCTTTTAA GGGATTGACC CGAAAGGCCG AAACCGCTTC CTCCTCAAAA 6900

GAGGCAAGAA AATCTCTTGC CTCATCTCCT AGTATCTCTT TATATTTTTC AACAAATCCT 6960

TCTGGAAATT GCATTTAAGT TCTTTTCCTT TCGTAAATAT AGGACTGAAT TTCCTCCTGC 7020

ATCTCAAGAG GCACCATCAT GACCGGCTGT CTGGTTTGAA AATCAGGAGC TTCACCAAAA 7080

AGGGTCACAA CCCGATAGCC CAGACTTTCC CCTAAAATAC TAGCTGCGGC ATAATCCCAT 7140

GGTTGCAGAT AAGTGAGATA GGTCAACAAA CGCCCTGACA AAATCTTGGC AAAACTAATG 7200

GCCGCACTTC CATAGACACG AACACCAAGA ACCGCTCGGC TCAAATCAGC CAGCCCCCAT 7260

TCATTGGTTT CCAGCATACC ACTATTCCCT GCAATGAGAA AATCTCCAAG TGGTTTAGTT 7320

TTAAAAGGAG CTAGGGACCT ATCATTTAGA CAAACTGGAA ATTCCCCACC ACCGTGGTAA 7380

CAATCCCCTT TGACCACATC ATAAATCAGA CCAAACTGTC CCTGACCATT TTCAAAATAA 7440

GCCATCATAA CAGCAAAATC TTCCTGCTGG GCTACAAAAT TATTGGTACC ATCAATGGGA 7500

TCAATGACCC AAACCTTGCC CTCTTGAACC GAGGCTCGCA GACAACCTTC TTCAGCACAA 7560

ATCTTATCCT CAGGATAACG GGACAAAATC TCACCAACCA AGAGTTCCTG AACTTCTTTG 7620

TCCAGTCTGG TCACCAAATC TGTTGGAGAG GACTTGGTTT CAACACGCAA GTCTTCCTGC 7680

ATATGGTCAA GAATGTACTG ACCTGCTTTC TTAACAAGCT CTTTAGCAAA TTCAAATTTA 7740

CTTTCCAAGA GAAATCTTTC CTTCCCCTTT TTCTTTGGGG 7780

(2) INFORMATION FOR SEQ ID NO: 19:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 4820 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:

GTAATGATAT AGGAACACCA GGTGACCTGA TGGGACGTCG TAAGCCTATG AACTACTAGC 60

TGCTAAAGGC TTTAAAGATG GTATGGTACC ATATATCTCA AACCAATACG AAGAAGAAGC 120

CAAACAAAAG GGCAAGACAA TCAATCTCTA CGGTAAAACA AGAGGTTTGG TTACAGATGA 180

CTTGGTTTTG GAAAAGGTAT TTAATAACCA ATATCATACT TGGAGTGAGT TTAAGAAAGC 240

TATGTATCAA GAACGACAAG ATCAGTTTGA TAGATTGAAC AAAGTTACTT TTAATGATAC 300

AACACAGCCT TGGCAAACAT TTGCCAAGAA AACTACAAGC AGTGTAGATG AATTACAGAA 360

```
ATTAATGGAC GTTGCTGTTC GTAAGGATGC AGAACACAAT TACTACCATT GGAATAACTA    420
CAATCCAGAC ATAGATAGTG AAGTCCACAA GCTCAAGAGA GCAATCTTTA AAGCCTATCT    480
TGACCAAACA AATGATTTTA GAAGTTCAAT TTTTGAGAAT AAAAAATAGT GTCTACTATT    540
AGGAAATAAA GTTTAAAAAG GTGATGAAGA ACAAACCAAG ATTCAAGCAG GAATTCCTAC    600
TGATAATGAA GTAAGTTATG ATCTTATTTA TCAGCAGGAA ACTCTTCCTG CAACAGGTTC    660
ATCAACTTCT GAGCTTACAG CTTTAGGCCT ATTAGCTGTT GGTAGTTTAG TTCTTTTGGT    720
TCATAATATG ACGGGAACAG TTTTTTGCTC CCTCTGAAAA GTCATCATTT GATGGCTTTT    780
TTCTATATAG GGTAAAAGAT AGGGTAAAAG GCTATCATCG GACAAAATAA AGAAGGCATG    840
ATATAATATA AAGTAGATTT CTATGTCATA AAACAAGAAC TGTTTGGACA TCATTCATTT    900
GAAAACTCTC TATGTTCAAA CAATAGTAAA ATAAAATAGG GGATCTAAAT CCTTGCTATG    960
AAAGGAAAAA ACTCAATGGC TACTATTCAA TGGTTTCCTG GTCACATGTC TAAAGCTCGT   1020
CGACAGGTGC AGGAGAATTT AAAATTTGTT GATTTTGTGA CGATTTTAGT AGATGCACGC   1080
TTGCCTCTAT CTAGTCAAAA TCCTATGTTG ACCAAGATTG TTGGTGATAA ACCAAAACTC   1140
TTGATTTTAA ACAAGGCCGA CTTGGCTGAT CCAGCAATGA CCAAGGAATG GCGTCAGTAT   1200
TTTGAATCAC AAGGAATCCA GACGCTAGCT ATCAACTCCA AAGAGCAAGT GACTGTAAAA   1260
GTTGTAACAG ATGCGGCCAA GAAGCTCATG GCTGATAAGA TTGCTCGCCA GAAAGAACGT   1320
GGGATTCAGA TTGAAACCTT GCGTACTATG ATTATCGGGA TTCCAAACGC TGGTAAATCA   1380
ACTCTGATGA ACCGTTTGGC TGGTAAAAAG ATTGCTGTTG TTGGAAACAA GCCAGGGGTC   1440
ACAAAAGGTC AACAATGGCT TAAAACCAAT AAAGACCTGG AAATCTTGGA TACACCGGGG   1500
ATTCTCTGGC CTAAGTTTGA GGATGAAACT GTTGCACTTA AGTTGGCATT GACTGGAGCT   1560
ATCAAAGACC AGTTGCTTCC TATGGATGAG GTTACCATTT TTGGTATCAA TTATTTCAAA   1620
GAACATTATC CAGAAAAGCT GGCTGAACGC TTCAAACAAA TGAAAATTGA AGAAGAAGCG   1680
CCTGTGATTA TTATGGATAT GACCCGCGCC CTCGGTTTCC GTGATGACTA TGACCGTTTT   1740
TACAGTCTCT TCGTGAAGGA AGTCCGTGAT GGCAAACTCG GTAACTATAC CTTAGATACA   1800
TTGGAAGACC TCGATGGCAA CGATTAAAGA AATCAAAGAA TTCCTTGTGA CAGTCAAGGA   1860
GTTAGAAAGC CCTATTTTTT TAGAGCTTGA AAAGGATAAT CGCTCAGGAG TTCAAAAGGA   1920
AATCAGCAAG CGTAAAAGAG CCATTCAAGC TGAATTAGAT GAAAATTTGC GCTTGGAATC   1980
CATGCTTTCT TATGAAAAAG AACTTTATAA GCAAGGATTG ACCTTAATTG CAGGTATTGA   2040
TGAGGTTGGT CGTGGTCCTC TTGCTGGTCC TGTAGTCGCT GCGGCCGTTA TTTTATCTAA   2100
```

```
AAATTGTAAG ATTAAAGGTC TCAACGACAG CAAGAAAATT CCTAAAAAGA AACATCTGGA      2160
GATTTTCCAA GCCGTTCAAG ACCAAGCCTT GTCGATTGGA ATTGGTATCA TAGATAATCA      2220
GGTCATCGAC CAAGTCAACA TCTATGAAGC AACCAAACTA GCCATGCAAG AAGCAATCTC      2280
CCAGCTCAGC CCTCAACCAG AGCACCTTTT GATTGATGCC ATGAAACTGG ACTTGCCCAT      2340
TTCACAAACC TCCATTATCA AAGGAGATGC CAACTCCCTC TCTATCGCAG CAGCATCTAT      2400
AGTAGCCAAG GTAACACGTG ATGAATTGCT GAAAGAATAC GATCAGCAGT TCCCTGGCTA      2460
TGATTTCGCT ACTAATGCAG GATATGGCAC AGCTAAACAT CTGGAAGGCC TCACAAAACT      2520
AGGAGTTACC CCAATTCACC GAACCAGCTT TGAACCCGTT AAATCACTGG TTTTAGGTAA      2580
AAAAGAAAGT TAATTGAAAG GAAATAACAT GGAGGAACAG TCGGAAATAG TCCGTTCTAA      2640
GAAAGAATTC GCCTTTGCAT CCAGCACTAT ACTATCCCAA GTTGGTCGAG GAATCATTGT      2700
CGGCCTCATC GTTGGAATTA TCGTCGGATC CTTTCGTTTC TTAATTGAAA AGGGCTTCCA      2760
CCTGATACAA GGAGTTTATC AAGATCAAGG GTACTTAGTG CGCAATCTTT TTGTACTGGT      2820
TTTGTTTTAT ATACTCATCT GTTGGCTCAG TGCCAAACTA ACACGGTCAG AAAAAGATAT      2880
TAAAGGCTCA GGAATTCCTC AAGTCGAAGC CGAACTGAAA GGCCTCATGT CCCTCAACTG      2940
GTGGGGCATT CTTTGGAAAA AATATGTGCT AGGTATTCTT GCTATTGCCA GTGGACTCAT      3000
GCTGGGTCGA GAGGGACCCA GCATTCAACT TGGAGCAGTT GGTGGTAAAG GAATTGCCAA      3060
GTGGCTCAAA TCCAGTCCAG TAGAGGAACG TTCCTTGATT GCCAGTGGAG CTGCAGCAGG      3120
TTTAGCCGCA GCCTTTAATG CTCCTATTGC AGCACTTCTC TTTGTTGTAG AAGAAGTCTA      3180
TCACCATTTT TCGCGCTTTT TCTGGGTCTC AACTCTAGCA GCCAGCATCG TAGCAAACTT      3240
TGTGTCTCTA CTCATGTTCG GTTTGACACC AGTATTGGAT ATGCCAGATA ACATTCCTCC      3300
CATGACCCTA GATCAGTATT GGATATATCT CGTCATGGGA ATTTTCCTTG GATTTTCAGG      3360
TTTTCTCTAT GAGAAAGCTG TATTAAACGT TGGAAGAGTT TATGACTTGA TTGGTCAAAA      3420
AATCCATTTG GATAGGGCTT ATTATCCCAT CTTGGCTTTT ATCCTTATCA TACCAGTCGG      3480
AATCTTCTTA CCTCAAATCA TTGGTGGCGG AAATCAGCTT GTCCTTTCTT TAACTGAACA      3540
AAATTTTAGT TTCCAAGTTT TATTAGCTTA CTTTTTAATC CGCTTTATTT GGAGTATGAT      3600
TAGCTATGGA AGTGGACTGC CAGGAGGAAT TTTCCTCCCC ATTTTAGCTC TTGGTTCTTT      3660
GCTTGGTGCC TTAGTTGGTG TTATCTGTGT CAATCTTGGA CTTGTCAGTC AAGAGCAATT      3720
CCCTATATTT GTCATTCTAG GAATGAGTGG CTATTTTGGA GCCATATCAA AAGCTCCCTT      3780
AACCGCTATG ATCCTCGTAA CTGAGATGGT AGGAGATATT CGCAACCTTA TGCCACTTGG      3840
TCTTGTCACT CTTGTTTCTT ATATTATCAT GGATTTGCTC AAAGGTACGC CAGTCTATGA      3900
```

AGCCATGCTG GAAAAAATGC TTCCAGAAGA AGTATCTAGC GAAGGAGAAG TTACACTTAT 3960

CGAAATACCA GTTTCTGATA AAATTGCTGG GAAACAAGTT CATGAACTCA ACTTACCACA 4020

CAACGTCCTC ATCACAACTC AAGTCCATAA TGGCAAGAGC CAAACAGTTA ACGGCTCAAC 4080

CAGAATGTAT CTGGGTGATA TGATTCACCT GGTTATTCCA AAAAGTGAAA TTGGAAAAGT 4140

CAAAGATTTG TTGTTGTAGT ATGAGTATTT ACATAATTTA TGTTATGTAA ATGATCAGTT 4200

TGATTTATTT AGAAAACCGA TTCTCAGGAA TGAGATCGGT TATTTTTTAC TGATGAGGAA 4260

TTTTACATAT AAATAATTGA ACTTTATTAA AAATAAGACT ATAATTAAGT TAGAAATGAT 4320

AAAGTATAAA GCTAGAAAGG AGTTTACTGT ATCAAATCTG TACAGTAAGA TTAAAATCAT 4380

GAAAAAGAAA ACAATAGCAA TTATATAGAG AAATGAAATA GAAATAGGAT AAAACAATCA 4440

GGACAATCAA ATCAATTTCT AGCAATGTTT TAGAAGTCCA GATGTACTAT TCTAGTTTCA 4500

ATCTATTATA CAATGTGTTT TGTATCTCAT AGCTCCTTAT ATAGCTCTTC AGTTATGTAG 4560

TATTAACAGA AGTTTAGTGG GTGAGATTTT TATTATTTTC CTTATTCTGT TTTGTTTGTA 4620

GGTCTAAGTC TTTTTATCAC TTTGAAAAAC TCCTATAACA TCTTTCCGAA AAACTATAAT 4680

TTTCTTGAAA AATATACAAG TCTATGCTAT ACTACTAGTA TACTTACTTA TGGAGAAAAT 4740

ACATGAAACG TGAGATTTTA CTGGAACGAA TCGACAAACT AAAACAACTC ATGCCCTGGT 4800

AAGTTCTGGA ATACTACCAA 4820

(2) INFORMATION FOR SEQ ID NO: 20:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 21338 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:

CTACGACATC ATGATTAACA GTCATGCGCT ACTACCAACT GAGCTATGGC GGATAAAATA 60

GTCCGTACGG GATTCGAACC CGTGTTACCG CCGTGAAAAG GCGGTGTCTT AACCCCTTGA 120

CCAACGGACC TTCTATCTGT AGCAGATATA ACCATTATAT CAATTTCTTG CTAATTGTCA 180

ATCACTTTTG AGATTTTTTC TCTAAAATAT CTTTTAATTT TCTAATTTTT AATCTTGAAA 240

TAGGACAACG ATGGTCTTCA TAGAAAACAA TTTCTAAGTT TTTTCGATCA ATTTCTCTGA 300

TATTACCTAT ATTTACCAAA AATGACTTGT GAGGAGAATA AAATCGCTGA GTATGTTTGT 360

CCTTTTCCTG AATATCTGTC ATGGTACCAT AAAACTCTTT TGCAAAATTC TTACCAATAA 420

```
TGCGCAATTT ATGAGATACC CCTGTTGTTT CAATATACAA AATATCATGG TAAGGAATTT        480

TTAAATCATT TCCCTTGTAA TTGTAGTCGA AATAATCTAC AACATCTTCA TTTTCAAGTA        540

ACATACTCTT CGTGTAGAAG ATATTTTGCT CAATTCTCTT CTTAAACATC TCATCATTGA        600

TATCCTTATC AACAAAATCT AGGGCTGATA CCTGGTATTT ATAGGTTAGA GTCGCAAACT        660

CTGATCGACT AGTGATAAAG ACGATAATAG CGTAAGGATT GTAATGACGA ATGAGCTGAG        720

CCACTTCAAA TCCCTTTTTC TCAATTCCAT GAATATCGAT ATCTAGGAAA TAAAGCTGAT        780

TTACTTCATC ATTTTCAATG TATTCTTCAA ATTCACGGAC TTTTCCCGTT GTCTTGTATG        840

ATATTGGAAT ATTCGATTCT TTCGAAATTT CATCCAATAT TCTCTCTAGT CTCACTTGAT        900

GTTCAATAAC ATCTTCTAAA ATTAAAACTT TCATTCAAAT TCCCTCTTAA ATCTAATGAT        960

TTGTCTAAAT GTACTGCCTT CCATCTCTGT TTCTAAAATA ATATTGTTGT ACTTATCTAG       1020

TAGTTCTTTC ACATTATTTA ATCCGACTCC GCGATTTCTT CCCTTAGTGG AGAATCCTAA       1080

GGCAAATAGA TCTCCTGAAG GAGTCATCGT CATTTTACAT GAATTCTGAA TCACAATAAC       1140

TGTTTCAGTT TCCATCTTAA TAACTGCTAC TTCCATCTGC TTTTTATAGC TATCAGCCGA       1200

TCCTTCGACA GCATTATTCA ATAAAACGCT CATGATACGA ACCAAATCCA ATAGTTCAAT       1260

TGGAAGCTTG GTAATCGTAT CTTTTACTTC CAGTGTAAAC TCTACACCAT TATTTCGAGC       1320

ATAGACAATT GACTGAGCAA CCAAACTTCG TAAAGCTGAG TCTTCTATGT TGTTCAAATC       1380

AAAGTAAGTG TACTTATCTG AACGCAATTT ATGATTTGCT TTGACTAAAA CTTCATTGTA       1440

AATTCTGTCA ATTTCCTGTA AATTACCACT GTCAATTGCC ATCTGCATGC TGACAAGCAT       1500

TCCAGCATAA TCATGTCGAA AACCACGGAT TTCATTATAC AGACCAACAA TTTCATCTGT       1560

GTAATTCTGT AAATGTTTCT GTTCAAATTT CTTCTGCTTC AAAGCAATCT CTTTCTCCAT       1620

TTGAACTTTA TGAGAATTCA TTGCAAAGAA GGTCAAAAGG AGAGAGATAA AGACAATAGA       1680

TGACAAAATA CTTCCAAAAC TATTCAAATG TTTAATCGTA CTTACCATAT CTGAAACGAA       1740

AGATACAATA TGTAGCAATA GTAAAGCAAA AAATACTTTT TTCAAGAAAG GATAAAGGTA       1800

GTCCTTGTCA AAATAGGCTA GTTCCAAATG GAAATAGTAA ATGATTTTTA ATGTAACAAA       1860

ATAGGTTAAC ACCGTCACAA CGAAAAAGAA TGGGAAATGA TATTGTAAAA CAAAATTATC       1920

TCCTGTTATA GAGGAGAAAA TTACGGACAG AAAGTTATGA GTGCTCTCAT ATAAAAGAGA       1980

TAGTAGTAAA CTTAGGAATA GTCCTCTATC CCTCTCATAC TGTTTCATCC ATCGAAAATA       2040

GGAATATAAG CCCAAAGGAA ATAAAAATCT TTCAATCCCT ATTTTATCTA AATATAGAAG       2100

ATAAAAGGAA AATTCAAGTA CTATTTCAGT TAGTAATGTA TAAGCACCAA AAACGTATAA       2160

TTCTTTTCTA TTTATTCGAC CTTTACAAAT TAAACGGTAA CTGTGACTAA TAATTAAAAA       2220
```

```
ATGAACAATA ACTGTCCCAA ATCCAAGTAA ATCCATTACT CTTTCTCCTT ATTTCATTAC      2280
TTTTTTCGTA GGAAAAGAAA ATCAAGGATG ATTCTTGAAA TCCTCATCTC CCCACCTTTA      2340
ATCTTTTGTA AGTCTTTTTC CTTCAAAGCT ACAAACTGTT CCAATTTAAC TGTGTTTTTC      2400
ATAATAAAAT CTCCTAAAAT GTTTTTTCTT GTAAGCTAAC TTACAAAAAC CATTATACAA      2460
AATGGAATTT CGTTTTAGAT AAAATTCTCT CAACTGTCAT TTTTTTCTCC CAAAGTGTAC      2520
TTTTTTAAGA AAAAAGCCGG GAAAATTCCC AGCTTTGCTA TTATATTGAT CCCAGCAGGA      2580
TTCGAACCTG CGACCGTTCG CTTAGAAGGC GAATGCTCTA TCCAGCTGAG CTATGAGACC      2640
TAATACAATT ATTCTACCAA AAATTCAATT AAAAGTCAAT TTTCTATTTA TGGTAGGGGA      2700
ATCCCTGCTG AATCGTAAAA GCGCGATAGA TTTGTTCAAC AAGAACTAGT CTCATTAACT      2760
GATGGGGTAA GGTTAGGCGA CCAAAACTGA CAGAAAGATT GGCTCTATTT TTTACAGATG      2820
ATGATAATCC TAAACTTCCC CCAATAATAA AAGTAAGAGT AGAAAATCCT TTTATAGAAG      2880
TTTCTTCTAA CTGCTTACTA AATTCTTCTG AGAAGAAAGT TTTCCCTTCA ATGGCTAACA      2940
CAATAACGAA ATCACGGTCA GCAATTTTTG ATAAAATTCT CTGACCTTCT ATTTCTAAAA      3000
TCTTTTGATT TTCTGATTCA CTGGCCTTAT CTGGTGTTTT TTCATCTGAT AACTCAATCA      3060
TTTCAAACTT AGCAAATCTA GAAATTCGTT TTGAATACTC TGCGATACCA TCTTTTAAAT      3120
ACTTTTCTTT CAGTTTCCCA ACTGTTACAA CTTTAATTTT CATGACTCTA TTCTAACATA      3180
TTCTCTATTT TTTCACATCT TATTCACAAA ATAAAAAATA GATTTCAATT AAGAAAATCA      3240
CAATTTCAAA AGAGTTATCC ACAGTTTGTG TAAAACTTTT GTGTTTAAGT TATAATTAAG      3300
CTAGTCAGTT TATACTTTCA GTAATTCAAA CATATGGAGG CAAATATGAA ACATCTAAAA      3360
ACATTTTACA AAAAATGGTT TCAATTATTA GTCGTTATCG TCATTAGCTT TTTTAGTGGA      3420
GCCTTGGGTA GTTTTTCAAT AACTCAACTA ACTCAAAAAA GTAGTGTAAA CAACTCTAAC      3480
AACAATAGTA CTATTACACA AACTGCCTAT AAGAACGAAA ATTCAACAAC ACAGGCTGTT      3540
AACAAAGTAA AAGATGCTGT TGTTTCTGTT ATTACTTATT CGGCAAACAG ACAAAATAGC      3600
GTATTTGGCA ATGATGATAC TGACACAGAT TCTCAGCGAA TCTCTAGTGA AGGATCTGGA      3660
GTTATTTATA AAAAGAATGA TAAAGAAGCT TACATCGTCA CCAACAATCA CGTTATTAAT      3720
GGCGCCAgCA AAGTAGATAT TCGATTGTCA GATGGGACTA AAGTACCTGG AGAAATTGTC      3780
GGAGCTGACA CTTTCTCTGA TATTGCTGTC GTCAAAATCT CTTCAGAAAA AGTGACAACA      3840
GTAGCTGAGT TTGGTGATTC TAGTAAGTTA ACTGTAGGAG AAACTGCTAT TGCCATCGGT      3900
AGCCCGTTAG GTTCTGAATA TGCAAATACT GTCACTCAAG GTATCGTATC CAGTCTCAAT      3960
```

```
AGAAATGTAT CCTTAAAATC GGAAGATGGA CAAGCTATTT CTACAAAAGC CATCCAAACT      4020

GATACTGCTA TTAACCCAGG TAACTCTGGC GGCCCACTGA TCAATATTCA AGGGCAGGTT      4080

ATCGGAATTA CCTCAAGTAA AATTGCTACA AATGGAGGAA CATCTGTAGA AGGTCTTGGT      4140

TTCGCAATTC CTGCAAATGA TGCTATCAAT ATTATTGAAC AGTTAGAAAA AAACGGAAAA      4200

GTGACGCGTC CAGCTTTGGG AATCCAGATG GTTAATTTAT CTAATGTGAG TACAAGCGAC      4260

ATCAGAAGAC TCAATATTCC AAGTAATGTT ACATCTGGTG TAATTGTTCG TTCGGTACAA      4320

AGTAATATGC CTGCCAATGG TCACCTTGAA AAATACGATG TAATTACAAA AGTAGATGAC      4380

AAAGAGATTG CTTCATCAAC AGACTTACAA AGTGCTCTTT ACAACCATTC TATCGGAGAC      4440

ACCATTAAGA TAACCTACTA TCGTAACGGG AAAGAAGAAA CTACCTCTAT CAAACTTAAC      4500

AAGAGTTCAG GTGATTTAGA ATCTTAATTG ACATCTATGT AAAGAAAGCT TTACATAAGA      4560

GAAAAGATGT GTTAGTGTAG AATCATGGAA AAATTTGAAA TGATTTCTAT CACAGATATA      4620

CAAAAAAATC CCTATCAACC CCGAAAAGAA TTTGATAGAG AAAAACTAGA TGAACTAGCA      4680

CAGTCTATCA AAGAAAATGG GGTCATTCAA CCGATTATTG TTCGTCAATC TCCTGTTATT      4740

GGTTATGAAA TCcTTGCAGG AGAGAGACGC TATCGGGCTT CACTTTTAGC TGGTCTACGG      4800

TCTATCCCAG CTGTTGTTAA ACAGATTTCA GACCAAGAGA TGATGGTCCA GTCCATTATT      4860

GAAAATTTAC AGAGAGAAAA TTTAAACCCA ATAGAAGAAG CACGCGCCTA TGAATCTCTC      4920

GTAGAGAAAG GATTCACCCA TGCTGAAATT GCAGATAAGA TGGGCAAGTC TCGTCCATAT      4980

ATCAGCAACT CCATTCGTTT ACTTTCCTTG CCAGAACAGA TTCTTTCAGA AGTAGAAAAT      5040

GGCAAACTAT CACAAGCCCA TGCGCGTTCC CTAGTTGGGT TAAATAAGGA ACAACAAGAC      5100

TATTTCTTTC AACGGATTAT AGAAGAAGAT ATTTCTGTAA GGAAATTAGA AGCTCTTCTG      5160

ACAGAGAAAA AACAAAAGAA ACAGCAAAAA ACTAATCATT TCATACAAAA TGAAGAAAAA      5220

CAGTTAAGAA AACTACTCGG ATTAGATGTA GAAATTAAAC TATCTAAAAA AGACAGTGGA      5280

AAAATCATTA TTTCTTTTTC AAATCAAGAA GAATATAGTA GAATTATCAA CAGCCTGAAA      5340

TAAGGCTGTT CTTTTATTTT TTTATCTCAC AAGGTTATCC ACTATGTTTT TCGATAAAAA      5400

GCTTAATAAA TCAATAATTT CTTCTTTTAT CCCCAACCTG TGGATAAAGT TTGGTAACAT      5460

TGTGGATTAT TTTTCACAGC TTGTGGAAAA TTCTTGCTAT CTATGGTAAA ATATCTCTAG      5520

TATTAAACTT TTAAATAGTA AAGGAGGAGA AAGGATTGAA AGAAAAACAA TTTTGGAATC      5580

GTATATTAGA ATTTGCACAA GAAAGACTGA CTCGATCCAT GTATGATTTC TATGCTATTC      5640

AAGCTGAACT CATCAAGGTA GAGGAAAATG TTGCCACTAT ATTTCTACCT CGCTCTGAAA      5700

TGGAAATGGT CTGGGAAAAA CAACTAAAAG ATATTATTGT AGTAGCTGGT TTTGAAATTT      5760
```

```
ATGACGCTGA AATAACTCCC CACTATATTT TCACCAAACC TCAAGATACG ACTAGCTCAC    5820
AAGTTGAAGA AGCTACAAAT TTAACTCTTT ATAACTATAG TCCAAAGTTA GTATCTATTC    5880
CTTATTCAGA TACGGGATTA AAAGAAAAGT ATACCTTTGA TAACTTTATT CAAGGGGATG    5940
GAAATGTTTG GGCTGTATCA GCCGCTTTAG CTGTCTCTGA AGATTTGGCT CTGACCTATA    6000
ACCCTCTTTT TATCTATGGA GGACCAGGCC TTGGTAAGAC TCACTTATTA AACGCTATTG    6060
GAAATGAAAT TCTAAAAAAT ATTCCTAATG CGCGTGTTAA ATATATCCCT GCCGAAAGCT    6120
TTATTAATGA CTTTCTTGAT CACCTAAGAC TTGGGGAAAT GGAAAAGTTT AAAAAGACCT    6180
ATCGTAGTCT TGATCTTTTG TTAATCGATG ATATCCAGTC ACTCAGCGGA AAAAAAGTCG    6240
CAACTCAGGA AGAATTTTTC AATACCTTTA ACGCCCTTCA TGACAAGCAA AAACAGATTG    6300
TCCTAACGAG TGATCGTAGT CCAAAACATC TAGAAGGGCT CGAGGAGAGG CTTGTCACGC    6360
GTTTTAGTTG GGGATTGACA CAAACTATCA CCCCCCCTGA CTTTGAAACA CGTATTGCCA    6420
TTTTACAAAG TAAGACGGAA CATTTAGGCT ACAATTTCCA AAGTGATACT CTAGAATACC    6480
TAGCTGGGCA ATTTGATTCA AATGTTCGAG ATCTTGAGGG AGCCATCAAC GACATCACTT    6540
TAATTGCCAG AGTAAAAAAA ATCAAGGATA TCACTATTGA TATTGCTGCA GAAGCCATTA    6600
GAGCCCGCAA ACAAGATGTT AGCCAAATGC TCGTCATCCC AATTGATAAA ATCCAAACTG    6660
AAGTTGGTAA CTTTTATGGT GTTAGTATCA AAGAAATGAA GGGAAGTAGA CGCCTTCAAA    6720
ATATTGTTTT GGCCCGTCAA GTAGCCATGT ATTTATCTAG AGAACTAACA GATAATAGTC    6780
TTCCAAAAAT TGGGAAGGAA TTTGGGGGAA AAGATCATAC CACAGTCATT CATGCCCATG    6840
CCAAAATAAA ATCTTTGATT GATCAAGACG ATAATTTACG TTTAGAAATT GAATCAATCA    6900
AAAAGAAAAT CAAATAATTT GTGGATAACT TTTAGTTTTT TATCTTTTTT ATCCACATTT    6960
TTTAAACAAG CTAAAAAACT TGATATGACT TGTTTAAAGG CTGTTTTCCA CAGATTTCAC    7020
AGACTCTATT ATTACTATTA TCTTTCTAAT ACTAAAAATA AATAAAGGAG AATCCATGAT    7080
TCATTTTTCA ATTAATAAAA ATTTATTTCT ACAAGCATTA AATACTACTA AGAGAGCTAT    7140
TAGTTCTAAA AATGCCATTC CTATTTTATC AACAGTAAAA ATTGACGTGA CCAATGAAGG    7200
TATTACTTTA ATTGGTTCAA ATGGTCAAAT TTCAATTGAA AATTTTATTT CTCAAAAAAA    7260
TGAAGATGCT GGTTTGTTAA TTACTTCTTT AGGTTCGATC CTTCTTGAAG CTTCTTTCTT    7320
TATCAATGTA GTATCTAGTT TACCTGATGT AACTCTTGAT TTTAAAGAAA TTGAACAAAA    7380
TCAAATTGTT TTAACCAGTG GCAAATCAGA AATTACCCTA AAAGGAAAAG ATAGCGAACA    7440
ATATCCACGA ATCCAAGAAA TTTCAGCAAG CACTCCTTTA ATACTTGAAA CAAAATTACT    7500
```

```
CAAGAAAATT ATTAATGAAA CAGCCTTTGC TGCAAGTACA CAAGAGAGTC GTCCGATTTT      7560

AACAGGTGTC CACTTCGTAT TGAGTCAACA CAAAGAGTTA AAAACAGTTG CAACAGACTC      7620

TCATCGCCTA AGCCAGAAAA AATTGACTCT TGAAAAAAAT AGTGATGATT TTGATGTCGT      7680

AATTCCTAGC CGTTCTCTAC GCGAATTTTC AGCGGTATTT ACAGATGATA TCGAAACTGT      7740

AGAGATTTTC TTTGCCAATA ACCAAATCCT CTTTAGAAGC GAAAATATTA GCTTCTATAC      7800

TCGTCTCCTA GAAGGAAACT ATCCTGATAC AGATCGCTTG ATTCCAACAG ACTTTAACAC      7860

TACTATTACT TTTAATGTGG TAAACTTACG CCAGTCAATG GAGCGTGCCC GTCTTTTATC      7920

AAGTGCGACT CAAAATGGTA CTGTGAAACT TGAAATTAAG GATGGGGTTG TTAGCGCCCA      7980

TGTTCACTCT CCAGAAGTTG GTAAAGTAAA CGAAGAAATC GATACTGATC AGGTTACTGG      8040

TGAAGATTTG ACCATTAGTT TCAACCCAAC TTACTTGATT GATTCTCTTA AAGCTTTAAA      8100

TAGCGAAAAG GTGACTATTA GCTTTATCTC AGCTGTTCGT CCATTTACTC TTGTGCCAGC      8160

AGATACTGAC GAAGACTTCA TGCAGCTCAT TACACCAGTT CGTACAAATT AAGTGAAAGA      8220

GGTTGAGCCT GGCTCGCCTC TTTTATGATA TAATCGAAAA AGAAAAGGAG AGTAGTATGT      8280

ATCAAGTTGG AAATTTTGTT GAGATGAAAA AATCACACGC TTGTACAATC AAGTCGACTG      8340

GTAAAAAGGC TAATCGTTGG GAAATTACAC GTGTAGGAGC AGATATCAAA ATAAAATGTA      8400

GTAATTGTGA GCATGTTGTC ATGATGGGGC GATATGATTT TGAGCGAAAA ATGAATAAAA      8460

TTATTGACTG AGAACCCTTA GTTAGAGGGT TAGCACTTTA TCCCTTTTTG TGTTATAATA      8520

TTAGGGATTG AAATGAAAAC GGAGAATGAG AAATATGGCT TTGACAGCAG GTATCGTTGG      8580

TTTGCCAAAC GTTGGTAAAT CAACACTATT TAATGCAATT ACAAAAGCAG GAGCAGAGGC      8640

AGCAAACTAC CCATTTGCGA CGATTGATCC AAATGTTGGA ATGGTGGAAG TTCCAGATGA      8700

ACGCCTACAA AAACTAACTG AAATGATAAC TCCTAAAAAG ACAGTTCCCA CAACATTTGA      8760

ATTTACAGAT ATTGCAGGGA TTGTAAAAGG AGCTTCAAAA GGAGAGGGGC TAGGGAATAA      8820

ATTCTTGGCC AATATTCGTG AAGTAGATGC GATTGTTCAC GTAGTTCGTG CTTTTGATGA      8880

TGAAAATGTA ATGCGCGAGC AAGGACGTGA AGACGCCTTT GTAGATCCAC TTGCAGATAT      8940

TGATACCATT AATCTGGAAT TGATTCTTGC TGACTTAGAA TCAGTGAACA AACGATATGC      9000

GCGTGTAGAA AAGATGGCAC GTACGCAAAA AGATAAAGAA TCAGTAGCAG AATTCAATGT      9060

TCTTCAAAAG ATTAAACCAG TCCTAGAAGA CGGGAAATCA GCTCGTACCA TTGAATTTAC      9120

AGATGAGGAA CAAAAGGTTG TCAAAGGTCT TTTCCTTTTG ACGACTAAAC CAGTTCTTTA      9180

TGTAGCTAAT GTGGACGAGG ATGTGGTTTC AGAACCTGAC TCTATCGACT ATGTCAAACA      9240

AATTCGTGAA TTTGCAGCGA CAGAAAATGC TGAAGTAGTC GTTATTTCTG CGCGTGCTGA      9300
```

```
GGAAGAAATT TCTGAATTGA ATGATGAAGA TAAAAAAGAG TTTCTTGAAG CCATTGGTTT      9360
GACAGAATCA GGTGTAGATA AGTTGACGCG TGCAGCTTAC CACTTGCTTG GATTGGGAAC      9420
TTACTTCACA GCTGGTGAAA AAGAAGTTCG CGCTTGGACT TTCAAACGTG GTATGAAGGC      9480
TCCTCAAGCA GCTGGTATTA TCCACTCAGA CTTTGAAAAA GGCTTTATTC GTGCAGTAAC      9540
CATGTCATAT GAAGATCTAG TGAAATACGG ATCTGAAAAG GCCGTAAAAG AAGCTGGACG      9600
CTTGCGTGAA GAAGGAAAAG AATATATCGT TCAAGATGGC GATATCATGG AATTCCGCTT      9660
TAATGTCTAA AAATTAATAA ATGGTGTCAA TTAGGTTGGA AAAAAATTCC AACCCTTTTG      9720
GCTTTTGAAA GGAAAAATAA ATGACCAAAT TACTTGTAGG CTTGGGAAAT CCAGGGGATA      9780
AATATTTTGA AACAAAACAC AATGTTGGTT TTATGTTGAT TGATCAACTA GCGAAGAAAC      9840
AGAATGTCAC TTTTACACAC GATAAGATAT TTCAAGCTGA CCTAGCATCC TTTTTCCTAA      9900
ATGGAGAAAA AATTTATCTG GTTAAACCAA CGACCTTTAT GAATGAAAGT GGAAAAGCAG      9960
TTCATGCTTT ATTAACTTAC TATGGTTTGG ATATTGACGA TTTACTTATC ATTTACGATG     10020
ATCTTGACAT GGAAGTTGGG AAAATTCGTT TAAGAGCAAA AGGCTCAGCA GGTGGTCATA     10080
ATGGTATCAA GTCTATTATT CAACATATAG GAACTCAGGT CTTTAACCGT GTTAAGATTG     10140
GAATTGGAAG ACCTAAAAAT GGTATGTCAG TTGTTCATCA TGTTTTGAGT AAGTTTGACA     10200
GGGATGATTA TATCGGTATT TTACAGTCTG TTGACAAAGT TGACGATTCT GTAAACTACT     10260
ATTTACAAGA GAAAAATTTT GAGAAAACAA TGCAGAGGTA TAACGGATAA ATGGTGACCT     10320
TATTAGATTT ATTCTCAGAA AATGATCAGA TTAAAAAATG GCATCAAAAT TTAACAGATA     10380
AGAAAAGACA ACTAATACTT GGTTTATCAA CATCTACTAA GGCTCTTGCA ATTGCAAGCA     10440
GTTTAGAAAA AGAAGATAGG ATTGTGTTAT TGACGTCAAC TTATGGAGAA GCAGAAGGAC     10500
TTGTTAGTGA TCTTATTTCT ATCTTGGGTG AGGAACTCGT CTATCCATTT TTGGTAGATG     10560
ATGCTCCTAT GGTGGAGTTT TTGATGTCTT CACAGGAAAA AATTATTTCA CGGGTTGAAG     10620
CCTTGCGTTT TTTGACTGAT TCATCTAAGA AAGGGATTTT AGTTTGTAAT ATCGCAGCAA     10680
GTCGATTGAT TTTACCGTCT CCCAATGCAT TCAAAGATAG TATTGTAAAA ATCTCAGTTG     10740
GTGAAGAATA TGATCAACAC GCGTTTATCC ATCAGTTAAA GGAAAATGGC TATCGAAAAG     10800
TTACTCAAGT ACAAACTCAG GGCGAATTTA GTCTTCGAGG AGATATTTTA GATATTTTTG     10860
AAATATCCCA GTTAGAACCT TGTCGAATTG AGTTTTTTGG TGATGAAATT GATGGTATCA     10920
GGTCATTTGA AGTAGAAACA CAATTATCGA AAGAAAATAA GACAGAACTC ACTATCTTTC     10980
CAGCTAGTGA TATGCTTTTG AGAGAAAAGG ATTATCAACG AGGACAGTCA GCTTTAGAAA     11040
```

```
AACAAATTTC AAAAACTTTA TCACCTATTT TGAAATCATA CCTAGAAGAA ATTCTTTCAA     11100

GTTTTCACCA AAAACAAAGT CATGCAGACT CTCGGAAGTT TTTATCTTTG TGCTATGATA     11160

AGACATGGAC TGTCTTTGAT TATATTGAAA AAGATACTCC AATATTCTTT GATGATTATC     11220

AAAAATTGAT GAATCAGTAT GAAGTCTTTG AAAGAGACTT AGCGCAGTAC TTTACAGAAG     11280

AATTACAGAA TAGTAAAGCA TTTTCTGATA TGCAGTATTT TTCTGATATT GAACAAATCT     11340

ATAAAAAACA AAGTCCAGTG ACCTTTTTCT CTAATCTTCA AAAGGGTTTA GGAAATCTCA     11400

AATTTGACAA AATTTATCAA TTCAATCAAT ATCCTATGCA GGAATTTTTC AATCAGTTTT     11460

CTTTTCTAAA AGAAGAAATT GAACGATATA AAAAAATGGA TTACACCATT ATTCTGCAGT     11520

CTAGCAATTC AATGGGAAGT AAAACATTGG AGGATATGTT AGAGGAATAT CAGATTAAAT     11580

TGGATTCTAG AGATAAGACA AATATCTGTA AAGAATCTGT AAACTTAATA GAGGGTAATC     11640

TCAGACATGG TTTTCATTTT GTAGATGAAA AGATTTTATT GATAACTGAA CATGAGATTT     11700

TTCAAAAGAA ATTAAAGCGT CGTTTTCGAA GACAACATGT TTCAAATGCA GAGAGATTAA     11760

AAGATTACAA TGAACTTGAA AAAGGGGACT ATGTTGTCCA TCATATCCAT GGGATTGGTC     11820

AATATCTAGG AATTGAAACC ATTGAAATCA AGGGAATTCA TCGCGATTAT GTCAGTGTCC     11880

AATACCAAAA TGGTGATCAA ATTTCTATCC CCGTGGAACA GATTCATCTA CTGTCCAAAT     11940

ATATTTCAAG TGATGGTAAA GCTCCAAAAC TCAATAAATT AAATGACGGT CATTTTAAAA     12000

AGGCCAAGCA AAAGGTTAAG AACCAGGTAG AGGATATAGC TGATGATTTA ATCAAACTCT     12060

ACTCTGAACG TAGTCAGTTG AAGGGTTTTG CTTTCTCAGC TGATGATGAT GATCAAGATG     12120

CCTTTGATGA TGCTTTCCCT TATGTTGAAA CGGATGATCA ACTTCGTAGT ATTGAGGAAA     12180

TCAAGAGGGA TATGCAGGCT TCTCAGCCAA TGGATCGACT TTTAGTTGGG GATGTTGGTT     12240

TTGGAAAGAC TGAAGTTGCT ATGCGTGCAG CCTTTAAAGC AGTCAATGAT CACAAACAGG     12300

TTGTCATTCT AGTTCCGACG ACGGTTTTAG CGCAACAGCA CTATACGAAT TTTAAGGAAC     12360

GATTCCAAAA TTTTGCAGTT AATATTGATG TGTTGAGTCG CTTTAGAAGT AAAAAAGAGC     12420

AGACTGCAAC ACTTGAAAAA TTGAAAAACG GTCAAGTCGA TATTTTGATT GGAACACATC     12480

GTGTTTTGTC AAAAGATGTT GTGTTTGCTG ATTTGGGCTT GATGATTATT GATGAGGAAC     12540

AGCGATTTGG TGTCAAGCAT AAGGAAACTT TGAAAGAACT GAAGAAACAA GTGGATGTCC     12600

TAACCTTGAC CGCTACGCCA ATCCCTCGTA CCCTCCATAT GTCTATGCTG GGAATCAGAG     12660

ATTTATCTGT TATTGAAACT CCGCCGACTA ATCGCTATCC TGTTCAGACC TATGTTTTGG     12720

AAAAGAATGA TAGTGTCATT CGTGATGCTG TCTTGCGTGA AATGGAGCGT GGAGGTCAAG     12780

TTTATTATCT TTACAACAAA GTTGACACAA TTGTTCAGAA GGTTTCAGAA TTACAGGAGT     12840
```

```
TGATTCCGGA GGCTTCGATT GGATATGTTC ATGGTCGAAT GAGTGAAGTC CAGTTGGAAA    12900
ATACTCTATT AGACTTTATT GAGGGACAAT ACGATATCTT GGTGACGACT ACTATTATTG    12960
AGACAGGGGT GGACATTCCA AATGCTAATA CTTTATTTAT TGAAAATGCG GACCATATGG    13020
GCTTGTCAAC CTTATATCAG TTAAGAGGAA GAGTCGGTCG TAGTAATCGT ATTGCTTATG    13080
CTTATCTCAT GTATCGTCCA GAAAAATCAA TCAGTGAAGT CTCTGAAAAG AGATTAGAAG    13140
CGATTAAAGG ATTTACAGAA TTGGGCTCTG GCTTTAAGAT TGCAATGCGA GATCTTTCGA    13200
TTCGTGGAGC AGGAAATCTT TTAGGAAAAT CCCAGTCTGG TTTCATTGAT TCTGTTGGTT    13260
TTGAATTGTA TTCGCAGTTA TTAGAGGAAG CTATTGCTAA ACGAAACGGT AATGCTAACG    13320
CTAACACAAG AACCAAAGGG AATGCTGAGT TGATTTTGCA AATTGATGCC TATCTTCCTG    13380
ATACTTATAT TTCTGATCAA CGACATAAGA TTGAAATTTA CAAGAAAATT CGTCAAATTG    13440
ACAACCGTGT CAATTATGAA GAGTTACAAG AGGAGTTGAT AGACCGTTTT GGAGAATACC    13500
CAGATGTAGT AGCCTATCTG TTAGAGATTG GTTTGGTCAA ATCATACTTG GACAAGGTCT    13560
TTGTTCAACG TGTGGAAAGA AAAGATAATA AAATTACAAT TCAATTTGAA AAAGTCACTC    13620
AACGACTGTT TTTAGCTCAA GATTATTTTA AAGCTTTATC CGTAACGAAC TTAAAAGCAG    13680
GCATCGCTGA GAATAAGGGA TTAATGGAGC TTGTATTTGA TGTCCAAAAT AAGAAAGATT    13740
ATGAAATTTT AGAAGGTTTG CTGATTTTTG GAGAAAGTTT ATTAGAGATA AAAGAGTCTA    13800
AGGAAGAAAA TTCCATTTGA TATTTTTCTT CTATAAAATA GATAAAAATG GTACAATAAT    13860
AAATTGAGGT AATAAGGATG AGATTAGATA AATATTTAAA AGTATCGCGA ATTATCAAGC    13920
GTCGTACAGT CGCAAAGGAA GTAGCAGATA AAGGTAGAAT CAAGGTTAAT GGAATCTTGG    13980
CCAAAAGTTC AACGGACTTG AAAGTTAATG ACCAAGTTGA AATTCGCTTT GGCAATAAGT    14040
TGCTGCTTGT AAAAGTACTA GAGATGAAAG ATAGTACAAA AAAAGAAGAT GCAGCAGGAA    14100
TGTATGAAAT TATCAGTGAA ACACGGGTAG AAGAAAATGT CTAAAAATAT TGTACAATTG    14160
AATAATTCTT TTATTCAAAA TGAATACCAA CGTCGTCGCT ACCTGATGAA AGAACGACAA    14220
AAACGGAATC GTTTTATGGG AGGGGTATTG ATTTTGATTA TGCTATTATT TATCTTGCCA    14280
ACTTTTAATT TAGCGCAGAG TTATCAGCAA TTACTCCAAA GACGTCAGCA ATTAGCAGAC    14340
TTGCAAACTC AGTATCAAAC TTTGAGTGAT GAAAAGGATA AGGAGACAGC ATTTGCTACC    14400
AAGTTGAAAG ATGAAGATTA TGCTGCTAAA TATACACGAG CGAAGTACTA TTATTCTAAG    14460
TCGAGGGAAA AAGTTTATAC GATTCCTGAC TTGCTTCAAA GGTGATAAAA TGGAAAATTT    14520
ATTAGACGTA ATAGAGCAAT TTTTGAGTTT GTCAGATGAA AAGCTGGAAG AATTGGCTGA    14580
```

TAAAAATCAA TTATTGCGTT TACAAGAAGA AAAGGAAAGG AAGAATGCGT AAATTCTTAA 14640

TTATTTTGTT GCTACCAAGT TTTTTGACCA TTTCAAAAGT CGTTAGCACA GAAAAAGAAG 14700

TCGTCTATAC TTCGAAAGAA ATTTATTACC TTTCACAATC TGACTTTGGT ATTTATTTTA 14760

GAGAAAAATT AAGTTCTCCC ATGGTTTATG GAGAGGTTCC TGTTTATGCG AATGAAGATT 14820

TAGTAGTGGA ATCTGGGAAA TTGACTCCCA AAACAAGTTT TCAAATAACC GAGTGGCGCT 14880

TAAATAAACA AGGAATTCCA GTATTTAAGC TATCAAATCA TCAATTTATA GCTGCGGACA 14940

AACGATTTTT ATATGATCAA TCAGAGGTAA CTCCAACAAT AAAAAAAGTA TGGTTAGAAT 15000

CTGACTTTAA ACTGTACAAT AGTCCTTATG ATTTAAAAGA AGTGAAATCA TCCTTATCAG 15060

CTTATTCGCA AGTATCAATC GACAAGACCA TGTTTGTAGA AGGAAGAGAA TTTCTACATA 15120

TTGATCAGGC TGGATGGGTA GCTAAAGAAT CAACTTCTGA AGAAGATAAT CGGATGAGTA 15180

AAGTTCAAGA AATGTTATCT GAAAAATATC AGAAAGATTC TTTCTCTATT TATGTTAAGC 15240

AACTGACTAC TGGAAAAGAA GCTGGTATCA ATCAAGATGA AAAGATGTAT GCAGCCAGCG 15300

TTTTGAAACT CTCTTATCTC TATTATACGC AAGAAAAAAT AAATGAGGGT CTTTATCAGT 15360

TAGATACGAC TGTAAAATAC GTATCTGCAG TCAATGATTT TCCAGGTTCT TATAAACCAG 15420

AGGGAAGTGG TAGTCTTCCT AAAAAAGAAG ATAATAAAGA ATATTCTTTA AAGGATTTAA 15480

TTACGAAAGT ATCAAAAGAA TCTGATAATG TAGCTCATAA TCTATTGGGA TATTACATTT 15540

CAAACCAATC TGATGCCACA TTCAAATCCA AGATGTCTGC CATTATGGGA GATGATTGGG 15600

ATCCAAAAGA AAAATTGATT TCTTCTAAGA TGGCCGGGAA GTTTATGGAA GCTATTTATA 15660

ATCAAAATGG ATTTGTGCTA GAGTCTTTGA CTAAAACAGA TTTTGATAGT CAGCGAATTG 15720

CCAAAGGTGT TTCTGTTAAA GTAGCTCATA AAATTGGAGA TGCGGATGAA TTTAAGCATG 15780

ATACGGGTGT TGTCTATGCA GATTCTCCAT TTATTCTTTC TATTTTCACT AAGAATTCTG 15840

ATTATGATAC GATTTCTAAG ATAGCCAAGG ATGTTTATGA GGTTCTAAAA TGAGGGAACC 15900

AGATTTTTTA AATCATTTTC TCAAGAAGGG ATATTTCAAA AAGCATGCTA AGGCGGTTCT 15960

AGCTCTTTCT GGTGGATTAG ATTCCATGTT TCTATTTAAG GTATTGTCTA CTTATCAAAA 16020

AGAGTTAGAG ATTGAATTGA TTCTAGCTCA TGTGAATCAT AAGCAGAGAA TTGAATCAGA 16080

TTGGGAAGAA AAGGAATTAA GGAAGTTGGC TGCTGAAGCA GAGCTTCCTA TTTATATCAG 16140

CAATTTTTCA GGAGAATTTT CAGAAGCGCG TGCACGAAAT TTTCGTTATG ATTTTTTTCA 16200

AGAGGTCATG AAAAAGACAG GTGCGACAGC TTTAGTCACT GCCCACCATG CTGATGATCA 16260

GGTGGAAACG ATTTTTATGC GCTTGATTCG AGGAACTCGC TTGCGCTATC TATCAGGAAT 16320

TAAGGAGAAG CAAGTAGTCG GAGAGATAGA AATCATTCGT CCCTTCTTGC ATTTTCAGAA 16380

```
AAAAGACTTT CCATCAATTT TTCACTTTGA AGATACATCA AATCAGGAGA ATCATTATTT    16440
TCGAAATCGT ATTCGAAATT CTTACTTACC AGAATTGGAA AAAGAAAATC CTCGATTTAG    16500
GGATGCAATC TTAGGCATTG GCAATGAAAT TTTAGATTAT GATTTGGCAA TAGCTGAATT    16560
ATCTAACAAT ATTAATGTGG AAGATTTACA GCAGTTATTT TCTTACTCTG AGTCTACACA    16620
AAGAGTTTTA CTTCAAACTT ATCTGAATCG TTTTCCAGAT TTGAATCTTA CAAAAGCTCA    16680
GTTTGCTGAA GTTCAGCAGA TTTTAAAATC TAAAAGCCAG TATCGTCATC CGATTAAAAA    16740
TGGCTATGAA TTGATAAAAG AGTACCAACA GTTTCAGATT TGTAAAATCA GTCCGCAGgC    16800
TGATGAAAAG GAAGATGAAC TTGTGTTACA CTATCAAAAT CAGGTAGCTT ATCAAGGATA    16860
TTTATTTTCT TTTGGACTTC CATTAGAAGG TGAATTAATT CAACAAATAC CTGTTTCACG    16920
TGAAACATCC ATACACATTC GTCATCGAAA AACAGGAGAT GTTTTGATTA AAAATGGGCA    16980
TAGAAAAAAA CTCAGACGTT TATTTATTGA TTTGAAAATC CCTATGGAAA AGAGAAACTC    17040
TGCTCTTATT ATTGAGCAAT TTGGTGAAAT TGTCTCAATT TTGGGAATTG CGACCAATAA    17100
TTTGAGTAAA AAAACGAAAA ATGATATAAT GAACACTGTA CTTTATATAG AAAAAATAGA    17160
TAGGTAAAAA ATGTTAGAAA ACGATATTAA AAAAGTCCTC GTTTCACACG ATGAAATTAC    17220
AGAAGCAGCT AAAAAACTAG GTGCTCAATT AACTAAAGAC TATGCAGGAA AAAATCCAAT    17280
CTTAGTTGGG ATTTTAAAAG GATCTATTCC TTTTATGGCT GAATTGGTCA AACATATTGA    17340
TACACATATT GAAATGGACT TCATGATGGT TTCTAGCTAC CATGGTGGAA CAGCAAGTAG    17400
TGGTGTTATC AATATTAAAC AAGATGTGAC TCAAGATATC AAAGGAAGAC ATGTTCTATT    17460
TGTAGAAGAT ATCATTGATA CAGGTCAAAC TTTGAAGAAT TTGCGAGATA TGTTTAAAGA    17520
AAGAGAAGCA GCTTCTGTTA AAATTGCAAC CTTGTTGGAT AAACCAGAAG GACGTGTTGT    17580
AGAAATTGAG GCAGACTATA CTTGCTTTAC TATCCCAAAT GAGTTTGTAG TAGGTTATGG    17640
TTTAGACTAC AAAGAAAATT ATCGTAATCT TCCTTATATT GGAGTATTGA AAGAGGAAGT    17700
GTATTCAAAT TAGAAAGAAT AATCTTTAAT GAAAAAACAA AATAATGGTT TAATTAAAAA    17760
TCCTTTTCTA TGGTTATTAT TTATCTTTTT CCTTGTGACA GGATTCCAGT ATTTCTATTC    17820
TGGGAATAAC TCAGGAGGAA GTCAGCAAAT CAACTATACT GAGTTGGTAC AAGAAATTAC    17880
CGATGGTAAT GTAAAAGAAT TAACTTACCA ACCAAATGGT AGTGTTATCG AAGTTTCTGG    17940
TGTCTATAAA AATCCTAAAA CAAGTAAAGA AGAAACAGGT ATTCAGTTTT TCACGCCATC    18000
TGTTACTAAG GTAGAGAAAT TTACCAGCAC TATTCTTCCT GCAGATACTA CCGTATCAGA    18060
ATTGCAAAAA CTTGCTACTG ACCATAAAGC AGAAGTAACT GTTAAGCATG AAAGTTCAAG    18120
```

```
TGGTATATGG ATTAATCTAC TCGTATCCAT TGTGCCATTT GGAATTCTAT TCTTCTTCCT     18180

ATTCTCTATG ATGGGAAATA TGGGAGGAGG CAATGGCCGT AATCCAATGA GTTTTGGACG     18240

TAGTAAGGCT AAAGCAGCAA ATAAAGAAGA TATTAAAGTA AGATTTTCAG ATGTTGCTGG     18300

AGCTGAGGAA GAAAAACAAG AACTAGTTGA AGTTGTTGAG TTCTTAAAAG ATCCAAAACG     18360

ATTCACAAAA CTTGGAGCCC GTATTCCAGC AGGTGTTCTT TTGGAGGGAC CTCCGGGGAC     18420

AGGTAAAACT TTGCTTGCTA AGGCAGTCGC TGGAGAAGCA GGTGTTCCAT TCTTTAGTAT     18480

CTCAGGTTCT GACTTTGTAG AAATGTTTGT CGGAGTTGGA GCTAGTCGTG TTCGCTCTCT     18540

TTTTGAGGAT GCCAAAAAAG CAGCACCAGC TATCATCTTT ATCGATGAAA TTGATGCTGT     18600

TGGACGTCAA CGTGGAGTCG GTCTCGGCGG AGGTAATGAC GAACGTGAAC AAACCTTGAA     18660

CCAACTTTTG ATTGAGATGG ATGGTTTTGA GGGAAATGAA GGGATTATCG TCATCGCTGC     18720

GACAAACCGT TCAGATGTAC TTGACCCTGC CCTTTTGCGT CCAGGACGTT TTGATAGAAA     18780

AGTATTGGTT GGTCGTCCTG ATGTTAAAGG TCGTGAAGCA ATCTTGAAAG TTCACGCTAA     18840

GAATAAGCCT TTAGCAGAAG ATGTTGATTT GAAATTAGTG GCTCAACAAA CTCCAGGCTT     18900

TGTTGGTGCT GATTTAGAGA ATGTCTTGAA TGAAGCAGCT TTAGTTGCTG CTCGTCGCAA     18960

TAAATCGATA ATTGATGCTT CAGATATTGA TGAAGCAGAA GATAGAGTTA TTGCTGGACC     19020

TTCTAAGAAA GATAAGACAG TTTCACAAAA AGAACGAGAA TTGGTTGCTT ACCATGAGGC     19080

AGGACATACC ATTGTTGGTC TAGTCTTGTC GAATGCTCGC GTTGTCCATA AGGTTACAAT     19140

TGTACCACGC GGCCGTGCAG GCGGATACAT GATTGCACTT CCTAAAGAGG ATCAAATGCT     19200

TCTATCTAAA GAAGATATGA AAGAGCAATT GGCTGGCTTA ATGGGTGGAC GTGTAGCTGA     19260

AGAAATTATC TTTAATGTCC AAACCACAGG AGCTTCAAAC GACTTTGAAC AAGCGACACA     19320

AATGGCACGT GCAATGGTTA CAGAGTACGG TATGAGTGAA AAACTTGGCC CAGTACAATA     19380

TGAAGGAAAC CATGCTATGC TTGGTGCACA GAGTCCTCAA AAATCAATTT CAGAACAAAC     19440

AGCTTATGAA ATTGATGAAG AGGTTCGTTC ATTATTAAAT GAGGCACGAA ATAAAGCTGC     19500

TGAAATTATT CAGTCAAATC GTGAAACTCA CAAGTTAATT GCAGAAGCAT TATTGAAATA     19560

CGAAACATTG GATAGTACAC AAATTAAAGC TCTTTACGAA ACAGGAAAGA TGCCTGAAGC     19620

AGTAGAAGAG GAATCTCATG CACTATCCTA TGATGAAGTA AAGTCAAAAA TGAATGACGA     19680

AAAATAACCC TGAGAGAGGC TGGAGCCTCT CTTTTTTGTG CAGTTTAGGA GCTAAAGGGA     19740

ACAGAATGGA GAAAATGGAA CAAATGTGTT TTCTAATCTG TTAGACTGTA TCTAGAAAGG     19800

GGAAAATTAT GATTAAAGAA TTGTATGAAG AAGTCCAAGG GACTGTGTAT AAGTGTAGAA     19860

ATGAATATTA CCTTCATTTA TGGGAATTGT CGGATTGGGA GCAAGAAGGC ATGCTCTGCT     19920
```

```
TACATGAATT GATTAGTAGA GAAGAAGGAC TGGTAGACGA TATTCCACGT TTAAGGAAAT    19980
ATTTCAAGAC CAAGTTTCGA AATCGAATTT TAGACTATAT CCGTAAACAG GAAAGTCAGA    20040
AGCGTAGATA CGATAAAGAA CCCTATGAAG AAGTGGGTGA GATCAGTCAT CGTATAAGTG    20100
AGGGGGGTCT CTGGCTAGAT GATTATTATC TCTTTCATGA AACACTAAGA GATTATAGAA    20160
ACAAACAAAG TAAAGAGAAA CAAGAAGAAC TAGAACGCGT CTTAAGCAAT GAACGATTTC    20220
GAGGGCGTCA AAGAGTATTA AGAGACTTAC GCATTGTGTT TAAGGAGTTT ACTATCCGTA    20280
CCCACTAGTA AGTCATGCAA AAAAAATGAA AAAAATTAGA AAAAGTAGTT GACAAAGTTT    20340
GAAAAGGCTG TATAATAGTA AGAGTTGAAA ATAACAACTC AGGTCCGTTG GTCAAGGGGT    20400
TAAGACACCG CCTTTTCACG GCGGTAACAC GGGTTCGAAT CCCGTACGGA CTATGGTATG    20460
TTGCGTCAGG ACCACTTGAT GAAAAAAAGT TTAAAAAAAC TTAAAAATCT TCAAAAAAGT    20520
GTTGACAAGC GAAAGCAGTT GTGATATACT AATATAGTTG TCGCTTGAGA GAAGCAAGTG    20580
ACAAAGACCT TTGAAAACTG AACAAGACGA ACCAATGTGC AGGGCGCTAC AACGTAAGTT    20640
GTAGTACTGA ACAATGAAAA AAACAATAAA TCTGTCAGTG ACAGAAATGA GTAAGAACTC    20700
AAACTTTTTA ATGAGAGTTT GATCCTGGCT CAGGACGAAC GCTGGCGGCG TGCCTAATAC    20760
ATGCAAGTAG AACGCTGAAG GAGGAGCTTG CTTCTCTGGA TGAGTTGCGA ACGGGTGAGT    20820
AACGCGTAGG TAACCTGCCT GGTAGCGGGG GATAACTATT GGAAACGATA GCTAATACCG    20880
CATAAGAGTA GATGTTGCAT GACATTTGCT TAAAAGGTGC ACTTGCATCA CTACCAGATG    20940
GACCTGCGTT GTATTAGCTA GTTGGTGGGG TAACGGCTCA CCAAGGCGAC GATACATAGC    21000
CGACCTGAGA GGGTGATCGG CCACACTGGG ACTGAGACAC GGCCCAGACT CCTACGGGAG    21060
GCAGCAGTAG GGAATCTTCG GCAATGGACG GAAGTCTGAC CGAGCAACGC CGCGTGAGTG    21120
AAGAAGGTTT TCGGATCGTA AAGCTCTGTT GTAAGAGAAG AACGAGTGTG AGAGTGGAAA    21180
GTTCACACTG TGACGGTATC TTACCAGAAA GGGACGGCTA ACTACGTGCC AGCAGCCGCG    21240
GTAATACGTA GGTCCCGAGC GTTGTCCGGA TTTATTGGGC GTAAAGCGAG CGCAGGCGGT    21300
TAGATAAGTC TGAAGTTAAA GGCTGTGGCT TAACCATA                            21338
```

(2) INFORMATION FOR SEQ ID NO: 21:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 6273 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

```
TGTTTTTAAA GAGCCGTGTC TGGATAGACT TTCGGACGCA ACGCTCTATT AGATAATGAA      60
CTGCCTATAC ACAAGATTTC TAACCTTAGT CGACATGAGC TGAAACCTCT TATTTGTTAA     120
GTAGTTCACA AAATATTATA CACCTATTTT ATGAATAGTC AACTGTCTTT ACAGTAAAAT     180
TTTAGAAAAT CATGAAAATT TTCTCTTTCT TTCCATTTTA AGTGACATTC AGTCATTCTC     240
ACATCAAAAA AGCCCAGACG AAATTGTCTG AGCATTCTTT TATCTAGTCG TTTAAGGAAG     300
TTGAGTTCAG TATGTTTAAA GTCTCTGTCC CATCATTTCT TCAACAAACC TTGTTCTTGG     360
AGAAACTCCT TGGCTACTTG CTTTGCTGAC TTGCCTTCAA CACCGACTTG GTAGTTGAGC     420
TGGCTCATCT GGCTTTCTGT AATCTTACCA GCCAATGTAT TAAGAACTCT TTCCAACTCT     480
GGGTGTTTCT TGAGAAGAGC TTCTTTCATG AGTGGAGCCC CTTGATAAGG TGGGAAGAGT     540
TGCTTGTCAT CTTCCAAGAC CTGTAAATCA TAACGCTCCA ATTCCGCATC AGTCGAATAG     600
GCATCCGTGA TTTGAATATC CCCTGACTGA ATAGCCTGAT AGCGAAGGGC TGGCTCAATG     660
GTCGCTACAT TGAGATTGAG ACCATACATT GATTGCAAGC CCTTATTTCC ATCTTCACGG     720
TCGTTAAACT CGAGTGTAAA ACCTGCCTTC AACTGCCCTT CCACTTTTTT CAAGTCTGAA     780
ATGGTCTTCA AGCCATATTC TTGAGCAATC TTTTTCGGAA CAGCTACAGC ATAGGTGTTT     840
TGATAAGACA TGGGTTTGAG ATAGGCTAGA TGATCCTGCT TAGCAATGCC ATCACGCGCC     900
ACCTGATAAA CCTGTTCTGG TTCATGACTC ACCTTGGGTG ATGGTTGAAG CAAACTTTCA     960
GTCACCGTAC CAGTAAATTC AGGATAGATG TCAATATCGC CTTTTTTCAG AGCTTCATAA    1020
AGGAAGCTTG TCTTCCCAAA ATTCGGTTTA ACAGTCGCAG TCATGCTGGT ATTTTCTTCA    1080
ATCAGCAACT TATACATATT GGCCAAAATT TCTGGTTCTG GACCTATTTT CCCAGCAATA    1140
ACCAAGTTTT CCTTCTCTTT TTGAACCAAA AGAGCTGGAC TATAAGACAG ACCCAGTAAT    1200
AAAGCCACCA AGGCAAAACC TGAGAAAATC GTCCGTAATT TTGCTTTTTC CATCACTTTT    1260
AGTAGGAAGT TAAAGGCAAT GGCTAGCACT GCAGAAGAAA GTGCCCCAAT CAAAATCAAA    1320
CTGGCATTAT TACGGTCAAT TCCCAAAAGA ATAAAGGAAC CTAGTCCCCC TGCACCAATC    1380
AAGGCCGCCA AGGTTGCCGT ACCGATAATC AAAACAGCTG CCGTCCGAAT CCCAGACATG    1440
ATAACAGGCA TGGCGAGTGG AATTTCAAAT TTCTTGAGAC GTTCCCATCT GGTCATCCCA    1500
AAGGCAATCC CAGCCTCTTG CAGGTTCGGA TCAATTCCCT TCAGCCCAGT GATAGTATTT    1560
TGCAAAATAG GGAAAATCGC ATAAATCACT AGAGCTGTCA AAGCCGGCAA GGTCCCAATT    1620
CCCATCAAAG GGATAAAGAG CCCCAACAAG GCCAGAGACG GGATGGTCTG GAAAATACCT    1680
GCAATCTGCA AGACCCAGTC GGCCAGCTTC TCATGATAGC GAAGAAAAAC AGCCAAGGGA    1740
```

```
ATCGCAAGCA AAATAGCTAG TAACAAGGTC AAAAGCGACA ACTGCAAATG TTGAGATAGA      1800
GCTGTCAACC AATCACTAAA ACGATCCTGA AAAGTTGCAA TTAAATTAGT CATGAACACT      1860
ACCTCCAAAC AAGTCTGCTA CAAAGTCTGT TGCAGGCGCT TTTAAAATTG TCTCGGGATT      1920
CGCTACCTGG CGAATTTCTC CATCCTGCAA GACAGCAATA CGGTCCGCCA ACTTCAAGGC      1980
TTCATCCGTA TCATGGGTTA CAAAAATCGT TGTCATCCCA AACTCTTTAT GCAATTCTTT      2040
TGTCAGAACC TGCAACTGTT TTCTCGAAAT AGCATCCAAG GCCGAAAAGG GTTCATCCAT      2100
GAGGAAAATC TTGGGCTGAC CAATCATAGC TCGGACAATA CCGACCCGTT GCTGTTCTCC      2160
ACCAGATAAT TCACTAGGTA AGCGATGCCC ATACTCGGCT ACTGGTAAAC CAACCTTAGC      2220
CAAAAGCTCT TCTGTTTTCT TCGTAATTTC TTCCTTGCTC CACCCCTTCA TTTCAGGAAT      2280
GAGAGCAATA TTTTCCGCAA CTGTTAGATT TGGAAAAAGA GCAATAGCCT GTAAAACATA      2340
ACCAGTAGAA AGACGAAGTT CACGCTCATC ATAGTCTTTG ATGCGCTTCC CATCCATATA      2400
AATATTTCCA TCAGTTGGTT CCAAAAGACG GTTAATCATC TTGAGCATGG TCGTCTTACC      2460
TGACCCAGAA GGCCCTACTA AAACCATAAA TTCCCCATCC TCAATCTGTA AGTTGACATC      2520
TCTCAAGACA TCCTTTTCTG TGTAGCGCAG TGCTACATTT TTGTATTCAA TCATTCTTTG      2580
TCCTCAATTT AAAACTTCCC TCGATTGGTC AAGTCTTCTA CCTTAGGCAT AACTTCCTTA      2640
TTATCCCAAT GCTCCACAAT TTTCCCGTTC TCTAAACGGA AGATATCGTA CTGGGCATAA      2700
GCAACGCCAT CAATCTGAGT CTGACCATAC CTAACCACAT AGTTTCCTTG TCCTAAGAGT      2760
TGGAAAACAA AGTCAAAAGT GACACTATAT TCAGCCACAT AGTTTTTATA AGCAGCACTT      2820
CCTTGTCCAA TATCATGATT ATGCTGAATC AAATCGTCTG CCACATAATC ACTCCACTGC      2880
TCTAGCTCCC CATTTTGGAA AATTTCTGTC AAGAAACGGC GAACCAGCTT TTTATTTTCT      2940
GCTTTCTTAT CCAAATCCTT GATTTCAAAA TCTCCAAAAA TTTGATCTAG TTGGTCATTT      3000
TCAGGTGTTC GATAGTAGTC AATGACATCC CAATGCTCAA CAATACAACC ATTCTCATCC      3060
TCACGGAAAG TATCCGTCGT CACCCATTGA GCTTCTCCAC CATTCAGATA TTGATGAACA      3120
TGAACAAAGA CCAGATTGCC ATCCTCAATG GTGCGGACAA TCTTAATCTG ACGCTCTGGA      3180
TGACGCTCAA AGAAATCTGC AAAGAAGGCT GCAAATCCTT CTTTCCCGTC AGGAACACCT      3240
GTCGAATGTT GGATATAGGT ATCCCCTACA GACTGGGCTT GAGCCTCAGC AACTCGTCCG      3300
TCTTGAATGG CATGGATGTA TAGGTTGTGA GCATTTTTCA CTTGTTGTGA CATATTCTAA      3360
ACCTCATTTC CCTTCTCTTT CAGATTCGCC AAAATTCTTT CTTGAAAACC TTCAAATTGG      3420
TGAATTTCTT CCTCTGAAAA TCCTTTGTAA AAGATAGTAT CCAATTTCTG ACTGACACGA      3480
```

```
TGCCCCACTT CTTTCTGGGA CTTGCCTAAC TCCGTTAAAA CTAAATACTT CTTACGCTTG      3540

TCTTTTCCAC ACGGACTAAC AATTACAAGC TTTTGTTCCT CTAGCTTTTT TATCATAGTC      3600

GTCAGCGTAT TATTCGCAAG TCCAGTCGCA AGCGCGATAT CTGTCGCAGT TGCGCAGCCA      3660

GTTTCACTAT TCCATAAAAC CGCTAAAATC TTGCCCTGTT CACCCCTATA AAGAGCCTCA      3720

GGATCTTGAC TCAGTAACTT TTGAAAAATC CGCCCATTCA ACAAACGAAT ATGATGGGCT      3780

AGCAAATGAC CATCTTTCAT AACACCTCCA ATTTATTTCG ATATCGAAAT GAATAAAACA      3840

ATTGTAACAC TCATCGTTCT AACTGTCAAC TATTTCGATT TAGAAATAAT TTTTGATAAT      3900

TATCCACACC ACCATACTCC GGCTCAACTA ACTTTTAACG AGAGTTTCTA AACTCCTTCG      3960

TCCTCCAGTC TACAAAAGCC TTCCATTCGT ACTATCCTAT ATTTTATGAG GGGACACATT      4020

TTTCCTATCA GACCATTTAT TTTAAAGATA GAAGTAAATC ATAATTGCTT CCATCTGTTC      4080

TTTTATAGTA TATTGAAGTT AGACTAGAGC ACTGTATCTT CTAAAACATT GATAGAAAGC      4140

GATTTGAATT TCCCAATCAA TTTGTTCGTA TTTATAGCAT TTCGAAACTG GAATAGGACA      4200

CCATGACTGC TAAAAGATTT CTATAAATTC ATTTAATTTC CTCAATCAAT TTGTTCATAT      4260

CTTATTTCAT TCCGCTATAA TTTCACCTTA CCCTATCTTT TTCGTAGCAC CCTTCAAACA      4320

GCCTATCCCC TACCGTTTGA CGATTCCTCA CTTCGCTCCA CTTCCATTAC AGAAGTTTCT      4380

TCACTACTAT GGGCTCGGCT GACTTCTCAT GATTCCTTGT TACTACTATT TGAACGCTCA      4440

CGAGATAGAT CTTACAAAAA ATGCTTTGAT CCACAATGGA ATCAAAGCAT TTTAAAGAGT      4500

TCCTCATACA TAAGCGCAGA AGTCGCAGTT CCTCTGTACT TGGCTTCTTC TCTTTTGACA      4560

AAGCGAGCCA AGTTGAGCAA CTCAGGTGCT GGATGTTTGG GATTTAGGAG CAATTCACGA      4620

TTGACCAGGC CTGAGAGACG AACTGCCTGC AATTGCTCAT TTGTAGTAGG CAGTTTTTTA      4680

GTAGTCTCTA GGAGAGCAGC AACTAAATCT TCACTCAAAT CATGTCGAGC ATGATTGTAA      4740

AGATCTTTTA TAAGGCTTTC TAGGTTTGGT TCTACCATCC CTACCACCTC CCTTATGGTT      4800

TAATAATGTT TAATCAAATC AACCGTTGAA CGATCCAATT TCTTCACCAA GGCTTGTAAG      4860

AAAGCTTGCG CTTCTAGGAA GTCATCCATT GCATAGAGGG TTTGGTGAGA ATGGATATAA      4920

CGAGCGCAGA CACCGATAGT TGTTGATGGG ACACCACCAT TTTTCAGATG AGCTGCACCT      4980

GCATCTGTTC CGCCTTTACC ACAGTAGTAT TGGTACTTGA TACCAGCTTC TTCAGCCGTT      5040

GTCAAAAGGA AATCCTTCAT CCCTGGGAGA AGCAAGTGAC CTGGATCATA GAAACGAATC      5100

AAGGTTCCAT CTCCAATCTT GCCTTGACCA CCGTAGACAT CACCTGCTGG TGAGCAATCA      5160

ACTGCGAGGA AGACTTCTGG GTCAAACTTG GTTGTAGAGG TATGAGCGCC ACGCAGACCA      5220

ACTTCTTCTT GGACGTTAGA ACCCAGATAG AGTTCATTGC CGAGTTTTTG ACCCGATAAA      5280
```

GCTTCAGCTA GCTCGCTTAC CATGAGGACA CCGTAGCGGT TATCCCAAGC TTTTGAGATG 5340

ATATTTTTTT CATTGGCTGT CAAAATTGCA GAACTATCTG GTACAATGGT ATCACCAGGA 5400

CGGATGCCAA AACTTTCTGC CTCAGCCTTG TCCGCAAAAC CACCATCAAA AACGATATCG 5460

GCAATGGCTG GCATGGTTGG TCCCCCCTTT CCACGAGTCA AATGCGGAGG AACAGAACCT 5520

GAAATCACAG GAATTTCATG ACCATCACGA GTCAAGAGTT TGAAACGTTG GCTGCTAACC 5580

ACCATGGGGT TCCAGCCACC GATTTCTACG ACACGGAAGG TACCATCTGG CTTGATTTCG 5640

CTGACCATAA AACCAACTTC GTCCATATGA GAAGCGACCA AGACGCGCGG TGCATCCACA 5700

GCTTCTGAAT GTTTGATACC AAAAATACCA CCCAAGCCAT CTGTCACCAC TTCATCCACA 5760

TGCGGTGTCA ACTTTTCACG AAGATAAGCA CGGACAGGCG CTTCATGACC TGAGACTGCA 5820

GCAAGTTCTG TTACTTCTTT AATTTTTGAA AATAATGTTG TCATTTCAGT TCCTTCTTTC 5880

TTTCATCCAT TTTACCACTT TTTATAGGAG AAGGATAGTG GGAAGGTGGA TTTCTAAGTT 5940

AGTATCTTAG TCCTGCTCTA TCTTAGAAAA GGATAGTATT CTCTTGCATG TAGTGCAAAA 6000

TCTAGTAAAC ATTCCAAAAT TAACTCGAAT ATTTATTTCC AAACAAAAAA ACAATACACC 6060

ATCAAAGTTG TTTGGATTTT TCATGAAATT TACAGAAAAT AGTTGACTTC CCTTTCTTCT 6120

TTCTTTAAAT ATATAGTTGG TTGAGTTTGG AATAGTACGC TGTAGCTGCT AAAACATTTC 6180

TAGAAATTAA TTTGACTTTC CTAATAGAGT TGTTCATATC TTATTTCAAT TTACTATAGT 6240

ACAAAACTAG AAAAGGAAAA AATCATGACC AGG 6273

(2) INFORMATION FOR SEQ ID NO: 22:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 28171 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:

ACAACCTTTT TCAAAAACTC ACCTTGGTAC GGAGATGTTT TGCTTTCTGC TATTATTTTC 60

GGTTATATTC ATATCAATTT TGCTTTAACT CCTCTTGCTT TTTTCATTTA TGCTAGTGGA 120

GGTCTTATTT TAGCTCTATT GTATCGCATG ACTAAAAATC TCTACTATCC AATACTAGTT 180

CATATTCTCA TTAATATCAC TGCCTTCTGG GATGTGTGGT TGCTCCTATT TTCAGGAAGT 240

TAGCTTACTA AAATAATGTC GGAACTTTCC GGCATTTTCT TTTTTCACAA ATAGTCAACG 300

TTTTTCTTTT CGATATTGTA GTGGTGTGTA TCCAGTTATT TTTTTGAATT GATTTTGAAA 360

```
ATAAGGTTGA CTTGAGAAAG GCAGATAGTG AAGATAGTTA AGAAGAATAG GATGTTCTTT       420

TTTCCTTTTT GGAAAACTTC TAAAATATGG TATAATGAAA AGATAAAGAA GTTGGGGGTA       480

GAAGATGAAC ATTCAACAAT TACGCTATGT TGTGGCTATT GCCAATAGTG GTACTTTTCG       540

TGAAGCTGCT GAAAAGATGT ATGTTAGTCA GCCGAGTCTG TCTATTTCTG TTCGTGATTT       600

GGAAAAAGAG TTGGGCTTTA AGATTTTCCG TCGGACCAGC TCAGGGACTT TCTTGACCCG       660

TCGTGGGATG GAATTTTATG AAAAATCGCA AGAATTGGTT AAAGGATTTG ATATTTTTCA       720

AAATCAGTAT GCCAATCCTG AAGAAGAAAA AGATGAATTT TCTGTTGCTA GCCAGCACTA       780

TGACTTCTTG CCACCAACTA TTACGGCCTT TTCAGAGCGC TATCCTGACT ATAAGAACTT       840

CCGTATTTTT GAATCAACTA CTGTTCAAAT ATTAGATGAA GTGGCGCAAG GGCATAGTGA       900

GATTGGGATT ATCTACCTCA ACAATCAAAA TAAAAAGGGG ATTATGCAAC GGGTTGAAAA       960

ATTAGGTCTG GAGGTCATCG AATTGATTCC TTTCCATACC CATATTTATC TCCGTGAGGG      1020

TCATCCTTTA GCCCAGAAAG AGGAATTAGT CATGGAGGAT TTAGCGGATT TACCAACGGT      1080

TCGTTTCACT CAAGAGAAAG ACGAGTACCT TTATTATTCA GAGAACTTTG TCGATACCAG      1140

CGCTAGCTCA CAGATGTTTA ATGTGACAGA CCGTGCCACC TTGAATGGTA TTTTGGAGCG      1200

GACGGACGCC TATGCGACAG GTTCTGGATT TTTAGATAGT GACAGTGTTA ATGGCATTAC      1260

AGTTATTCGT CTCAAGGATA ACCTAGATAA CCGCATGGTC TATGTTAAAC GTGAAGAAGT      1320

GGAGCTTAGT CAAGCTGGGA CTCTCTTCGT AGAAGTCATG CAAGAATATT TTGATCAAAA      1380

GAGGAAATCA TGAAAAAAAG AGCAATAGTG GCAGTCATTG TACTGCTTTT GATTGGGCTG      1440

GATCAGTTGG TCAAATCCTA TATCGTCCAG CAGATTCCAC TGGGTGAAGT GCGCTCCTGG      1500

ATCCCCAATT TCGTTAGCTT GACCTACCTG CAAAATCGAG GTGCAGCCTT TTCTATCTTA      1560

CAAGATCAGC AGCTGTTATT CGCTGTCATT ACTCTGGTTG TCGTGATAGG TGCCATTTGG      1620

TATTTACATA AACACATGGA GGACTCATTC TGGATGGTCT TGGGTTTGAC TCTAATAATC      1680

GCGGGTGGTC TTGGAAACTT TATTGACAGG GTCAGTCAGG GCTTTGTTGT GGATATGTTC      1740

CACCTTGACT TTATCAACTT TGCAATTTTC AATGTGGCAG ATAGCTATCT GACGGTTGGA      1800

GTGATTATTT TATTGATTGC AATGCTAAAA GAGGAAATAA ATGGAAATTA AAATTGAAAC      1860

TGGTGGTCTG CGTTTGGATA AGGCTTTGTC AGATTTGTCA GAATTATCAC GTAGTCTCGC      1920

GAATGAACAA ATTAAATCAG GCCAGGTCTT GGTCAATGGT CAAGTCAAGA AAGCTAAATA      1980

CACAGTCCAA GAGGGTGATG TCGTCACTTA CCATGTGCCA GAACCAGAGG TATTAGAGTA      2040

TGTGGCTGAG GATCTTCCGC TAGAAATAGT CTACCAAGAT GAGGATGTGG CTGTCGTTAA      2100

CAAACCTCAG GGAATGGTTG TGCACCCGAG TGCTGGTCAT ACCAGTGGAA CCCTAGTAAA      2160
```

```
TGCCCTCATG TATCATATTA AGGACTTGTC GGGTATCAAT GGGGTTCTGC GTCCAGGGAT      2220
TGTTCACCGT ATTGATAAGG ATACGTCAGG TCTTCTCATG ATTGCTAAAA ACGATGATGC      2280
GCATCTAGCA CTTGCCCAAG AACTCAAGGA TAAAAAGTCT CTCCGCAAAT ATTGGGCGAT      2340
TGTTCATGGA AATCTACCTA ATGATCGTGG TGTAATTGAA GCGCCGATTG GCCGGAGTGA      2400
AAAAGACCGT AAGAAACAGG CTGTAACTGC TAAAGGGAAG CCTGCAGTGA CGCGTTTTCA      2460
CGTCTTGGAA CGCTTTGGCG ATTATAGCTT AGTAGAGTTG CAACTGGAGA CAGGGCGCAC      2520
TCATCAAATC CGTGTCCACA TGGCTTATAT CGGCCATCCA GTCGCTGGTG ATGAGGTCTA      2580
TGGTCCTCGC AAGACTTTGA AAGGACATGG ACAATTTCTT CATGCCAAGA CTTTAGGTTT      2640
TACTCATCCG AGAACAGGTA AGACCTTGGA ATTTAAAGCA GATATCCCAG AGATTTTTAA      2700
GGAAACCTTG GAGAGATTGA GAAAGTAAGA ATGAAAAAGA AATTAACTAG TTTAGCACTT      2760
GTAGGCGCTT TTTTAGGTTT GTCATGGTAT GGGAATGTTC AGGCTCAAGA AAGTTCAGGA      2820
AATAAAATCC ACTTTATCAA TGTTCAAGAA GGTGGCAGTG ATGCGATTAT TCTTGAAAGC      2880
AATGGACATT TTGCCATGGT GGATACAGGA GAAGATTATG ATTTCCCAGA TGGAAGTGAT      2940
TCTCGCTATC CATGGAGAGA AGGAATTGAA ACGTCTTATA AGCATGTTCT AACAGACCGT      3000
GTCTTTCGTC GTTTGAAGGA ATTGGGTGTC CAAAAACTTG ATTTTATTTT GGTGACCCAT      3060
ACCCACAGTG ATCATATTGG AAATGTTGAT GAATTACTGT CTACCTATCC AGTTGACCGA      3120
GTCTATCTTA AGAAATATAG TGATAGTCCT ATTACTAATT CTGAACGTCT ATGGGATAAT      3180
CTGTATGGCT ATGATAAGGT TTTACAGACT GCTGCAGAAA AAGGTGTTTC AGTTATTCAA      3240
AATATCACAC AAGGGGATGC TCATTTTCAG TTTGGGGACA TGGATATTCA GCTCTATAAT      3300
TATGAAAATG AAACTGATTC ATCGGGTGAA TTAAAGAAAA TTTGGGATGA CAATTCCAAT      3360
TCCTTGATTA GCGTGGTGAA AGTCAATGGC AAGAAAATTT ACCTTGGGGG CGATTTAGAT      3420
AATGTTCATG GAGCAGAAGA CAAGTATGGT CCTCTCATTG GAAAAGTTGA TTTGATGAAG      3480
TTTAATCATC ACCATGATAC CAACAAATCA AATACCAAGG ATTTCATTAA AAATTTGAGT      3540
CCGAGTTTGA TTGTTCAAAC TTCGGATAGT CTACCTTGGA AAAATGGTGT TGATAGTGAG      3600
TATGTTAATT GGCTCAAAGA ACGAGGAATT GAGAGAATCA ACGCAGCCAG CAAAGACTAT      3660
GATGCAACAG TTTTTGATAT TCGAAAAGAC GGTTTTGTCA ATATTTCAAC ATCCTACAAG      3720
CCGATTCCAA GTTTTCAAGC TGGTTGGCAT AAGAGTGCAT ATGGGAACTG GTGGTATCAA      3780
GCGCCTGATT CTACAGGAGA GTATGCTGTC GGTTGGAATG AAATCGAAGG TGAATGGTAT      3840
TACTTTAACC AAACGGGTAT CTTGTTACAG AATCAATGGA AAAAATGGAA CAATCATTGG      3900
```

```
TTCTATTTGA CAGACTCTGG TGCTTCTGCT AAAAATTGGA AGAAAATCGC TGGAATCTGG      3960

TATTATTTTA ACAAAGAAAA CCAGATGGAA ATTGGTTGGA TTCAAGATAA AGAGCAGTGG      4020

TATTATTTGG ATGTTGATGG TTCTATGAAG ACAGGATGGC TTCAATATAT GGGGCAATGG      4080

TATTACTTTG CTCCATCAGG GGAAATGAAA ATGGGCTGGG TAAAAGATAA AGAAACCTGG      4140

TACTATATGG ATTCTACTGG TGTCATGAAG ACAGGTGAGA TAGAAGTTGC TGGTCAACAT      4200

TATTATCTGG AAGATTCAGG AGCTATGAAG CAAGGCTGGC ATAAAAAGGC AAATGATTGG      4260

TATTTCTACA AGACAGACGG TTCACGAGCT GTGGGTTGGA TCAAGGACAA GGATAAATGG      4320

TACTTCTTGA AAGAAAATGG TCAATTACTT GTGAACGGTA AGACACCAGA AGGTTATACT      4380

GTGGATTCAA GTGGTGCCTG GTTAGTGGAT GTTTCGATCG AGAAATCTGC TACAATTAAA      4440

ACTACAAGTC ATTCAGAAAT AAAAGAATCC AAAGAAGTAG TGAAAAAGGA TCTTGAAAAT      4500

AAAGAAACGA GTCAACATGA AAGTGTTACA AATTTTTCAA CTAGTCAAGA TTTGACATCC      4560

TCAACTTCAC AAAGCTCTGA AACGAGTGTA AACAAATCGG AATCAGAACA GTAGTAGAAA      4620

AGAAGGTTTT AGGGCCTTCT TTTTCCTATC AACTCTTTTC TATTTCCTGT TATTCATGTT      4680

ATAATGGATA AATATGAATA ATCGGAGTGA GACTATGAAA TACAAACGGA TTGTCTTTAA      4740

GGTGGGTACT TCTTCTCTGA CAAATGAGGA TGGAAGTTTA TCACGTAGTA AGGTAAAGGA      4800

TATTACCCAG CAGTTGGCTA TGCTGCACGA GGCTGGTCAT GAGTTGATTT TGGTGTCTTC      4860

AGGTGCCATT GCGGCTGGTT TTGGAGCCTT AGGATTTAAA AAGCGTCCGA CTAAGATTGC      4920

TGATAAACAG GCTTCAGCAG CGGTAGGGCA GGGGCTTTTG TTGGAAGAAT ATACAACCAA      4980

TCTTCTCTTG CGTCAAATCG TTTCTGCACA AATCTTGCTG ACCCAAGATG ACTTTGTGGA      5040

TAAGCGTCGT TATAAAAATG CCCATCAGGC TTTGTCGGTT TTGCTCAACC GTGGGGCAAT      5100

TCCTATCATC AATGAGAATG ATAGTGTCGT TATTGATGAG CTCAAGGTTG GGGACAATGA      5160

CACTCTAAGT GCTCAAGTAG CGGCGATGGT CCAAGCAGAC CTTTTAGTTT TCTTGACAGA      5220

TGTGGACGGT CTCTATACTG GAAATCCTAA TTCAGATCCA AGAGCCAAAC GCTTGGAGAG      5280

AATCGAGACC ATCAATCGTG AGATTATTGA TATGGCTGGT GGAGCTGGTT CGTCAAACGG      5340

AACTGGGGGT ATGTTAACCA AAATCAAGGC TGCAACTATC GCGACGGAAT CAGGAGTTCC      5400

TGTTTATATC TGCTCATCCT TGAAATCAGA TTCCATGATT GAGGCGGCAG AGGAGACCGA      5460

GGATGGTTCT TACTTTGTTG CTCAAGAGAA GGGGCTTCGT ACCCAGAAAC AATGGCTTGC      5520

CTTCTATGCT CAGAGTCAAG GTTCTATTTG GGTTGATAAA GGGGCTGCGG AAGCTCTCTC      5580

TCAATATGGA AAGAGTCTTC TCTTATCTGG TATCGTTGAA GCAGAAGGAG TCTTTTCTTA      5640

CGGTGATATC GTGACAGTAT TTGACAAGGA AAGTGGAAAA TCACTTGGAA AAGGACGCGT      5700
```

```
GCAATTTGGA GCATCTGCTT TGGAGGATAT GTTGCGTTCT CAAAAAGCCA AGGGTGTCTT      5760
GATTTACCGT GACGACTGGA TTTCCATTAC TCCTGAAATC CAACTACTTT TTACAGAATT      5820
TTAGAGGTAA ACTATGGTGA GTAGACAAGA ACAATTTGAA CAGGTACAGG CTGTTAAAAA      5880
ATCGATTAAC ACAGCTAGTG AAGAAGTGAA AAACCAAGCC TTGCTAGCCA TGGCTGATCA      5940
CTTAGTGGCT GCTACTGAGG AAATTTTAGC GGCTAATGCC CTCGATATGG CAGCGGCTAA      6000
GGGGAAAATC TCAGATGTGA TGTTGGATCG TCTTTATTTG GATGCAGATC GTATAGAAGC      6060
GATGGCAAGA GGAATTCGTG AAGTGGTTGC CTTACCAGAT CCAATCGGTG AAGTTTTAGA      6120
AACAAGTCAG CTTGAAAATG GTTTGGTTAT CACAAAAAAA CGTGTAGCTA TGGGTGTCAT      6180
CGGTATTATC TATGAAAGCC GTCCAAATGT GACGTCTGAT GCGGCTGCTT TGACTCTTAA      6240
GAGTGGAAAT GCGGTTGTTC TTCGTAGTGG TAAGGATGCC TATCAAACAA CCCATGCCAT      6300
TGTCACAGCC TTGAAGAAGG GCTTGGAGAC GACTACTATT CATCCAAATG TGATTCAACT      6360
GGTGGAGGAT ACTAGCCGTG AAAGTAGTTA TGCTATGATG AAGGCCAAGG GCTATCTAGA      6420
CCTTCTCATT CCTCGTGGAG GAGCTGGCTT GATCAATGCA GTGGTTGAGA ATGCGATTGT      6480
ACCTGTTATC GAGACAGGGA CTGGGATTGT CCATGTCTAT GTGGATAAGG ATGCAGACGA      6540
AGACAAGGCG CTGTCTATCA TCAACAATGC TAAAACCAGT CGTCCTTCTG TTTGTAATGC      6600
CATGGAGGTT CTGCTGGTTC ATGAAAACAA GGCAGCAAGC TTCCTTCCTC GCTTGGAGCA      6660
AGTGTTGGTT GCAGAGCGTA AGGAAGCTGG ACTGGAACCA ATTCAATTCC GCCTACATAG      6720
CAAAGCAAGC CAGTTTGTTT CAGGTCAAGC AGCTGAGACC CAAGACTTTG ACACCGAGTT      6780
TTTAGACTAT GTCCTTGCTG TTAAGGTTGT GAGCAGTTTA GAAGAAGCGG TTGCGCACAT      6840
TGAATCCCAC AGCACCCATC ATTCGGATGC TATTGTGACG GAAAATGCTG AAGCTGCAGC      6900
ATACTTTACA GATCAAGTGG ACTCTGCAGC GGTGTATGTT AATGCCTCAA CTCGTTTCAC      6960
AGATGGAGGA CAATTTGGTC TTGGTTGTGA AATGGGGATT TCTACTCAGA AATTGCACGC      7020
GCGTGGTCCC ATGGGCTTGA AAGAGTTGAC CAGCTACAAG TATGTGGTTG CCGGTGATGG      7080
GCAGATAAGG GAGTAAGAGA TGAAGATTGG ATTTATCGGT TTGGGGAATA TGGGTGCTAG      7140
CTTGGCAAAA TCTGTCTTGC AGACTAGGAC GTCAGATGAG ATTCTCCTTG CCAATCGTAG      7200
TCAAGCTAAG GTAGATGCTT TCATTGCAGA CTTTGGTGGT CAGGCTTCCA GCAATGAAGA      7260
AATGTTTGCA GAAGCAGATG TGATTTTTCT AGGAGTTAAG CCTGCTCAGT TTTCTGAACT      7320
GCTTTCTCAA TACCAGACCA TCCTTGAAAA AAGAGAAAGT CTTCTTTTGA TTTCGATGGC      7380
AGCTGGATTG ACCTTAGAAA AACTAGCAAG TCTTATCCCA AGTCAACACC GAATTATTCG      7440
```

```
TATGATGCCT AATACCCCTG CTTCTATCGG GCAAGGAGTG ATTAGTTATG CCTTGTCTCC      7500

TAATTGCAGG GCTGAGGACA GTGAGCTCTT TTATCAGCTT TTAGCCAAGG CTGGTCTCTT      7560

GGTTGAACTA GGAGAAAGTT TAATCGATGC AGCGACAGGT CTTGCAGGTT GTGGACCAGC      7620

CTTTGTCTAT CTTTTTATCG AGGCCTTGGC AGATGCAGGT GTTCAGACAG GATTACCACG      7680

AGAAATAGCA TTGAAAATGG CAGCACAAAC TGTGGTAGGA GCTGGGCAAT TGGTCCTTGA      7740

AAGTCAGCAA CATCCTGGAG TATTGAAAGA CCAAGTCTGT AGCCCAGGCG GTTCGACTAT      7800

CGCTGGTGTA GCAAGCCTAG AAGCGCATGC TTTCCGAGGA ACAGTCATGG ATGCAGTTCA      7860

TCAAGCCTAC AAACGAACAC AAGAACTAGG TAAATAAGAG GTAGTTTTGA CTGCCTCTTT      7920

TATGGTGGCT GAAATGAGAA GACACAAAAA GATTGTCACA AACCCCTATT TTTTTGATAG      7980

AATAGAAGTA GTAAAAAAGA AATGAGTTAG ACATGTCAAA AGGATTTTTA GTCTCTCTTG      8040

AGGGACCAGA GGGAGCAGGC AAGACCAGTG TTTTAGAGGC TCTGCTACCA ATTTTAGAGG      8100

AAAAAGGAGT AGAGGTGTTG ACGACCCGTG AACCTGGCGG AGTCTTGATT GGGGAGAAGA      8160

TTCGGGAAGT GATTTTGGAT CCAAGTCATA CTCAGATGGA TGCTAAAACA GAGCTACTTC      8220

TCTATATTGC CAGTCGCAGA CAGCATTTGG TGGAAAAAGT TCTTCCAGCC CTTGAAGCTG      8280

GCAAGTTGGT CATCATGGAT CGTTTTATCG ATAGTTCTGT TGCCTATCAG GGATTTGGTC      8340

GTGGCTTAGA TATTGAAGCC ATTGACTGGC TCAATCAGTT TGCGACAGAT GGCCTCAAAC      8400

CCGATTTGAC ACTCTATTTT GACATCGAGG TGGAAGAAGG GCTGGCTCGT ATTGCTGCTA      8460

ATAGTGACCG CGAGGTTAAT CGTTTGGATT TGGAAGGGTT GGACTTGCAT AAAAAAGTTC      8520

GTCAAGGCTA CCTTTCTCTT CTGGATAAAG AGGGAAATCG CATTGTCAAG ATTGATGCTA      8580

GTCTCCCTTT GGAGCAAGTT GTGGAAACTA CCAAGGCTGT CTTGTTTGAC GGAATGGGCT      8640

TGGCCAAATG AAACAAGATC AACTAAAGGC TTGGCAACCA GCTCAGTTTG ACCGTTTTGT      8700

CCGTATCTTA GAACAAGACC AGCTCAATCA CGCCTATCTC TTTTCAGGTT TCTTTGAAAG      8760

CTTGGAAATG GCGCAATTTT TAGCTAAGAG CCTCTTTTGT ACGGATAAAG TTGGCGTCTT      8820

ACCATGTGAG AAATGCCGAA GTTGCAAGCT GATTGAACAG GGAGAATTTC CCGATGTCAC      8880

CTTGATTAAA CCAGTTAATC AGGTCATTAA GACGGAACGC ATTCGAGAAT TGGTGGGTCA      8940

GTTTTCTCAA GCAGGGATTG AAAGCCAGCA ACAGGTCTTT ATCATCGAGC AAGCGGATAA      9000

AATGCATCCC AACGCAGCCA ATTCTCTGCT CAAGGTCATC GAAGAACCCC AGAGTGAAGT      9060

TTATATTTTC TTCTTGACTA GCGATGAGGA AAAGATGTTA CCGACAATCC GAAGTCGGAC      9120

TCAGATCTTC CACTTTAAAA AGCAAGAAGA AAAACTTATC TTACTCTTAG AACAAATGGG      9180

ACTTGTTAAG AAAAAAGCGA CTCTTTTAGC TAAGTTTAGT CAATCGCGAG CTGAAGCAGA      9240
```

```
AAAGTTGGCT AATCAGGCAA GTTTTTGGAC CTTGGTCGAT GAAAGTGAAC GCCTGCTGAC      9300
TTGGTTAGTA GCTAAGAAAA AAGAAAGTTA TCTACAGGTT GCCAAATTAG CCAACTTGGC      9360
AGATGATAAG GAAAAACAGG ATCAGGTTTT ACGGATTCTT GAAGTTCTCT GTGGGCAGGA      9420
CCTCTTGCAG GTAAGAGTAA GAGTGATTCT ACAAGATTTA CTAGAAGCTA GAAAAATGTG      9480
GCAAGCTAAT GTCAGCTTTC AAAATGCCAT GGAATATCTG GTCTTGAAAG AAATATAAAC      9540
TCAAAAATGA ATGATAAAGA AAGGAAAGGG CTGTTTTATG GACAAAAAAG AATTATTTGA      9600
CGCGCTGGAT GATTTTTCCC AACAATTATT GGTAACCTTA GCCGATGTGG AAGCCATCAA      9660
GAAAAATCTC AAGAGCCTGG TAGAGGAAAA TACAGCTCTT CGCTTGGAAA ATAGTAAGTT      9720
GCGAGAACGC TTGGGTGAGG TGGAAGCAGA TGCTCCTGTC AAGGCCAAGC ATGTTCGTGA      9780
AAGTGTCCGT CGCATTTACC GTGATGGATT TCACGTATGT AATGATTTTT ATGGACAACG      9840
TCGAGAGCAG GACGAGGAAT GTATGTTTTG TGACGAGTTG CTATACAGGG AGTAGGCATG      9900
CAGATTCAAA AAAGTTTTAA GGGGCAGTCT CCCTATGGCA AGCTGTATCT AGTGGCAACG      9960
CCGATTGGCA ATCTAGATGA TATGACTTTT CGTGCTATCC AGACCTTGAA AGAAGTGGAC     10020
TGGATTGCTG CTGAGGATAC GCGCAATACA GGGCTTTTGC TCAAGCATTT TGACATTTCC     10080
ACCAAGCAGA TCAGTTTTCA TGAGCACAAT GCCAAGGAAA AAATTCCTGA TTTGATTGGT     10140
TTCTTGAAAG CAGGGCAAAG TATTGCTCAG GTCTCTGATG CCGGTTTGCC TAGCATTTCA     10200
GACCCTGGTC ATGATTTAGT TAACCCAGCT ATTGAGGAAG AAATTGCAGT TGTGACAGTT     10260
CCAGGTGCCT CTGCAGGAAT TTCTGCCTTG ATTGCCAGTG GTTTAGCGCC ACAGCCACAT     10320
ATCTTTTACG GTTTTTTACC GAGAAAATCA GGTCAGCAGA AGCAATTTTT TGGCTTGAAA     10380
AAAGATTATC CTGAAACACA GATTTTTTAT GAATCACCTC ATCGTGTAGC AGACACGTTG     10440
GAAAATATGT TAGAAGTCTA CGGTGACCGC TCCGTTGTCT TGGTCAGGGA ATTGACCAAA     10500
ATCTATGAAG AATACCAACG AGGTACTATC TCTGAGTTAT TAGAAAGCAT TGCTGAAACG     10560
CCACTCAAGG GCGAATGTCT TCTCATTGTT GAGGGTGCCA GTCAGGGTGT GGAGGAAAAG     10620
GACGAGGAAG ACTTGTTCGT AGAAATTCAA ACCCGCATCC AGCAAGGTGT GAAGAAAAAC     10680
CAAGCTATCA AGGAAGTCGC TAAGATTTAC CAGTGGAATA AAAGTCAGCT CTACGCTGCC     10740
TACCACGACT GGGAAGAAAA ACAATAAAGG GAGACAGGAT GTAATAATTC TGTCTGTTTC     10800
TGTTTAACTT AATTAGTGAT GATAATATAA AGATGTATCA CTTGGTATAG AAGCTTTGGT     10860
ATTAAGTTTT TTATTAAGCC CATACGGAAT ACCGATGGTT GGAGCAGCAG TTATAGCGTT     10920
CTTAGAAGGT ATAAATAGAA AAATAAGGTC ATTTTAAATC AAAGGATTGA TAAATCAGAA     10980
```

```
AGAAGGTGAT TTTTTGCGAA CATACGAAAA TAAAGAAGAA CTAAAAGCTG AGATAGAGAA    11040

AACATTTGAG AAATATATTT TAGAATTTGA TAATATTCCA GAAAATTTAA AAGATAAGAG    11100

AGCTGATGAA GTTGACAGAA CTCCAGCAGA AAACCTTGCT TATCAGGTTG GTTGGACCAA    11160

CTTGGTTCTT AAATGGGAAG AAGATGAAAG AAAGGGGCTT CAAGTAAAAA CACCATCGGA    11220

TAAATTTAAA TGGAATCAAC TTGGTGAATT ATATCAGTGG TTCACAGATA CCTACGCTCA    11280

TTTATCTCTG CAAGAGTTGA AAGCAAAATT AAATGAAAAT ATTAATTCTA TCTCTGCAAT    11340

GATTGATTCG TTGAGTGAGG AAGAATTATT TGAACCGCAT ATGAGAAAGT GGGCTGATGA    11400

AGCGACTAAA ACAGCGACTT GGGAAGTGTA TAAGTTTATT CATGTAAATA CGGTTGCACC    11460

TTTTGGAACT TTCAGAACTA AAATCAGAAA ATGGAAGAAG ATAGTATTAT AAATTATATT    11520

TTTAACTTTA AAAAATTTCA TAAAAATGGT TACCAAAGGC GATAGAAGAA AAACTATCGT    11580

CTTTTTCTTT GCAAATTTTT AAGAAGGGAG GTGATCTTGC ATGGACTTTG AATATTTTTA    11640

TAACAGAGAA GCGGAAAGAT TTAACTTCTT AAAAGTACCG GAGATATTAG TTGATAGAGA    11700

AGAATTTCGG GGCTTATCAG CAGAAGCAAT TATCCTTTAT TCCATACTTC TTAAACAGAC    11760

AGGAATGTCA TTTAAGAATA ACTGGATAGA CAAGGAAGGC AGAGTATTTA TCTATTTTAC    11820

TGTCGAAGAA ATTATGAAAA GAAGAAATAT CTCAAAGCCA ACTGCCATAA AAACATTAGA    11880

TGAGCTTGAT GTAAAAAAGG AATAGGACTG ATCGAAAGAG TAAGGCTTGG ACTTGGTAAG    11940

CCGAACATCA TTTATGTTAA AGACTTTATG AGTATATTTC AGGTAAAAGA AAATGACTTA    12000

CAGAAGTCAA AAAACTTAAC TTCAGAAGTA AAAGATTTTA ACCTCAGAAG TAAAGAAAAT    12060

GAACTTCAAG AGGTTAAGAA CCTTGACTCT AACTATATAG AGAATAATAA GAGTAAGTAT    12120

AGTAAGAGAG AATATAGTTT TGGTGAAAAC GGACTTGGAA CATTTCAAAA TGTGTTTTTA    12180

GCTGCTGAAG ATATATCGGA TTTACAAATC ATAATGAACT CACAGCTTGA GAATTACATT    12240

AGACTTCCTG CAAAACTAGA ATCCTAGTTC ATGATTGATA ATGCCAGCAA TCAAATTCAT    12300

TCGTAATCCG AAGCGTTTAC GATGATTTCG ATAGATTGTT GAAAACATTT TAAACGTTTT    12360

TACTTTGGCA AAGATGTTCT CAATCTTGCT TCTCTCCTTG GATAGCGCAT GGTTACAGGC    12420

TTTATCTTCA GCTGTTAGCG GCTTGAGTTT GCTGGATTTA CGTGGAGTTT GTACTTGAGG    12480

ATATATCTTC ATGAGCCCTT GATAACCACT GTCAGACAAG ATTTTACCAG CTTGTCCGAT    12540

ATTTCTGCGA CTCATTTTGA ACAACTTCAT ATCACGACAA TAGTTCACAG CGATATCCAA    12600

AGAAACAATT CTCCCTTGAC TTGTGACAAT CGCTTGAGCC TTCATAGCGT GAAATTTCTT    12660

TTTACCAGAA TGATTCGCTA ATTCTTTTTT TAGGGCGATT GATTTTTACT TCCGTCGCAT    12720

CAATCATTAC CGTGTCCTCA GAACTGAGAG GAGTTCTTGA AATCGTAACA CCACTTTGAA    12780
```

CAAGAGTTAC TTCAACCCAT TGGCTCCGAC GGATTAAGTT GCTTTCGTGA ATACCAAAAT 12840

CAGCCGCAAT TTGTTCATAA GTTCGATATT CTCGCACATA TTGAAGAGTG GCCATAAGAA 12900

GGTCTTCTAG GCTTAATTTA GGTTTTCGTC CACCTTTTGC GTGTTTAAGT TGATAAGCTG 12960

TTTTTAATAC AGCTAATATC TCTTCAAAAG TCGTGCGCTG AACACCAACA AGACGCTTAA 13020

ATCGTGCATC AGTTAGTTGT TTACTTGCTT CATCATTCAT AGAACTACTA TACCATATTT 13080

TGTTTCGCAG GAAGTCTATT GGAAAGTAAG AAATATTGAA GCTGAGGCTA TTAGAAGAAA 13140

TTGTGAGCGT GGTGCTATTT TTTCAGGTAA AATAAAATAT CACGAAGATT CACAGTTTAA 13200

AGGAGATCAC TATGTTGAAT GTTATGCTGT TTTAGATAAT ACGGTTATAG CAAGAGATAG 13260

AATAACAGTC CCTATCGATC CGTTATGTGG AAAAGATTTT ATAGAGTAGC ATATAATTGA 13320

TTCTTAACTG GAATACTCAC TATCTCTTTA CATCAAGAAA ATGACTAAAC AGGGAAGTTT 13380

GCCTTCTTCC CTTTTTTTGT TATACTAGTA GAAGAAAAAA TTAGAAAGAT TTGTGGGTGT 13440

CAAACAGCCC AGTGGGGTGT TTTAATATGG ACTTAGGTCC CACCCAAAGA GGTATTAGTG 13500

TCGTGTCTCA ATCTTATATC AATGTTATCG GTGCTGGTTT GGCAGGTTCT GAAGCAGCTT 13560

ACCAAATCGC AGAGCGTGGT ATTCCAGTTA AACTATATGA AATGCGTGGT GTCAAGTCTA 13620

CACCCCAGCA TAAAACAGAC AATTTTGCTG AGTTGGTTTG TTCCAATTCT TTGCGTGGGG 13680

ATGCTTTGAC AAATGCAGTT GGTCTTCTCA AGGAAGAAAT GCGTCGCTTG GGTTCTGTTA 13740

TCTTGGAATC TCCTGAGCCT ACACGTGTTC CTGCAGGTGG TGCCCTTGCA GTGGACCGTG 13800

ATGGTTTCTC TCAAATGGTG ACCGAAAAAG TTGCCAACCA CCCCTTGATT GAAGTGGTTC 13860

GTGATGAAAT TACAGAATTG CCGACAGATG TTATTACGGT TATCGCTACT GGTCCTTTGA 13920

CAAGTGATGC CTTGGCTGAA AAGATTCATG CTCTTAATGA CGGTGCTGGT TTTTATTTCT 13980

ACGATGCGGC AGCGCCTATT ATCGATGTCA ACACTATCGA TATGAGCAAG GTCTACCTCA 14040

AATCACGTTA TGATAAGGGA GAAGCGGCCT ACCTCAATGC CCCTATGACC AAGCAAGAAT 14100

TTATGGATTT CCATGAAGCT TTGGTCAATG CAGAAGAAGC ACCGCTTAGT TCTTTTGAAA 14160

AAGAAAAGTA CTTTGAAGGA TGTATGCCTA TCGAAGTCAT GGCCAAACGT GGCATTAAAA 14220

CTATGCTTTA TGGCCCTATG AAGCCAGTCG GTCTTGAGTA CCCAGACGAC TATACAGGAC 14280

CTCGTGATGG AGAATTTAAA ACACCTTATG CGGTTGTGCA ACTTCGTCAG GATAATGCAG 14340

CTGGTAGCCT CTACAATATT GTTGGTTTCC AGACCCACCT CAAATGGGGA GAACAAAAGC 14400

GTGTCTTCCA AATGATTCCG GGTCTTGAAA ATGCGGAGTT TGTCCGTTAT GGTGTGATGC 14460

ATCGCAATTC TTACATGGAT TCACCAAATC TTCTTGAGCA GACTTACCGT TCTAAGAAAC 14520

```
AACCAAATCT CTTCTTTGCT GGTCAAATGA CGGGTGTGGA AGGCTATGTT GAGTCGGCGG    14580
CTTCAGGCTT AGTTGCGGGA ATTAACGCAG CTCGTCTCTT CAAGGAAGAA AGCGAGGCTA    14640
TTTTCCCCGA GACGACAGCG ATTGGAAGCT TAGCTCATTA CATTACCCAT GCCGACAGCA    14700
AACATTTCCA ACCAATGAAT GTCAATTTTG GGATCATCAA GGAGTTGGAA GGCGAGCGTA    14760
TCCGTGATAA GAAGGCTCGT TATGAAAAAA TTGCAGAGCG TGCCCTTGCC GACTTAGAGG    14820
AATTTTTGAC TGTCTAATTT TTTTGAAAGA ATTGCTCATG ATACTATAAA AATCTTAGAA    14880
ATTGTGATAA AATAGGTAGG ATGAAAGAAG GAGAGTGAAA ATGGCGAATC CCAAGTATAA    14940
ACGTATTTTA ATCAAGTTAT CAGGTGAAGC CCTTGCCGGT GAACGTGGCG TAGGGATTGA    15000
TATCCAAACA GTTCAAACAA TCGCAAAAGA GATTCAAGAA GTTCATAGCT TAGGTATCGA    15060
AATTGCCCTT GTTATCGGTG GAGGAAATCT CTGGCGTGGA GAACCTGCAG CAGAAGCAGG    15120
TATGGACCGT GTTCAGGCAG ATTACACAGG AATGCTTGGG ACTGTTATGA ATGCTCTTGT    15180
GATGGCAGAT TCATTGCAAC AAGTTGGGGT TGATACGCGT GTACAAACAG CTATTGCCAT    15240
GCAACAAGTG GCAGAGCCTT ATGTCCGTGG ACGTGCCCTT CGTCACCTTG AAAAAGGCCG    15300
TATCGTTATC TTTGGTGCTG GAATTGGTTC ACCTTACTTC TCGACAGATA CAACAGCGGC    15360
CCTTCGTGCA GCTGAAATCG AAGCAGATGC CATCCTCATG GCTAAAAATG GTGTCGATGG    15420
TGTTTACAAT GCCGATCCTA AGAAAGATAA GACAGCTGTT AAGTTTGAAG AATTGACCCA    15480
CCGTGACGTT ATCAATAAAG GTCTTCGTAT CATGGACTCA ACAGCTTCAA CCCTCTCAAT    15540
GGACAACGAC ATTGACTTGG TTGTATTCAA CATGAACCAA CCAGGCAACA TCAAACGTGT    15600
CGTATTTGGT GAAAATATCG GAACAACAGT TTCAAATAAT ATCGAAGAAA AGGAATAAGA    15660
AAGAATATGG CTAACGCAAT TATTGAAAAA GCTAAAGAGA GAATGACCCA GTCTCACCAA    15720
TCACTTGCTC GTGAATTTGG TGGTATCCGT GCTGGTCGTG CCAATGCAAG CTTGCTTGAC    15780
CGTGTACATG TAGAATACTA TGGAGTCGAA ACTCCTCTTA ACCAAATCGC TTCAATTACG    15840
ATTCCAGAAG CGCGTGTTTT GTTGGTAACA CCATTTGACA AGTCTTCATT GAAAGACATC    15900
GAACGTGCCT TGAACGCTTC TGATATTGGT ATCACACCGG CTAATGACGG TTCTGTGATT    15960
CGCTTGGTTA TCCCAGCTCT TACAGAAGAA ACTCGTCGTG ACCTTGCTAA AGAAGTGAAG    16020
AAGGTCGGCG AAAATGCTAA AGTGGCTGTC CGCAATATCC GTCGCGATGC TATGGACGAA    16080
GCTAAGAAAC GAGAAAAAGC AAAAGAAATC ACTGAAGACG AATTGAAGAC TCTTGAAAAA    16140
GACATTCAAA AAGTAACAGA CGATGCTGTT AAACACATCG ACGACATGAC TGCTAACAAA    16200
GAGAAAGAAC TTTTGGAAGT CTAAAAATAA ACAGAAAAAC TCAGTTGGCA TTGCTGGCTG    16260
AGTTTTATTC GAAAGAAGGA AATATGAATA CAAATCTTGC AAGTTTTATC GTTGGACTGA    16320
```

```
TCATCGATGA AAACGACCGT TTTTACTTTG TGCAAAAGGA TGGTCAAACC TATGCTCTTG      16380
CTAAGGAAGA AGGCCAACAT ACAGTAGGGG ATACGGTCAA AGGTTTTGCA TACACGGATA      16440
TGAAGCAAAA ACTCCGCCTG ACAACCTTAG AAGTGACTGC CACTCAGGAC CAATTTGGTT      16500
GGGGACGTGT CACAGAGGTT CGTAAGGACT TGGGTGTCTT TGTGGATACA GGCCTTCCTG      16560
ACAAGGAAAT CGTTGTGTCA CTCGATATTC TCCCTGAGCT CAAGGAACTC TGGCCTAAGA      16620
AGGGCGACCA ACTCTACATC CGTCTTGAAG TGGATAAGAA AGACCGTATC TGGGGCCTCT      16680
TGGCTTATCA AGAAGACTTC CAACGTCTTG CTCGTCCTGC CTACAACAAC ATGCAGAACC      16740
AAAACTGGCC AGCCATTGTT TACCGTCTCA AGCTGTCAGG AACTTTTGTT TACCTACCAG      16800
AAAATAATAT GCTTGGTTTT ATTCATCCTA GCGAGCGTTA CGCAGAGCCA CGTTTGGGGC      16860
AAGTATTAGA TGCGCGCGTT ATTGGTTTCC GTGAAGTGGA CCGCACTCTG AACCTCTCCC      16920
TCAAACCACG CTCCTTTGAA ATGTTGGAAA ACGATGCTCA GATGATTTTG ACTTATTTGG      16980
AAAGCAATGG CGGTTTCATG ACCTTAAATG ACAAGTCATC TCCAGACGAC ATCAAGGCAA      17040
CCTTTGGCAT TTCTAAAGGT CAGTTCAAGA AAGCTTTAGG TGGTCTTATG AAGGCTGGTA      17100
AAATCAAGCA GGACCAGTTT GGGACAGAGT TGATTTAGGG AGGCTTATGA GAAAATCATT      17160
TTACACTTGG CTCATGACCG AGCGCAATCC TAAAAGTAAC AGTCCCAAAG CAATTTTGGC      17220
AGACCTCGCT TTTGAAGAGT CAGCCTTTCC AAAACACACA GATGATTTTG ATGAGGTCAG      17280
TCGCTTTTTG GAGGAGCATG CCAGTTTCTC TTTTAACCTA GGACATTTTC ACAGCATTTG      17340
GCAGGAATAT CTAGAACACT AGCATTTATT CATTGGGTTT GGGCTAGTAA TTTCTCCATC      17400
CCTCTGCTAT AATAAAAAGA AATAAAAGGA TTAGAGAGGT TCTTTATTTG AAGGAACATT      17460
CAATAGACAT TCAACTGAGT CATCCAGATG ACCTGTTTCA TCTTTTTGGT TCCAATGAAC      17520
GCCATCTTCG TTTGATGGAA GAAGAGCTTG ATGTTGTGAT TCATGCTCGT ACGGAGATTG      17580
TCCAGGTTTT GGGAGAAGAG TCTGCCTGTG AGGAAGCCCG TCAAGTTATT CAGGCTTTGA      17640
TGGTCTTGGT AAATCGTGGG ATGACCGTTG GTACGCCAGA TGTAGTCACT GCGATTAGCA      17700
TGGTCAAAAA TGATGAAATT GACAAGTTTG TCGCCCTTTA CGAAGAAGAA ATTATCAAGG      17760
ATAATACTGG GAAACCTATC CGTGTCAAAA CCCTAGGGCA AAAGCTTTAT GTGGACAGTG      17820
TCAAACAGCA TGATGTGACC TTTGGAATTG GGCCAGCAGG TACAGGGAAG ACCTTCCTTG      17880
CAGTGACCTT GGCAGTGACT GCCCTTAAAC GTGGGCAAGT CAAGCGAATT ATCCTAACTC      17940
GTCCAGCGGT GGAAGCGGGA GAGAGTCTTG GATTTCTTCC GGGTGATCTT AAGGAGAAGG      18000
TGGATCCTTA CCTTCGTCCT GTTTACGATG CCTTGTATCA AATTCTTGGG AAAGACCAAA      18060
```

```
CGACTCGTCT CATGGAGCGT GAAATTATCG AAATTGCGCC CCTTGCCTAT ATGCGTGGCC    18120
GGACCTTGGA TGATGCCTTT GTCATTCTCG ATGAGGCGCA AAACACGACC ATCATGCAGA    18180
TGAAGATGTT CTTGACGCGT TTAGGTTTTC ATTCTAAGAT GATTGTCAAT GGAGATATTA    18240
GTCAGATTGA CCTGCCACGT AATGTCAAGT CCGGTTTGAT TGATGCTCAA GAGAAACTCA    18300
AGAACATCCA TCAGATTGAC TTTGTTCATT TTTCAGCCAA GGATGTGGTT CGCCATCCTG    18360
TTGTCGCTCA GATTATCCGA GCCTATGAAT ATTCTACTGA AGTTGCACAC GACTGATTTT    18420
GAGGAAGTTC GCCTGCAAAA GAATAGACTT GTTCGGTAAC TGTAAAAAGT GTTATACTAT    18480
TTTTATGGAA ACAGTATACG ACAAAGCACA AAAACTTAAC TCAAAAAACT TCAAACTATT    18540
GATTGGTGTC AAAAAGGAAA CCTTTCAACT CATGCTAGAA CACCTGAATT CAGCCTATCA    18600
GATTCAGCAC CGAAAAGGTG GACGTCCACG TAGTCTGCCC ATGGAAGACC AGCTCATTAT    18660
GACCCTCCGT TACTTGCGAT ATTATCCCAC TCAGCGTCTG CTGGCCTTTG ATTTTGGCGT    18720
CGGTGTAGCT ACGGTAAATG CCATCATCAC TTGGGTGGAG GATACACTTC GTGCGTCAGG    18780
TAGCTTTGAT TTGGACCATT TAGAAGCCCC GAGTGCTGCT GTGGCTATTG ACGTGACCGA    18840
AAGTCCGATT CAGCGTCCAA ACAAAACCAA AGCAAAAATT ATTCTGGTAA AAAGAAACGA    18900
CACACCTTAA AAACTCAAAT TATGCTGGAT TTGACGACAC ATAAAGTCTG TCAAATGGCC    18960
TTTTCTGACG GACATACGCA TGATTTTACT CTCTTCAAAG AAAGTATTGG ACAAAGTTTG    19020
CCTGAAACGA CGCTTGCCTT TGTTGACCTA GGTTATTTAG GCATCTTGAA ATTTCATGAG    19080
AATACTTTCA TTCCTGCTAA AAATTCCAAA AATCGCCGCC TGAGTGAGGA TGATAAGCAG    19140
TTAAATAAAG AGATGTCAGC GATACGAATT GAAATTGAAC ATTTTAACGC TAAATTCAAG    19200
ACCTTCCAAA TCATGTCAGT CCCTTATCGT AACCGCAGAA AACGTTTCGA GTTACGGGCG    19260
GAATTAATTT GTGCCATCAT CAATTATGAA GTGAACTAGA TTCCGAACAA GTCTAATATA    19320
CTTTTGAGAG AGGAAAATCC AGTTGTATAG GCTAAAGGTT TTATCCAAAG GTCTGAGACA    19380
ACGATTAGGC ACGATGGAAA GAACTTTTAT GTGGCTGATG ACGATCAGTG CATCTTCCTG    19440
TGTCATAATC ACAGGGCACA AGAAAGTAGG AATTTGAAAA GATGATTGAC CAACTATCTA    19500
AGTATTACAG TTGTAGGATA CTAACTGAAA AGGATATTCC AAGTATTTTA TCTTTATATG    19560
AAAGTAATCC TCTGTATTTT CAGCATTGTC CACCAGAGCC AAATTTTGCA ACTGTAAAAG    19620
AGGACATGCT TTGTCTACCT GAAGGTAAAG CTAAGGCTGA TAAGTTTTTT GTTGGATTTT    19680
GGAATGGATC TGACCTTGTG GCTGTTATGG ATTTTGTCTA TGCATATCCT GATGAGGAGA    19740
CTGTTTTTAT TGGTTTGTTT ATGGTTGATC AAGCCTATCA GAGAAAAGGG ATTGGTAGTC    19800
ATATTGTGAC AGAAGCACTA GCTTATTTTG CTAAGAACTT TCGAAAGGCA CGTTTGGCTT    19860
```

```
ATGTTAAGGG AAATCCGCAA TCTCAGCATT TTTGGGAAAA GCAGGGCTTT AAATCAATTG    19920
GATGCGAGGT TAAGCAAGAA CTCTATACGG TTGTTATCGC TGAACAGAGC CTAGAAGATT    19980
AGAAATGGCA TCAAGTAAGA ACTATTTGGA ATTTGTTTTG GAACAATTAT CAGGATTAGA    20040
TGATGTGACT TACCGTTCCA TGATGGGGGA GTATATTCTT TACTTCCGCG GCAAGATTAT    20100
TGGCGGCATT TATGACGATC GCTTTTTAGT TAAACCCGTG CAAGCAGTCT TAGATAAGAT    20160
TGACCAATCT TCTTTTGAGT TTCCATACAA AGGTGCCAAA GAAATGATTT GAGTGGAAGA    20220
ACTTGATAAT AAGATGTTTC TATAAGACCT AATTTTAGCT ATGTATAACC AACTGCCAAC    20280
GCCCAAACCT AAAAAGAAAA AGCAAGGGTG AACGAAGTAA AAAAGAAGTC TGCTAAGGCC    20340
CTGTCTTTGC ACGGGTAAAA TTTTATATAT AAAAAGAAGC TGGGACTAAA GAGCTCAGCT    20400
TCCTTTGGTT TATATAATTG TCATTACAAG ACGAAGTGGT TGGGCGAAAC TCTGTTGACT    20460
TTATTCAATT TAGAGTTTCT TATGCACAAT TGAGTCTGGA ACGAAAGTCT CCAGTTGCAA    20520
AGTATACAGT ACAATAAACC AACGATGTAA TAGCTGATGA CACAAAGCAC AGTGGGTAGG    20580
ACTTGCGAAG TCACCCTTTT CTTTTCAAAA TTTATACTAA ATCATTGATA TCAGTGTAGT    20640
CACGATTAAG TCCTTGAGCA ACTGGTAGGT TAGTCAAGTA ACCTTGATAA GTAGTCACAC    20700
CTTGACGCAA GCCTTCATCT TCAGAGATTG CTTGTGCGAA TCCTTTGCCA GCCAAAGCTT    20760
CGATATAAGG AAGAGTGACA TTGGTTAGGG CGATGGTTGA AGTGCGAGCA ACCGCACCAG    20820
GGATATTGGC AACGGCATAG TGGAGAACAC CGTGTTTTTC ATAGACGGGT TCATCGTGCG    20880
TTGTCACACG GTCAGCTGTT TCGATAACGC CACCTTGGTC AACAGCAACG TCAACGATAC    20940
AGAGCCTGGA CGCATTTGTT TGACCATCTC ATCTGTCACC AATTCCGGTG CTTTTGCACC    21000
AGGGATGAGA ATGGCTCCAA TCACCACATC AGCATCTCTC ACACTTGCTT CAATGTTGAA    21060
TGAATTAGAC ATAAGAGTTT GAATTTGACT TCCAAAGACT TCTTCTAGAA CTGAGAGACG    21120
CTTGGAACTA ATATCTAAAA TAGTCACTTG AGCACCAAGA CCAAGGGCGA TGCGGGCAGC    21180
ATGTGTACCG ACGACACCAC CACCGATGAT AGTTACTTTT CCTTTTGGAA CACCTGGTAC    21240
ACCACCAAGT AGAACACCAG AGCCACCAGC TTGCTTAGTA AGGAAGTGAG CTCCGATTTG    21300
AACAGCCATA CGACCTGCAA CCTCACTCAT AGGAACGAGG AGCGGTAGTT GTCCTTGATT    21360
GTCACGAACA GTTTCAGTTG TTTTTGCTGT TAACATAGCA TCTGCTAATT CTGGAGCAGC    21420
GGCCATGTGC AAGTAGGTGA AGAGAAGAAG ATCGTCGCGC AAGTAACCGT ATTCAGAACT    21480
TAAAGATTCT TTTACTTTCA CAACCAACTC TGCTGCCCAA GCTTCACCAG CAGTAGCGAC    21540
AATCTCAGCT CCTTGCTTTT GATAGTCAGC ATCAGTAAAG CCAGAACCGA GACCAGCATT    21600
```

TGTTTCGATA AGGACACGAT GACCACGACT AACTAAGCTA TGAACACCTG CAGGTGTGAG 21660

GGCGACACGG TTTTCGTTAT TTTTAATTTC TTTTGGGATT CCGATTAACA TTGAGATAAC 21720

CTACCTTTCA ATTGACGGTC TTGTTTTGGT TGTCACATTC CAGTTCATAA ATCAAAAATG 21780

TGACGGTTTC ATTGTATATG AAACCGCTTC AAAAATCAAG AAAAACTTGT CATCCAAATT 21840

TTTTTATGCT AGACTAGTGA AAATCAAGCT CTAATGGAGG GAAAAGTATG GAATCAATAT 21900

TTGTGAAATT TGCCCAGTAT CCGTCTATAG AAACGGAGCG TTTATTGCTC AGACCTGTAA 21960

CTTTGGATGA TGCGGAAcAA TGTTTGACTA TGCCTCGGAC AAGGGTAATA CACGTTACAC 22020

TTTTCCAACC AATCAAAGCT TGGAAGAAAC CAAGAATAAC ATTGCTCAGT TCTACTTGGC 22080

TAATCCCTTG GGACGTTGGG GAATAGAACT AAAAAGCAAT GGTCAGTTTA TTGGAACCAT 22140

TGACTTGCAC AAGATTGATT CTGTTCTTAA GAAGGCAGCT ATTGGCTACA TTATCAATAA 22200

AAAGTATTGG AATCAAGGAT TAACGACAGA AGCCAATCGT GCTGTGATTG AGCTAGCTTT 22260

TGAGAAGATA GGGATGAATA AGTTGACTGC CCTTCACGAT AAGGCTAATC CCGCGTCAGG 22320

AAAGGTCATG GAGAAATCAG GCATGCGTTT TTCCCATGCA GAACCATATG CTTGTATGGA 22380

CCAGCATGAA AAAGGCCGAA TCGTGACAAG AGTTCATTAT GTCTTGACCA AGGAAGACTA 22440

TTTTGCAAAT AAATAAGCAG TTGAAAAGAA ATTTTTCGAC TGTTTTTTCT TCCTCTTACG 22500

AATAATCTAA GAGAGGAGAA AATATGGAAG CAATTATCGA GAAAATCAAA GAGTATAAAA 22560

TCATCGTCAT CTGTACTGGT CTGGGCTTGC TTGTAGGAGG ATTTTTCCTG CTAAAACCAG 22620

CTCCACAAAC ACCTGTCAAA GAGACGAATT TGCAGGCTGA AGTTGCAGCT GTTTCCAAGG 22680

ACTCATCGAC CGAAAAGGAA GTGAAGAAGG AAGAAAAGGA AGAACCCCTT GAACAAGATC 22740

TAATCACAGT AGATGTCAAA GGTGCTGTCA AATCGCCAGG GATTTATGAC TTGCCTGTAG 22800

GTAGTCGAGT CAATGATGCT GTTCAGAAGG CTGGTGGCTT GACAGAGCAA GCAGACAGCA 22860

AGTCGCTCAA TCTAGCTCAG AAAGTTAGTG ATGAGGCTCT GGTTTACGTT CCTACTAAGG 22920

GAGAAGAAGC AGTTAGTCAA CAGACTGGTT CGGGGACAGC TTCTTCAACA AGCAAGGAAA 22980

AGAAGGTCAA TCTCAACAAG GCCAGTCTGG AAGAACTCAA GCAGGTCAAG GGACTGGGAG 23040

GAAAACGAGC TCAGGACATT ATTGACCATC GTGAGGCAAA TGGCAAGTTC AAGTCAGTAG 23100

ACGAGCTCAA GAAGGTCTCT GGCATTGGTG GCAAAACAAT AGAAAAGCTT AAAGACTATG 23160

TTACAGTGGA TTAAGAATTT CTCTATTCCC CTAATTTACC TGAGTTTTCT ATTACTTTGG 23220

CTTTATTACG CTATTTTCTC AGCATCTTAT CTTGCTTTGT TGGGCTTTGT TTTTCTGCTA 23280

GTCTGTCTCT TTATCCAATT TCCGTGGAAA TCTGCTGGTA AAGTTCTAAT AATTTGCGGA 23340

ATCTTTGGAT TTTGGTTTGT TTTTCAAAAT TGGCAACAGA GTCAAGCGAG TCAAAATCTG 23400

```
GCGGATTCTG TTGAAAGGGT ACGGATTTTG CCTGATACTA TTAAGGTTAA TGGTGATAGT    23460
CTATCCTTTC GTGGCAAGTC TAACGGTCGT GCTTTCCAAG TCTATTATAA ACTCCAGTCC    23520
GAGGAGGAGA AAGAAGCCTT TCAAGCTTTA ACTGACCTGC ATGAGATAGG ACTAGAAGGG    23580
AAGCTTTCGG AGCCAGAAGG GCAGAGAAAT TTTGGTGGCT TTAATTACCA AGCCTATCTG    23640
AAGACTCAGG GAATTTACCA GACTCTCAAT ATCAAAACAA TCCAGTCACT TCAAAAGATT    23700
GGCAGTTGGG ATATAGGAGA AAACTTGTCC AGTTTACGTC GAAAGGCTGT GGTTTGGATT    23760
AAGACGCACT TTCCAGACCC TATGGGCAAT TACATGACAG GACTCTTGCT GGGACATCTG    23820
GACACCGACT TTGAGGAGAT GAATGAGCTT TATTCCAGTC TAGGAATTAT CCACCTCTTT    23880
GCCCTATCTG GCATGCAGGT AGGTTTTTTC ATGAATGGAT TTAAGAAACT TCTCTTGCGA    23940
TTGGGCTTGA CCCAAGAAAA GTTGAAATGG CTGACTTATC CCTTTTCCCT TATCTATGCG    24000
GGACTAACTG GATTTTCAGC ATCGGTTATT CGCAGTCTCT TGCAAAAGCT ACTGGCTCAA    24060
CATGGGGTTA AGGGCTTGGA TAATTTTGCC TTGACGGTGC TTGTCCTCTT TATTGTCATG    24120
CCAAACTTTT TCTTGACAGC AGGAGGAGTC TTGTCCTGCG CTTATGCTTT TATCCTGACC    24180
ATGACCAGCA AAGAAGGGGA GGGGCTCAAG GCTGTTACTA GTGAAAGTCT AGTCATCTCC    24240
TTGGGCATAT TGCCCATTCT ATCCTTCTAT TTTGCGGAAT TTCAACCTTG GTCTATCCTT    24300
TTGACCTTTG TCTTTTCCTT TCTTTTTGAC TTGGTCTTCT TACCGCTCTT GTCTATCTTA    24360
TTTGTCCTTT CCTTTCTCTA TCCAGTCATT CAGCTGAACT TTATCTTTGA ATGGTTAGAG    24420
GGCATTATTC GCTTGGTCTC GCAGGTGGCA AGGAGACCAC TTGTCTTTGG TCAACCCAAC    24480
GCATGGCTTT TAATCTTATT GTTAATTTCC TTGGCTTTGG TCTATGATTT GAGGAAAAAC    24540
ATTAAAGGAT TAACAGTATT GAGTTTATTG ATTACAGGTC TCTTTTTCCT TACCAAGTAT    24600
CCACTGGAAA ATGAAATCAC CATGCTGGAT GTGGGGCAAG GAGAAAGTAT TTTCTACGGG    24660
ATGTAACTGG GAAAACCATT CTCATAGATG TAGGTGGTAA GGCAGAATCT TATAAGAAAA    24720
TCAAAAAATG GCAAGAAAAG ATGACGACCA GCAATGCCCA GCGAACCTTG ATTCCCTATC    24780
TCAAAAGTCG AGGAGTAGCT AAGATTGACC AGCTAATTTT GACTAACACG GACAAGGAGC    24840
ATGTTGGAGA TTTGTCAGAG ATGACCAAGG CTTTCCATGT AGGGGAGATT CTAGTATCAA    24900
AAGACAGTCT GAAACAGAAG GAATTTGTGG CAGAACTACA GGCGACTCAA ACAAAGGTGC    24960
GTAGTATGAT AGTAGGGGAG AACTTGCCCA TTTTTGGAAG TCAGTTAGAA GTTCTATCTC    25020
CAAGGAAAAT GGGAGATGGA GGACACGATG ATACCCTAGT TCTGTATGGG AAATTCTTGG    25080
ATAAGCAATT TCTCTTCACG GGAAATTTGG AGGAGAAAGG AGAGAAGGAC TTGCTGAAGC    25140
```

```
ACTATCCAGA CTTGAAAGTA AATGTTTTGA AAGCTAGCCA ACATGGCAAT AAAAAATCAT     25200

CAAGTCCAGC CTTTCTAGAA AAACTCAAAC CAGAGCTTAC TCTTATCTCA GTTGGAAAGA     25260

GCAATCGAAT GAAACTCCCC CATCAGGAAA CATTGACACG ACTGGAAGGT ATCAATAGCA     25320

AAGTTTATCG AACTGACCAG CAAGGAGCTA TACGTTTTAA GGGGTTGGAT AGTTGGAAAA     25380

TCGAAAGTGT TCGATAGGAA GGATAAATGT TGTAGATTAG TGAAATAAAC TAAAAATTTG     25440

TTGCATAATA ATGATAAAAA TGGTATAATG AAAACGTATT CAATATTGAG GATATAAAAT     25500

CATTAAAAAT CAGCAAAAGT TGTTTTATTA GTTAGTTTAT AATCTATTGG TCTTCTTCAG     25560

TCCAGTGTAT CTGCTGTGAC AGTCACTAAA AGTTACAAGT ATGATTGGAA TACGGTTTGG     25620

GAATATAGTA CCAACTATCA CGACCATCAG TATGCTTGGA TTCCGTCATG GTCTCGTTAT     25680

GACAGCTATT CTGAGTATAA AGTTGGCGGA GGCTGGAACT ACGCTCGTTA TGAGGTCATA     25740

AACTATTACA GCGGAGGCTA TTAATTCTTA AAGAGTGAGA AAAAGGAGGG CTAGATATGT     25800

TGCAGCTTAC TCATGTGACC TTAAAAACGC GACAAGTCAT CTTGCAAGAT GTGGATTTCA     25860

CCTTTAAAAA GGGTAGGGTT TATGGTCTTC TTGCTATCAA TGGCTCTGGA AAGACGACCC     25920

TGTTCCGTGC CATTAGCAAT TTAATTCCCA TAAGTAGTGG AAATATCGCA GCCCCTCCTT     25980

CTTTATTTTA TTATGAGAGT ATTGAATGGC TGGATGGAAA CTTAAGTGGG ATGGACTACC     26040

TTCGTCTTAT CAAAAACATC TGGAAGTCAG GTCTGAACTT GAGGGATGAA ATCGCCTATT     26100

GGGAAATGTC TGACTATATC AGTCTTCCCA TTCGCAAGTA TTCCTTAGGC ATGAAGCAAC     26160

GCTTGGTGAT TGCCATGTAT TTCCTCAGTC AGGCCAAATG CTGGCTCATG GATGAGATTA     26220

CAAATGGCTT AGATGAGTAT TATCGACAGA AGTTTTTTGA TAGGCTAGCA CAAATCGATA     26280

GACAAGAACA GCTGGTTCTT TTAAGTTCCC ACTATAAGGA AGAGTTGGTT GATGTCTGCG     26340

ATAGAGTAGT AACCATTCAT CAGGGGCAGA TAGAAGAGGT TTAGTTTATG AAAGATGTTA     26400

GTCTATTTTT ATTGAAAAAA GTTTTCAAAA GCCGCTTAAA CTGGATTGTC TTAGCTTTAT     26460

TTGTATCTGT ACTCGGTGTT ACCTTTTATT TAAATAGTCA GACTGCAAAC TCACACAGCT     26520

TGGAGAGCAG GTTGGAAAGT CGCATTGCAG CCAACGAGAG GGCTATCAAT GAAAATGAAG     26580

AGAAACTCTC CCAAATGTCT GATACCAGCT CGGAGGAATA CCAGTTTGCT AAAAATAATT     26640

TAGACGTGCA AAAAAATCTT TTGACGCGAA AGACAGAAAT TCTGACTTTA TTAAAAGAAG     26700

GGCGCTGGAA AGAAGCCTAC TATTTGCAGT GGCAAGATGA AGAGAAGAAT TATGAATTTG     26760

TATCAAATGA CCCGACTGCT AGCCCTGGCT TAAAAATGGG GGTTGACCGC GAACGGAAGA     26820

TTTACCAAGC CCTGTATCCC TTGAACATAA AAGCACATAC TTTGGAGTTT CCGACCCACG     26880

GGATTGATCA GATTGTCTGG ATTTTAGAGG TTATCATCCC AAGTTTGTTT GTGGTTGCTA     26940
```

```
TTATTTTTAT GCTAACACAA CTATTTGCAG AAAGATATCA AAATCATCTG GACACAGCTC   27000
ACTTATATCC TGTTTCAAAA GTGACATTTG CAATATCCTC TCTTGGAGTT GGAGTGGGAT   27060
ATGTAACTGT GCTGTTTATC GGAATCTGTG GCTTTTCTTT TCTAGTGGGA AGTCTGATAA   27120
GTGGTTTTGG ACAGTTAGAT TATCCCTACC CAATTTATAG CTTAGTGAAT CAAGAAGTAA   27180
CTATTGGGAA AATACAAGAT GTATTATTTC CTGGCTTGCT CTTAGCTTTC TTAGCCTTTA   27240
TCGTCATTGT GGAAGTTGTG TACTTGATTG CTTACTTTTT CAAGCAAAAA ATGCCTGTCC   27300
TCTTTCTTTC ACTCATTGGG ATTGTTGGCT TATTGTTTGG TATCCAAACC ATTCAGCCTC   27360
TTCAAAGGAT TGCACATCTG ATTCCCTTTA CTTACTTGCG TTCAGTGGAG ATTTTATCTG   27420
GAAGATTACC TAAGCAGATT GATAATGTCG ATCTAAATTG GAGCATGGGA ATGGTCTTAC   27480
TTCCTTGCCT GATTATCTTT TTGCTATTGG GAATTCTATT TATTGAAAGA TGGGGAAGTT   27540
CACAGAAAAA AGAATTTTTT AATAGATTCT AGCTTTCCTA TAGGTAGGGA AAATAAGTAA   27600
AAACTAACAT AGAGAGGGAA TCAACTTGAT TCTCTCTTTT TGATTCGAAA ACCAAACCAA   27660
AATACAAACA CAAACTTTTC AAAAAATAAC TTTTTATCTT GACAAGAGCT AGAAAACTTG   27720
GTATCATATA AAAGTTGAGA AAAGCAGAAG TGAGAGCTTC TCGCCTTGTG ACATTAAGTT   27780
GCCTGGCCCT ACGGATGAAA AGTTTCGAAG AAACGCTATC ATAACGTGCG GGCTTGTATA   27840
TTTACAAGTC CGCTATTGTT TTTCTCTAAT AAAACAAAAG AGGTGAAAAC CATAGCAAAG   27900
CAAGACTTAT TCATCAATCA TGAGATTCGT GTACGTGAAG TTCGCTTGAT TGGTCTTGAA   27960
GGAGAACAGC TAGGTATCAA GCCACTCAGT GAAGCGCAAG CTTTGGCTGA TAACGCTAAT   28020
GTTGACCTAG TATTGATTCA ACCCCAAGCC AAACCGCCTG TTGCAAAAAT TATGGACTAC   28080
GGTAAGTTCA AATTTGAGTA CCAGAAGAAG CAAAAAGAAC AACGTAAAAA ACAAAGCGTT   28140
GTTACTGTGA AAGAAGTTCG TCTAAGTCCG G                                  28171
```

(2) INFORMATION FOR SEQ ID NO: 23:

```
    (i) SEQUENCE CHARACTERISTICS:
         (A) LENGTH: 7147 base pairs
         (B) TYPE: nucleic acid
         (C) STRANDEDNESS: double
         (D) TOPOLOGY: linear


    (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:
```

```
CCGCTCAACT TTTGCAATCA AGGCTAAGTA GACAGCAGCA AATTTCATAT TGTATAATTT      60
CTGACTCATA CTTCTCTCTT TCTATGTGTA CTAGTATAAA TAAGAAAAAG AAGGCCGTCA     120
```

```
AGCCTTCTTT TGATTTATTC TTCTGCTTCA TCTTCTGTAA ATTGACTATT GTACAAGTCA      180

GCGTAGAAGC CACCTTGCGC CATCAGTTCC TCATAGTTGC CTTGCTCGAT GATATTTCCA      240

TCTTTCATGA CCAAGATCAA GTCTGCATTT CGGATGGTTG ACAAGCGGTG GGCAATGACA      300

AAGGATGTGC GTCCTTCCAT CAAACGGTCC ATGGCTTTTT GGATCAATTC CTCTGTCCGT      360

GTGTCAACAG AAGAAGTCGC CTCATCCAAA ATCAAAAGCG GTGCATCCTT AAGAAGGGCA      420

CGAGCAATAG TCAATAGTTG TTTTTGTCTT ACAGACAAGG TCACGGTGTC ATCCAAGATG      480

GTATCATAGC CATCTGGCAA GGTCATAATA AAGTGGTGAA TTCCCACAGC CTTACTAGCT      540

TCCATCATTC GTTCATCACT AATCCCTATT TGATTATAGA TGAGATTGTC TCGAATAGTT      600

CCTTCAAAGA GCCAGGTATC CTGCAAGACC ATTGAAAAGG CATCATGCAC TTCTGAACGC      660

GTCATAGCCT TGGTATCCAC ACCATCAATG CGAATACTTC CCTTATCAAT CTCATAGAAT      720

TTCATCAAAA GATTGACAAT GGTTGTCTTA CCAGCCCCAG TCGGCCCAAC AATGGCAACC      780

TTTTGACCAG CATGAGCTGT CGCAGAGAAG TCATAGTCTT GAACATTGAC ACCGTCCACC      840

AGAATTTCTC CTGCTGACAC GTCGTAGAAA CGTGGAATCA GATTGACCAG AGTTGATTTA      900

CCAGAACCTG TTGACCCAAT AAAGGCCACT GTTTGACCAG TTTCTGCTTT AAAGCTAACA      960

TGTTCAATAA CTGCCTCCGA ATTTGCCGCA TAGCGgAAGG TCACATCCTT AAACTCGACC     1020

TGACCTTTGA AGTTTTCATC AGTCAGCTGC ACTTGAACAG GGTTTTGGAT AGAAGAATGC     1080

AAATCTAAAA CTTGATTAAT CCGCTTAGCA GAGACCATAG TTCGGGGAAG AACGATGAAG     1140

AGTGCTCCCA TGAGAAGGAA GCCCATGACA ACCTACATGG CATAAGACAT GAAAACAATC     1200

ATGTCACTAA AGAGAGGCAG ACGCGCTATC GGAGCAGCGT CGTTAATCAC ATAGGCCCCA     1260

ATCCAGTAAA TCGCCACACT CAAACCACTT GAAATCCCCA TCATGATAGG ATTCAAAATA     1320

GCCATAAGAC GGTTGACAAA CAAATTCAAA CGGGTCAATT CATCATTTAC TGCTGCAAAT     1380

TTTTCATTTT GATAATCCTC TGCATTGTAG GCACGAACGA CACGAATACC TGTTAAACTC     1440

TCACGAGTGA TACTGTTCAG TTTATCTGTC AGCCCCTGAA TCAAGGACTG TTTTGGAAAG     1500

GCTAGCGTCA TCAAAACGGT CGTCATCAGG ACGTTGATAA TCACTGCCAC AAGTACGGCC     1560

CAGAGCCAGT ATTCTGAATG ACCTAAAATC TTCCCAATAG CCCAGATAGC CATAATTGAA     1620

CCACGCGTTA CCACTTGCAA GCCCATAGTA ATCAACATTT GAACTTGAGT AATGTCATTG     1680

GTAGTACGCG TCAAGAGGCT AGGAATTGAA AATTTCTTAA TCTCTGTCTG CGAGTAATCC     1740

AAAACTCGGT TAAAAATATC ACTTCTCAGC CTACTAGTAT AAGAAGCCGC CACTCGGGAT     1800

GCAAAAAATC CAACTGCAAC TACGGACAAG AAGGCAAGAA AGGACATTCC CATCATCATG     1860

CTTGCCGACT GCCACAACTC ATCTAAATTA GTTTCTTGAC TACCTAGCAA ATCCGTAATT     1920
```

```
TTCGAGATAT AGGTCGGCAC TTCCAACTCT AGATAGACCG AAAAGCAAGT AAAGAGAATG      1980

GCTAGTAAAA TCATCCCCCA TTCTTTTCTA CTAATTCTTT TGGCTAATTT CTTTATTCTC      2040

TCCTCCTATT CCCTTGATAT TTTGCCTGTA GTTGACCGAG AACCTTCTCA AAAATCAGTA      2100

ATTCATCTTC ATCAATGTCT TCCATCAACT GCTTGTCTAT GCGTTCAAAA AAAGCCTTAA      2160

CCTGTTGCAT CTGAGAACGT GCTTTGTCCG TCAGACGAAC AAACTTAGCC CGCTTATCAA      2220

CAGGACTCGC CTCCAATTCC ACCAAACCAT TTTGCACTAT ACGCTTAACC AGATTACTAG      2280

CAACAGGCTT GGTAATATTG AGTTCCTGCT CGATATCTTT AATCAAGACC AAGTCTTGGT      2340

TTTTCTCGCG ATTATCCAAA AAACGCACAA CCTGACCTTG CGGCCCACCC ATAAATTCAA      2400

TGCCGCAACG TTTGGCTTCC TTTTGCACCA TCAGGTGAAT TTGATGACCA AAACGCTTAA      2460

AGACTAACAT CGGTTTATCC ATAATCTCCC CCTTCTAAAT AAAAATAGTT CTCTGGAGAA      2520

TAATTAAATT TCTATGAGAA CTATTTTCTT GATTAAAAAA ATCCCAAGTG ATTTTCTCAC      2580

TTAGGATCAT GTTCTATAGG TTAAATTAAA ACCCATCTAC GTTCGTATAA ATCTTTTGGA      2640

CGTCTTCGTC GTCTTCAAGA ACGCTGTAAA GTTTTTCAAA GGTTTCAAGG TCTTCGCCTG      2700

ACAATTCCAC TTCTGACTGA GGAATCATTT CCAATTCAGT CACTTGGAAT TCTTCAATAC      2760

CAGACTCACG GAGGGCAACG ATAGCCTTGT GAAGGTCAGT TGGCGCTGTG TAAACTGTGA      2820

TTGTACCTTC TTGTGCTTCT ACGTCATCCA CATCCACATC CGCTTCGAGC AATTGCTCAA      2880

AGACTGCGTC CGCATCTTCA CCTCCAAATA CAATAACACC TTTGTTGTCA AAGAGGTAAG      2940

AAACAGAACC TGAAGCGCCC ATGTTTCCGC CGTTTTTACC AAAGGCTGCA CGGACATTGG      3000

CTGCTGTACG GTTGACGTTA GAAGTCAAAG TATCCACAAT TAGCATAGAG CCATTTGGCC      3060

CAAAACCTTC GTAACGTCCT TCTGTAAAGG TTTCGTCTGT GTTTCCTTTG GCTTTATCAA      3120

TCGCTTTATC GATAATGTGT TTTGGCACTT GGGCTTGTTT AGCACGGTCG ATAACGAATT      3180

TCAAAGCTGA GTTTGATTCT GGATCTGGAT CACCTTTTTT AGCTGCTACA TAGATTTCTA      3240

CACCAAATTT TGCATATACT TTAGAGTTAG CTCCATCTTT AGCCGTTTTC TTGGCTACGA      3300

TATTGGCCCA TTTACGTCCC ATTAGGAATC TCCTTTTTTC ACATTTTAAT CTTTCTTATT      3360

ATAACACAAG TTTTTTTGAT TTTCACTAGA GGAAATGGAT TTTATTAGCA AATCAAGCTA      3420

GGATAGCACT TTACCTGCTA AGATGGTCTT GCCTTTCTAT CTTTATCAAC AGGCACTCAT      3480

CCACATTCAA AAAACAAACT AGACCATTAT CTGCAAATAG AAAGTTTCAG CCAAGTTTGA      3540

CAAAGTCAGC TCAAATTACT GTTTGAAGTT TGTAGATATA AGCGACAAAA ACAATCATAC      3600

TGCACCTTTT GTTGACAGTC TACTCCAGAC ATATCATAGT TCAAGTAAAT ACTTTGAAAT      3660
```

```
TCAACAGTTC TTATAGGCGC TATTGTATTC TAAGAAATCA ATAGAAGAGT TTCTAAGCAA      3720

ACCTCTAATA CTCAATAAAA ATCAAAGAGC AAACTAGAAA GCTAGCCTCA GGTTGCTCAA      3780

AACACTGTTT TGAGGTTGCG GATGGGGCTG ACATGGTTTG AAGAGATTTT CGAAGAGTAT      3840

AATTTACGTG TTCCCAAGAT GGAGAAGTTA GACTAGTACA CTGGCACTTC TAAAACATTG      3900

CTAGCAATTG ATTTGTTCAT ATTTAATTTC ATTTTTTCCA TAAATGGGTA TTAGATATAA      3960

ACAGCAAAAT ATTTCCGATA CGTGTCGTTC TTGAATTTCC AATCATCTAA AACAAGTAAA      4020

GGATAATCAA TCCCCTGTAT ATCAAGGAAT TGGCTACCCT TTTTACTTTT TTACACATTC      4080

TGTTTGATAG ATTCATTTTA ACATCACGAG CATACTCCAA TGGAAATCGC TAGGCAAGAG      4140

ATAAACTTTC AGATATCCGC AGAGAGATCA TCGCCTCTTT TTGTCGCAAG CATTCTCCTC      4200

TCCTAGTCAT TTTCTACCTT ATCTTCTACC TGAGGATAGA GAGTTGTTCC CCAAATAGAA      4260

ATCGTCCGCT TACGCACTAG TGGCAAATCG GTTTTTTCAT AAACCGTACG CCACCATTCC      4320

CAGGCAAGCC CGGTACACTC TCTAATTTTG ACAGAGAGAT TACGAACATT CCCTTTTAAA      4380

GGAATACTAG TGGTAAAGTG AGCCGTTAAA TCCTGCCCAT TTCTGTCCCA AGCCTTAGGA      4440

GTCAAGACTT CCTTACCTTG ATGATCATAG GATAATTCAT TCCAAGTAAT ATAATATTGG      4500

GCAACATAGG CACCACTATG ATCCAGCAGT AAATCTCCGT TTCTGTAAGC TGTAACCTTA      4560

GTCTCAACAT AGTCTGTACT ATTTTGAAAG GTCGCAACTA CATTGTCACG TAAAAAAGAA      4620

GTTGTATAGG AAATCGGCAA GCCTGGATGA TCTGCTGTAA AGCGACTGCC TTCTTGAATC      4680

AAGTCCTCTA CCATATCCAC CTTGCCTGTT ACAACTCGGG CACCCGAACT TGGGTCGCCC      4740

CCTAAAATAA CCGCCTTCAC TTCTGTATTG TCCAAAATCT GTTTCCACTC TGTCTGAGGA      4800

GCTACCTTGA CTCCTTTTAT CAAAGCTTCA AAAGCAGCCT CTACTTCATC ACTCTTACTC      4860

GTGGTTTCCA ACTTGAGATA GACTTGGCGC CCATAAGCAA CACTCGAAAT ATAGACCAAA      4920

GGACGCTCTG CAGAAATTCC TCTCTGTTTT AAATCCTCTA CCGTTACAGT ATCTTGAAAC      4980

ACATCTCCTG GATTTTTAAC AGCATCTACG CTGACTGTAT AATAAATCTG CTTAAAATTA      5040

ACAATCTGAA TCTGCTTTTC GCCTGAATGG ACAGAGTTAA AATCAATATC AAGAGAATTC      5100

CCTGTCTTTT CAAAGTCAGA ACCAAACTTG ACCTTGAGTT GTTCCATGCT GTGAGCCGTG      5160

ATTTTTTCAT ACTGCATTCT AGCTGGGACA TTATTGACCT GACCATAATC TTGATGCCAC      5220

TTAGCCAACA AATCGTTTAC CGCTCCGCGA ACACTTGAAT TGCTGGGGTC TTCCACTTGG      5280

AGAAAGCTAT CGCTACTTGC CAAACCAGGC AAATCAATAC TATAAGTCAT CGGAGCACGA      5340

TCGACCGCAA GAAGAGTGGG ATTATTCTCT AACAAGGTCT CATCCACTAC GAGAAGTGCT      5400

CCAGGATAGA GGCGACTGTC GTTGGTAGCT GTTACAGAAA TATCACTTGT ATTTGTCGAC      5460
```

```
AAGCTCCGCT TCTTTCTTTC GATAACAACA AACTCATCGG GTAGCTGATT ACCCTCTTTG    5520
ATGAAACGAT TTTCAATACT TTCTCCCTGA TGGGTCAAGA GTTTCTTTTT ATCGTAATTC    5580
ATAGCTAGTA TAAAGTCATT TACTGCTTTA TTTGCCATCT TCTACCTCCT AATAAGTTCC    5640
TGGATTGAGT TGCATAAACT CAGACTTGTT CAGCGAAATC AGCCGTGGTT GGACTAAGTA    5700
ATCCAAAATT TCCTCGTACA ATTCTTCTGA GACATTGCGT CGCCGTCTGG CTAAATAAGA    5760
AGTCGGAATG ACCGTATTAT CCAACATAAA TACCTTATCT AAGTCAATCA AGGTTGGTCT    5820
TGTAAAAGGA TTACGAGCTA GATCCGGCTC TTCTATCATA AAGTTCTTGA CCAAACGTCT    5880
GGTCAAGAGA GCTGGTTTGA AGGTCTGATT TTTAACCAAC TCTTTGTTTT TAGTCATGCT    5940
GTTGTCAATA CAGATATACA TATGATTCTT CACAGCCAAA TCGCTACTAA TAGTCGGAAA    6000
AGGCAAATAA AGAGCTACAA CATCTCCTCT CTTAATCAAG CAAGAGCACC CCCTTTTCTC    6060
CTAATGTAAC ATAGACAGGA TTGACCAAGT CTTCTGATTG ACTCAGAATT TCCAAAGTTT    6120
GAGTTTGGCG CGCTGTCAAT TTAGTAGCAT CTTGTCTCTT CAATACAAAA TGCTTGTCGC    6180
CAATAACCTT GACAATATAA TCCTTCTCCA AAGCTGACTG GTAAATCCAC ATCAGATGTT    6240
GTCTGTCCTG AGAACTCAAG AGAGAAGGAT TTTCAAGCCT CCCGATAGTC TGATAAAAAT    6300
CAAAAACAGG AGCTAACTCC TGCCAATCTG ATTGGCTAGT TGTCAAGGCT AGAAAAAGGG    6360
CTTTGCGAGC TGATACTTCT TGGTTAGCCT TGAGAGTTAC TTTCCCCTCC AAGTTTTTTA    6420
GAAATCCCCA AACTCCAGAA AGCAAATTTT TCTCTAACTG CGAGAAATAA AAACCTTTCG    6480
TTCCCAGACA TAAGTCTTTC ATGTCGCTTT CTCTAGCAAA TAAGAGCTCA AACATTTGAT    6540
AGTAAAAGAA AAATATCTGG CACTGGGTCG CGCTCATCTT TTCCTTATCG GCTTCTTTTT    6600
TTAACCAGAG CAAGGGCGAC AGGTAGCTGG ATTGAGACAT TTCCTCTACC TCCTACTCTT    6660
TTTTAACTGG AGCATCTGCA CTAGCTGCCA CTTCTTTTGA CTGGATACTT TCCCACTGGT    6720
TAATCTCCTC TGAGATAAGA CCTTCGCATG TCTTGACAAA TAGGGCAAAA GCCTTGGTCT    6780
TTCCTGCATA TTTCTCCGTT TGGCATTGAT AGAGGAATTT TTCTTTCTCC AGGAGTTGCG    6840
CAGTTTTTTG GTAAGAAATC CAATTTTCCT TTGCATTATA CAAATTGATA ATCCCCTCAC    6900
ACAGCAAGCC GAGACTGGAT AAGGCAACCG AAATCAAACG GTAGCGATCA CCTGGCATAG    6960
GAATAGCACA AAAGACAGCT ATGAGGAAAC CTGCCACGAT TTCTGTTATT TTTAATACCT    7020
TATAGCGCCT ACGATGTTGA ACGCTTTTCT TTAAAAAATG AGCTATCTGT ACGTCTAATC    7080
GCTCTGTCAG GTACATTTCT TCTGGCGTCA TATTCGTAAC TCCTTTCATT TACTTTGATA    7140
ATCAGGG                                                              7147
```

(2) INFORMATION FOR SEQ ID NO: 24:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 755 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:

```
CCGCATGGGA TTGGTGTCCT TTTGGGCAAT CTCTTTGACC AAACTGGAAA CATGTTTTAT      60

GCGCCTGCCT TTACTGCCCT TGTCGGCGGT ACGTCTATAT GATCCTAGTC GCAAAAGTTC     120

CGCGCTTTGG AGCCATTACC ACTATCGGCC TTGTCATTGC CCTCTTTTTC TTGGGAACTA     180

AACACGGTGC TGGTTCCTTC CTTCCTGGAA TTATCTGTGG CCTCCTAGCA GATGGAGTAG     240

CTCATTTAGG AAAATACAAG GACAAAACAA AGAACTTCCT TTCTTTCATT ATTTTCGCCT     300

TTAGTACAAC AGGACCAATC TTGCTTATGT GGATTGCGCC CAAAGCCTAT ATGGCTACTC     360

TTCTGGCAAG AGGAAAATCC CAAGAATATA TCGACCGTAT CATGGTCGCT CCAAACCCTG     420

GAACTGTCCT TCTATTTATC GCAAGTATTG TCATCGGAGC CCTAGTGGGT GCCTTGATTG     480

GACAAGCCTT GAGTAAAAAA TTTGCCCAGA AAATCTGATC AGTTAAAAAG AGCCACGCGG     540

CTCTTTTTTA TTTATGGCTC AATTTCTTAG TCAAGAAATC TCCCAAGAAT TGGATTGCAA     600

AGATAATCAA AATGATAATA ATGGTTGCCA AGATGGTCAC ATCGTGATTG TAGCGGTTAA     660

ATCCATAAGC GATGGCTACG TTACCGATAC CACCAGCTCC AACCGCACCG GCCATAGCTG     720

TTtcCCAACA AGGGaAtCAA GGTcACAGTC GTCAC                                755
```

(2) INFORMATION FOR SEQ ID NO: 25:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 3010 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:

```
TTCAATTGGT ATCTCAATCA ACGGTCTTCA CATGGTTTCA ACTGGTTTGA CTCTTGAAAA      60

AGCGAAAGCT GCTGGTTACA ACGCAACTGA AACAGGCTTT AACGATCTTC AAAAACCAGA     120

ATTCATGAAA CATGACAACC ATGAAGTAGC AATTAAGATT GTCTTTGACA AAGATAGCCG     180

TGAAATTCTT GGTGCCCAAA TGGTTTCACA TGATATTGCA ATTAGCATGG GAATCCACAT     240

GTTCTCACTT GCTATCCAAG AGCATGTGAC AATTGATAAA TTGGCATTGA CAGACCTCTT     300
```

```
CTTCTTGCCA CACTTCAACA AACCATACAA CTACATCACA ATGGCTGCCC TTACGGCTGA      360

AAATTAAAAA TGAATGAGCT ATCTGGCCTT AAGTTAAGGT CAGATAGTTT TTAGCTAATT      420

TGTCCCCATA CAATTATAGT TTTTTTATCT TGTGCTTCAT TCTGTTCTGA CTTAAAATGA      480

AAAGGTAGCT ACCAATACAA ATGATGAGGA TAAAACAAAT GACTGAAAAT CGTTATGAAC      540

TAAATAAAAA CTTGGCACAG ATGCTCAAGG GTGGTGTTAT TATGGATGTG CAGAATCCTG      600

AACAGGCTCG TATCGCAGAA GCTGCTGGTG CGGCAGCTGT GATGGCCTTG GAACGAATTC      660

CGGCTGATAT TCGTGCAGCT GGAGGAGTTT CCCGCATGAG CGACCCAAAG ATGATTAAGG      720

AAATCCAAGA AGCGGTTAGT ATTCCAGTAA TGGCTAAGGT CAGAATCGGG CATTTTGTTG      780

AAGCTCAGAT TTTAGAGGCT ATTGAAATTG ATTATATCGA CGAGAGTGAA GTTCTATCTC      840

CAGCTGATGA CCGTTTCCAT GTGGACAAGA AAGAATTCCA AGTTCCTTTT GTCTGTGGTG      900

CTAAGGATTT GGGTGAAGCC TTGCGTCGTA TCGCTGAAGG TGCTTCCATG ATTCGTACCA      960

AAGGAGAACC AGGGACAGGG GATATCGTCC AAGCTGTTCG TCATATGCGT ATGATGAATC     1020

AGGAAATTCG CCGCATTCAA AACTTACGTG AGGACGAGCT TTATGTTGCT GCCAAGGATT     1080

TGCAAGTCCC TGTAGAATTG GTCCAATATG TTCATGAACA TGGAAAATTG CCAGTTGTAA     1140

ATTTCGCTGC TGGAGGTGTT GCAACGCCAG CAGATGCTGC GTTAATGATG CAATTAGGGG     1200

CAGAGGGGGT CTTTGTCGGT TCAGGTATTT TCAAGTCAGG AGATCCTGTT AAACGAGCGA     1260

GTGCCATTGT TAAGGCTGTG ACTAACTTCC GTAATCCTCA AATCCTAGCT CAAATCTCTG     1320

AAGATTTAGG AGAAGCCATG GTTGGTATTA ATGAAAATGA AATCCAAATT CTCATGGCTG     1380

AACGAGGAAA ATAGATGAAA ATCGGAATAT TGGCCTTGCA AGGGGCCTTT GCAGAACATG     1440

CAAAAGTGCT AGATCAATTA GGTGTCGAGA GTGTAGAACT CAGAAATCTA GATGATTTTC     1500

AGCAAGATCA GAGTGACTTG TCGGGTTTGA TTTTGCCTGG TGGTGAGTCT ACAACCATGG     1560

GCAAGCTCTT ACGTGACCAG AACATGCTAC TTCCCATCCG AGAAGCCATT CTATCTGGCT     1620

TACCAGTGTT TGGGACCTGT GCGGGCTTAA TTTTGCTGGC TAAGGAAATC ACTTCTCAGA     1680

AAGAGAGTCA TCTAGGAACT ATGGATATGG TGGTCGAGCG TAATGCTTAT GGGCGCCAAT     1740

TAGGAAGTTT CTACACGGAA GCAGAATGTA AGGGAGTTGG CAAGATTCCA ATGACCTTTA     1800

TCCGTGGTCC GATTATCAGT AGTGTTGGTG AGGGTGTAGA AATTTTAGCA ACAGTGAACA     1860

ATCAAATTGT TGCAGCCCAA GAAAAAAATA TGTTGGTAAG TTCTTTTCAT CCAGAATTGA     1920

CTGATGATGT GCGCTTGCAC CAGTACTTTA TCAATATGTG TAAAGAAAAA AGTTGAGATT     1980

GAATTTCTCA ACTTTTTTAC ATGTAATAAA CAATAGCGAT GTATTGAAGT GCGGACGCAG     2040
```

CTAGGATAAA GAGATGCCAA ATCATGTGGA AATAAGGTTT TTTCTTGGCA TAAAATCCAG 2100

CTCCAACTGT ATAACAGAGT CCGCCAGTTA CCATGAGACT CCAGAAAACG GGTGTCGTTT 2160

GACTGATAAT GGCAGGAATG ATAGCCAGAA CCAACCAGCC CATAATCAGG TAAAGAGCAA 2220

GGCTAAATTT CTCATTGACC TTTTTAGCAA AGATTTTATA GAGAATACCA AAGATGGTCG 2280

TTCCCCATTG GATGACAATA ATCAGATAGC CAAACCAGTT ATTCATCAAG GTCAAGACAA 2340

CGGGCGTGTA TGAGCCGGCA ATGGCAACGT AAATCATAGA ATGGTCAATG ATTCGCAAAA 2400

CATATTTGTG GGTCGAACCA TAGGCCATAG AGTGATAAAT GGTGGATGAT AGGAACATGA 2460

GAAAGAGACT GATGACGAAA ATGGAAACGC CGATAGAGGA TAAAAATCCG TGTGCTTCAT 2520

AACTATAGAT GGATGAAATA GGCAGCAAGA TAAGCATGAT GACTGCACCC ACAGCATGGG 2580

TCACGCTATT AGCAATCTCC TCTCCAAAAC TGAGTTGTTT GCTGAGTTTA AGACTAGTGT 2640

TCATTGGATT ACCTCCTCTT GAGTATGATC GATTAAGTCT AGAGTTTGAT GATAGAGTTT 2700

AACGGTTTGG CAGCTGGTTT GGATAATAGG GTTAGCTGGG TCAATTCCTT GGTTCATGTA 2760

GTCCACAAAA GCATCGTAGA GTTGGTCTGA ACTTGCTTGA GTTTGTAGAG TATTAAGTGT 2820

CTGGGCTATT TCTTGAATAG AAAATACAGA CTTGAGGGTT GTGATAGCAA TCAAACGGGC 2880

AATCTGTTGG CGTTGGTATT TTTTTTTGTC AGGCTTTGTC AGGTAACCAT TTTTCACATA 2940

ATTGTTGACC ATAGATGCTG TTAGGCCCTT GTCTTTATTA GGAGAGATAG GGGCGCAGAC 3000

CTGATTGACA 3010

(2) INFORMATION FOR SEQ ID NO: 26:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 15213 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:

CATAAATCGG TGCAAATAAC TTAATAGTGA AGTAGCCATT TCTTTCGTAT TTACCTGAGG 60

CATATTCCCT AGACGAAAGA ATATTATTAT CAATCAAATC ATTGAATGAA CGTAGTCTTT 120

CAACTTCTTC TACTGTTAGA TTTCTGACAA CATTTGTTGC ATAGACCTTA TTTCCATCAG 180

GATCAGGATG GTACTCATTT GTAACTTTTC TAAGAAGTTG TTGTTTTTGA TTCGTATCCA 240

ATTTAAGAAT TGAATTTCCT TCGAGATATT CCAACATATA AACAACGTCA AACATGTTGT 300

GGACATATTG CTTCAAATCA TCTGCATTAT TAAATCTTGT AGTTGGATCA AGTACTTGTA 360

ATCGTCGACT TTCTGTACTA TCAGATTTTG AATGTTTCAA GATGGAGTTG ATGGTAATGG 420

TCGCATCATC TGGATGGTCT GGTGCTTGTA ATAATCCTTT AGCAAAGAAC TCTGGTCCCA 480

AGCCACTTCT TCGACCATAT CCTCCAAGAT AAATGTCCTG ATCTGAGTCA TGTGTCATCT 540

CATGCGTATA AGTAATAGCT CCATCCTTAT CCAACATTCG ATAACCCATA TAATAAACTG 600

CATCACCTGT AGCATAAGCA CCGTGTTGAT TATGCCCAAC TTTATTTCCA ACAGGTCCAA 660

AGAAATGTTG CATTGCAGGA TTTGGATTAT CAAAATCTGC CACTTCTGTA GCTTTCCCTA 720

CGGTATTATC ATCGCCAAAT TTATAAGCAT CGTAAAGCAA AATATTTCTA TAAAGTTTTT 780

CACGTGCATT GTCGTCTAAA ATACGATACC AATAATCGTA GTGATCTCGC TGACGTTTGG 840

CTGTTTCACG CGCATTTTCT TCAACAAAAT CATTGAGAGC CTTGCCCGCT TTATGGTCAC 900

TACTGCGGTA GCGATCATAA GCTCCAAATC CTAGACTAGA CATGGTCGAG ATGACAAATA 960

CGGATCTCTC TGGCAAGGTC AGGAGAGGCA AGACCATATT GCGGTATTTC CATGTGGCAC 1020

TCGTGATACG ATCATAAACA CCGATAGAAT ACTTGGTGCC AGCTAACCCT TGCTTCGTTT 1080

TCACCTCTTC GATAGTGGAT TTTTCTTCGA CAATGTAAGC CTTAGTCTCT GATTTAAACC 1140

AGTCATTATT GCTTGTATTT GGTAAAAAGA CTTTTCGGTA ATGTTCCAGC GTGCTAAACA 1200

AATCTGTCGT TCCATGTTGA CTGGCAAGAC TGATACCATA AGTATCGACA TTATTCTTAG 1260

CTAGAAGATT GTTAAAGCCA GATTTACCCA ACTCAATCAG AGTATCTAAT GGTGAAGCAT 1320

TCCCCTTACC AAAGAAGTCC AAATGGTACA GAACTAGGTC TTTGACATTC ACCTGACCAT 1380

AGCTAAAGTT ATACCACCCT TCCAGATAGG TCAAGCCAAG TAGCAAGGCT TCCTTGTTGC 1440

GTTTGATTTT ATCTACAAGA TAACCTTCAG TGACGGGGTT AGCACTAGCC AGTCCAGCAT 1500

CCGCTGACAA GAGTTTTTTC AAACTGTCTT CCAGTTGTTG TTTTGTTTTG GCGAACTGGT 1560

CTTCTAGATA GAGCTCAGTT TGCTTGACGT TTGGAGAAAT ACCCAGCGTC TTTCTGATGG 1620

CTTCTGAATG ATAGTCAACC TTTTGTAAGT CAGGTAAGAC TTGCTTGATG ATAGAGGTTT 1680

GGTCATACAG GAATTGGTTT GGCGTATAGA GAAGTCCAGT ATTGCCCAGA CTATATTCTG 1740

CTAATTTGGC GAAATCATTC TGGTATTTGA GATCCAGCTT CTCAGATAAA TCATCCTTGT 1800

AGTGAAGCAA GAGTTTGTTT GCAGTCTGTT TGTTAGAAAC AATGTCTGTG ATGACTTGGT 1860

TGTCCTTCAT CATGACTGCT GACAAGAGTT CTTTTTGATA TAAAAGACTG TTCTCATTGA 1920

CCAGGTTTCC GTATTTGACG ATGGTTGCCT TGTTGTAGAA AGGTAGCAAT TTTTCAATGT 1980

TTTTATAAGT CAAGTTGCGC TTAGCTTGAT AATAGGCCAC CTTAGAAAAA TCACTGTCTT 2040

TTTTGCCACT TGTTGAAAGT GGCTCCACTG TTGGTAAAAT GAGAGGATTG ATTTCTGCTT 2100

TTTTGCTTGC AATTTGAGAA GCATCTAGCA TTGTTCCTCT TTCTTCAAAG GATTCCTTGC 2160

```
TGACGACCTC ATCCTTGACC AAGGTGACAT TGTAGACTCT GTTGGCCTTG CTGCTGAATG      2220

TGTCCTTTAC CTTCATTTCG TTATAGTGGT AACCAGTGAT GGCATTTCCG TTGGTTACAT      2280

TAACATCGCT GAGAACATTG GTCAAACTTC CAGCATGCCT AACATCACCA GAAGTTCGAT      2340

CCCACAAATT GCCTGCCACT CCAGCGACTC TACCAAAGTG CTTGACATTG TTGATATCAC      2400

CTTCAGCATA GCTATCTTGG ATCTGTGCAT CTCGGTCTAC TAGGCCTGCA AGTCCACCCA      2460

CAGTCTGATC TGAAGTATTT GTGTTAGATG AAATGGCTAC TGTCGCTTTT GACTTAGTAA      2520

GTAAAGCCTT GTCACCTGTC AAATGACCGA CCATACCACC GATATTGTAG GCAGCAGTCG      2580

TTTCATAAGT GTTGATAATT CTTCCCTTGA AACTGCTCTC TGTGATGCTT GATTGCTCAG      2640

CCTTAGCCAG CAAACCACCG ATACCACGTT CACCAGCCAG AACACCATCG ACGTGAACTT      2700

GCTTAATTTT TGTGTTATTC TGAGCTTCAT TTGCCAGTGA ACCGATATCA TCTTTCCCTG      2760

AAATAGCAAC ATTTTTTAGA CTCAGTTTTT CTACTGTAGC ACCACTCAAG TTTTCAAACA      2820

GAGGTTTTTT CAAATTATAG ATAGCATAAT TCTTGCCATC TTTTTCACCG ATTAAACGAC      2880

CAGTAAAGGT GTCCTTGATA TAGGATCTTT CATCAGGACC AAGCTCCACT TCGTTAGCAT      2940

TCAGGCTGGC CGCTAAATGA TAGGTTCCAG AGGGATTTTG GTTTATAGCT TTGACCAGAT      3000

TACTAAAGGA AGTAAAGTTT GTTGTTTCTT CTGTTCCCTT CTTAGCTAGA TAGAAGGTAA      3060

AATTATCTTT ATATCTGCTT TCTATCTCCT GCTGAAGCTT CTCTACTTTT GCTGTGATTT      3120

TATAAAGGAT TTTATCATTT TTTCTTTCCT CTGATATTGA TGCTACTGGT AGGTATACAT      3180

CTTTGAATGA AGAAGATTTC ACTTTAACAA AGTAGCTATT TGGATTGCTT GGAACTTGCT      3240

CTAACGAAAT GTGTTGTTTA TAAGTACCAT TTGACAAACT GTATAACTCT AGGTCGGAAA      3300

CATTTCTTAA TTCAAGTGTT TTCTCTGGTT CTTCTACCTT TTTATCAGGG TCTAGTTCAT      3360

TTTCTTGTTT AATTTCTTCG TTTCCATTTG AATTGGATGT GTTTGATTCG GTTGAAACAT      3420

CCTCAGTTGA ATTTCCGTTT GATGGTTCTG GTTCTGTTTG TCCATTCTCT GATGTTGTAT      3480

TACCTGAATT TTCTGGTTTT GTTGCAGTTC CGTTTTTTTC TGGTTGATTT GATTCTTCAA      3540

CTGGTGGTTT TGAATCACTA GGTTTATTGG ATACTTCTCC AGTATTTTCG TTAGCTATTT      3600

TCCCAGAGTT TGTTTGTGTT TCTTCTGCAG GTTGAACTGG TTTTTCTGTT TCTTGATTTG      3660

AGGTACCTTC TACTGTGCCT TCATTTGGAT TTACTGGAAC TTCTTCTACA GTTTTTTCTG      3720

AATTTTCATT TTTAGAGTCA TTATGTTCTG GTTTATTTGA TTCTCCAACT GAGGTTGTCG      3780

AATCACTAGG ATTACTGGAC ACTTCCCCAG TATTTTTGCT AGATGTATCT GGTGATACTT      3840

TCTCTGAATT CGTTGTTGAT TCTTCTGCAG GTTGAACTGG ATTTTCTGCT TCTTGAATTG      3900

AGGTTCCTTC TGTAGTACCT TCATTTGGAT TTACTGGTGT TTCTTCTGTT GGTTTTACTG      3960
```

```
GAACTTCTTC AGTTTTTTCT GGACCTTGTT CTTTGGTCTT CTCAACCGGA GTTTCAGGTT      4020
TTACTTGCTC AATATTACCC TTATATTCTG GAAGCGGTGC TACCTGCTCT GGTTCACCTT      4080
TATCACTTAC CACAGTATCT GGCGACTCTG GTTGAACCTC AGTCTCACCT TTGTCGGTCA      4140
CAACTGCTTC GGGTAATGTA GGTTGAACTT CTGGTTCGCC TTTGTCACTT ACTACAGCTT      4200
CGGGCAACTC AGGCTGAATT GCGGGTTCAA CAATAGCTCC AGACTGTACG TCCTTATGTT      4260
CTACACCAGT CTCAGGTTGT TCCTTTATAA CTTGAGTTTT TTTAGTACCT TTTTCGACTA      4320
TTCTTGGACT AGGCGCAGTC GTTGAAGTTG AAACAATTTC TCGCGAAACT TCTTCCTTGT      4380
TTACAGAGAA TATTCTGACG ATTTCAACTT TCTTACCTAA TTTACCTTCT TGTTTTACTC      4440
TTACAGTTCC TTCAGCTAAA TCAGGATTTT CTTGAATTTC TTCTTGAAAA TCTATTTTTG      4500
TCTCCATAGT TTCCTCACGA TATAAGAGTT CAGGTTTGTT CAATTGACCT GATAAAACTT      4560
CATCCTGTGG ATTTAATGTA TTTACCCCAG TCTTTTCTTT TGGAGAAATC TTCTCCTCTT      4620
TCTTCGTTTC TAGATTCTTA TGTTCGGCTA ATTGTTCTTG AGAATCTGAA GATTGTTTCT      4680
CTTCTTTTCT TGGATTGATT AATTCAGTAG AGAAAGGTTT TTCAACTACT TGAACTTCTG      4740
TCGGCTTAGT TGAAGAAACA GGTGTTTGTT CCTGAATAGC TTGTACTGTT GATGGATGGT      4800
CTACAAAATT CGGTGTAACA TTATAATCCA CCTTTTGTTG TTTTGTAGGA GTGGCAACTG      4860
AACTCTTTTG ATTACTTACT TCAGACTCAG AAGTCGTTTT TCCCTCTTTG ATATATCCAA      4920
TATAAGTGTA ACCTGAAATC TCTTTAGGAA GAGGTAATTT TTCTCCAGAG GTCAATTCAT      4980
AGTCCGTATT GTAATTTAGC AAAAGATGAT TTTCTAAAGC ATGGACTGAA ACTAAGACAC      5040
CATTTCCTAT CCCTGCAACC AATACTAAAT GTAATACCGT TTTATTCTTA ACCTTTTTCT      5100
TGGAAACAGC AAAAATTAAA ATTCCCATAG CAGCTAAGCT AGCACCAGCA ACTAGGGCTT      5160
GCCTCTCATT CTTGCTTCCA GTATTTGGCA ATTCCGCCAG TTGATTTTGA GAATTTAACT      5220
TATAAACAAG ATAATAAGTT TCATCATCAT TCTCCACGTA TGTCGGAATA TCATAGACAA      5280
GCTGCTTCTT TTCTTCTGAT GATAGCTCTG AATCTGCCAC ATATTTATAG TGAACTCCCG      5340
CAGTTTCTTG AGCATCCACA GATGAACTAG CTAATACAGA CATAAAAAAT AAACTTGAAA      5400
TCGTTGCAGA TACAAGTCCT ACTGATAATT TTCTAAATGA AAAACGCTCT TGTTTTTCAC      5460
CAAAATACTT TTCCATTATT CCTCCTTGAA ATAAAATTTA TATATGTTAC AAAGACCTTT      5520
ATTATATTAG TGTATTATCT ATTATCTATA GAAAAGGCAG TATACCTTAA TTATACTCTT      5580
AATTTACAAA AAAGTCTTAA AATTGAGATG CGCTTTCATA CTTTGTTTTA TATTATTTGG      5640
AGGTACAATA ACACCTACCA TGAAATTTAC ACGGTAGGTG TTACTCATAT CACTAATCGT      5700
```

```
TCTAAAAATG GTTTGAGGCA GTTGAGGAGA ATTCCTTCTA TCCAGCTTCC TTGTGCTGAT      5760

GAGCGATGGT CTTCCTGCAG GCTTTTTTTT AGAAAATCTC GGACTTGTTC TGGTGCGATT      5820

TCAAATTCAA AGGCTTTCAT TTTATAGAAA AAGTCGATGA GATGATCTGA CAGGTATTCA      5880

GTTGAAAAGG GTACTTCACC ACTTTTTCTA TATTCTAATA AGAGTCTAGA AAATCGAGCT      5940

TTTTCTTCAG GAAGCTCACG AAAATAGGAA TTGAGGATCC AAGTCTGCTT CTGTTTTCTT      6000

TCAATTGGAT CCTGACTGGC AATTCGTTGG TCTTTTTCCA GCTCTTTTTG GTATTGTTTG      6060

GCCTTGATAG CTCGTTCTGC TCTATTTTTA CCAAAAAGAA TTTTTTCCCA CTTGCGTTCT      6120

TCTTGAGTCA GGGTCTCTGT AAAGCCAAAG TAATCTTGAT AAGCACGCTC TGCGGGTCCC      6180

ATGGCTAGAA CCAGATTGTC TGCATATTGC TTGGCGATTT TATCCCTCTT CTTGCGTTCT      6240

TTCTCTGCCT GGATACGGAG TTCTTGTTCG TAGTCAATTT TCTCCTTGCC TAGCTTGACA      6300

AGGTAGAGTT GGTCATCCGA TTTCCCAAGT AAAAAGGGTT TGATACACTT TTCAAGGACT      6360

TCTTCCATCC GAGCCTTTTT CTTTGGTTCC GCCTTGGTCC AACTTCCTCC CTGAAAGACT      6420

TCTAGGAAAA GCTGGTAGTC TCTCTCAGGC GCAAATTGAT TGCCACGATT GGGTTTGAAA      6480

ACACCTTTTT CCCAGAGCCA TTTTAGAAGT CGCTCGTCAA AGTTACTTTT ATTGACCTTG      6540

ATTTTTTCCT TTTTCTGAGC TTTTCTGGTT AGATTTTCAA CCTTTCTGAG CAGTTTTTCT      6600

TCCTCTTCCA ATTGCTGGTC AAGGGACAAT CGATGAAAAT GACGAACACA GTCGCTACCA      6660

ATTGGAAAGA GGCGTTGGCC TGTGACACCG TTAAAGAGTT CATAAGCGTA TTTGATGGCA      6720

TTTCCACAGA CACAATTGCT ACGGCCGATA CCGTTAAAAA TAAAGGAAAC TTCATTCCAT      6780

TCCTTGGTAG CTTGTTCCCA AGTATCCGCT TTCGAAGCCT GTAAAACTGC ATCGTGCAGG      6840

GATTTTCTAA CTGGAAGTGT CATGAGGTCT CCTTTCTAAT ACTCAATAAA AATCAAAGAG      6900

CAAACTAGAA AGCTAGCCGC AATCAGCTCA AAACACTGTT TTGAGGTTGT AGATAGAACT      6960

GACGAAGTCA GCtCAAAACA CTGTTTTGAG GTTGTGGATA GAACTGACGA AGTCAgTAAC      7020

CATATATACA GCAAGGCGAA GCTGACGTGG TTTGAAGAGA TTTTCAAAGA GTATAAGTTA      7080

TACTTTTACA ACTTGAACCT CGTCTTTACC GAGTAAAATC AAGTATTTTT CAATATTTTC      7140

AATCGAATAG GCTCGTGATA AAGCCTCTTC GTATAGAGCT AACTGACCAC GATAGCGGTC      7200

TACGAGTTGA CTTGGTTCAT CATAGCGGTC TGTCTTGTAG TCGAACAGAA CAATTTTGTT      7260

TTCGTAAAGC AGATAGCCAT CAAGGATACC ACGGACAACA AAGTCTTCCT GACTCTTTTG      7320

GTCTCGTTTG AGCATGGAGA AAGGTTGCTC GCGATAAAGA TGGTCGGTAT TAGCAAGAAT      7380

TTCCTGACCG AGTACTGTGT CAAAGAAAGC AAGAATTTTA TCAAGATTGA TCTTGTCTCT      7440

GACAGCTTGG CTAGTTTGAA CTTGTTTGAG TGTTTCTGTT AGGCTAGCAA GGGTTAGTTG      7500
```

```
CTGGCTGAGG TCAATTCTCT GCATGAGTTC GTGAGTAGCA CTACCAATCT CAGCTCCAGT    7560
TACCTTTTCT TTGGTTGAAA AATCTGGCAA ATCGAAGCTG ATTTTCTTGC CTACTGACTG    7620
ACCTTGACCA GCAATCTCGA CACCTTCCAT ATCCATAACT GGTTCGTAGA ATTTCTTGAT    7680
TTGACTTGGG GTTTGAACAC TAGGAAGTTC AATAGCTGCG CGGTGAAGAG TATTATAAAC    7740
TTCCACCTCC TTCAGCATTT CCAGAGCTTC TTTGATGGTA TCTGACTGAC GATTGTCTGC    7800
TTGGGAGCTA TCTTGGAGAG GACTCTTGGT TTCCAACTCT CCGATAGCTT CTCTGGTCAA    7860
CTGATCTTCG CCAATAAAAC GATAACTAAA GTTGAGCTTG TCCTTAGTAA ACACTTTACT    7920
GATAGCCCAA AGCCAATCTT GGAAATTCCG TGCTTGCAGT CTAGTATTGC TATTTAGTTT    7980
CCCATTTTTG GCTGCTGGGT ATTCCTTGGA TTCCAGCTTT TCACGAGAAC CCTTGCCGAC    8040
AAGATAGAGC TTTTTCTCAG CCCGCGTCAT AGCAACATAC AGCAAACGCA TCTGCTCAGA    8100
ATAGCTTGCT AGCTGTAATT CCTCTTCGTT CTGCCTATAG GTCAGACTAG GAATGGAGAG    8160
TTTGATGGTT TTAGGATAGT GGTCTTCTAC TGCCCCTGTC TCCATCTTGG CAATATATTT    8220
GACACCAAGA CCATTCTGAC GACTGAGAAT GACTTCTGAC ATAGAGTCTT GCTTGTTGAA    8280
ATCTTGATCC ATATTGAGGA TAAAGACGTA AGGAAACTCC AGCCCTTTAC TCTTGTGGAT    8340
GGTCATGAGC TCTACTGCAT CTTTTGGCGG TGCGACGGCC ACGCTTGCCA AATCGTGCTG    8400
GGCTTCTAAG ACTTGGTCAA TCATACGAAT AAAACGCGAC AAACCTTTGA AATTGCTCTT    8460
TTCAAATTGA TCAGCACGCA GTGCTAGGGC ATAGAGATTG GCCTGCCTAG CAGGACCATT    8520
CGGCAAAGCC CCAACATAGT CATAATAAAA ACGGTCGTTG TAAATCTTCC AAATCAAGTC    8580
ATAGAGAGAG TGGGTTTTGG CATACAAGCG CCAAGAAGCT AGGATATCCA TGAATTGCTT    8640
TAGTTTTTCA GCTAGAGCTG TGTGAATCAA GCCTTTTTGA CTACTTGCCA TTTTTTGTGC    8700
ATTGACCAGT TTCTCATAGA GATTTTCGTG GACTTTATCC TCTGCTTTCT GAAGGGACAA    8760
ACGTGCTAGC TCATCCTCAT CAAAACCAAA CATTGGAGAC TTCATAAGGG CAACCAAGGC    8820
GTAGTCTTGC AGGGGATTGT GAATGACACG AAGAGTGTCT AGCATGACTT GCACTTCTAG    8880
GGATTGGAGA TAATTGTTTT GCTCTCCGTC AGTTTTGACA GGAATTCCGT ACTCAGACAG    8940
GGCGAGGAGA ATCTGGTCAT TACGACTGCG GCTGGAGGTC AGAAGGGCAA TTTCCTTAAA    9000
GGCAACACCT TTTTCTTGAT GAAGTTTCAG AATCTCCTTG ATAACTAAGC GCATTTCGCC    9060
TGTTAGTTTC GTTTCTGTTT GACTCTCTTC TTCCTCACCT GTATCGTCCT TGTCGTAGAG    9120
GAGAAATGCT GCCTTGTTGT CTGGATTGGG AGTCAGTTTG GTATTGGCAA AAACAAGCTG    9180
GTGCTTGTTA TCATAGTTGA TTTCGCCGAC CTCTTGGTCC ATGAGACGTT CAAAGACATC    9240
```

```
ATTGGTTGCT GACAGCACTT CTGAACTACT ACGGAAATTT TCCTTGAGGA TAATGAGCCT      9300

GCCTTCTTGG GGATTTTGCG CATAGCGTTG GAATTTCTCA TTGAAAATCT GCGGGTCTGC      9360

CTGACGGAAA CGATAGATGG ATTGCTTGAT ATCTCCCACC ATAAAGCGAT TGTGGCCATT      9420

AGACAACAAT TCCAGCATCC GTTCTTGAAT ATGGTTGGTA TCCTGATACT CATCGACCAT      9480

GACTTCATGG AAGCGCTCCT GATAAGACTC ACGAACTTGT GGGAAATTCT CTAAAATCTC      9540

AATGGTGTAA TGGCTGATAT CAGCGAATTC GAAGGCATTT TCCTGTCGTT TTCTCTGACG      9600

ATAAGCCTCT ACAAAATCGC TCATGAAAGA TTGGAAGGTT TTAGCTAGTT TCCAAGTGTC      9660

TCCATGATAA CGTTCTTGAT AGTCGAGAAT CGCTATCTGG TCTGATAATT GTCCTAGTTT      9720

AGCAAACTGG GTCTTTCTCT CTTCGTTGTA GGCATCAGCC AGGGGCTTCA AATCAGCCTA      9780

CGGCTGGCAT TAGTCAGAGC TCGACCGTTT TTCTCCTTAG AGATGGCGAC AACACGCGCA      9840

AGCACTGCCT GATAAGCCTG ACTATCGGAC TCCTGATTTA GGGAGCCAAT TTCATCCAGA      9900

ATTAACTGAA CATTTTCTAA ATAGGCAGCC TTTGCAAACT CCTTGGCATC GTTATCCAGA      9960

TGGTAACGGA AAAAGCTTTC CAAATCCCAA AGGGCTTGTT TGATTTGCTC GGTCAGTTTT     10020

TCTTTTTCAC TGGTAAAATC AGCTTTCTCA AATCCTTTGA GGAAAGATTC ACTCAGCCAC     10080

TTTTGAGGAT TACTGGTGGA TTGGAGGAAG TCATAGATTT TATAGACCTG CTGGCGCAGA     10140

CCCCGTTCGT CCTTGCCACG CCCAGCAAAG TTTTTCAGCA AATGACTAAA GGTCTCTTTC     10200

TGTTTACCTT GGTAATGCGC TTCAAAGACC TCATGAAAGA CTTCGTTTTC GAGAATAAGT     10260

TGCTCGCTTT GGTTTTGTAA AATACGGAAA TTAGGTGCAA TATCAAGCAG ATAACCATGT     10320

TTGCCAAGGA ATTTTTGTGT GAAAGAATCC ATGGTTCCAA TGGCAGCGTT GGGTAGGTCT     10380

GCCAACTGGC GACCCAAGTG TTGTTTGAGG TCGACATCAT CTGTTTCTTG GATTTTCTTG     10440

CTGATTTTTT TCTCTAAACG TTCTTTAAGT TCAGTTGCAG CCTTGACGGT AAAGGTTGAG     10500

ATAAAGAGTT GAGAAATTTC GACACCACGC GCCAATTGGT CCAGAATGCG CTCTGCCATG     10560

ACAAAGGTCT TTCCAGAACC AGCCGATGCT GAGACCAGGA TATTCTGGGC AGAAGTGTAG     10620

ATAGCTTCGA TTTGCTCGGC AGTTTTCTTC TGTTCCTTGC TCGAATTTGC TTCTGCTTCT     10680

TGCAGTTTTT GAATCTCCTC CTCACTTAAA AAGGGAATAA GCTTCATCGA TTCAACTCCT     10740

CTCTTATTTT TTCAAGCCAA GCTTGCTTGA GTTTTTCTCC GACCAGACGC TTGCCATCAG     10800

CTAGGTCCAA CTTTTCTAGG AAACGGGCTT GGCCCAGATG GTAATTGGCT TCAAAGCCTG     10860

TAATAGCCTG ATGTTGCTGG ACGTATGGGG CAATGCTTCT GCCATTTTCA GTATAAGGAT     10920

TGATGGCGAA CCGGCCTGCT AAAATCTTCT CAGCAGCTTT CTTGTAAAGA TAGGCATTGT     10980

AGTCCAGTAG GAGCTGAAAT TCCTCATCTG TCAGTTGATT AGCCTTGTTT TTGTTATAAA     11040
```

ATTCGCCTAA ATAACTGCTT TCTTTTTCCA AGAAGAGCCC TTGGTATTTC ATAGATTTGC 11100

TGGCTTCTAC CACTGCTCCT GCCAGACTTT TTACCGCCAT CAGAGATTGG ACAGGTTCAG 11160

CCATTTCCAA GTACATGGCG CCGAAAAAGT TCTGCTCCCC TTCTCTTTTT AGGGCAGCAA 11220

GATAGGTTGG TAACTGAGAA TTGAGCCCAT TAAAGAAATG AGGAAACTGG AACTGAGTCA 11280

GACTGGATTT GTAGTCTACT ACTCCTATCG CTCCATTAGC TTTCAAACGG TCAATCCGGT 11340

CCACCTTGCC TCGTACAAAG ACACTGCGTC CATTGTCTAA TTGAATAAAG GCTTGGTCTT 11400

TTCCACCAAA ATTTGCTTCT TCTTTGATGG TTTCGATGGC TGGATTGTGT CGGAGAATAT 11460

GTCCAGTTGT CCGTGCAACA TCAAGCAAAA CTTCCTTGGT AAACTGGGCT TCCAAACTTT 11520

CTTGATAAAT AGCTTCAAAT TCGCGTTCTT GACTGGTTTC TTGAATAGCT TGTTCTAGAC 11580

GTTGGTCAAA GGAATCTTCA TTAGGCAACT GTAAGGCGCG TTCAAAGATA CGATGCAAGA 11640

AATTCCCGTG ACTACGGGCA TCAGGATGCA AACGTAATTC CTCCTGCAAG CCTAAAACGT 11700

AGCGTAGGAA ATAACTGTAT TCATTGCGAT AAAACTCTGT CAAACCCGAC GTAGACAGGT 11760

AAAACTCCTG TTTGGCAGGA TAGAGAGCTT GCAAGGTGTC CTTGGCTAAG GTCTTGCTGC 11820

TTGGACTGGT TGGGATAGCT GGATTTTCCA GACCTTGCTG ATCTAGTTTT TTACCTATGA 11880

CACGCGACAG AACCTTGACA AAAGTCAAAT CTTGCTCAGT ATCGCTCATC TCACCCTGCT 11940

GGTGATAGGC AACCAGACTA GACAAAAGAC TGTGATAGGA CCCCATATCC TCCTTAGACA 12000

GTCCTTTGTC ATTCATCCTC TTCTCTCTCC GCCTAAATCC AAAATGGATC AACTCTTGAA 12060

GATAGGCAGA TTCCTTACTT TCACTTTCGT TAAAAAGGCT TGGAGCCGAC AAGAACAACT 12120

GCTTACGAGC AGAATTGACC AAGGAAAGCA TAGTGTAGCG ATTTTTCTTG AGATTTTCAC 12180

TGCTGGCAAT CAGTAATTGA ACGCCTTCTT CGGTCGCTTG GTTTAGGTTT TGCCTTTCTT 12240

CATCTGTCAG AAGACTGGTG TTTTGAGAAA TTTTTGGTAA ATTGTCCTGA GTTAGTCCAA 12300

TAGCATAGAC AAAGTCAGCA GTCAATGGTG CAATCAAATC GTAACTCTGC ACCAGAACAG 12360

TGTCCACTGT TGCTGGAATG GTACGGTATT GGGACAAACT CATTCCAGAA TGGAGCAAGG 12420

CTAGGAAGTC TTCCAGACTA ACCTGTGAAC CAGCAAAAAC AGTCGCAAAT TGTTCTAAAA 12480

CATGGCAGAA AGCCTTCCAA ACTTCGGCTT GTCTTTCCTG TTCTACAGCT TCCAAAGTGG 12540

TTGTCAAATC TTGTAACTGC TTGGTCACAG CTCCTTCTTT TAGAAAGACA CTCCATTTTT 12600

GTAGGAGTTT TTCAGCCTTT TGTTTTCGGC TGGCAAAGAG GGTTTCAAGA GGTGCTAAAA 12660

TTCTCAGGCG GAGGACATTC AAACGCTCAA GATTAAATTT TCCATGGTGG GATTTGGTGA 12720

AGGTTTGCTG AAAGGCTGGC AAGCCATTGA TACCAAGATA GCGGATATAT TGCTCAAAAG 12780

```
CATCAATATC AGACTGACTG AGGTCAGTAT ACAAATCAGT TCTAAGAAGA TTAATCAAAT    12840

CCTCCTGACG AAAACGGTAA CGTTTTAAAG CTAAAATAGA CTCGACAAAC TGAGTCAAGG    12900

GATGATGAGC CATGGCTTCG CTTCTACCAA GATAAAAAGG AATCTGATAC TGGTCAAAAA    12960

TGGTTTTGAG AGATAACTGG TAAGAAGCTA CATCCCCCAA GAGAATACGA AAATGCTTGT    13020

AGCTCAGGTC TGAGTTCTCA TGTAATTTCT GACGAATACT ACGGGCTACT AGCTCCAACT    13080

CCTCCTTTTG CGTCAAACAA GACCAGATTT GTAAATTTTC ACGGTCTTTC TCATCGACAT    13140

CCAAAGCGAG TTCTGAAAAG TCATAAGAAG ACTCCAACAA ACGAGAGGCC TTGTCAAAAC    13200

TATCCATCTT CTCATGAGTT TGAGAACAGT CCTGAGCAGG CGTTTGGTAT TTAGAAGCCA    13260

GATGATGGAG AAATTTTACG CTGGCTTGGT AGAGATTGCC CTCGCTAAAA GGACTGGTAT    13320

AGGCTTTCTT ACTAGCATAA GCCCCGATAA CAATCTCAAC ACCTTTGCCG TGAAGTAAGT    13380

CCACAACCCG CTCTTCCTCA GCAGAAAAAC GAGTAAAGCC GTCAATGACC AAGGCGATTT    13440

GATTAAAATC ACTACTTACC TTGTCATTCT CAATAGCCTC AATCAAATGG GACAACTGAC    13500

TTTCCTGGGC TAACTGACCT TGATTAAGAT AGGCTGTTAC TTTCTCAAAA ATCAAGAGTA    13560

AATCCGCCCT CTTATCCTCA TCTGTTAAAT TCTCCAAGTC CAAAAAACTC ATCTGAGATT    13620

TGGTCATCTC ATGGTAAAGC TCAATTAACT GCTGGATCAA TTGAGGATCC TGCTTAATAG    13680

CGCCATAAAC ACGCAAGTCC TTGGGATCGA GTTCGGCAAG GCATTTGTAA AAGGCCAACC    13740

CAAGACCGAT ATCATCAAGA GTAGTTTTAG CTGGTAAATC ATTCAAGACC AGATAGCGAG    13800

CCATTTGAGC AAAGCGCGTG ACGGTAATCG AAAAAGAAGC CTGCTGGGAC AAGTATTCCA    13860

GCACGGCGCG TTCCTTTTCA AAAGAAAGAG AGTTGGGGGC AATGTAGAAG ACCCGCTTGC    13920

CAGCTGCAAC TAGCTCTTCT GCCTCTCTTG TTAGAATTTC TGTCAAAGAA GTCCGAATAT    13980

CAGTATAAAG TAATTTCATC TCAGCCTCGT TGGAATTTTT CATCACCCTA TATTATACCA    14040

TGATTAGCCT CGTAAATCTG TTAAAATATT TAGGCCATCC TTTCTTTTCT TCATCATCTG    14100

CTAAATCTTA AATACTTAGC TTTACTTGTA TTAGATAGAA TAAGTCTGGC TACTGAAAAT    14160

CACATAATAA AAAAGCCTCG GTAACAAGGC TTTGAGTTTT ATGATTGTTT CTTAGGTACG    14220

GAATACACTT CAATGTGTTG TCCCAGTATC TTAATGTCGA CTGGTAGATT GTCTGATTTA    14280

TCGCCATCAA CATCGGACTC TAATTCGATA TCAGAAGAAG TTTTAATATT ACGTGCCTTT    14340

ATATATTCAA TATTCTTGAT AGAATGATTG AACTATAGTA AATTGAAACT ATAATAGTAC    14400

ACCGTGGATG CTAAAATATT TCTAGAAATT AATTTGATTT CCCTAATCAA GCTATTCGTA    14460

TCTTATTTCA ATCTACTATA ATAAAATGAA CCAAAAATAG TACACAATGT GGTATAATCT    14520

TCTTATGGCA TATTCAATAG ATTTTCGTAA AAAAGTTCTC TCTTATTGTG AGCGAACAGG    14580
```

```
TAGTATAACA GAAGCATCAC ACGTTTTCCA AATCTCACGT AATACCATTT ATGGCTGGTT    14640

AAAGCTAAAA GAGAAAACAG GAGAGCTAAA CCACCAAGTA AAAGGAACAA AACCAAGAAA    14700

AGTTGATAGA GATAGACTTA AAAACTATCT TACTGACAAT CCAGATGCTT ATTTGACTGA    14760

AATAGCTTCT GACTTTGGCT GTCATCCAAC TACCATCCAC TATGCGCTCA AAGCTATGGG    14820

CTACACTCGA AAAAAAGAAC CACACCTACT ATGAACAAGA CCCAGAAAAA GTAGCCTTAT    14880

TTCTTAAGAA TTTTAATAGT TTAAAGCACC TAGCACCTGT TTAGATTGAC GAAACAGGAT    14940

TCGATACTTA TTTTTATCGA GAATATGGTC GCTCATTAAA AGGTCAGTTA ATAAGAGGCA    15000

AAGTATCTGG AAGAAGATAT CAGAGGATTT CTTTGGTTGC AGGTCTAACA AATGGTGAAT    15060

TAATCGCTCC AATGACTTAC GAAGAGACGA TGACGAGCGA CTTTTTTGAA GCTTGGTTTC    15120

AGAAGTTTCT CTTACCAACA TTAACCACAC CATCGGTTAT TATAGTAAAA TGAAATAAGA    15180

ATAGGGGGGG GGGGGGAGGG GGGGGGAGGG AGA                                 15213
```

(2) INFORMATION FOR SEQ ID NO: 27:

```
     (i) SEQUENCE CHARACTERISTICS:
          (A) LENGTH: 6004 base pairs
          (B) TYPE: nucleic acid
          (C) STRANDEDNESS: double
          (D) TOPOLOGY: linear


     (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:
```

```
TTATTACCTG AAACATTAAA TTTAATTGGA CATCCCGTTA TCAATTTTAT AATATCATCA       60

AGATTTTTAT TATCTGATTC AGGAATTTTA TCTGATATAA CAACACCATT TTCAAGATAG      120

TTCATTAAAT TATTTGATTC ACTAACATTA GTGTTTTGAT CTCCATCAAG CCAAAAATAA      180

TGGTTATCGG AATCTAAATA CGATGAGTTT AAAATATTAT TACAAATTAT TTGATTTGCT      240

CCACCAGGAA TATATCTCAC TACTAAATTC TGTTTAAGAT TCTCACTACC TGAATGAGTG      300

ATAACAAACT CTAGAATATA TTTAGCTAGT CTATCTTCAA CATAAATCAT CTTCCTAGAA      360

TGATACACAT CACCTAATTC AAAAAATGCA TCCTGATAAT CAATATTTTC AATAACATCT      420

ACCTTTTCTC CGTTTTTCAC TAAAAGTTTC ACGGCTTCTC TAGGAAAATC TTTTATAAGT      480

TGTGTAGAAT GTGTAGTGAT AATAATTTGA TGTTTTTTAT TTAAACACTC TTGAAGTAAA      540

AACTCTTTAA ATTTATAGAT TGCACTCGGA TGAAGTGAGA TTTCAGGTTC ATCTATTAAT      600

ATTAATGAAT TTGATTGCGC ATTTACTATA TCATTTACTA ACAAAATAAT TCTAGCCTCA      660

CCTGTTCCTG CAAAAGCCTC GGAATATTCT TTTCCAGATT TTTTCATCCA AATAGTTTTG      720
```

```
GAAGCTTTTA TATCATCACC TTTTGAATAC AACTTATGTG TTAAAATTTG AATGTCTGTA     780

TAAGATTCAT CCATTATTTC ACTAATAATT TCACAAACTT TATCATCAAC TTTAACATTA     840

TCTATAACCA TTTCCTTTTT ATAACGCGTA TAGCTACTTG TATTATTCTT TAAAATATCA     900

GCAACTGGCT TAGATCGTAA TCTTATAAAA TCTTGTTTAC TACGTTGAGT AGAAATTTTT     960

TTAAAATTAT AGTGATAGAA AAATAAATCA AAAGCAGAAA CATATTCTTT ACAATCACAA    1020

AAGACAACAT TTTTTTCAAT GCCATCCCAT CTGTCTGTCG AAGAACTTCC AATATATTTA    1080

TTTTTGGGTA ATCTTTCCAT CTCATATTGT TTTTGAGGAG CATATGGTTC CCAATAATCT    1140

AATCCTTTTT TTGTTCCAGA ACGGCCTTTA AGAACTTCTA CATTTCTAGA AGCTTTAATG    1200

TTATAATATG AATAGATTAA ACATTGTTTC CCATCCACTT CATCTATTTG ATCAACATTT    1260

GTACTAAACC AATATTCAGA CACACTTTTA TTGGCTGGAG AACCATATAA AGCTTGTAAA    1320

ATTGAAGTTT TATTTACTCC ATATCTATTA CAGACACCTC AGGATTATTT AACTTATAAG    1380

TTTTAACAGC TACGGAATCA ATTTCAACAG CAACTTGAAC ATCTATGCCT GATTTTTTAA    1440

GGCCACTTGT AGTGCCACCT GCACCGTTAA ATAAATCAAT AGCAACAATT TTCCCCATAG    1500

TATTCTCCTA AAGTTTCTCC TTTTTATTAT AACATTATCA AATGTAAAAC CCAACCCGAT    1560

AGGGTTAGGT TTTTAACATC ATTTCACCAA CTTCTTCATC TCATCAATAC GTGCGACGGT    1620

CGCGTCATAT TTAGCTTGGT AGTCAGCTTG TTTGTCGCAT TCTTTTTGGA CGACTTCTGG    1680

TTTGGCGTTG GCTACGAAGC GTTCGTTAGA GAGTTTCTTA CCAACCATGT CCAGTTCTTT    1740

TTGCCATTTA GCAAGTTCCT TGTCGAGACG GGCCAGTTCT TCTTCAACAT TGAGGAGATC    1800

GGCCAGTGGC AGGTAGATTT CTGCTCCTGT GATGACACTT GACATAGCCA GTTCAGGTGC    1860

AGGGATGGTT GATGCGATTT CCAAGTGTTC TGGATTTGTA AAGCGTTTGA TATAGTTGAC    1920

ATTGCTGTTA AAGAAGGCTT CCAAGTCGCT ATCGCTTGTC TTAACAAGGA TGGTGATAGG    1980

CTTGCTTGGT GCTACATTTA CTTCCGCACG CGCATTCCGA ACAGCACGAA TCAAGTCTTT    2040

GAGACTTTCC ACACCAGTGT GAGCCGCAAG GTCTTCAAAG GCTAGATTAA CAGTTGGGTA    2100

TGCAGCTGTC ACGATAGAAC CTTCTGAGAT TTGTCCAAAG ATTTCCTCTG TCACGAATGG    2160

CATGATTGGG TGAAGGAGAC GAAGGATCTT GTCCAGCGTA TAGAGGAGAA CAGATCGAGT    2220

AATGACCTTA TCGTCTTCAT TGTCGCTGTA TAGAACTTCC TTGGTCAACT CAACATACCA    2280

GTTGGCAAAT TCTTCCCAGA TGAAGTTGTA AAGGATATGA CCAGCCACAC CAAACTCGAA    2340

CTTATCAAAG TTTTCAGTAA CTTTTGCAAT GGTTTCGTTG AGATTGTGGA GAATCCAGCG    2400

GTCCGTCACA TTACCAGCCT CACCTGTTGC AACTTTTGTG ACATTGTCAT GCGCCACATC    2460

CAGCGTCAAA CCTTCATTGT TCATGAGGAT ATAGCGAGAA ATGTTCCAAA TTTTGTTAAT    2520
```

```
AAAGTTCCAT GAAGCATCCA TTTTCTCGTA AGAGAAACGA ACGTCTTGAC CTGGTGCGGA      2580

ACCGTTTGAA AGGAACCAAC GAAGGGCATC AGCACCGTAT TTCTCGATGA CATCCATTGG      2640

GTCAATCCCG TTACCGAGAG ATTTAGACAT CTTGCGTCCT TGCTCGTCAC GGATGAGACC      2700

GTGGATAAGC ACGTTTTGGA ATGGCTGACG ACCAGTAAAT TCCAAGGACT GGAAGATCAT      2760

ACGAGACACC CAGAAGAAGA TGATGTCGTA ACCTGTTACC AAGGTTGAAG TTGGGAAATA      2820

ACGTTTAAAG TCTTCTGAGT CGACTTCAGG CCAGCCCATG GTTGAAAATG GCCAGAGGGC      2880

AGAACTGAAC CAAGTATCCA AGACGTCTTC GTCCTGAGTC CATCCGTCAC CTTCTGGAGC      2940

TTCTTCGCCG ACATACATTT CACCATCAGC ATTGTACCAG GCAGGGATTT GGTGACCCCA      3000

CCAAAGCTGA CGAGAGATAA CCCAGTCGTG GACATTTTCC ATCCATTGAA GGAAGGTATC      3060

GTTGAAACGA GGTGGGTAGA ATTCGACCTT GTCCTCTGTG TCTTGGTTAG CAATGGCGTT      3120

CTTAGCCAAT TGGTCCATCT TGACGAACCA TTGAGTAGAC AAGCGTGGCT CAACTACGAC      3180

ACCTGTACGT TCTGAGTGAC CAACACTGTG GACACGTTTT TCGATTTTGA CAAGGGCACC      3240

GATTTCTTCC AACTTAGCAA CGACTGCCTT ACGAGCTTCA AAACGATCCA TGCCTGAAAA      3300

TTCAAAGGCA AGCTCATTCA TAGTTCCGTC GTCGTTCATG ACGTTGACTT GTGGCAAGTT      3360

ATGACGTTGG CCAACCAAGA AGTCATTTGG ATCGTGGGCA GGTGTGATTT TCACGACACC      3420

AGTACCAAGC TCAGGATCTG CGTGCTCATC TCCAACGATT GGGATGAGTT TATTAGCGAT      3480

TGGAAGGATC ACGTTTTTAC CAATCAAGTC CTTGTAGCGC GGGTCTTCTG GATTAACCGC      3540

AACCGCAACG TCCCCAAACA TAGTCTCAGG ACGAGTTGTA GCAACTTCAA GGGCGCGTGA      3600

ACCATCTTCC AGCATGTAAT TCATGTGGTA GAAGGCACCT TCTACATCCT TGTGAATCAC      3660

CTCAATATCA GAAAGGGCTG TGCGAGCTGC TGGGTCCCAG TTGATGATAA ACTCACCACG      3720

ATAGATCCAG CCTTTCTTGT AAAGGTTCAC AAAGACCTTA CGAACAGCTT TTGACAAACC      3780

TTCATCAAGA GTGAAACGCT CACGAGAATA GTCTACAGAA AGCCCCATCT TGCCCCATTG      3840

TTCCTTGATG GTAGTGGCAT ATTCGTCTTT CCATTCCCAG ACCTTCGTCA AGAAAGACTC      3900

ACGACCTAGG TCATAACGCG TAATACCCTC ACCACGTAAG CGCTCCTCAA CCTTAGCCTG      3960

AGTCGCAATA CCAGCGTGGT CCATACCTGG AAGCCAAAGG GTATCAAAGC CTTGCATGCG      4020

TTTTTGACGG ATGATGATAT CCTGCAAAGT CGTATCCCAA GCGTGACCAA GGTGAAGTTT      4080

CCCAGTTACG TTTGGTGGTG GAATCACGAT TGAATAAGGC TTAGCCTTTT GATCGCCTGA      4140

AGGCTTGAAA ACATCCGCAT CAAGCCATTT TTGGTAACGA CCAGCCTCAA CCTCGGCTGG      4200

ATTGTATTTA GGTGAAAGTT CTTTAGACAT GTGTGTGTCC TTTCTCTATT TTGTTTATTT      4260
```

```
TATTTTGAAT TTGCTTAGCA GCTTCTTCTG CAGACAAATT CGTATTATTT ATTTTAAAGT      4320

AGTGGTGCAA CTCATTCGGT TGATGTTGGG AATTTAATTG AAGTGTTTCA GCGGTCTCTA      4380

AAATTTCTCT TTCAGATACC TCAATATGTC GTTTTAAGGG TTTGTGCTTT AATCGATTCT      4440

CCGTTCGATT TCGACGTATG CACTCTTCAA GACTTGTTTC CAATTCAACA AACAGAATCT      4500

CTTGATGAAA GTTATCCAAT AAATCCTGAA TTTGCTTTAA ATACATCAGC TGGTACTGAT      4560

TTGAAAAATC AATTACGTCT GTTAAAATTA CTGATCGCTG ATTTCTTGCA CTTGCTCCAA      4620

GGAAAGAAAA GGTAATTCCA CGAACAAATT CCCACATCTC CTCGGTATAA TCCTGATAGA      4680

TCTCTAGTGC AAAATCAATG GCTTGATGGT TATAAAATAG GGTAGCATCC GTCAGTCGAG      4740

ATAATTCTTG ACCAATGGTC ATTTTTCCTG ATGCTGGAGC ACCAATGATG AAAAGATGCA      4800

TCAAATCACC TCCCACTCAC TCCTCAGCAA GCCATATCTC AAATCATCAC AGCAGTTGCC      4860

TTGAGCATCT TTGCGGTCTC TTATGCGAGC TTCGAGGGTA AAGCCAAGCT TTTCCGAGAC      4920

TCGTTGACTT TGAAGGTTAT ATCCAAAGCA AGTTAGTTCA ATCTTGTGAA GACCAAGTTC      4980

TTTAAAAGCT AGATCAATCA AGGAACACGC TGCTTCTGGA ACATAACCTC GACCCCAATA      5040

GTCTGGGTGC AAGGTATAGC CAAGCTCTAG CACATCATCC GCATGAAGAT GGTTGAAGTC      5100

AACAGAACCA ATGACTTTAT CGGTTCCTTT GACGACAATC CCATAGCCAG CTGGGAGATT      5160

TTCCTTTTGA GTACGCTCCG GAAGAATGTG CTCCAGATAA TAAATCTCAT CTTCCAAGAT      5220

CTTGACTGGA GGAAAACCTG CTGGATAGGC GACCTCTGGC AAACTAGCGT AGGTATGGAT      5280

ATCCTCAGCA TCCACCACTG TGCGGACTCG TAAAACGAGA CGTTCTGTTT CGATTTTATC      5340

TGGCAGCTCA GTTCTTGCCA TCCTTCTTCC TCGCTTTTTT GATGAAACTG CCCTTCATAT      5400

CTACACGCTT GTCCAGATAG CGATAAACGC GCTGATATCC ATCTCCCATG AAATAGGTTG      5460

GGGCAAACAG TTGATTTTTA AAATGTCCCT TTTCATCCAG GAGTTCTGGG GCAACAAGTC      5520

GCTCAAGAAT CTTGGCAAAG ATGTGGCAAA TACCGTCTTC CTCAACAATC CTATCTACCC      5580

GACAATCTAA AACAAGTGGA CAGGCGTCTA AAATAGGAGT CTGAGTTCGT TCAGAAATTT      5640

CATAATGCAC TCCCAAACGT TCCAATTTCT CCTGATGACT GATAAAACCA GCCTGCTCCA      5700

TCGCAAGCAT AGAAGTTTCA TCAGAAATAT TCACAGTAAA TTTTTGATAC TGTTTGATCT      5760

GCTCTGCGGC ATTCTCTCTC GCAACGACTC CAATCACAAC CCAATCTCCT AGACTATAAG      5820

AGGAACTACA GGTCGTGATG TTATAGCCAA AATTCTAATC TTGATATCCT AAAATAAAAA      5880

CAGGAAAACC ATAATATAGT TTACTTGTGT TAAAAGATTG CTTCATAACA ACCCCCTTTG      5940

ACTAAGACGT AAAAGAAAAG CCCTGCCATC TACATGACAG GGACGAATGT GTTTATCCGC      6000

GGGG                                                                   6004
```

(2) INFORMATION FOR SEQ ID NO: 28:

```
     (i) SEQUENCE CHARACTERISTICS:
          (A) LENGTH: 5857 base pairs
          (B) TYPE: nucleic acid
          (C) STRANDEDNESS: double
          (D) TOPOLOGY: linear
```

```
     (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:

TGTAGAATTC ACGACAATGC TTCGTTGATT TCTGGGTTGA TTTCGTCGCG TTCTGGCAAG        60

CGAGTCAATG AACCAAAAAT AGTACACAAT GTGGTATAAT CCTTTTATGG CATATTCAAT       120

AGATTTTCGT AAAAAAGTTC TCTCTTATTG TGAGCGAACA GGTAGTATAA CAGAAGCATC       180

ACACGTTTTC CAAATCTCAC GTAATACCAT TTATGGCTGG TTAAAGCTAA AAGAGAAAAC       240

AGGAGAGCTA AACCACCAAG TAAAAGGAAC AAAACCAAGA AAAGTTGATA GAGATAGACT       300

TAAAAACTAT CTTACTGACA ATCCAGATGC TTATTTGACT GAAATAGCTT CTGACTTTGG       360

CTGTCATCCA ACTACCATCC ACTATGCGCT CAAAGCTATG GGCTACACTC GAAAAAAGAA       420

CCACACCTAC TATGAACAAG ACCCAGAAAA AGTAGCCTTA TTTCTTAAGA ATTTTAATAG       480

TTTAAAGCAC CTAACACCTG TTTAGATTGA CGAAACAGGA TTCGATACTT ATTTTTATCG       540

AGAATATGGT CGCTCATTAA AAGGTCAGTT AATAAGAGGC AAAGTATCTG GAAGAAGATA       600

TCAGAGGATT TCTTTGGTTG CAGGTCTAAC AAATGGTGAG TTAATCGCTC CAATGACTTA       660

CGAAGAGACG ATGACGAGCG ACTTTTTTGA AGCTTGGTTT CAGAAGTTTC TCTTACCAAC       720

ATTAACCACA CCATCGGTTA TTATTATGGA TAATGCAAGA TTCCATAGAA TGGGGAAGCT       780

AGAACTCTTG TGTGAAGAGT TTGGGTATAA ACTTTTACCT CTTCCTCCCT ACTCACCTGA       840

GTACAATCCT ATTGAGAAAA CATGGGCTCA TATCAAAAAG CACCTCAAAA AGGTATTACC       900

AAGTTGCAAT ACCTTTTATG AGGCTTTTTT GTCTTGTTCT TGTTTCAATT GACTATATAA       960

ATTGTCTAAG CGAAACAACC GATAAGAATT GGCACAAAAG CGACCGTATT TTTGTTACCA      1020

ATACAGGAAA AACAGTTCAT AGTTCTATCT TGAGCAAGTC TCTCCAGCGA GCAAACGAAC      1080

GCCTTAAAAA ACCAATTCCC AAACATCTGT CCCCTCACAT CTTCAGACAC ACCACTATTA      1140

GCATCTTATC AGAAAATAAA ATTCCTTTAA AAACAATCAC GGACAGGGTT GGTCATCCCG      1200

ACTCTGAAGT CACTACTTCC ATCTACACCC ACGTCACAAA GAACATGAAA GATGAAGCAA      1260

TCAATGTACT GGATAAAGTT ATGAAAAAGA TTTTTTAAAA AGTTTTGTCC CTTTTTTGCC      1320

CTCTAAATAC AAAAATAGCC CTTCGGATAA AATCCGAGGG GCTAGAAACG TTGTTAAATC      1380
```

```
AACGGCCGAA CTTTTGAATT TCATGGTTCG GGATAAAATA GTTCACTGAA CTATTTTATT      1440

TTTTAAGGTT ATCATAATAT CAAATAGTTC AATTAAATAC GCTAAATTAC TAATATACTT      1500

TTTACCTTTT TCATTCTAAA ATGTAAAGTA CAAACAATTA CAATATACTA GAGGGGGAGT      1560

AAAAAAGGTA TTAAATCGAT GAGTTCAGCA GGCAAGAAAA TAGCACCTTT ACGGGTGCTA      1620

TTTTTTAATT AACGCCACGT TAACTTTTGA TTGATGAATT TTATTGTTTG GCACTTCTTT      1680

CATTTCACGG TAAACATCGA TGAAATTCTT TCCAACATTA TTTTTGGAGT TAACTGCATT      1740

TATTTTTGTA TTAATAACTT TTTTAGTATC GAAAGAATGG TTTAAGAAAT CCATAACTAA      1800

CTCTCCTTTC TCATCCTGTA ATCAAGATTT TTATCAATGT CAAAATAGTA TTTTCTATCA      1860

ATCCAAATTG GTCCTTCTCC TTTAGAAATA GCAAGTACAT CTACCGGACC TCCTACTGTT      1920

TCAAGAGTGT TGACAATTTT TCTCTTAAAT GAAGTTAATT CAATAAATGT TTTAGCTGTA      1980

CTCGCCATTT CATTAAGTGG TTGCATTCCA ATAAGGTCTA TTATAGGATT TATATAATAT      2040

TTTTGCTGTA TAGATGATAT ATTTTCAAAT ATATTCTCAA TTTCATCACC CAATCCATTT      2100

TTCTCCATAA CTGATGATAC TTGCTCTGCG ATATATACAT TTAAGTTAGG ATCTATACCA      2160

TTCATAATCG TCTCAACCAT CTCTGACTGT GCAAAAGGGA TTATATGACA AGTTTTATGA      2220

TGATTTATCA CACTTTCATT AATAACTTTC CAAATTAATC GTTTAGAAAA AATTCCATAT      2280

AATTCAATTT GTCTTATAGA TGGAAATATC TCGTCTGTAC CATAACCTGC TATAACTAAT      2340

CCAGTTATGT TTGTTGAGTC ATATCCAATG AAAATCGCTT TATATAAAGA TTTAGCAATA      2400

ACTTCAACCT CATCATCAGT ATGAGGAAAG GATTTAAAAA CATCGTCTAC AATGCTTTTT      2460

ATTAACTCTA ACTCAGCTTC AAAAAATTCA AAATTACTTT CAGCTTCTAC TTTTGAAATT      2520

TCTAAACTAA AATTAGTTAT AGCATTTAAT AAAATTTTAT TAAAATCATC TAGAGTGATG      2580

GTTTCACCAT TAGAAACTCT TAAATCAGCT GTTTCTTGCG CTTCATAGGC AATGCTGTCC      2640

AAAATACTTC TTGTACTTCT GACAATATAA TTTCTTAATA AATCCTCAAC TTGTAGATGT      2700

TTAAAGGAAA TTAAAAATTC TATTAGCTTT TCAACGTATT GGGCAGTATT ATCTAATAAA      2760

TCTGTGCCAA TAGCCTGCTT AAACTCATTT AAAATTACCT CCCACGGAAT TTCCATAAAC      2820

GAAGCGTTCC CATATATCAT GATCCCCACG GAATGTTCTT TTGATAAAGT GAATAATTTT      2880

CGGGCGCTAT TAAAAACTTT TGAATTTTTC CCGTCTGATA AGGTTACAGC GCTATCAGAA      2940

GCCAATACAA CACCATTTTT ATTTAATATT CCAATTTCTG CTGTCAAAAT ATCACCTAAA      3000

CTTTCTAAAC CTGCTCATGC TCTAATGGTA CAACAGCTAA GGTCTTACCA AGACTTGCCA      3060

ACACTTTTAA TACTGTATCA AGTTGTGGGC TTGTCTTTCC TGTTTCCATT CTAGCGATAA      3120

CTGGCTGACT AACACCGCTC ATCTCCTCTA GTTTCTTCTG ACTAATACCC TTTTCATTTC      3180
```

```
TAGCCTCGAT AAGCTCACTC ATGATAGCCA CGCGCATATC ACTTTCCAAA ATTTCCTCTT      3240

TGCTGAATAA TTCAGCTCTT ACATCTTTCC AGTTACTACC AATAGCATTA TTTTTCATTG      3300

TCTAAACCTC TTTCTTTTAA ATCTGCAAGT TCACGTTTAG CTTGCTCAAT CTCTCTTTTG      3360

GGTGTTTTCT GTGTCCTTTT CATAAAATGA TGCAGTAAAA CAAAACTACC ATCCATCCAA      3420

GCAACAAATA AAATTCTATC TCTAAGTGGT CTCAGCTCCC AAATTTCAGC ATCTAAATGC      3480

TTAATATATG GTTCGCCTGC GCGTGTTCCA TGTTGGCTTA ACAACTCAAT ATAATCATTA      3540

ATTTTATTAA GCTTAATTCT GCTATCTTTC CCTTTTTTAC TGGTAAGCTC TCGCATATAA      3600

TCAAAAACAG GCTCATTGCC GTTTTTATCC TTGTAAAAAT AGATATTATG CACTATTAAC      3660

ACCTCTTCCT AATAACAATT ATAACCTAAA AGTTATTGTT TGTAAATACT TTTAAGTTAT      3720

TAAAATAAAA AGCACCTAGT TTCCTAGATG CTAGCACAAT GACACGGATT CGCACCGTGG      3780

CTACCTCTAT CAAGGTGTAC TCCTTCTATA CTATCCCTTG TGCTTTAGAA TATTATACCA      3840

CACAATCAAC TAGATACCTA CCATCTCATG ATATACCCCC ATTTTGGGCA AGGGTACAAC      3900

GCTAAAATAC AAATCAGAAT AGATATTAAA CCACTTATTT AACTTATCAT AAGCTGGTGA      3960

TTGACTGATA AATAATATCC GCTGACAAGC TCCGATAACA TTCATGTGAT TGTACACATA      4020

AACCTCTTTT ACAGCCTCTA AAATGTCAGC CTCACTTGTT TGTACCCTAA TATCTGTTAT      4080

CTGCTTGATA GTTGCGTATT TTTGATAAGC TAGCATATCT TGATTTTTAG CAGCATCAAA      4140

CATTTTACGC TCAAGGACAC TATACTTAGG TTGTTCTTTA TCTCGCATGA AATACCACTT      4200

GAGCCATAAA ATCTTTTCTC GGTGTATTAC AGAAATACGC TCAATTTTCT TCTTTGTCAT      4260

TGCTACCTCC TAAATCATCA ATTTAACAAT TCTAACCACT CACTTTTAGA AATAGTTGCA      4320

TAGATCTTGT TCGATGTATG ATACAAAGGT TCTAAATCTT TTTCCACCCT AATATAGTTC      4380

ATCTTATCCT CATGAGTAGG AAAGTATAGT ATTTCCGTTT CATCCTCGTT TAGGATACGA      4440

TTGCACCAAT CATCAATAAT AACTGGCACT TCCCACTCAC GCCATTTTTT AAGGTTTTCT      4500

AAAAGTTCAT TATCACTAAA TAGCTCGCCA TCTATTTGGA AAAATTCCCC TAAGTCATTG      4560

TTTCCTTCAA CAATAATAAA CTCTGGCATA TTTCTATTAC TTAATAACTC CTTGAGTTCT      4620

TGTAACTCTT TGATTTCCTT TAGATACTTC CTCAATTTCC AACCTCAATT CTTCAATCTG      4680

CCTTACTACT CCAAAAATTT CATGGGTCTT ATAAGATTGT TCAAGTATAG CCTTTGCTGC      4740

TTGAGTTCTT ATAAACGGGT TGACCTTACT GTCCATCATA ATATCATTGA GTACAGAAAC      4800

AGCGTTAGAT GATGCTAAAT AAAGCATTTG AGTTGTTTTA TCCATCATCT CATCTTGCTT      4860

TATCCTCAAT GTCTTTTTAA CCGCTGCAAC TTTTAGATAC TTATGACCTG TTGCGCGTGA      4920
```

```
TACCCCTGCT TTTTGACATG CTTTGTCTAT CGTTGGCTCG GTAAGCATGG CATCTATGAA      4980

TTTAATTTGC TTGGACGTAA GGTTATCATT TTCATTTCCT GCCATCTATT ACCTCCTCAT      5040

TATCAAAATA AAGGGTTGCC CCTTTATTTC CCTATGCTAG ATAATTCTGC AATTCTGCAT      5100

CCATTGCCTC TGAATTGCCC TCAACAATCA TTTCATGCTG TACTAAATCA ATCTTATCTC      5160

CGTTAATAAG TAAACCACCG TGGAAATAAT CAATTTTTCT ATCAAGGAAA TGTACTAGCT      5220

TTTCAAGGCG TTGCTGTTGG CTGAATTGCT CCATGTCAAT TTCGATATAA GCAAGGGTAG      5280

TATCATTATC CATAATATCT TCTAATTTTC TAAGAGCTAG AGGTTTATTT TTATATTTTT      5340

CTAGGTATTC TCTCATTTCT GCCACTGTTA ATTTGATACT AGATAATAAA CTTAGTTCAG      5400

CTGCATCATC TGCTGTAATA GGCTCTTCTT TTGATTCATG GTTTGCTAGT TCAGCATTTT      5460

TCTCTTTTTC TAGTTGCTGA TACAATAGCT GAGCAGTATT TTGGGAATAG TTTTCGCCCT      5520

CTTTTTTATA TTTTAAAAGT TCTTGCTCTG CATACACTTT CCCGATAATC ACTTCCTTAT      5580

AAACTAATTG CCCATCTTGA GCTTTTAGCT TAATACTCCC ATGCTCTGGA ATTTCAATAT      5640

ACTTAATTAT ACCATTTTTT GAGTATAAAA CAAAGCCTTT CTCCATCATT TTTAATAATT      5700

TATCATCCTT GTTTTCAGTC ATGCTTTTCT CCTTTATTTC ATTTTATTAT AATCTGAATA      5760

CCCCTAGTCT ATTTATTTCA CTAGGTTTTT AGGGTTCGTA TGCTAAAATA CTACCCTTTT      5820

TGTGTACCTT ATGGCTGACT TTTCAAATTG GTTAGTT                               5857
```

(2) INFORMATION FOR SEQ ID NO: 29:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 10254 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:

```
AAAATGATAG CAGGAGAGTT TTCCCGTCCA TCAGACCCAG AACTGAGAGC CTTAGCTCAG        60

GCTTCTCGCC AAAAACAGGC CGCCTTTAAC AAGGAAGAGA ACCCCTTGAA GGGAGCCGAA       120

ATCATCAAGA CTTGGTTTGC CTCAACCGGG AAAAATCTTT ACATCAACAC TCGCTTGATG       180

GTGGACTACG GTGTCAACAT CCATCTAGGG GAAAATTTTT ATTCTAATTG GAACTTGACC       240

ATGCTGGATA TCTGTCCCAT TCGTATCGGG GACAATGCTA TGATTGGTCC TAATTGTCAG       300

TTTTTGACAC CCCTCCATCC ACTAGATCCA CAGGAACGCA ATTCAGGTAT CGAGTACGGA       360

AAGCCTATCA CAATCGGAGA TAATTTCTGG ACTGGTGGTG GCGTCATTGT CCTTCCTGGA       420

GTGACACTGG GAAATAATGT CGTTGCAGGA GCAGGGGCAG TAATTACCAA ATCTTTTGGC       480
```

```
GACAACGTTG TCCTAGCTGG CAATCCTGCG CGCGTGATTA AGGAAATACC TGTTAAATAG    540
AAGTAAAAAG GAACAGCTGG GGTTGTTTCT TTTTTGTAGG TTTCATCATT TTTTACCCAG    600
TTCACATTTA CCTACTCTAT CTCTTAGCAA GTCTGTTTCA TTAAGCAAGT TCAAAGCATC    660
TCGTAAGTGG GATGTTTTTC TCCTCAGTTC ATCAGCTTCC TCCTTGACAC TCGGTCAGAT    720
TTTGATACAA TAGTACAAAA TTAGAGGAGG CAGGCTATGA TTCAGAAACA TGCGATTCCT    780
ATTTTAGAGT TTGATGACAA TCCTCAGGCG GTTATCATGC CCAATCACGA GGGGCTGGAC    840
TTGCAGTTGC CAAAGAAGTG TGTTTATGCA TTTTTAGGTG AGGAGATTGA CCGCTATGCG    900
AGGGAAGTAG GGGCGAACTG TGTTGGCGAA TTTGTTTCTG CCACCAAGAC CTATCCAGTT    960
TATGTCGTGA ACTACAAGGA CGAGGAGGTC TGTCTGGCTC AGGCTCCTGT TGGCTCCGCT   1020
CCAGCAGCCC AGTTTATGGA TTGGTTGATT GGCTATGGTG TGGAGCAGAT TATCTCTACT   1080
GGGACCTGTG GTGTCCTAGC TGATATAGAG GAAAATGCCT TTCTAGTCCC TGTTCGCGCT   1140
CTGCGAGATG AAGGAGCCAG TTACCACTAT GTGGCACCTT GTCGTTATAT GGAAATGCAG   1200
CCAGAGGCTA TTGCTGCTAT TGAGGAAGTT TTGGAAGACA GAGGGATTCC TTATGAAGAA   1260
GTCATGACCT GGACGACAGA CGGTTTTTAC CGAGAAACGG CTGAAAAGGT GGCTTATCGT   1320
AAGGAAGAAG GCTGTGCTGT TGTGGAGATG GAGTGTTCTG CTCTTGCGGC AGTAGCTCAA   1380
TTGCGTGGGG TTCTCTGGGG TGAATTGTTG TTCACAGCAG ATTCTCTAGC GGACTTGGAC   1440
CAGTACGACA GTCGTGACTG GGGCTCGGAA GCTTTTAATA AGGCGCTAGA ACTGAGTTTA   1500
GCAAGTGTTC ACCACCTTTA GTTGTACTGG CAAAGGATTT GTTTTATCAT AAAATGTCTA   1560
GCTCATACTT TTCAAAAATA TGTTTAAACG AGGTCACCTT CCTCTTGTCC TAGGCATGTT   1620
GAGGTTGGGA AAAATCTTTA AAATCAGAAA AACGTATCAT ATCAGGTGAT GAAAACTTTG   1680
ACACTATGCG TTTTATGTCG ATAAGATTTA GAGTGAGATG AAATGATACT CTTCGAAAAT   1740
CTCTTCAAAC CAGGTCAGCT TCACCTTGCC GTAGGTATAT GTTACTGACT TCGTCAGTCT   1800
TATCCGGCAA CCTCAAAACG GTGTTTTGAG CTGACTTCGT CAGTTCTATT TGCAACCTCA   1860
AAACAGTGTT TTGAGCAACC TGTGACTAGC TTTCTAATCG ATGCCTTGGT TTTCATTGCC   1920
TATAATCAAA AAGAGAAATT TTCTCCTGAA AAGCATATAG AGTAGCTGGC GTTAAAAGCT   1980
CCTGTCTTGC TTTTTTGACC TATAGTCACA TCTATCAAGT ATTGTTCTTG CCTAAGCTAT   2040
CAATAAAAAG GTGGCATTTT TTAGGCTTGG TGTTAGTAGA TTTTGCCTTA TCCTATCTAA   2100
GTCATTTCGA ACTTTTTATG GTACAATGGA AACATGTTAT TCAAATTATC TAAGGAAAAA   2160
ATAGAGCTAG GCTTATCTCG TTTATCGCCA GCCCGTCGTA TTTTTTTGAG TTTTGCCTTG   2220
```

```
GTCATTTTAC TAGGCTCTCT TCTTTTGAGC TTGCCCTTTG TCCAAGTTGA AAGCTCACGA      2280

GCGACTTATT TTGATCATCT TTTCACTGCT GTCTCTGCAG TCTGTGTGAC GGGTCTCTCA      2340

ACCCTTCCAG TAGCTCACAC CTATAATATC TGGGGTCAAA TAATCTGTTT GCTCTTGATT      2400

CAGATCGGTG GTCTAGGGCT CATGACCTTT ATTGGGGTTT TCTATATCCA GAGCAAGCAA      2460

AAGCTTAGTC TTCGTAGCCG TGCAACTATT CAGGATAGTT TTAGTTATGG AGAAACTCGA      2520

TCTTTGAGAA AGTTTGTCTA TTCTATTTTT CTCACGACCT TTTTGGTTGA GAGCTTGGGA      2580

GCTATTTTGC TTAGTTTTCG CCTTATTCCT CAACTTGGCT GGGGACGTGG TCTTTTTAGT      2640

TCCATTTTTC TAGCGATCTC AGCCTTCTGT AATGCCGGTT TTGATAATTT AGGGAGCACC      2700

AGTTTATTTG CTTTTCAGAC CGATTTACTG GTCAATCTGG TGATTGCAGG CTTGATTATT      2760

ACAGGCGGCC TTGGTTTTAT GGTCTGGTTT GATTTGGCTG GTCATGTAGG AAGAAAGAAA      2820

AAAGGACGTC TGCACTTTCA TACGAAGCTT GTACTATTAT TGACTATAGG TTTGTTGTTA      2880

TTTGGAACAG CAACTACTCT CTTTCTTGAG TGGAACAATG CTGGAACGAT TGGCAATCTC      2940

CCTGTTGCCG ATAAGGTTTT AGTTAGCTTT TTTCAAACAG TGACGATGCG AACAGCTGGC      3000

TTTTCTACGA TAGATTATAC TCAGGCTCAT CCTGTGACTC TTTTGATTTA TATCTTACAG      3060

ATGTTTCTAG GTGGGGCACC TGGAGGAACA GCTGGGGGAC TCAAGATTAC GACATTTTTT      3120

GTCCTCTTGG TCTTTGCACG AAGTGAGCTT CTAGGCTTGC CTCATGCCAA TGTTGCGAGA      3180

CGAACGATCG CGCCGCGAAC GGTTCAAAAA TCCTTTAGTG TCTTTATTAT CTTTTTGATG      3240

AGCTTCTTGA TAGGATTGAT TCTGCTAGGG ATAACAGCCA AAGGCAATCC TCCCTTTATC      3300

CACCTCGTAT TTGAAACCAT TTCAGCTCTT AGTACAGTTG GTGTAACGGC AAATCTGACT      3360

CCTGACCTTG GGAAATTGGC TCTCAGTGTT ATCATGCCAC TTATGTTTAT GGGACGAATT      3420

GGTCCCTTGA CCTTGTTTGT TAGCTTGGCA GATTACCATC CAGAAAAGAA AGATATGATT      3480

CACTATATGA AAGCAGATAT TAGTATTGGT TAAGAAAGGA AAGAGCATGT CAGATCGTAC      3540

GATTGGAATT TTGGGCTTGG GAATTTTTGG GAGCAGTGTC CTAGCTGCCC TAGCCAAGCA      3600

GGATATGAAT ATTATCGCTA TTGATGACCA CGCAGAGCGC ATCAATCAGT TTGAGCCAGT      3660

TTTGGCGCGT GGAGTGATTG GTGACATCAC AGATGAAGAA TTATTGAGAT CAGCAGGGAT      3720

TGATACCTGC GATACCGTTG TAGTCGCGAC AGGTGAAAAT CTGGAGTCGA GTGTGCTTGC      3780

GGTTATGCAC TGTAAGAGTT TGGGGGTACC GACTGTTATT GCTAAGGTCA AAAGTCAGAC      3840

CGCTAAGAAA GTGCTAGAAA AGATTGGAGC TGACTCGGTT ATCTCGCCAG AGTATGAAAT      3900

GGGGCAGTCT CTAGCACAGA CCATTCTTTT CCATAATAGT GTTGATGTCT TTCAGTTGGA      3960

TAAAAATGTG TCTATCGTGG AGATGAAAAT TCCTCAGTCT TGGGCAGGTC AAAGTCTGAG      4020
```

```
TAAATTAGAC CTCCGTGGCA AATACAATCT GAATATTTTG GGTTTCCGAG AGCAGGAAAA    4080
TTCCCCATTG GATGTTGAAT TTGGACCAGA TGACCTCTTG AAAGCAGATA CCTATATTTT    4140
GGCAGTCATC AACAACCAGT ATTTGGATAC CCTAGTAGCA TTGAATTCGT AAAGAGGGAT    4200
GACCCCTCTT TTTTGATGCC TAAGATGGCA AATAGAGACA GAAGCCCCTT GTCTTCTAGT    4260
AAAAGTTCTT CAAAGGCTGG ACTTTATGGT AAAATAGAAA GAAGTGACAA GAGAGAGTAA    4320
TACTCAATGA AAATCAAAGA TCAAACTAGG AAACTAGCTA CGGGCTGCTC AAAACACTGT    4380
TTTGAGGTTG CAGATAGAAC TGACGAAGTC AGTAACATCT ATACGGCAAG GCGACGTTGA    4440
CGCGGTTTGA AGAGATTTTC GAAGAGTATA AGAAAAAATC AGTCCCCTAA AGGAGTAGAT    4500
TATGAAGTTA TTGTCTATCG CAATTTCTAG CTATAATGCA GCAGCCTATC TTCATTACTG    4560
TGTGGAGTCG CTAGTGATTG GTGGTGAGCA AGTTGGGATT TTGATTATCA ATGACGGGTC    4620
TCAGGATCAG ACTCAGGAAA TCGCTGAGTG TTTAGCTAGC AAGTATCCTA ATATCGTTAG    4680
AGCCATCTAT CAGGAAAATA AATGCCATGG CGGTGCGGTC AATCGTGGCT TGGTAGAGGC    4740
TTCTGGGCGC TATTTTAAAG TAGTTGACAG TGATGACTGG GTGGATCCTC GTGCCTACTT    4800
GAAAATTCTT GAAACCTTGC AGGAACTTGA GAGCAAAGGT CAAGAGGTGG ATGTCTTTGT    4860
GACCAATTTT GTCTATGAAA AGGAAGGGCA GTCTCGTAAG AAGAGTATGA GTTACGATTC    4920
AGTCTTGCCT GTTCGGCAGA TTTTTGGCTG GGACCAGGTC GGAAATTTCT CCAAAGGCCA    4980
GTATACCATG ATCCACTCGC TGATTTATCG GACAGATTTG TTGCGTGCTA GCCAGTTCTA    5040
ACTGCCTGAA CATACTTTTT ATGTCGATAA TCTCTTTGTC TTTACGCCCC TTCAGCAGGT    5100
CAAGACCATG TACTATCTGC CTGTCGATTT CTATCGTTAT TTGATTGGGC GTGAGGACCA    5160
GTCTGTCAAT GAGCAAGTGA TGATTAAGTG CATTGACCAG CAACTCAAGG TCAATCGACT    5220
CTTGATAGAC CAACTTGATT TGTCCCAAGT GAGTCATCCC AAAATGCGAG AATATCTGCT    5280
GAATCATATT GAACTCACGA CGGTGATTTC CAGTACCCTG CTCAACCGAT CTGGAACAGC    5340
GGAGCATCTG GCAAAAAAAC GCCAATTGTG GACCTATATT CAGCAGAAAA ATCCAGAAGT    5400
CTTTCAGGCT ATTCGTAAGA CCATGTTGAG CCGTTTGACC AAACATTCTG TCTTGCCAGA    5460
TCGCAAACTG TCCAATGTCG TCTATCAAAT CACCAAATCT GTTTATGGAT TTAATTAATA    5520
TAAGTGTTTT ATAAGAGGGA TTTAAGAAAA ATTTTAACTT TTTCTTAGTC CTTTTTAATT    5580
TCAGGAGATT ATACTAGAGT CATCAAATAA AGAAAGACTC TAAGGAGAAT CCTATGAAAT    5640
TCAATCCAAA TCAAAGATAT ACTCGTTGGT CTATTCGCCG TCTCAGTGTC GGTGTTGCCT    5700
CAGTTGTTGT GGCTAGTGGC TTCTTTGTCC TAGTTGGTCA GCCAAGTTCT GTACGTGCCG    5760
```

```
ATGGGCTCAA TCCAACCCCA GGTCAAGTCT TACCTGAAGA GACATCGGGA ACGAAAGAGG      5820

GTGACTTATC AGAAAAACCA GGAGACACCG TTCTCACTCA AGCGAAACCT GAGGGCGTTA      5880

CTGGAAATAC GAATTCACTT CCGACACCTA CAGAAAGAAC TGAAGTGAGC GAGGAAACAA      5940

GCCCTTCTAG TCTGGATACA CTTTTTGAAA AAGATGAAGA AGCTCAAAAA AATCCAGAGC      6000

TAACAGATGT CTTAAAAGAA ACTGTAGATA CAGCTGATGT GGATGGGACA CAAGCAAGTC      6060

CAGCAGAAAC TACTCCTGAA CAAGTAAAAG GTGGAGTGAA AGAAAATACA AAAGACAGCA      6120

TCGATGTTCC TGCTGCTTAT CTTGAAAAAG CTGAAGGGAA AGGTCCTTTC ACTGCCGGTG      6180

TAAACCAAGT AATTCCTTAT GAACTATTCG CTGGTGATGG TATGTTAACT CGTCTATTAC      6240

TAAAAGCTTC GGATAATGCT CCTTGGTCTG ACAATGGTAC TGCTAAAAAT CCTGCTTTAC      6300

CTCCTCTTGA AGGATTAACA AAAGGGAAAT ACTTCTATGA AGTAGACTTA AATGGCAATA      6360

CTGTTGGTAA ACAAGGTCAA GCTTTAATTG ATCAACTTCG CGCTAATGGT ACTCAAACTT      6420

ATAAAGCTAC TGTTAAAGTT TACGGAAATA AAGACGGTAA AGCTGACTTG ACTAATCTAG      6480

TTGCTACTAA AAATGTAGAC ATCAACATCA ATGGATTAGT TGCTAAAGAA ACAGTTCAAA      6540

AAGCCGTTGC AGACAACGTT AAAGACAGTA TCGATGTTCC AGCAGCCTAC CTAGAAAAAG      6600

CCAAGGGTGA AGGTCCATTC ACAGCAGGTG TCAACCATGT GATTCCATAC GAACTCTTCG      6660

CAGGTGATGG CATGTTGACT CGTCTCTTGC TCAAGGCATC TGACAAGGCA CCATGGTCAG      6720

ATAACGGCGA CGCTAAAAAC CCAGCCCTAT CTCCACTAGG CGAAAACGTG AAGACCAAAG      6780

GTCAATACTT CTATCAAGTA GCCTTGGACG GAAATGTAGC TGGCAAAGAA AAACAAGCGC      6840

TCATTGACCA GTTCCGAGCA AAyGGTACTC AAACTTACAG CGCTACAGTC AATGTCTATG      6900

GTAACAAAGA CGGTAAACCA GACTTGGACA ACATCGTAGC AACTAAAAAA GTCACTATTA      6960

ACATAAACGG TTTAATTTCT AAAGAAACAG TTCAAAAAGC CGTTGCAGAC AACGTTAAAG      7020

ACAGTATCGA TGTTCCAGCA GCCTACCTAG AAAAAGCCAA GGGTGAAGGT CCATTCACAG      7080

CAGGTGTCAA CCATGTGATT CCATACGAAC TCTTCGCAGG TGATGGTATG TTGACTCGTC      7140

TCTTGCTCAA GGCATCTGAC AAGGCACCAT GGTCAGATAA CGGTGACGCT AAAAACCCAG      7200

CCCTATCTCC ACTAGGTGAA AACGTGAAGA CCAAAGGTCA ATACTTCTAT CAATTAGCCT      7260

TGGACGGAAA TGTAGCTGGC AAAGAAAAAC AAGCGCTCAT TGACCAGTTC CGAGCAAACG      7320

GTACTCAAAC TTACAGCGCT ACAGTCAATG TCTATGGTAA CAAAGACGGT AAACCAGACT      7380

TGGACAACAT CGTAGCAACT AAAAAAGTCA CTATTAACAT AAACGGTTTA ATTTCTAAAG      7440

AAACAGTTCA AAAAGCCGTT GCAGACAACG TTAAGGACAG TATCGATGTT CCAGCAGCCT      7500

ACCTAGAAAA GGCCAAGGGT GAAGGTCCAT TCACAGCAGG TGTCAACCAT GTGATTCCAT      7560
```

```
ACGAACTCTT CGCAGGTGAT GGCATGTTGA CTCGTCTCTT GCTCAAGGCA TCTGACAAGG      7620

CACCATGGTC AGATAACGGC GACGCTAAAA ACCCAGCTCT ATCTCCACTA GGTGAAAACG      7680

TGAAGACCAA AGGTCAATAC TTCTATCAAG TAGCCTTGGA CGGAAATGTA GCTGGCAAAG      7740

AAAAACAAGC GCTCATTGAC CAGTTCCGAG CAAACGGTAC TCAAACTTAC AGCGCTACAG      7800

TCAATGTCTA TGGTAACAAA GACGGTAAAC CAGACTTGGA CAACATCGTA GCAACTAAAA      7860

AAGTCACTAT TAAGATAAAT GTTAAAGAAA CATCAGACAC AGCAAATGGT TCATTATCAC      7920

CTTCTAACTC TGGTTCTGGC GTGACTCCGA TGAATCACAA TCATGCTACA GGTACTACAG      7980

ATAGCATGCC TGCTGACACC ATGACAAGTT CTACCAACAC GATGGCAGGT GAAAACATGG      8040

CTGCTTCTGC TAACAAGATG TCTGATACGA TGATGTCAGA GGATAAAGCT ATGCTACCAA      8100

ATACTGGTGA GACTCAAACA TCAATGGCAA GTATTGGTTT CCTTGGGCTT GCGCTTGCAG      8160

GTTTACTCGG TGGTCTAGGT TTGAAAAACA AAAAAGAAGA AAACTAATCA GCTAAGGAAA      8220

TAAATGATGG ATAGTGGGCT GACTAAGATT AGTTTAACAA CTCAATCAGC AATCAGGACT      8280

TTCTTTCAAT AGCAGATTAA AATCATCGTA AAACAATAAA AATAGTGTTA TACTTAAAGC      8340

AGTATAGCAC TGTTTTTATC AAAGGAGAGA CAGATGGGAA AGACAATTTT ACTCGTTGAC      8400

GACGAGGTAG AAATCACAGA TATTCATCAG AGATACTTAA TTCAGGCAGG TTATCAGGTC      8460

TTGGTAGCCC ATGATGGACT GGAAGCGCTA GAGCTGTTCA AGAAAAAACC GATTGATTTG      8520

ATTATCACAG ATGTCATGAT GCCTCGGATG GATGGTTATG ATTTAATCAG TGAGGTTCAA      8580

TACTTATCAC CAGAGCAGCC TTTCCTATTT ATTACTGCTA AGACCAGTGA ACAGGACAAG      8640

ATTTACGGCC TGAGCTTGGG AGCAGATGAT TTTATTGCTA AGCCTTTTAG CCCACGTGAG      8700

CTGGTTTTGC GTGTCCACAA TATTTTGCGC CGCCTTCATC GTGGGGGCGA AACAGAGCTG      8760

ATTTCCCTTG GCAATCTAAA AATGAATCAT AGTAGTCATG AAGTTCAAAT AGGAGAAGAA      8820

ATGCTGGATT TAACTGTTAA ATCATTTGAA TTGCTGTGGA TTTTAGCTAG TAATCCAGAG      8880

CGAGTTTTCT CCAAGACAGA CCTCTATGAA AAGATCTGGA AAGAAGACTA CGTGGATGAC      8940

ACCAATACCT TGAATGTGCA TATCCATGCT CTTCGACAGG AGCTGGCAAA ATATAGTAGT      9000

GACCAAACTC CCACTATTAA GACAGTTTGG GGGTTGGGAT ATAAGATAGA GAAACCGAGA      9060

GGACAAACAT GAAACTAAAA AGTTATATTT TGGTTGGATA TATTATTTCA ACCCTCTTAA      9120

CCATTTTGGT TGTTTTTTGG GCTGTTCAAA AAATGCTGAT TGCGAAAGGC GAGATTTACT      9180

TTTTGCTTGG GATGACCATC GTTGCCAGCC TTGTCGGTGC TGGGATTAGT CTCTTTCTCC      9240

TATTGCCAGT CTTTACGTCG TTGGGCAAAC TCAAGGAGCA TGCCAAGCGG GTAGCGGCCA      9300
```

```
AGGATTTTCC TTCAAATTTG GAGGTTCAAG GTCCTGTAGA ATTTCAGCAA TTAGGGCAAA      9360

CTTTTAATGA GATGTCCCAT GATTTGCAGG TAAGCTTTGA TTCCTTGGAA GAAAGCGAAC      9420

GAGAAAAGGG CTTGATGATT GCCCAGTTGT CGCATGATAT TAAGACTCCT ATCACTTCGA      9480

TCCAAGCGAC GGTAGAAGGG ATTTTGGATG GGATTATCAA GGAGTCGGAG CAAGCTCATT      9540

ATCTAGCAAC CATTGGACGC CAGACGGAGA GGCTCAATAA ACTGGTTGAG GAGTTGAATT      9600

TTTTGACCCT AAACACAGCT AGAAATCAGG TGGAAACTAC CAGTAAAGAC AGTATTTTTC      9660

TGGACAAGCT CTTAATTGAG TGCATGAGTG AATTTCAGTT TTTGATTGAG CAGGAGAGAA      9720

GAGATGTCCA CTTGCAGGTA ATCCCAGAGT CTGCCCGGAT TGAGGGAGAT TATGCTAAGC      9780

TTTCTCGTAT CTTGGTGAAT CTGGTCGATA ACGCTTTTAA ATATTCTGCT CCAGGAACCA      9840

AGCTGGAAGT GGTGGCTAAG CTGGAGAAGG ACCAGCTTTC AATCAGTGTG ACCGATGAAG      9900

GGCAGGGTAT TGCCCCAGAG GATTTGGAAA ATATTTTCAA ACGCCTTTAT CGTGTCGAAA      9960

CTTCGCGTAA CATGAAGACA GGTGGTCATG GATTAGGACT TGCGATTGCG CGTGAATTGG     10020

CCCATCAATT GGGTGGGGAA ATCACAGTCA GCAGCCAGTA CGGTCTAGGA AGTACCTTTA     10080

CCCTCGTTCT CAACCTCTCT GGTAGTGAAA ATAAAGCCTA AAACCCCTTT ACAAATCCAG     10140

CTATTCATGG TAGAATAGAT TTTGTGTGAA ATATCAGCAG GAAAGCATGA AGCTCGTCAA     10200

CAGGTGTCTT ATGACAAGTA ACCTTGGCTG TTTAGGCGAA GGGCATCTGC ACGG           10254
```

(2) INFORMATION FOR SEQ ID NO: 30:

```
     (i) SEQUENCE CHARACTERISTICS:
          (A) LENGTH: 9769 base pairs
          (B) TYPE: nucleic acid
          (C) STRANDEDNESS: double
          (D) TOPOLOGY: linear
```

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:

```
CCGGCGACTA TCGATAACAC TTGACTTGGT AGCCCCACAT TTTGGACAAC GCATCCTTTC         60

CCTCCTTATC GTTTTCTTTT CATTATACCA TTTTTTAAGC GATTCCCAAA ACAATTCTTC        120

TTTTTGCTTG ACAAGTTTTT TGTTTTGTTG TATTATTTAA TTAAGACAAC AAGGTAAAAG        180

AAAGGAGACT AAGATGTCCT GGACATTTGA CAACAAAAAA CCCATCTATT TACAGATTAT        240

GGAGAAAATC AAGCTTCAGA TTGTTTCCCA TACACTGGAA CCCAATCAAC AACTTCCAAC        300

CGTGAGGAGC TAGCTAGCGA GGCTGGTGTC AATCCCAATA CCATCCAAAG AGCCTTATCA        360

GACCTTGAAC GAGAAGGATT TGTCTACAGC AAGCGAACAA CTGGACGATT TGTGACTAAG        420

GATAAGGAGC TAATCGCCCA GTCACGCAAA CAATTATCAG AAGAAGAATT GGAACACTTC        480
```

```
GTTTCCTCCA TGACCCATTT TGGCTATGAA AAAGAAGAAC TACCAGGCGT AGTCAGTGAT    540
TATATTAAAG GAGTTTAAGC CTATGTCATT ACTAGTATTT GAAAATGTAT CCAAATCATA    600
TGGAGCAACA CCAGCCCTTG AAAATGTTTC TCTTGACATT CCAGCTGGAA AAATTGTCGG    660
CCTTCTTGGG CCAAACGGCT CAGGAAAAAC AACCCTGATT AAACTAATTA ATGGCCTCTT    720
ACAACCAGAT CAAGGACGTG TCCTCATCAA CGACATGGAC CCAAGCCCAG CAACCAAGGC    780
CGTTGTAGCT TATTTGCCTG ATACGACCTA TCTCAATGAG CAAATGAAGG TCAAAGAAGC    840
CCTAACCTAC TTCAAGACCT TCTATAAAGA TTGTCAGATC TTGAACGCGC CCATCATCTA    900
CTTGCAGACC TGGGCATTGA TGAAAATAGT CGTCTCAAGA AACTATCAAA AGGAAACAAA    960
GAAAAGGTTC AACTGATTTT GGTTATGAGC CGTGATGCTC GTCTCTATGT TTTGGACGAA   1020
CCCATTGGTG GGGTGGATCC AGCAGCCCGT GCTTATATCC TCAATACCAT TATCAACAAC   1080
TACTCACCAA CTTCTACCGT TTTGATTTCT ACCCACTTGA TTTCTGATAT CGAGCCAATC   1140
TTGGATGAAA TTGTCTTCCT AAAAGACGGA AAAGTCGTCC GTCAAGGAAA TGTAGATGAT   1200
ATTCGCTACG AGTCAGGTGA ATCCATTGAC CAACTCTTCC GTCAGaATTT AAGGCCTAAG   1260
CAAAGGAGAT TATTTATGTT TTGGAATTTA GTTCGCTACG AATTTAAAAA TGTTAACAAG   1320
TGGTATTTAG CCCTCTACGC AGCCGTGCTA GTCCTTTCTG CCCTCATCGG AATACAGACA   1380
CAAGGCTTTA AAAATCTACC TTACCAAGAA AGTCAGGCTA CTATGCTACT TTTTCTAGCT   1440
ACAGTCTTTG GTGGCTTGAT CCTTACACTT GGGATTTCAA CCATTTTCTT GATTATTAAA   1500
CGCTTCAAAG GTAGTGTCTA CGACCGACAA GGCTATCTGA CTTTGACCTT GCCAGTTTCT   1560
GAACACCATA TCATCACAGC CAAACTAATC GGTGCCTTTA TCTGGTCATT GATTAGCACC   1620
GCTGTATTGG CTCTAAGTGC TGTTATTATT CTGGCTTTAA CAGCTCCAGA ATGGATTCCT   1680
CTTTCTTATG TGATTACATT TGTAGAAACA CATCTCCCTC AGATCTTTCT TACAGGTATA   1740
TCCTTCCTAC TAAATACTAT TTCAGGAATC CTCTGCATCT ACCTGGCTAT TTCCATTGGA   1800
CAGCTTTTCA ATGAATACCG TACAGCACTC GCTGTTGCAG TCTACATTGG TATCCAAATC   1860
GTCATTGGAT TTATTGAACT TTTCTTCAAT CTTAGTTCTA ATTTCTATGT CAATTCACTG   1920
GTAGGACTCA ATGACCATTT CTATATGGGA GCAGGTATAG CCATTGTTGA AGAACTCATA   1980
TTCATAGCTA TCTTTTATCT CGGAACCTAC TACATCTTGA GAAATAAGGT TAATTTGCTT   2040
TAAATAATTT TTACCTAGAT ATGTAACATA CTCATAGAAC AAAAGAGACC AGGCAAAAAG   2100
TCTTTAAAAT TAGAAAACGC ATAGTATCAG GTGTTGAATA TGTACTGCcC CCCAAAAGTT   2160
AGATTTTTTC TGTCTAACTT TTGGGGGCAG TTCATAAGAA CCTTGGTAAT ATGCGTTTTT   2220
```

```
TGTGAGCTGA CTTATTTCCT TTCACTATAT CGCAAAATGA AATAAGAACG GAACGATGGG      2280

ATTTTGGAAT TCAAATCAAT TTATAAGAAT GTTTTAGAAG TAATATTATC CTATTCCAGA      2340

TTCAGTTCAC TATACAATTG AGTTTTCAAG CAACCTGTTT ACATAATGTG TACATAATTA      2400

GGTTCGTGAT TCCACCCTTT TCACCTTTAA AAACCTCGCT TTCGCAAGGC TCTTCTATTT      2460

ATAAGATAAG GCACGTTTAA AGGTTTTCCA AATCCCTAAA TCATCCGTTT GAAGAACGAG      2520

ACTAGCATAC ATGCGTCCGA TAAATCCTGT TGCTACCACC GCAAAAATCA CTGTAATAGC      2580

AAGTGAAATC CATGCTTCTG CTCCCCCCGC ATAGTCATTA ATCGTTCGAA ACGGCATAAA      2640

GAAGGTCGAA ATAAAGGGAA TATAAGAACC AATCTTCAAG AGGAGATTGT CACCAGCTGC      2700

ACCTAGAGCT GTCACTCCAA AAAAACCACC CATAATCAAA ATCATCAAAG GCGACAAGGC      2760

TTTCCCTGAG TCCTCAGGAC GAGAAACCAT AGATCCTAGG AAGGCTGCCA AGACTACGTA      2820

CATGAAAAGA CTGATCAAAA TAAAGAGCAA GGTATTCAGT GAGATAGCAT CTCCCAAGTG      2880

ATCCAAAATA CCAGACTGAG CCAAGAATGG CAAATCTTTA AAGAGCAAAA CGGCAGCCAG      2940

ACCACCTACA ACATAGATCC CAATATGCGT TAAAATCACT AGAAACAGAG CCATCATCCG      3000

CGCATAGAAA TAGTGACTTG CCCTTATGCT AGAAAAAACG ACTTCCATAA TTTTGGTGCC      3060

TTTTTCACTG GCAACTTCCT GAGCTGTTAC ACCCGCATAG GTAATCAGAA TCATATAAAG      3120

AAAGAATCCT AAGGCACCTG CTGCAATTGT TTGAATAAAC TTTTTATTTT CCTTGGCTTC      3180

ATCAATCTTT TCTGTGAATT GAATTGTCTG CGCTAAGCGT TTTTCCTGCT CTTGAGACAA      3240

GGAAGCAGTT GAACGATTAA GCTGATTTTG CAGTTCATTG AGTGTACCTG TAACCTCAAA      3300

TTTAATTCCA TTTTCAAGCG ATGTTTCGCC ATGATAAACT GCCTTTAGAA CACTATCTTC      3360

TTGATCAATG GTCAAATAAC CTTTTAATTT TTCTTCTTTA ATTGCTTCTT TGGCACTTGC      3420

TTCGTCTTTA TAGTCGAAGT TAACACCATT TACATTCTTC AGTCCTTCTG CTACAGATGG      3480

CACTGTTGTC ACTACTGCCA CTTTATTATT TTTAGCCATA GAAGAACCTT GGAGATGCCC      3540

AATTCCTACA GAGATTCCTA AAAAGAGGAA CGGCGAAATC ACCATAAAGA AGAAACTCCA      3600

TGACTCGACA TGTCGAAGAT AGGTTTCCTT GATTACAACC CACATATTTC TCATACTTCC      3660

ACTCCTGATT CTAGTTTAAA GATTTCATCG ATAGTTGGCG CTTGTTGGTC AAATGTTGCG      3720

ATATATTGAC CTTGAGTCAA GATTGAGAAG AGTTCCCTTC CAGCGCTCTC ATCCTCCAAA      3780

ATCAATTTCC AACTGCCTTG TTTGGTCAAG CTCACCTGTT TGACATGAGG AAGATTTTCC      3840

AATTCTTCCT TGCTTCGTTC ACTTGAAACA AAGAGACGCG TTTTCCCGTA TTGATTGCGG      3900

ACATCCTGAA CTGGTCCGTG CAAGACCACA CGGCCATCTC GGATCATCAG AATATCGTCA      3960

CAAAGTTCCT CAACATTGGT CATGACATGG TCAGAAAAGA TAATGGTTGT CCGCGCTCTT      4020
```

```
TTTCCTGAAA AATGACTTGT TTGAGCAATT CTGTATTAAC TGGGTCCAAT CCACTAAAAG      4080
GCTCATCCAA GATAATCAGG TCTGGTTCAT GAATCAGAGT AATAATGAGC TGAATCTTCT      4140
GCTGATTTCC TTTTGACAGA CTCTTGATTT TATCTGTCAG CTTTCCTTTC ACTTCCAACC      4200
TCTTCATCCA TTGAGGGAGT TTTTCTTTGA CTTCTTTGGC ATCCATGCCT TTTAGAGTCG      4260
CCAAGTAGCG AACTTGTTCA AGAACTGTCA ATTTAGGCAT GAGATGCGTT CTTCAGGCAG      4320
ATAACCAATC CGAGCATAGG TCTCCTGACG AATATCCTGA CCATCCAGAC CGATTTCTCC      4380
CTGATATTCT AGGAATTTCA AAATACTATG GAAAATCGTT GTTTTTCCAG CACCATTTTT      4440
TCCGACTAGT CCCAAAATAC GACCTGGTCG CGCTTGAAAG TCAATACCAA ACAAAACTTG      4500
CTTGGATCCA AAACTTTTCT CTAGACTTCT TACTTCTAGC ATCTTTCACC TCCGAAATTT      4560
CTTGCACTCA TTATACTCCT TTTTGATAGC CTTTACAATG TTTTTTGTCC ATTTTTAGAA      4620
GACTATTGCT GTGTAAAATA TGGCCTGGAG CACTTTTATA CTCAATGAAA ATCAAAGAGC      4680
AAACTAGGAA GCTAGCCGTA GACTGCTCAA AGTACAGCTT TGAGGTTGCA GATAAAACTG      4740
ACGAAGTCgA CTCAAAACAC TGTTTTGAGG TTGTGGATAG AACTGACGAA kCrTAaCTAT      4800
ATCTACGGCA AGGCGAAcTG ACGTGGTTTG AAGAGATTTT CGAAGAGTAT TAGTGATAAA      4860
TCCATTATAC AGCAGCAAAC TTAATTTATA CCTTCCGCTC CTCAACTGTC TATTTTTAAT      4920
CCTGAATTGT TATTTGAGTA ACTCCTTTTT CCTCGTAAAG TTTTCTTCCT CTAAAACTTC      4980
TGGAAAAAGG CTAATAGTTT CAGACAACAT TTTTATAAGA AACAAGTTCA TCTGTCATTT      5040
CAAGAAGGAG TAATCCTTTA TCTACTAATG GACGGAACAG AATTCAACCG CTTGTCCGAT      5100
ATGTTTTCTA AGGATTATAT AGTAAAATGA AATAAGAACA GGACAAATTG ATCAGGACAG      5160
TCAAATTGAT TTCTAACAAT GTTTTAGAAG TAGATGTATA CTATTCTAGT TTCAATCTGC      5220
TATATCTATT ATGCACACCC CTATAGGATC TAATGAAAAT CACAACAGGC TCATTCATAG      5280
ATGGTTACCT AAGCCTAAGG GAACTAAGAA AACGACTACC AAGGAAGTCG CATTCATCGA      5340
AAAGTAGATT AACAACTATC CTAAAAAATG CTTGAACTAC AAGTCCCCCA GAGAAGACTT      5400
CTGGATGACT AACTTGAACT TGAAATTTAG CAATAATTAA TTCACTATCT AACTATATTT      5460
AGTAATTATT TCAGAACTGA TTAATATTAA AATTAACTAA CAATTCAAAG GATTCATACT      5520
AGCCATAAAT TACGTCCATC AGAGAGAGAC TCTTACTACT TTTAGATTTT AGTCTTTCTA      5580
GCTTCAGAAT ACATCTAAAC TTTAGGGAAA ATGACTATTC GAAAGCGCGA ATGCCTCAAA      5640
ATTATCTCAG ATAAGCTATT CGAAACTTAG AATGCTTTTA AATTTATGGA ATTGCGATTA      5700
TTCGAAACCT AGAATGCATA TAACCTTTAG TTGACAGACC TATTCTAAGT CTCGAAGGGC      5760
```

```
TATTTACTTT CTATTCCTTA TCAAAAAAGA CTCATTCCCC CTTTCTCCTC CAAAATATGG      5820

TATAGTAGAA ATATACTATC TATGAGGAGT TTACATGTCA CAGGATAAAC AAATGAAAGC      5880

TGTTTCTCCC CTTCTGCAGC GAGTTATCAA TATCTCATCG ATTGTCGGTG GGGTTGGGAG      5940

TTTGATTTTC TGTATTTGGG CTTATCAGGC TGGGATTTTA CAATCCAAGG AAACCCTCTC      6000

TGCCTTTATC CAGCAGGCAG GCATCTGGGG TCCACCTCTC TTTATCTTTT TACAGATTTT      6060

ACAGACTGTC GTCCCTATCA TTCCAGGGGC CTTGACCTCG GTGGCTGGGG TCTTTATCTA      6120

CGGGCACATC ATCGGGACTA TCTACAACTA TATCGGCATC GTGATTGGCT GTGCCATTAT      6180

CTTTTATCTA GTGCGCCTAT ACGGAGCTGC CTTTGTCCAG TCTGTCGTCA GCAAGCGCAC      6240

CTACGACAAG TACATCGACT GGCTAGATAA GGGCAATCGT TTTGACCGCT TCTTTATTTT      6300

TATGATGATT TGGCCCATTA GCCCAGCTGA CTTTCTCTGT ATGCTGGCTG CCCTGACCAA      6360

GATGAGCTTC AAGCGCTACA TGACCATCAT CATTCTGACC AAACCCTTTA CCCTCGTGGT      6420

TTATACCTAC GGTCTGACCT ATATTATTGA CTTTTTCTGG CAAATGCTTT GACACGTAAA      6480

AAATCCGTTT GGTTTCCCAA GTGGATTTTT AAAGCGTAGA TTAACTATAG CTTGATACTA      6540

AATATACTTT GGTATGGAAA TCATGCATAT TTTTCGATAG TGAGGCGAGG ACTTACCTAG      6600

CCTTTCCGCC GTGATAGAAA CACCTGAAAT CTAATGGTTT CAGGTATTCG GAAACTTTGA      6660

GCCTAGTGTC TCAAAGTTTA GGTATGGAAT TTTGAAGAAA GTCGCTACCG TCCGTAATCA      6720

CTTAAGGAAA GGCTCAAAAA TATTGTTTTC AACCACAAAA TCCGTTTGGT TTCCCAAGCG      6780

GATTTTGTGC TTTATTTTGA AACTTCTTTT GCAAGAACAA AGTTCCCAAG TGTGGCAGAA      6840

CCATTTCCTG CGACTGCTGG CGTCACGATA TAGTCACGCA CATCTGGTAC TGGTAGGTAA      6900

CCATTAAGAA GAGATGTAAA TTTCTCACGG ACACGGTCCA GCATATGTTG TTGAGCCATG      6960

ACCCCTCCAC CAAAGACAAT CACGTCTGGG CGGAAAGTCA CTGTCGCATT AACCGCAGCT      7020

TGAGCGATAT AGTAGGCTTG AACATCCCAA ACAGGGTTGT TGAGTTCAAT AGTTTCCCCA      7080

CGTACACCTG TACGAGCTTC CAAACTTGGA CCAGCTGCAT AACCTTCTAG ACATCCCTTA      7140

TGGAAAGGAC AAACACCCTT AAACTCTTTT TCAATATCCA TTGGGTGTCT AGCAACATAA      7200

TAATGACCCA TTTCAGGGTG ACCCACACCA CCGATAAACT CACCACGTTG GATGACGCCT      7260

GCACCGATAC CTGTACCGAT TGTGTAGTAA ACCAAGTTTT CGATACGACC ACCAGCATTG      7320

TTACGGGCAA CCATTTCACC GTAAGCAGAG CTGTTTACGT CTGTTGTGAA GTACATTGGC      7380

ACGTTTAGGG CGCGACGAAG GGCACCAAGC AAGTCTACAT TTGCCCAGTT TGGTTTTGGA      7440

GTCGTCGTGA TAAAGCCATA AGTTTTTGAG TTTTTGTCAA TATCAATCGG CCCAAATGAA      7500

CCAACTGCAA GACCAGCAAG GTTATCGAAT TTTGAGAAGA ACTCAATGGT TTTATCGATT      7560
```

```
GTTTCGATTG GAGTTGTTGT TGGAAATTGT GTTTTTTCTA CAACGTTAAA GTTTTCATCA      7620
CCGACAGCAC AGACAAACTT TGTACCGCCC GCTTCCAAGC TTCCATATAA TTTTGTCATG      7680
ATAAACCTCT TGTTTTTATT TTCTTTATTA TAGCATACTT CGAAAGTCTA AATGTCTCTA      7740
TTTTTTAGAT TTTCCTCTGT AAATCTTACT ATCTAATAAA AACGAACAAA CATGTCATTT      7800
GTTCGTTTTC ACATTAGAGA GGATTGATTA GATTTTCACT TCGATCACAG CATCCCCCTT      7860
AGCAACTGAA CCTGTTGCGA CTGGAGCTAC TGAAGCGTAG TCACCTGTAT TTGTAACGAT      7920
AACCATTGTT GTATCATCAA GTCCAGCTGC AGCGATTTTG TTTGAGTCAA ATGTTCCAAG      7980
AACATCGCCA GCTTTCACCT TATTACCTTG AGCAACTTTT GTTTCAAAAC CGTCACCGTT      8040
CATAGATACA GTATCAATAC CAACATGAAT CAAAACTTCA GCACCATTTC TTGTTTTCAA      8100
ACCAAAAGCG TGCCCTGTTG GAAAGGCAAT TGAAACTTCA GCATCAGCTG GTGCATAGAC      8160
CACGCCTTGG CTTGGTTTCA CAACGATACC TTGTCCCATA GCTCCACTTG AGAAGACTGG      8220
GTCATTGACA TCAGCAAGAG CGACAACATC ACCGACGATA GGAGTTACAA GTGTTTCATT      8280
TTGAAGAGCT GCTGGCGCAA CTTCTTCTTT TTCTTCAGCC ACTTCAGCTC GTTTTGCAGC      8340
TGCAGTTGCG TCTACTTCAT CTTCGTAACC AAACATGTAA GTAAGAGCAA AACCAAGGGC      8400
AAATGATACA GCTACCATAA GAAGGTATTG TGGAAGTTGT CCGTTACCAA CATAAAGCAT      8460
TGTACCAGGG ATGATGGTGA TACCATTACC AGTACCAGCA AGTCCAAGGA TAGAAGCCAA      8520
TCCACCACCG ATTGCACCAG CAATCAATGA AAGGAAGAAT GGTTTACGGA AGCGCAAGTT      8580
CACCCCGAAG ATAGCAGGCT CTGTAATACC TAGGAAGGCA GAAAGAGCAG CCGGGAAAGC      8640
AAGTGTTTTC AGTTTTGGAT TTTTTGTTTT AACACCAACC GCAACAGTAG CAGCACCTTG      8700
AGCTGTCATA GCAGCTGTGA TGATAGCGTT GAATGGGTTA GCATGGTCAG CAGCAAGTAA      8760
TTGCACTTCA AGCAAGTTGA AGATGTGGTG CACACCTGAC ACGACGATCA ATTGGTGAAC      8820
CCCACCAATC AAGAAACCAC CAAGACCAAA TGGCATGCTA AGAATCGCTT TTGTAGCAAT      8880
AAGGATGTAG TTTTCAACAA CGTGGAAAAC TGGTCCAATG ACAAAGAGTC CAAGGATAGA      8940
CATGACCAAA AGTGTCACGA ATGGTGTTAC CAAGAGGTCA ATGACATCTG GAACAACTTG      9000
CGGACAGCTT TTTCAAATTT AGCTCCGACA ACCCCGATGA TGAAGGCTGG AAGAACGGAA      9060
CCTTGCAAAC CAACAACAGG GATGAAACCA AAGAAGTTCA TCGCTGTTAC TTCACCACCT      9120
TGAGCAACTG CCCAAGCGTT TGGAAGTGAG CCAGAGACAA GCATCATACC AAGAACGATA      9180
CCAACGGCAG GATTTCCACC AAATACACGG AAGGTTGACC ACACAACCAA ACCTGGCAAG      9240
ATGATGAAGG CTGTATCTGT CAAGATTTGT GTGTAAGTTG CAAAGTCACC TGGAAGTGGC      9300
```

ATTTCAAGAG CGTTGAAAAG ACCACGCACA CCCATGAAGA GACCTGTCGC TACGATAACT 9360

GGGATGATTG GAACGAAAAC ATCACCAAAA GTACGGATAG CACGTTGGAA CCAGTTCCCT 9420

TGTTTAGCAA CTTCTGCTTT CATGTCATCC TTAGATGATG TTGGTAATCC AAGTACAACA 9480

ACTTCATCGT ACATTTTGTT AACTGTACCT GTACCAAAGA TAATTTGGTA TTGCCCTGAG 9540

TTAAAGAAAG CACCTTGAAC TTTTTCCAAG TTCTCAATCA CTTCTTTATT GATTTTCTCT 9600

TCATCTTTGA CCATGACACG TAGACGAGTC GCACAGTGGG CAACACTATT GACATTTTCA 9660

CGTCCGCCCA AGGCATCGAT GACTTTTTTT GCAATTTCCT GATTGTTCAT TTGCAAAAAT 9720

CTCCTTATAT AACATTTTGT TCTTGTTTGA AAGCGATTTT ATTCGCCGG 9769

(2) INFORMATION FOR SEQ ID NO: 31:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 3149 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:

CGCTTGAGTG CTAATTCATA GTTCTATTGT ATCACTTGGT CAGAAATAAT CAAGAAAAAA 60

GTCTGACTTT CTCAAGATAA AAAGCCTGAG ACCAACTCAG ACTTTTTAAT TCTTAAAATG 120

GCAATTCTTC CTCTTCCAAG ACCAAATCTG CCAAATCTTG GCCTGCATTA TTTTCACGCA 180

TAGCACGTTG GGCACGACTT TCCAAGAGTT GGAATCCTGT GACAAGTACT TCGGTCACGT 240

AGTTCATTTG GCCATTTTTC TCAAAGCGAC GGGTACGCAA TTCTCCATCA ACGGAAATGA 300

GACTACCTTT GGTTGCGTAC TTGCCAAAGT TTCTGCTAGT CTGCCCCATA GGACCATATT 360

GACAAAATCA GCTTCACGTT CACCGTTTTG GTCTTTGTAA CGACGGTTCA CAGCGATAGT 420

TGCTCGCGCT ACCGACTTGT CATTGTTGGT TTTGTGCAAT TCTGGTGTAG ACGTTAAACG 480

TCCAATCAAG ATAACTTTAT TATACATATT TTCTTCCTCC TACTTATCTA TTCGTAGGAA 540

ATCAAAAAAA GTTACAGAAA TTTGTAACTT TTCGAGAAAA TTTTTTATTT TTTATGAACC 600

ATGAAACCTG TCGCCTGTTG ATTGGCCATA ATGGTCATAT CTGTAATCTG AACACGACGA 660

GGTTGACTAG TCACATAGAC TACTGTATCT GCAATATCCT GAGCTTGCAA AGCTTCTATT 720

CCTTGGTAAA CGGACGCAGC TCGTTCTTTA TCACCATGAA AACGCACTGT AGAAAAATCT 780

GTTTCGACAA TTCCAGGCTG AATGGTCGTC ACCTTGATAT CCGTTGCGAT GGTATCAATT 840

CGCAGTCCAT CTGAAAAGGT CTTAACTGCC GCCTTGGTGG CTGAGTAAAC AGCTGCACCA 900

GCATAGGCAT AAATTCCTGC GGTTGACCCC ATATTGATAA TATGACCTTG ATTGGCTTTT 960

```
ACCATTGCTG GCAAGAAACA GCGAGTGACT GCCATCAAAC CTTTGACATT GGTATCCAAC    1020
ATGGTCAGCA TATCCAACTC TTCATAGTCT TGATAGGGAG CTAAGCCAAG AGCCAGTCCT    1080
GCGTTATTGA CCAGGATGTC AATCTGACCT ATCGTTTCTA AAATATCAGA GCAGACAGTC    1140
TTTACCATTG TCATATCCGT GACATCTAGG AGAAAAGTCC AAACTGTTTG ATTTGGAAAA    1200
GTTTCTGCAA ACTCCGCCTT AAGAGCTTCT AGTCTGTCTA TCCGTCGTCC TGTTAGAACG    1260
ACATCCTCAC CCTGCTCCAG ATAAGCACGC GCAATCGCTT CACCGATTCC TGATGTCGCT    1320
CCTGTAATCA CAACATTTTT TGCCATCTTA TTTCCTTCTA GCTGGTCTAT CAGATATTAA    1380
CAACTTCTTA GGCAGTCCAG TGTTTCGCTG GGTCGAACGG TGTTCCGACA ACTTGGTCTT    1440
CTGATAATTC AAGCACCCCA CGTTTTTGTG GAGCATTTGG CAGATGCAAT TCACGAGGAC    1500
TGCACATCAT ACCAAAACTC TTTTCACCAC GAAGTTCACC TGGGAAAATG AGATTCCCTT    1560
TTGGCATCAT AGCTCCAGGA AGCGCGACAA TGGTTTTCAA CCCCACACGC GCATTGGGAG    1620
CTCCTGCAAC GATTTGTACA GTCTTATCAC TTGCGACTGC AACTTGGCAG ATGTTGAGGT    1680
GGTCACTATC TGGATGGGCT ACCATCTCAA CAATTTCACC TACAACAAAC TTAGGTTCCT    1740
TATCATTAAC AATTTCTTCT GTAAAACCTT CCGCCTGCAA CTCTTGGTTC AAACGAGCGA    1800
CTTGCTCATC TGTCAAAAAG ACTTGACCGC GCTCTGCAAT TTCAAATAAA CTTGAAACTT    1860
CGAAAATATT CCAAGCCACT GTTTCCCCAT TATCTTTGAG AAAAACACGG GCTACCTTGC    1920
CTTTGCGCTC CACATCCAGT TTGGCATCTC CGCTATTTTT CACGATGACC ATAAGGACAT    1980
CACCGACATG TTCTTTATTA TATGTAAAAA TCATTGTTTC CTTTTTCTCC TATTTCAGTC    2040
CTGCTAAAAA GTCATTGATT TGTTGCTTGC TTTTACGGTC GCGATTGACA AAACGACCGA    2100
TTTCCTTGTC CTTTTCTAGA ACAACAAGGC TAGGAATTCC GTAAACATCC CAGAGTTTGG    2160
CCAAATCCAT ATACTGATCT CGGTCCATTC GAATAAAGGT GAACTCTGGA TTGGTCTCCT    2220
CAATCTCTGG TAAGGCAGGA TAAATATAAC GACAATCGCT ACACCAGTCT GCCACAAAAA    2280
TGAAGACCTT CTTGCCCCGCT TTTTCCACTA AAGATGCTAA TTCTTCTAAA CTTGCTGGCT    2340
GTATCATAAG ACTTCCTCCT CATAGACTAG GTCTTCATTT TCATAGACAA AGGTATAATG    2400
ACGGCCATCC TCAAAAAATGA CGCCACCAAC CAAGCTCTCC AGACTGCTTT CGTAAACTTG    2460
AACATAAAGG GTCGCAATTT CCCCCATGTC GGAAAAATGG TCTCGCACAA TCTCTGTCAA    2520
CTCTTCCTGA GTCTTCATGA GCTTACGGTC ATCTGCAACT TTTTTCGTAG CAAGAGCAAG    2580
GCTTCCGATA CCTAGCAGAG CCAAGCCTGC CATCCACATT TTTTTAGCTT TCATACCATT    2640
CATTTTAACA CAAAAAAGGC TTCAGGACAA ATGAGGAAGC AGCAGAAAAG CAAGTAAAAA    2700
```

```
GCCTCTTCCT TTAAGGAAAA GGACTTCTTA TACTCAATGA AAATCAAAGA CCAAACTAGG      2760

AAGCTAGCCG CAGGCTGCTC AAAGCACTGC TTTGAGGTTG TAGATAGAAC TGACGAgTCa      2820

CTCAAAACAC TGTTTTGAGG TTGTGGATGA AGCTGACGTG GTTTGAAGAG ATTTTCGAAG      2880

AGTATTATTC TTATTGCCAG GCACCTAAGT TGCCAACGTA GTAACTATCA GGTGTGTAGG      2940

TATTGCGAGC ATCTTACCTG ATGAAGCCAG ATAATACTAC TTGCCATTGT CTTTGACCCA      3000

ATCATTCGCA ATCATGGAAC CAGAAGAACT TACATAATAC CATTCTCCCT TGTCATAAAC      3060

CCAAGTACTG ACTTTCATGG TTCCTGAGCA ATTAAAGGCA AAAAAACTGT CCAATAACAT      3120

TCGTTTTTTA AAAGCATTTG ACACTACAT                                        3149
```

(2) INFORMATION FOR SEQ ID NO: 32:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 10240 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:

```
CCAAAAATTC AACCTTTAAG GGGAGTCCAG AGAGACTCAC AAGGTGTCAG ATAAAAGAAT        60

GGTGCAATTT TCTAGAGGAG ACTTTTTGAG TGTGCTCTCT TGTGTTGTAC GATTTTAACT       120

GAGGCCTTGC ACTAGCAAGG TCTTTTCTTT ATCTGGTCCC CTTAAAATTT AAGGAGGAAA       180

AGTTATGAAT CCCACATGTA AGAAGCGTTT GGGTGTCATT CGGTTGGAAA CCATGAAGGT       240

GGTTGCACAA GAGGAAATCG CGCCACAATC TTTGAATTAG TCCTAGAAGG AGAAATGGTT       300

GAAGCCATGC GAGCAGGCCA ATTTCTTCAT CTGCGTGTAC CGGACGATGC CCATCTCTTA       360

CGTCGTCCTA TTTCAATTTC GTCTATTGAC AAGGCAAACA AGCAGTGTCA CCTCATTTAT       420

CGGATTGACG GAGCTGGGAC TGCAATTTTT TCAACCTTAA GTCAGGGAGA CACTCTTGAT       480

GTGATGGGGC CTCAGGGAAA TGGTTTTGAC TTGTCTGACC TTGATGAGCA GAATCAGGTT       540

CTCCTTGTTG GTGGTGGGAT TGGTGTTCCA CCCTTGCTTG AGGTGGCCAA GGAATTGCAT       600

GAACGTGGAG TGAAAGTAGT GACAGTCCTC GGTTTTGCTA ATAAGGATGC TGTTATTTTG       660

AAAACGGAAT TGGCTCAGTA TGGTCAGGTC TTTGTAACGA CAGATGATGG TTCTTATGGC       720

ATCAAGGGAA ATGTTTCCGT TGTTATCAAT GATTTAGACA GTCAGTTTGA TGCTGTTTAC       780

TCGTGTGGGG CTCCAGGAAT GATGAAGTAT ATCAATCAAA CCTTTGATGA TCACCCAAGA       840

GCCTATTTAT CTCTGGAATC TCGTATGGCT TGTGGGATGG GAGCTTGCTA TGCCTGTGTT       900

CTAAAAGTAC CAGAAAACGA GACGGTCAGC CAACGCGTCT GTGAAGATGG TCCTGTTTTC       960
```

```
CGCACAGGAA CAGTTGTATT ATAAGGAGAA AATTATGACT ACAAATCGAT TACAAGTTTC      1020
TCTACCTGGT TTGGATTTGA AAAATCCGAT TATTCCAGCA TCAGGCTGTT TTGGCTTTGG      1080
ACAAGAGTAT GCCAAGTACT ATGATTTAGA CCTTTTAGGT TCTATTATGA TCAAGGCGAC      1140
AACCCTTGAA CCACGTTTTG GGAATCCAAC TCCAAGAGTG GCAGAGACGC CTGCTGGTAT      1200
GCTCAATGCA ATTGGCTTGC AAAATCCTGG TTTAGAGGTT GTTTTGGCTG AAAAGCTACC      1260
TTGGCTGGAA AGAGAATATC CAAATCTTCC TATTATTGCC AATGTAGCTG GTTTTTCAAA      1320
ACAAGAGTAT GCAGCTGTTT CTCATGGGAT TTCCAAGGCA ACTAATGTAA AAGCTATCGA      1380
GCTCAATATT TCTTGTCCCA ATGTTGACCA CTGTAATCAT GGACTTTTGA TTGGTCAAGA      1440
TCCAGATTTG GCTTATGATG TGGTGAAAGC AGCTGTGGAA GCCTCAGAAG TGCCAGTTTA      1500
TGTCAAATTA ACCCCGAGTG TGACCGATAT CGTTACTGTC GCAAAAGCTG CAGAAGATGC      1560
GGGAGCAAGT GGCTTGACCA TGATCAATAC TCTGGTTGGA ATGCGCTTTG ACCTCAAAAC      1620
TAGAAAACCA ATCTTGGCCA ATGGAACAGG TGGAATGTCT GGTCCAGCAG TCTTTCCAGT      1680
AGCCCTCAAA CTCATCCGCC AAGTTGCCCA AACAACAGAC CTGCCTATCA TTGGAATGGG      1740
AGGAGTGGAT TCGGCTGAAG CTGCCCTAGA AATGTATCTG GCTGGGGCAT CTGCTATCGG      1800
AGTTGGAACA GCTAACTTTA CCAATCCTTA TGCCTGCCCT GACATCATCG AAAATTTACC      1860
AAAAGTCATG GATAAATACG GTATTAGCAG TCTGGAAGAA CTCCGTCAGG AAGTAAAAGA      1920
GTCTCTGAGG TAAACTGCAA TCAATCTGTT CTTGATTTTT TATTAGTTTG TAATATGAAT      1980
TTAGGAGAAT TTTGGTACAA TAAAATAAAT AAGAACAGAG GAAGAAGGTT AATGAAGAAA      2040
GTAAGATTTA TTTTTTTAGC TCTGCTATTT TTCTTAGCTA GTCCAGAGGG TGCAATGGCT      2100
AGTGATGGTA CTTGGCAAGG AAAACAGTAT CTGAAAGAAG ATGGCAGTCA AGCAGCAAAT      2160
GAGTGGGTTT TTGATACTCA TTATCAATCT TGGTTCTATA TAAAAGCAGA TGCTAACTAT      2220
GCTGAAAATG AATGGCTAAA GCAAGGTGAC GACTATTTTT ACCTCAAATC TGGTGGCTAT      2280
ATGGCCAAAT CAGAATGGGT AGAAGACAAG GGAGCCTTTT ATTATCTTGA CCAAGATGGA      2340
AAGATGAAAA GAAATGCTTG GGTAGGAACT TCCTATGTTG GTGCAACAGG TGCCAAAGTA      2400
ATAGAAGACT GGGTCTATGA TTCTCAATAC GATGCTTGGT TTTATATCAA AGCAGATGGA      2460
CAGCACGCAG AGAAAGAATG GCTCCAAATT AAAGGGAAGG ACTATTATTT CAAATCCGGT      2520
GGTTATCTAC TGACAAGTCA GTGGATTAAT CAAGCTTATG TGAATGCTAG TGGTGCCAAA      2580
GTACAGCAAG GTTGGCTTTT TGACAAACAA TACCAATCTT GGTTTTACAT CAAAGAAAAT      2640
GGAAACTATG CTGATAAAGA ATGGATTTTC GAGAATGGTC ACTATTATTA TCTAAAATCC      2700
```

```
GGTGGyTACA TGGCAGCCAA TGAATGGATT TGGGATAAGG AATCTTGGTT TTATCTCAAA      2760

TyTGATGGGA AAATrGCTGA AAAAGAATGG GTCTACGATT CTCATAGTCA AGCTTGGTAC      2820

TACTTCAAAT CCGGTGGTTA CATGACAGCC AATGAATGGA TTTGGGATAA GGAATCTTGG      2880

TTTTACCTCA AATCTGATGG GAAAATAGCT GAAAAAGAAT GGGTCTACGA TTCTCATAGT      2940

CAAGCTTGGT ACTACTTCAA ATCTGGTGGC TACATGGCGA AAAATGAGAC AGTAGATGGT      3000

TATCAGCTTG GAAGCGATGG TAAATGGCTT GGAGGAAAAA CTACAAATGA AAATGCTGCT      3060

TACTATCAAG TAGTGCCTGT TACAGCCAAT GTTTATGATT CAGATGGTGA AAAGCTTTCC      3120

TATATATCGC AAGGTAGTGT CGTATGGCTA GATAAGGATA GAAAAAGTGA TGACAAGCGC      3180

TTGGCTATTA CTATTTCTGG TTTGTCAGGC TATATGAAAA CAGAAGATTT ACAAGCGCTA      3240

GATGCTAGTA AGGACTTTAT CCCTTATTAT GAGAGTGATG GCCACCGTTT TTATCACTAT      3300

GTGGCTCAGA ATGCTAGTAT CCCAGTAGCT TCTCATCTTT CTGATATGGA AGTAGGCAAG      3360

AAATATTATT CGGCAGATGG CCTGCATTTT GATGGTTTTA AGCTTGAGAA TCCCTTCCTT      3420

TTCAAAGATT TAACAGAGGC TACAAACTAC AGTGCTGAAG AATTGGATAA GGTATTTAGT      3480

TTGCTAAACA TTAACAATAG CCTTTTGGAG AACAAGGGCG CTACTTTTAA GGAAGCCGAA      3540

GAACATTACC ATATCAATGC TCTTTATCTC CTTGCCCATA GTGCCCTAGA AAGTAACTGG      3600

GGAAGAAGTA AAATTGCCAA AGATAAGAAT AATTTCTTTG GCATTACAGC CTATGATACG      3660

ACCCCTTACC TTTCTGCTAA GACATTTGAT GATGTGGATA AGGGAATTTT AGGTGCAACC      3720

AAGTGGATTA AGGAAAATTA TATCGATAGG GGAAGAACTT TCCTTGGAAA CAAGGCTTCT      3780

GGTATGAATG TGGAATATGC TTCAGACCCT TATTGGGGCG AAAAAATTGC TAGTGTGATG      3840

ATGAAAATCA ATGAGAAGCT AGGTGGCAAA GATTAGTACT ATAAGTGAAT ATGATTTGAG      3900

TGAATAGTAA GTTAAAAATC CTGATTTCAA GTAAAATCAG GATTTTTTCA TGGATGCAAT      3960

TTTTTTGGAG TCTGGTGTGA CGCGGAGGGT CTTTTGTCCT GTGTAAGTGA CAAAGCCGGG      4020

TTTTCCACCA GTTGGTTTAT TGAGTTTTTT GACTTCAATC ATATCTACCT GCACCAGATT      4080

CGACAGGCGC CCTTGAGAGA AGTAGGCAGC TAACTCTGCT GCGTCTGTCT TGACTGCATC      4140

AGATGGGTCA AGATTTCCTG AGATGACAAC ATGGCTTCCA GGAATGTCCT TAGCATGGAA      4200

CCAAAGTTCC TCCTTGCGGG CCATTTTAAA GGTCAATTCC TCATTTTGAA GATTGTTTCG      4260

TCCGACATAG ATGATGGTTT TGCCATCGCT TGCTAGATAT TGTTCTAGTT TTTTGCGTTT      4320

CTGGATTTTC TCCCGTTGTC TTCTGCGGAT AAAACCTGTT TGAATCAATT CTTCACGGAT      4380

TTCAGCGATT TCTTCCAGTC CAGCTTGGTT GAGGACGGTT TCTACACTTT CCAGATAGAG      4440

AATAGTGGCT TTGGTTTCTT CAATCAAATC AGTCAAGTAT TTGACAGCTT CTTTGAGTTT      4500
```

```
CTGATACCGT TTAAAATAGC GTTGGGCATT CTGGTTGGGA GTCAGAGCCT TATCAAGCGC       4560

AATCATGATA GGTTGGTTGG TATAGTAGTT GTCTAGGATA ACCTGGTCTT GGTCGTTAGG       4620

CACTTGGTGG AGGAAGGTTG TCAGCAATTC TCCTTTTTGA CGAAATTCTT CAGCGTTGTC       4680

TGTCGCCAGT AACTCTTTTT CCTGTTTTTT GAGTTTGTGT CGGTTTTTCT GAAGTTCATT       4740

TTCAACACGA CGAATCAGTT CACTGGCCTG CTGTTTGACG CGGTCGCGCT CAGCCTTATC       4800

CTTATAGTAG GTGTCCAACA AATCAGAAAG ATTTGCAAAA GGCTCTCCCA CCTGATTTGC       4860

AAAAGGAACT GGACTGAAGG AAGTCTCAGT CAAGCATGGC TTGGTTTCTT GATTGAAAAA       4920

ATTTCGGAAA GCGGAAAGTT TTTCACTAAC CAGTATCCTT TCCAATTCAT TTGCCGTATC       4980

GCGTCCCAGA CCTTGAAAGA GGCTTTGAAG ATTTTTTGCT GTTAGTTCTT GGGTTTGCAG       5040

GATTTCAAAG AGCTTTTCAT CCTTGATAGT AAAAGGATTG AGAGATTTTG TACTTGGCGG       5100

AGCGATATAG GTCGATCCTG GAAGTAAGGT GCGGTAGCTA TTTTGTGAAA AGCCGACGTG       5160

TTTGATAACT TCGAGGATTT TATGACTGCT TTTATCGACC AGTAGAATAT TACTGTGTTT       5220

CCCCATAATT TCGATAATCA AGGTAGCCTG GATATGGTCT CCAATCTCGT TTTTATTGGA       5280

AACTGTAATT TCCACAATAC GGTCATTTTC CACTTGCTCA ATCGACTCAA TCAGGGCCCC       5340

CTGCAAATAC TTTCTCAAAA CCATGATAAA GGTAGAAGGT TGAGCTGGAT TTTCAAAAGT       5400

CGTTTGGGTC AGCTGAATGC GTCCAAAAAC TGGATGGGCA GAAAGGAGCA GGCGATGGCT       5460

TTGGCGATTG CTGCGGATTT GCAAGACCAA CTCTTGTTCA AAAGGCTGAT TGATTTTCTG       5520

GATGCGACCA TTCACTAATT CGCTTCGCAA TTCCTCAACT ATGTGGTGTA AAAAAAATCC       5580

GTCAAATGAC ATCGTTCTCT CCTTGTGATT GTATTCCATA GTATTATATC AAAAAGGTAG       5640

AATAAAATCA TGGAAATGTG GTATAATAAA GCCAAGTAAA GAGAAACGAG AAGCACATGT       5700

ATATTGAAAT GGTAGATGAA ACTGGTCAAG TTTCAAAAGA AATGTTGCAA CAAACCCAAG       5760

AAATTTTGGA ATTTGCAGCC CAAAAATTAG GAAAAGAAGA CAAGGAGATG GCAGTCACTT       5820

TTGTGACCAA TGAGCGTAGT CATGAACTTA ATCTGGAGTA CCGTAACACC GACCGTCCGA       5880

CAGATGTCAT CAGCCTTGAG TATAAACCAG AATTGGAAAT TGCCTTTGAC GAAGAGGATT       5940

TGCTTGAAAA TTCAGAATTG GCAGAGATGA TGTCTGAGTT TGATGCCTAT ATTGGGGAAT       6000

TGTTCATCTC TATCGATAAG GCTCATGAGC AGGCCGAAGA ATATGGTCAC AGCTTTGAGC       6060

GTGAGATGGG CTTCTTGGCA GTACACGGCT TTTTACATAT TAACGGCTAT GATCACTACA       6120

CTCCGGAAGA AGAAGCGGAG ATGTTCGGTT TACAAGAAGA AATTTTGACA GCCTATGGAC       6180

TCACAAGACA ATAAACGAAA ATGGAAAAAT CGTGACTTGA TATCCAGTTT AGAATTTGCT       6240
```

```
TTGACAGGTA TTTTTACTGC TATCAAGGAA GAACGCAATA TGCGAAAACA CGCAGTGACG    6300
GCTCTAGTGG TCATCCTTGC AGGTTTTGTT TTTCAGGTGT CACGAATCGA ATGGCTCTTT    6360
CTCCTATTGA GTATTTTCTT GGTAGTAGCC TTTGAGATTA TCAACTCTGC TATTGAAAAT    6420
GTGGTGGATT TGGCCAGTCA CTATCACTTT TCCATGCTGG CTAAAAATGC CAAGGATATG    6480
GCGGCCGGCG CGGTATTAGT GGTTTCTCTT TTCGCAGCCT TAACAGGCGC ATTGATTTTT    6540
CTCCCACGAA TCTGGGATTT ATTATTTTAA ACAGTAAGAG GAAATTATGA CTTTTAAATC    6600
AGGCTTTGTA GCCATTTTAG GACGTCCCAA TGTTGGGAAG TCAACCTTTT TAAATCACGT    6660
TATGGGGCAA AAGATTGCCA TCATGAGTGA CAAGGCGCAG ACAACGCGCA ATAAAATCAT    6720
GGGAATTTAC ACGACTGATA AGGAGCAAAT TGTCTTTATC GACACACCAG GGATTCACAA    6780
GCCTAAAACA GCTCTCGGAG ATTTCATGGT TGAGTCTGCC TACAGTACCC TTCGCGAAGT    6840
GGACACTGTT CTTTTCATGG TGCCTGCTGA TGAAGCGCGT GGTAAGGGGG ACGATATGAT    6900
TATCGAGCGT CTCAAGGCTG CCAAGGTTCC TGTGATTTTG GTGGTGAATA AAATCGATAA    6960
GGTCCATCCA GACCAGCTCT TGTCTCAGAT TGATGACTTC CGTAATCAAA TGGACTTTAA    7020
GGAAATTGTT CCAATCTCAG CCCTTCAGGG AAATAACGTG TCTCGTCTAG TGGATATTTT    7080
GAGTGAAAAT CTGGATGAAG GTTTCCAATA TTTCCCGTCT GATCAAATCA CAGACCATCC    7140
AGAACGTTTC TTGGTTTCAG AAATGGTTCG CGAGAAAGTC TTGCACCTAA CTCGTGAAGA    7200
GATTCCGCAT TCTGTAGCAG TAGTTGTTGA CTCTATGAAA CGAGACGAAG AGACAGACAA    7260
GGTTCACATC CGTGCAACCA TCATGGTCGA GCGCGATAGC CAAAAAGGGA TTATCATCGG    7320
TAAAGGTGGC GCTATGCTTA AGAAAATCGG TAGCATGGCC CGTCGTGATA TCGAACTCAT    7380
GCTAGGAGAC AAGGTCTTCC TAGAAACCTG GGTCAAGGTC AAGAAAAACT GGCGCGATAA    7440
AAAGCTAGAT TTGGCTGACT TTGGCTATAA TGAAAGAGAA TACTAAGTAG AGGTAGGCTC    7500
ATGCCTGCTT CTTGTTTTTA CAGAAGGAGG ACTTATGCCT GAATTACCTG AGGTTGAAAC    7560
CGTTTGTCGT GGCTTAGAAA AATTGATTAT AGGAAAGAAG ATTTCGAGTA TAGAAATTCG    7620
CTACCCCAAG ATGATTAAGA CGGATTTGGA AGAGTTTCAA AGGGAATTGC CTAGTCAGAT    7680
TATCGAGTCA ATGGGACGTC GTGGAAAATA TTTGCTTTTT TATCTGACAG ACAAGGTCTT    7740
GATTTCCCAT TTGCGGATGG AGGGCAAGTA TTTTTACTAT CCAGACCAAG GACCTGAACG    7800
CAAGCATGCC CATGTTTTCT TTCATTTTGA AGATGGTGGC ACGCTTGTTT ATGAGGATGT    7860
TCGCAAGTTT GGAACCATGG AACTCTTGGT GCCTGACCTT TTAGACGTCT ACTTTATTTC    7920
TAAAAAATTA GGTCCTGAAC CAAGCGAACA AGACTTTGAT TTACAGGTCT TTCAATCTGC    7980
CCTTGCCAAG TCCAAAAAGC CTATCAAATC CCATCTCCTA GACCAGACCT TGGTAGCTGG    8040
```

```
ACTTGGCAAT ATCTATGTGG ATGAGGTTCT CTGGCGAGCT CAGGTTCATC CAGCTAGACC      8100
TTCCCAGACT TTGACAGCAG AAGAAGCGAC TGCCATTCAT GACCAGACCA TTGCTGTTTT      8160
GGGCCAGGCT GTTGAAAAAG GTGGCTCCAC CATTCGGACT TATACCAATG CCTTTGGGGA      8220
AGATGGAAGC ATGCAGGACT TTCATCAGGT CTATGATAAG ACTGGTCAAG AATGTGTACG      8280
CTGTGGTACC ATCATTGAGA AAATTCAACT AGGCGGACGT GGAACCCACT TTTGTCCAAA      8340
CTGTCAAAGG AGGGACTGAT GGGAAAAATC ATCGGAATCA CTGGGGGAAT TGCCTCTGGT      8400
AAGTCAACTG TGACAAATTT TCTAAGACAG CAAGGCTTTC AAGTAGTGGA TGCCGACGCA      8460
GTCGTCCACC AACTACAGAA ACCTGGTGGT CGTCTGTTTG AGGCTCTAGT ACAGCACTTT      8520
GGGCAAGAAA TCATTCTTGA AAACGGAGAA CTCAATCGCC CTCTCCTAGC TAGTCTCATC      8580
TTTTCAAATC CTGATGAACG AGAATGGTCT AAGCAAATTC AAGGGGAGAT TATCCGTGAG      8640
GAACTGGCTA CTTTGAGAGA ACAGTTGGCT CAGACAGAAG AGATTTTCTT CATGGATATT      8700
CCCCTACTTT TTGAGCAGGA CTACAGCGAT TGGTTTGCTG AGACTTGGTT GGTCTATGTG      8760
GACCGAGATG CCCAAGTGGA ACGCTTAATG AAAAGGGACC AGTTGTCCAA AGATGAAGCT      8820
GAGTCTCGTC TGGCAGCCCA GTGGCCTTTA GAAAAAAAGA AAGATTTGGC CAGCCAGGTT      8880
CTTGATAATA ATGGCAATCA GAACCAGCTT CTTAATCAAG TGCATATCCT TCTTGAGGGA      8940
GGTAGGCAAG ATGACAGAGA TTAACTGGAA GGATAATCTG CGCATTGCCT GGTTTGGTAA      9000
TTTTCTGACA GGAGCCAGTA TTTCTTTGGT TGTACCTTTT ATGCCCATCT TCGTGGAAAA      9060
TCTAGGTGTA GGGAGTCAGC AAGTCGCTTT TTATGCAGGC TTAGCAATTT CTGTCTCTGC      9120
TATTTCCGCG GCGCTCTTTT CTCCTATTTG GGGTATTCTT GCTGACAAAT ACGGCCGAAA      9180
ACCCATGATG ATTCGGGCAG GTCTTGCTAT GACTATCACT ATGGGAGGCT TGGCCTTTGT      9240
CCCAAATATC TATTGGTTAA TCTTTCTTCG TTTACTAAAC GGTGTATTTG CAGGTTTTGT      9300
TCCTAATGCA ACGGCACTGA TAGCCAGTCA GGTTCCAAAG GAGAAATCAG GCTCTGCCTT      9360
AGGTACTTTG TCTACAGGCG TAGTTGCAGG TACTCTAACT GGTCCCTTTA TTGGTGGCTT      9420
TATCGCAGAA TTATTTGGCA TTCGTACAGT TTTCTTACTG GTTGGTAGTT TTCTATTTTT      9480
AGCTGCTATT TTGACTATTT GCTTTATCAA GGAAGATTTT CAACCAGTAG CCAAGGAAAA      9540
GGCTATTCCA ACAAAGGAAT TATTTACCTC GGTTAAATAT CCCTATCTTT TGCTCAATCT      9600
CTTTTTAACC AGTTTTGTCA TCCAATTTTC AGCTCAATCG ATTGGCCCTA TTTTGGCTCT      9660
TTATGTACGC GACTTAGGGC AGACAGAGAA TCTTCTTTTT GTCTCTGGTT TGATTGTGTC      9720
CAGTATGGGC TTTTCCAGCA TGATGAGTGC AGGAGTCATG GGCAAGCTAG GTGACAAGGT      9780
```

GGGCAATCAT CGTCTCTTGG TTGTCGCCCA GTTTTATTCA GTCATCATCT ATCTCCTCTG 9840

TGCCAATGCC TCTAGCCCCC TTCAACTAGG ACTCTATCGT TTCCTCTTTG GATTGGGAAC 9900

CGGTGCCTTG ATTCCCGGGG TTAATGCCCT ACTCAGCAAA ATGACTCCCA AAGCCGGCAT 9960

TTCGAGGGTC TTTGCCTTCA ATCAGGTATT CTTTTATCTG GGAGGTGTTG TTGGTCCCAT 10020

GGCAGGTTCT GCAGTAGCAG GTCAATTTGG CTACCATGCT GTCTTTTATG CGACAAGCCT 10080

TTGTGTTGCC TTTAGTTGTC TCTTTAACCT GATTCAATTT CGAACATTAT TAAAAGTAAA 10140

GGAAATCTAG TGCGAGTAAA AATCAATCTC AAATGCTCCT CTTGTGGCAG TATCAATTAC 10200

CTAACCAGTA AAAATTCAAA AACCCATCCA GACAgATTGA 10240

(2) INFORMATION FOR SEQ ID NO: 33:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 13206 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:

CGCTTTATCG TGGACGTGGT CAAGCCGAGA ATTTCATCAA GGAGATGAAG GAGGGATTTT 60

TTGGCGATAA AACGGATAGT TCAACCTTAA TCAAAAACGA AGTTCGTATG ATGATGAGCT 120

GTATCGCCTA CAATCTCTAT CTTTTTCTCA AACATCTAGC TGGAGGTGAC TTCCAAACTT 180

TAACAATCAA ACGCTTCCGC CATCTTTTTC TTCACGTGGT GGGAAAATGT GTTCGAACAG 240

GACGCAAGCA GCTCCTCAAA TTGTCTAGTC TCTATGCCTA TTCCGAATTG TTTTCAGCAC 300

TTTATTCTAG GATTAGAAAA GTCAACCTGA ATCTTCCTGT TCCTTATGAA CCACCTAGAA 360

GAAAAGCGTC GTTAATGATG CATTAAAGAA CAGTCGAGAT GAAAAAATCG TGTGACGCAC 420

CAAGGGAGGA GTCTGCCCTT TTGAGGAAAT CTAGCGAGGA AAAACGATAC TGGAACAGCA 480

GAAAGTAAAA CTGACCTCAT GAGGAGGAAG AAAGTGGCTC ATGAGGTCAG GGGTTTTGTA 540

AGTTACATCT AGTTGAGAGA GGTATGAATG ATTTGGGATT AATCATTTCT TGTTTTAAAT 600

CAGGAGAATA GTAACGATTT TTTCCTTTTT TGACGAACTC TATTCCGTAA CGATCAATCA 660

ATTTAATCAT GTACCTAATA TTAGAATTGT TTATCCCAAA TTTATTTGAA AGCTTCTCTA 720

AGCTATATCC TTGTTTTCTA AGTTCATAGA TCTGAACTTT ATCATCATAA GTTAGTTTCA 780

TAATAAAAAC ACCCCAAAAG TTAGATTTTT TCTGTCTAAC TTTTGGGGGG CAGTTCATTC 840

AACACCTGAT ACTATGCGTT TTTCTTATTT GAAATACTTT TTACTCAACC TCTTTATACT 900

CAATGAAAAT CAAAGTGCAA ACTAGAAAGC TAGCCTCAGG CTGCTCAAAA CAGTGTTTTG 960

```
AGGTTGCAGA TGGAAGCTGA CGTGGTTTGA AGAGATTTTC GAAGAGTATT ACTTAATCTT    1020
CTTGATACTT TGACTAAGAA TAAATCCTAC AATCATCCCT ACCATATTTT GCATAAAATT    1080
CGGTAGAATT TCTGGGAGGG CTGCTGCCCA GCCATTCATC AAAGCAGAAC CCAAGGCGTA    1140
GCCTCCTACC ATGGCAATAG TTGCTAAAAT AAGGCCTAAC CACTGACTTT TTCCTTTAAA    1200
TCCTGCGAAA AATCCCTGCA AGCCATGGTT GACCAAGCTA AAGAACATCC ACTGAGGGTA    1260
GCCTGATAAG AGGTCAATCA AGAAACTTGC TAGTCCTCCG ACTACCGCTC CTTCACGACT    1320
ACCAAAGTAA AAGGCCGCAA AGAAGACACC AGCATCTAAA AGAGTTAGAA TTCCTGTAGG    1380
TGTTGGGATT TTTAAGAAAT AACCTAGAAC CACAGAAAGG GCGGTTAATA GGGATACAAG    1440
GGCGATTTTA GTTGTTTTTG TTTGCTTCAT ATTGTCTTAC TCCATACTGA TCTGCTTGTG    1500
CAATAGCACG ATAAACGAAA GCCTTAGAGC TTTCTACTGC TGGCAAAAGT TTATCACCTT    1560
TAACCAGGTG ACTGGCAATG CTAGAGsCAA AGGTACAACs TGCACCAGCA TTTTGGCCTT    1620
GGATAACTGG ATTTTCTAGG ATAGTAAAGG TCTGTCCATC ATAAAAGACA TCCACAGCCT    1680
TGTCCTGACT AAGACGATTG CCTCCCTTGA TAATGACTGt GGCGCTCCTA AATCATGCAA    1740
TTTCTGCGCT GCAGTTTTCA TGTCTTCCAA GGTTTTAATT TCCTGACCGG ATAATAATTC    1800
TGCTTCTGGG AGATTAGGCG TAATCACACT GACATAAGGG AAAAAGCGAA TCAACTCTTG    1860
GCAGAGCTCA CTGACAGCTA CATCATGCGT TTCCTTGCAG ACCAAGACAG GATCCAACAC    1920
CACAGGTACT CCTGGGCGTT GTTTGATAAA GTCCAAGGCC TTCTCAGCCA CGCTGACAGT    1980
AGGGAGAAGA CCAATCTTAA TTCCCCCAAA TTCCACATCA CGCAAGCTAT CTAATTCATG    2040
TTGAAAAATG GTATCATCAG TTGGAAAGAC TTCAAATCCT TTTTCTGTCA AGGCTGTCAA    2100
ACAAGTCACT GCTACAAACC CATGCAAGCC GTTCAAGGTA TAGGTAGCCA AATCAGCTGA    2160
CAGTCCACCA CCACTAAAAA TATCATTTCC AGAAAGTGCT AAAATACGAT TATTCTTCAT    2220
AACGAATCTC CTTTAAATAC AAACCATTTG GTGCTGCAGT GGGACCTGCA AGTTGCCTGT    2280
CCTTCTTCTC CAAGATGAGA TCAATCTGCT CTACTGGCAT GCGGTTGTTA CCGATTTTGA    2340
GAAGAGTCCC CACCATATTG CGAATCTGTT TATACAAGAA ACCATTTCCT GAAAAGGTAA    2400
AGGTCAAAAA TTGTCCTGTC TCATCGACTA TTAAACTAGC TTCTGTGATG GTGCGAACCT    2460
TATCCTCTAC ACTAGTCCCA GAGGCTGTAA AACCGGTAAA ATCATGGGTT CCCTCTAGCT    2520
TTTTGATTGC AATCTGCATT CGTTCCACAT CGAGTGGGTA GGGAAAGTGG GTGGCATAGT    2580
GACGGCGCAT CGGATTTTTG GGACGTCCTC TATCCACAGT AAACTCATAG GTCTTGCTAT    2640
GCTTGGCATA ACGGCAATGA AAATCATCTG CCACAAGCTC AATCGAAATC ACATCAATAT    2700
```

CTTCAGGAGA CTGGGTATCC AAGGCAAAAC GGAGTTTCTC CTCATCCATC TGATAAGGCA 2760

GGTCAAAATG AATCACCTGT CCCAGGGCAT GAACCCCACT ATCTGTCCTA CCAGCACCGT 2820

GAACAGTAAT GGCTTGCCCT TTATTTAATC TGGTCAAGGT TTTTTCAATT TCTTCCTGAA 2880

CGCTACGCGC ATGAGGCTGG CGCTGAAAGC CAGCAAAGGC ATAACCATCA TAGGAAATAG 2940

TTGCTTTATA TCTCGTCATA GCCTCTATTT TATCAAGAAA TTAGTCTGTA AACAAGGACC 3000

TAAAACAAAT ATTGTATGGG TATAAAAATC TCATACTCTT CGAAAATCTC TTCAAACCAC 3060

GTCAGTTTCC ATCTGCAACC TCAACACACT ATTTTGAGCA ACCTGCGGCT AGCTTTCTAT 3120

AGTAGATTGA AATAAGATAT GAACAACTCT ATTAGGAAAG TCAAATTAAT TTCTAGAAAT 3180

ATTTTAGCAG CTACAGCGTA CTATTCCAAA CTCAATCAAC TATAGTTTGC TCTTTGATTT 3240

TCATTGAGTA TCAAAAGAAA AACTTAGGAA TCAATCCTAA GCTCTCTTCT GAAGTAGGTA 3300

CATGACAAAG ATAGAGATTA CAATCAACCA ACCTCCTAAG ATACTAAAGA CCAACATCCC 3360

ATTGTGAGTT AGTAAGCCAA TTGCACCTAG AACGAATGGG GTCGTAAAGG CTCCGAAACT 3420

ACAGCCTAAT ACAGCAAATG AAGTTGCTTG ATTGAGGAGT TTAGCTGGAA TTCGTTCAGA 3480

GACAAGTTGA AAGACCGTCG TCAAGACTAC ACTATAGGCA AATCCAGCCA GAACACTTCC 3540

TGCTACTACC ACCCACAAGG ATGAAGACAA GGCAATCACG ATTTGCCCCA AGCCAAAGGT 3600

AATACCAGAC CAGAGGAGCA GTTTCTCTTT AAAGATAGAA ATCAAGAAAG AAAAACTCAC 3660

CCCAGCCACA ATCCCGATCA ACTGCATGAT ACTAAGAACA AAACTAGATA ACTGGGCATC 3720

CCCCAATCCT CTTTCCACCA TCAAACTTGG AATACGGATG GTAATAGCTG TATTGGTACA 3780

AACTACAACT GCCGCTTCGA TAGCTAAGGT AAAAATCAAG CCTTTCATTT CTCGAGTTAA 3840

ACGACTTGCT TCCTTCGCTC TTTTCTTGAC TTCTTTCTTT GATTTTCCAT AAGGGACAAA 3900

GAGCAGATAA AGGGGCAGCA CCAAAAATCC AGCACTATAG GCTAGAAAGA TAGCTGTCCA 3960

ACCAAAGGCC AACAACTGAC CGACGGCCAA GGTAATGAGA GAAGCTCCAA CGACCTCTGC 4020

AGAAGCGCGT AGCCCTAACA TCTGAATTCG CCTTTTTCCT TGGTAGCGTT CACTGATAAT 4080

AGAAATGGCC TTGGCATTGA TCATCCCAAG ACCCAAACCA AAGAGAAGCC GTGTTCCAAA 4140

GACAAAGGGA TAGGCTTGGT ACCAGAAGGG AGCTGTACCG CTCAATGATA AAATCAGCAA 4200

GCCCAAACTA ATCTGTAAGC GCTCAGGAAA TATTTTTTCT AAGAAACCAT TTAGCAGTAA 4260

CATCATCATG ATTCCAAAGG AAGGCAAGCT CACCAAGAGC TCAATTTGTT CCTTAGAATA 4320

ACCCTGATAA TAGTCAAACA TGGCTGGTAG GGCACTCGAA ATGGAAAAGG AGGTAATCAA 4380

AACGAGGGAG AGAGCCAAAA TGCTGGCCCG TTCTAAAAAT TGTTTCATGA AATCTCTTTC 4440

TATATTTCTC TTAATCTTCT ACTTTTTTGA TAGTTATCAA ATAAGCAAGA AAAGAAGAAG 4500

```
CCTCATTGGT TTGTAGACTC CTTCTTAAAT TCGAAAATGA ATCCCTTGTA TCTTATACTC      4560
AATGAAAATC AAAGAGCAAA CTAGGAAGCT AGCCGCAGGT TGTTCAAAAC AGTGTTTTGA      4620
GGTTGCAGAT GGAAACTGAC GTGGTTTGAA GAGATTTTCG AAGAGTATTA GGATGACTTT      4680
CTCTTGATTT GCTTGATAAA GTAGAAAATA AATCCTGCTA CCATATAGGC AACAAAGATA      4740
ATCAGACACC ACTTAAACAC AACATTCCAA CCCTTGTTCA CATTCAAAAA GAAGTAAGGG      4800
AAAGGATTAT CCTTGGCATT TGGAATATTG AGTTTTAGAA CCAAGCCATT AAAAAGAGCA      4860
AACATCATAT ACAGAAAGGG TAAAATGGTC CACACTGCTG GATCCCAAAT CTTGTATTGA      4920
CCCTGTTTGT CAAAAAAGAG GGTATCCGCT AAAAACCAGA TGGGAACGAT ATAGTGGCAA      4980
AGGAAATTTT CTAGGGTATA GAAATTAGTC GCAATGGGCG CCAAGAGGAA ATGGTAAATC      5040
ACACAGGTAA TCATGATACT CATGGTGACC CCACCTTTTA AGCGCAAGAG ACTTGGCCTT      5100
TGCCAATTTT CACCTACACG GCTCATAACC TTTAGAAGAT AAAGGGTAAA AATAGTTACC      5160
AAGAGGTTGG ACAGAACCGT GTAATAGAGA AGCATCCCAA AACCACCATG CTTAGTAATT      5220
TCAAGATAAA CTCCCGTAAA AGCCGCTAGA AACAAGAAGA TACGGCTATA AAATACAAGT      5280
TTATAGTGTT TTGACATGCT TAAATCTTCC TCACAAACTC TGATTTAAGT TTCATGGCAC      5340
CAAAACCATC AATCTTACAG TCGATATTGT GGTCGCCTTC TACGATGCGG ATATTTTTCA      5400
CGCGCGTCCC TTGTTTCAAA TCTTTTGGCG CACCTTTTAC TTTCAAGTCC TTGATGAGAG      5460
TTACTGTATC ACCATCAGCC AATTTATTTC CGTTGGCATC GATAGCGACA AGACCTTCTT      5520
CTACTTCTGC AACTTCAGCA GGATTCCACT CATGAGCACA CTCTGGGCAA ACCAGTAGGG      5580
CACCGTCTTC GTAGACATAC TCTGAGTTAC ATTTTGGACA ATTTGGTAAA TTGTTCATGG      5640
TTTCTCCTTA TCATCATTCA CTATTCTTTG AAAATCAAAA TTTCTCGAAC AGCAACTATT      5700
ATACCCTAAA ATCAGCATTT TGACAAATTT AGAAAAAAAC CGATATCAAT CTATCGGCTT      5760
TTCTACATTT ACATTCTTTT TTCAGCTTCT GCTTTGATTT TTTCAACTAC TTCTTGAATG      5820
TTCAAACCAG TTGTATCAAG GTAGACAGCA TCCTCTGCTT GTTTGAGAGG AGAAGTCTCA      5880
CGATGACTAT CCTTGTAGTC ACGCGCAGCA ATTTCCTTTT TTAGGGTTTC AAGGTCTGTT      5940
TCAATTCCCT TGGCAATATT TTCCTTGTAA CGACGCTCTG CTCTCTCATC AACAGAAGCT      6000
ACTAGGAAAA TTTTCAATTC TGCTTGTGGC AATACAACAG TTCCAATATC GCGACCATCC      6060
ATGACAATCC CGCCTTGCTG GGCAATTTCT TGTTGGAGAG AAACCAGTTT CTCACGCACT      6120
TGAGGAATTG CTGCAATAGC AGAAACATGA TTGGTCACTT CATTTTCACG GATAGGATGG      6180
GTAATATCCA CATCTCCTAC AAAAACAAGC TGGTCTCCAG TTTCTGAACG TCCAAAGCTG      6240
```

```
ATTGGATGCT GGTCCAACAA GGCTAGAAGG GCTTCGACTT CTTCAACTCC TAATTGGTTC      6300

TTAAGAGCCA TATAGGTCGC TGCACGATAC ATAGCTCCTG TATCAAGGTA GGTGAATCCA      6360

AAATCCTTAG CAATAATCTT TGCGACCGTA CTCTTACCGC TGGAAGCAGG ACCATCAATA      6420

GCAATTTGAA TTGTTTTCAT ATCGGCTCCT ATTTTATTTT TATAACATCA CCTGGATTAG      6480

CAAACCAAGA TCCTGTAGCC ATGTGCCCAG GATTCAAGGC CTCTAACTGA GCAATGGAGA      6540

TTCCTGCACG AGCGGCAATA GCTGCTTCCC CTTCTCCTGC GAGAACTTTA ATCGTTCCTT      6600

CAGGATTAGC AGCTTCTTCT GAACTACTAG AAGTAGATTC TGGCTCTGAA CTCTGCTCAG      6660

GCTGAGAACT ACTTGAAGAT GAGATTTGTA CTACACTGGC ATCAGAATCA TGAAAGCCTT      6720

TTAAGGCTGC TGTGCGATTA CTCCCCCCCG ATGATAGATA GATGAGAACG ATGACCATCA      6780

CCACCACAAT TACAAAGAAA ATACTAGCTA GGATCGTCAA AATACGATTA GCCATCCTAT      6840

CAGCCCCTCC GTGGTTTCGA TGCCGACGCT CTGCTCTTGA TTCTTCTTGA TCATAGATAT      6900

CTTCTTGCCA CGGTTCTTTT GCCATACCTT ACTCCTTGTT TTTTTTTACT TTTCTTATTA      6960

CAATATAAAT ATGAACATGA AAATCACACT TATACCTGAA CGATGTATCG CCTGTGGGCT      7020

TTGCCAAACT TATTCTGATT TATTTGATTA CCACGATAAT GGAATCGTGC GTTTTTACGA      7080

TGACCCTGAC CAACTGGAAA AAGAAATTTC TCCTAGTCAG GATATCTTAG AGGCTGTTAA      7140

AAATTGCCCA ACTCGCGCCC TGATTGGAAA CCAGGAAGCC TAAATCAATG GCGATAATCC      7200

ACTCCCTCTA GTTTAGCACA TTTCCATGTA AAATTATAGT CTTTTCACTT TATTTTTTTC      7260

TGTAAAATCA GGAAGGTCAC TTTTTTCTTT GATAAGATAA AGTGGTCTTT TTTTAGTCTC      7320

TAAATAAATC TTACTGATAT ACTTGCCGAG AATCCCAATG GTCAAGAGTT GAATGCCTCC      7380

AAGAAAGAGA ATAACAGCCA TCAGAGAGGT CCAACCAGAT GTCGGATTGC CCAAAATGAG      7440

GGTCCGAACC ACAACAAAAA AGGTCATCAG CAGAGAAAGA AAACAAGATA GGAGACCAGC      7500

TACAAAGGCT ATAATCAAGG GAAAATCTGA AAAATTAATA ATCCCTTCAA TGGAGTAGAA      7560

AAAGAGTTGC CTAAAACTCC AACTTGTCTT GCCAGCCTGC CTTTCGACAT TTGGATAGTC      7620

CAAATAGTAG GTTTTGAAAC CCACCCAGGC GAAGAGCCCC TTTGAAAAAC GATTGGACTC      7680

GGTCAAGCTT AAAATGGCAT CGACTACAGA CCTTCTCATC ATACGAAAAT CACGGACACC      7740

CGACGGCAGA GCTACTGGGC TGATTTTTTG CATGAGGCGA TAAAAGAGAA CAGCACAGAA      7800

ACTGCGAAAG AAGGGTTCTC CCTCCCGACT AGTTCTCCGT GTCCCAACGC AGTCCAAGTC      7860

TACATTTTTG TCTAATACAT TTTTCATCTC AAACAACATA CTAGGAGGAT CTTGGAGGTC      7920

TGCATCCATC ACCACCACCA AATCTCCTGT CGCATATTGC AAGCCTGCAT AAAGGGCTGC      7980

TTCTTTGCCA AAATTTCGAG AGAAAGAAAT ATAATGGACT GCCGGATTTT GCTCCCGATA      8040
```

```
GGCCTTTAAG AGTTCCAAGG TCCCATCACT TGATCCATCA TCGACAAAGA CATACTCGAT      8100
TTCTGTTTCC AAATCTGGAA GTAAAGCTTC CAGAGCCTGA TAAAAAAGAG GAAGTACTTC      8160
CTCTTCGTTT AAACAAGGGA CGATGATTGA AATCATCATC TTAGTCTTCA AATCCATTTG      8220
GATGCTTGCT TTGCCAACGC CATGCGTCTT CACACATTTG GGTGATGTCG AGTTCTGCTT      8280
CCCAACCGAG TTCTGCTTTA GCTTTTGCCG GGTCTGAGTA GCAGGCAGCG ATATCACCTG      8340
GGCGACGTTC TACGATGCGG TAAGGAATAG GACGGCCCAC CGCTTTTTCC ATGTTTTGGA      8400
TAATTTCAAG AACTGAGTAA CCTTTACCAG TTCCAAGGTT ATAAACGTTT AGTCCTGAAC      8460
CTTTTTGGAT TTTTTTCAAA GCTGCAACGT GACCCTTAGC CAAATCGACA ACGTGGATAT      8520
AGTCACGAAC ACCTGTTCCA TCTTCCGTAT CGTAATCGTC TCCAAACACT TGCACTTGCT      8580
CTAATTTTCC AACGGCTACT TGAGTCACAT ATGGCAAGAG ATTGTTTGGA ATACCGTTTG      8640
GATTTTCTCC CAAATCACCA CTCTCATGGG CTCCGATTGG GTTAAAGTAA CGAAGCAAGA      8700
CAACATTCCA TTCTGAGTCT GCTTTGTAAA TATCAGTCAA AATTTCCTCT AGCATGAGCT      8760
TAGTACGACC GTATGGGTTG GTCACTGAAA GTGGGAAATC TTCCAAGATG GGCACTGTGT      8820
GCGGATCCCC GTAAACTGTC GCAGAAGAAC TGAAGATGAT GTTTTTACAG TTGTTTTCTT      8880
CCATGGCTTT CAAAAGGCTG ACAGTTCCAG CGATATTGTT GTCATAGTAG GCAAGAGGGA      8940
TACGTGTTGA TTCGCCAACA GCCTTCAAAC CAGCAAAGTG AATGACACCA GTCGGTTCTT      9000
CCTGCTTGAA AATATCTCTG AGGGTATCTG TGTCACGAAT ATCTGCCTCA TAGAAAGGAA      9060
TCTCAACTCC TGTGATTCCT TCAACAACTT CTAAACTCTT ACGATTGCTA TTGACAAGAT      9120
TATCCACCAC AACAACTTGA TGACCTGCTT GGATCAATTC AATAACAGTG TGGGTTCCAA      9180
TAAAACCGGC ACCACCAGTT ACCAAAATCT TTTCTTGCAT CTTTTTTCCT CGATTCTCAG      9240
ATTATTTTTT CTTATTTTAC CATTTTTGAC AGGGAATGTC ATTTGCCATC CTAAACTACC      9300
TGATAAAATT TCAGTAAAAT GCTTATACTC TTCGAAAATC CAATTCAAAC TACGTCAACG      9360
TCGCCTTGCC ATGGGTATGG TTACTGACTT CGTCAGTTCT ATCCACAACC TCAAAACAGT      9420
GTTTTGAGCT GACTTCGTCA GTTCTATCCA CAACCTCAAA GCAGTGCTTT GAGTAACCCG      9480
CGGCTAGTTT CCTAGTTTGT TCTTTGATTT TTATTGAGTA TTATTCGCTT TTTACTCGTT      9540
TGACATAGTT TTCAATTGGG TAATTTAGAG GGTCCAAGGT CAACTCCTTG TCTTGGATCA      9600
GTTGGGCTAG ATGGTAACCA ATGATAGGAC CAGTTGTGAG GCCTGATGAA CCTAGTCCAC      9660
TGGCTGCATA GACACCAGTT AAGTCAGGCA CCTGCCCAAA GAAAGGAGAG AAATCACTGG      9720
TGTAGGCACG GATTCCAACA CGCTCAGATT TTGAAGTAGC TTCAGCCAAA ATCAGATAGT      9780
```

```
GAGTCAAGGT GGCCTCCTCC ATTTGTTGGA GCAAGGTTTC ATCTACCGTC AAATCAAATC     9840

CCATGTCATT TTCGTGGGTA GCGCCTAAGG ATAATTTCCC ACCTGCAAAG GGAATCAAAT     9900

CCCACTCCCC TTCTGGCATG ACAACAGGGT AATCTTCCAT GTCTTGGGCA AGCTGATAAT     9960

CTCGTAGTTG TCCTTTTTGA GGACGGACAT CCACTTCATA ACCTAAAGGC TCTAACATGT    10020

CCCCCAACCA AGCTCCCGTC GCCAAAATAA CCTGCTCAAA CTCCTCTTCA CCAATCTGGT    10080

AGCCTGATGC TAACGGTGTC AGAGTCACTT TTTCTTTGAC CAGCTTGACA TGACTGACTT    10140

CCAGCAAACG AGTCACTAAA AGTTGGCCAT CTACTCTCGC TCCACCAGAA GCATAGAGCA    10200

GGCGGTCAAA TCCCTGCAAA CCAGGGAATA ATTCATTAGC TGAGGCTTGG TTCAGAATGG    10260

CTAATTGCCC TATCAAGGGA GATTCTTCTC TGCGCTGGAG GGCCAGTTGA TAAAGTTCTT    10320

CCAAATTGGA TTCATCCTTT TTCAAGAGAA AGACTCCCGA ACGCTGGTAA AAGTCGATTT    10380

CTTGTCCTGA TTTCTCTAAA TCAGCTAATA AATCCACATA AAAATCAGCC CCCAAGCGCG    10440

CCATCTTGTA CCAGGCTTTA TTACGGCGTT TGGAAAACCA AGGACTGATA ATTCCTGCTG    10500

CGGCCTTGGT GGCTTGACCT TGCTCATGGT CAAAAACGGT CACCTCTAGG TCACTTTCTC    10560

TCGAGAGGTA GTAGGCAGCT GTTGCTCCCA CAATTCCTGC TCCAATAATG GCAACTTTTT    10620

TCATTGTCTT CACTTTCTAA CTAGATATGA TGGAAAGGAT TGGTTGATGC CTGACTAGGC    10680

AAGATATCAA TAGACCACCC CTTATCTTCC TTCCATTGAC TAAGAAGTGC TGCGATTTTT    10740

TCTACAAAAA TCACTTCGAT ATAGTGACCT GGGTCCAATG CAAGCAACCC ATCAGATAGC    10800

ATATCCTGAG CAGTATGGTA GTAGATATCA CCAGTGATAT AGACATCTGC CCCCTTTGCC    10860

AAAGCATCCT TATAGAAAGA CTGCCCGCTT CCACCACAAA TTGCTACTCT TGAAATAGGC    10920

TTCTGCAAAT CATCCTCTTG ATAATGCACC ATTCGAAGGC TATCTAGGTC AAAGACTTGC    10980

TTGACCTGTT GGGCCAATTC CCAAAATGTC TGAGGCTGAA TATTCCCAAT ACGTCCAATT    11040

CCACGTTCTG GACCTGTTTC CTGCAGATAA GTCGTCTCCT CGATTCCTAG CATCTGACAA    11100

AACCAGTCAT TGAGCCCATT TTCAACGATA TCAATATTGG TATGGCTGAC ATAAACTGCG    11160

ATATCATGCT TAATCAGGTC GATGTAAATC TGATTTTGCG GACGGCTGGC AAGCAAGTCC    11220

TTGATAGGAC GAAAGATAGG CGCGTGCTTG ACGATAATCA AGTCCACACC CTTTTCAATG    11280

GCCTCTGCCA CTGTCTCTTC ACGAATATCG AGGGCAACCA TGACCCTTTG GATACCCTTG    11340

TCTAAAGTGC CAATTTGCAG ACCACGGCTG TCTCCCTCCA TAGAAAATTC CTGAGGGCAA    11400

AAGGCTTCAT AAGCTTGGAT CACTTCACTT GCTAACATGG AGCACCTCCT TGATAGCTTG    11460

AATCTTATCT ACTAGAACTT GACGTTCTTC CAGATTTTTT TCTGGGATTT GTCCGAGGGC    11520

GAACTCTAGC TTCTCAGCTT CTTTTTGCCA TTTTTGGACA AATACTGGAC TGACTTCTTT    11580
```

```
GGACAAGAAG GGACCAAAGC GAACATCACT GGCTGATAGC TTCATTTGTC CTGCTTCCAC     11640

CACCAAAATC TCATAAAACT TTCCAGCTTC TTCTAAGATG CTTTCTGCTA CAATCTGGAA     11700

TCCATGATCC TGTAGCCAGA TACGCAAGTC GTCTTCACGA TTATTGGGCT GGAGGATCAA     11760

ACGCTCTACA TTAGCTAACT TCCCCAAACC TTCTTCTAAA ATCCTAGCAA TCAAACGACC     11820

ACCCATGCCA GCAATGGTAA TGACAGACAC TTGGTCAGTC TCTTCAAAAG CTGCCAAGCC     11880

ATTGGCTAAA CGGACTTGGA TTTTCTCCTT TAGGCCGTGA GCCTCAACAT TTTTAACCGC     11940

AGACTGATAG GGACCTTCCA CCACCTCACC TGCAATAGCG CTTTTGATTT GGCCTCTCTC     12000

AACCAACTCG ATAGGCAGAT AAGCATGGTC ACTTCCCACA TCTAGTAAAA TAGCCCCCTG     12060

TGACACAAAG GAAGCTACCA ATTCTAATCT CTTTGAAATC ATCTTCTCTC ACTTTCCAAA     12120

ACTCTATTAC CTCTTATTAT ACCACATTTC AATCTTCAAC TTCCCAGTAA TATAAGCACC     12180

TCTGGCGAAA GAAGTTTCAA TGTCCTAAAG TAATAAGTGA ATCCAATTGA AAGATTTTAA     12240

ACAATTTGCA AAAATGTCAA AAAATAAAAA ATAAACAGTT TATTCAGAAA ATTCTTGACA     12300

TATAAAAACA CATGGTAGAA TATAATTAGA AAGTTAGAAA AAATAAAAGT TTGACTAAAA     12360

TTTGTATTTG AAGGTGGTGT TCAGATAAGA AATTTAGTCA GACGAACCAC GAATTTGCTC     12420

TATGCTTTCT GGAATTTATC ATAACAGGAG GATACAGTCA TGGAACAAAC ATTGTTTGAA     12480

TTAGAACTAC TTCCAGAGGA AGATATCATT GTCACAGGTC TCCCTAAGTA TTGTTCTTTT     12540

ACTTGTTTAA TTACAGGTCG CTAGTTATAT TTTATATAAA ATAAGTAGCT TTACTTACGG     12600

AATAGGCTAG TGCTGTGTCT CTAGCCTATT TTAATAATTA GGAGTTTGTT ATGGATTTAT     12660

TAGAGAAAGA ATGTTTAAAA TGTGATAAAA ATTTCCAACA GGGTGATATT TGGAATTACT     12720

ATTATTTATC AGATAAGATG CCTGCACAAG GGTGGAAAAT ACACATAAGC TCCCAAATAA     12780

AAGACGCTGT AAATATTTTT AAGATTGTGT ATAAACTATC CCAACTAAAT AATTGTAGCT     12840

TTAAAGTTGT TAAAAATTTA GAGGAATTAA AAAAAATTAA TTCCCCTAGG GAAATGAGCC     12900

CTACTGCTAA CAAATTTATA ACTCTATATC CTAAGTCAGA ATCTGAAGCT AAGAGTATGA     12960

TTTGTAATCT TACGAATAGA CTGTCAGAAT TTAAGGCTCC AAAAATACTA TCTGACTATC     13020

AATGTGGAAT GCATTCTCCA GTTCATTATA GATATGGGGC TTTTTTAAAA AAACAAGCTT     13080

ATGATGAAAA AAATAAAAAA GTCATCTATT TATTGCTAGA TGAAAAAAGG AAGAACTATG     13140

TAGAAGATAA GAGACAAAAT TTCCCTAGTC TTCCTAGCTG GAAAATGGAT TTATTTTCAG     13200

AAGAAG                                                                13206
```

(2) INFORMATION FOR SEQ ID NO: 34:

```
(i) SEQUENCE CHARACTERISTICS:
     (A) LENGTH: 13104 base pairs
     (B) TYPE: nucleic acid
     (C) STRANDEDNESS: double
     (D) TOPOLOGY: linear


(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:

CCGGATCCAG CGAAAAATAT GCTCTTTGAT GCTGTAAGTG GTCAAAAAGA TGCTAAAACA      60

GCTGCTAACG ATGCTGTAAC ATTGATCAAA GAAACAATCA AACAAAAATT TGGTGAATAA     120

AAAATTTGTT CAAGGGGGGT GGAAATCAAA TCCCCCTTTG AATTTATCAA TAGAGACACA     180

AATAATTTAG CTTTCTTATA AAAAAGTAGT ATCCTATGAA AGGAGTTAAT ATGGAAAAGC     240

AACAACCTAG TAAAGCAGCC CTGCTGTCTA TCATTCCTGG GTTAGGACAG ATTTACAATA     300

AACAAAAAGC CAAAGGTTTT ATCTTCCTTG GTGTAACCAT CGTATTTGTC CTTTACTTCC     360

TAGCACTTGC AACCCCTGAA TTGAGCAACC TCATCACTCT TGGTGACAAA CCAGGTCGTG     420

ATAATTCCCT CTTTATGCTG ATTCGTGGTG CCTTCCATCT AATCTTTGTA ATCGTTTATG     480

TACTCTTTTA TTTCTCAAAT ATCAAAGATG CACATACGAT TGCAAAACGC ATTAACAATG     540

GAATTCCAGT TCCACGCACA CTCAAAGACA TGATCAAAGG GATTTATGAA AATGGCTTCC     600

CTTACCTCTT GATCATTCCA TCTTATGTTG CCATGACCTT CGCGATTATC TTCCCAGTTA     660

TCGTAACCTT GATGATCGCC TTTACCAACT ACGACTTCCA ACACTTGCCA CCAAACAAGT     720

TGTTGGACTG GGTTGGTTTG ACCAACTTTA CAAACATTTG GAGCTTGAGT ACCTTCCGTT     780

CTGCCTTTGG TTCTGTTCTT TCTTGGACTA TCATTTGGGC TTTGGCAGCT TCTACTTTAC     840

AAATCGTAAT TGGTATCTTC ACAGCTATCA TTGCCAACCA ACCATTTATC AAAGGAAAAC     900

GTATCTTTGG TGTTATTTTC CTTCTTCCTT GGGCTGTCCC AGCCTTCATC ACTATCTTGA     960

CATTCTCAAA CATGTTTAAC GATAGTGTCG GTGCTATCAA CACTCAAGTA TTGCCAATCT    1020

TGGCTAAATT CCTTCCTTTC CTTGATGGAG CTCTTATTCC TTGGAAAACA GACCCAACTT    1080

GGACTAAGAT TGCCTTGATT ATGATGCAAG GTTGGCTCGG ATTCCCATAC ATCTACGTTC    1140

TGACCTTGGG TATCTTGCAA TCTATTCCTA ACGACCTTTA CGAAGCAGCT TATATTGACG    1200

GTGCCAACGC TTGGCAAAAA TTCCGCAACA TCACTTTCCC AATGATTTTG GCTGTTGCGG    1260

CACCTACTTT GATTAGCCAA TACACCTTCA ACTTTAACAA CTTCTCTATC ATGTACCTCT    1320

TCAATGGTGG AGGACCTGGT AGTGTCGGAG GTGGAGCTGG TTCAACCGAT ATCTTGATCT    1380

CATGGATCTA CCGTTTGACA ACAGGTACAT CTCCTCAATA CTCAATGGCG GCAGCTGTTA    1440

CCTTGATTAT CTCTATCATT GTCATCTCAA TCTCTATGAT CGCATTCAAG AAACTACACG    1500
```

```
CATTTGATAT GGAGGACGTC TAAGATGAAT AACTCAATTA AACTCAAACG TAGACTGACT      1560
CAAAGCCTTA CTTACCTTTA CCTGATTGGT CTATCAATTG TAATTATCTA TCCACTGTTG      1620
ATTACCATTA TGTCAGCCTT TAAAGCAGGT AACGTCTCAG CCTTTAAACT AGATACTAAT      1680
ATCGACCTCA ATTTTGATAA CTTTAAAGGC CTCTTCACTG AAACCTTGTA CGGTACTTGG      1740
TACCTCAACA CTTTGATTAT CGCCTTAATT ACCATGGCTG TTCAAACAAG TATCATCGTA      1800
CTTGCTGGTT ATGCTTACAG CCGTTACAAC TTCTTGGCTC GTAAACAAAG TTTGGTCTTC      1860
TTCTTGATCA TCCAAATGGT GCCAACTATG GCCGCTTTGA CAGCCTTCTT CGTTATGGCG      1920
CTTATGTTGA ACGCCCTTAA CCACAACTGG TTCCTCATCT TCCTCTACGT TGGTGGTGGT      1980
ATCCCGATGA ATGCTTGGCT CATGAAAGGC TACTTCGATA CAGTGCCAAT GTCTTTAGAC      2040
GAATCTGCAA AACTAGACGG TGCAGGACAC TTCCGCCGCT TCTGGCAAAT TGTTCTACCA      2100
CTTGTTCGCC CAATGGTTGC CGTACAAGCT CTCTGGGCCT TCATGGGACC TTTCGGGGAC      2160
TACATCCTCT CTAGTTTCTT GCTTCGTGAG AAAGAATACT TTACTGTTGC CGTAGGTCTC      2220
CAAACCTTCG TTAACAATGC GAAAAACTTG AAGATTGCCT ACTTCTCAGC AGGTGCTATC      2280
CTCATCGCCC TTCCAATCTG TATTCTCTTC TTCTTCCTAC AAAAGAACTT TGTTTCAGGA      2340
CTTACAAGTG GTGGCGACAA GGGATAATTT ATCCCCGCCA CCCTTTTTCA TTTTATACTC      2400
TTCGAAAATC TCTTCAAACC ACGTCAGCTT TATCTCCAAC CTCAAAGTTG TGCTTTGAGC      2460
AACCTGTGGC TAGTTTGCAC TTTGATTTTC ATTGATTATT AGCAATTGTC ACTGTAAATA      2520
ATATCCTTGT AGCAAGCAAT TTTTCTCCTA GACTTGAAAT AAAGCGCATT TCTCTATATA      2580
ATAATACTCA TATAGAAAAC ACCTTTTAGA AAGATACCTA TGCTTCCATA TCCATTTTCC      2640
TATTTTTCAA GTATTTGGGG GGTTCGTAAG CCCCTGTCCA AACGTTTCGA GCTCAACTGG      2700
TTTCAACTTC TCTTTACCAG TATCTTCCTT ATCAGCTTGT CTATGGTACC CATTGCTATC      2760
CAAAACAGCT CCCAGGAGAC CTATCCGCTA GAAACTTTTA TCGATAATGT CTATGAACCT      2820
CTGACAGATA AGGTTGTCCA GGATCTCTCT GAACATGCTA CAATTGTCGA TGGCACATTA      2880
ACTTATACTG GAACAGCTAG TCAAGCCCCT TCTGTTGTGA TTGGTCCAAG TCAAATCAAG      2940
GAATTACCTA AGGACTTGCA ACTGCATTTC GATACAAATG AGCTAGTCAT CAGCAAGGAA      3000
AGCAAGGAAC TGACCCGCAT CTCTTACCGA GCCATTCAGA CTGAGAGTTT CAAAAGCAAA      3060
GACAGCTTGA CCCAAGCAAT TTCTAAAGAC TGGTACCAAC AAAATCGTGT CTATATCAGC      3120
CTCTTCCTAG TTCTCGGTGC GAGCTTCCTC TTTGGTTTGA ATTTCTTTAT CGTCTCTCTT      3180
GGAGCTAGCT TTCTCCTTTA TATCACCAAA AGATCACGCC TCTTTTCATT TAATACCTTT      3240
```

```
AAAGAGTGCT ACCATTTTAT CTTGAACTGT TTAGGATTGC CGACTCTGAT TACACTTATT      3300

TTGGGATTAT TTGGCCAAAA TATGACAACC CTGATTACTG TACAAAATAT TCTTTTTGTT      3360

CTGTATCTGG TCACTATCTT TTATAAAACA CATTTCCGTG ATCCAAATTA CCATAAATAG      3420

GAGATTTTTA TGCCCGTTAC GATTAAAGAC GTGGCCAAGG CTGCTGGTGT TTCGCCTTCA      3480

ACCGTAACCC GTGTTATTCA AAATAAATCA ACCATTAGCG ACGAAACAAA AAAACGTGTT      3540

CGCAAAGCTA TGAAGGAACT CAACTACCAC CCAAACCTCA ACGCTCGTAG CTTGGTAAGC      3600

AGCTATACTC AGGTTATCGG ATTAGTTCTT CCTGATGACT CAGACGCCTT CTACCAGAAT      3660

CCTTTCTTTC CATCGGTTCT ACGTGGCATC TCTCAAGTCG CATCTGAAAA CCACTATGCC      3720

ATTCAGATAG CAACAGGGAA AGATGAGAAG GAGCGTCTCA ACGCTATTTC ACAAATGGTC      3780

TACGGCAAGC GTGTAGATGG GCTAATTTTT CTCTATGCCC AAGAAGAAGA CCCTCTCGTA      3840

AAACTCGTCG CAGAAGAACA GTTCCCCTTC CTTATCTTAG GTAAATCTCT ATCTCCTTTC      3900

ATCCCACTTG TCGACAACGA CAATGTTCAA GCTGGTTTTG ATGCGACTGA ATATTTCATC      3960

AAAAAAGGCT GCAAACGCAT TGCCTTTATC GGAGGAAGTA AAAAGCTCTT CGTGACCAAA      4020

GACCGTTTAA CAGGCTATGA ACAGGCGCTT AAACATTACA AACTTACCAC TGACAACAAT      4080

CGCATCTACT TTGCCGACGA GTTTCTGGAA GAAAAGGGCT ATAAATTTAG CAAGCGATTA      4140

TTCAAGCACG ATCCACAAAT TGATGCTATC ATCACAACCG ATAGCCTCCT AGCTGAAGGT      4200

GTTTGTAACT ATATTGCCAA ACACCAGCTG GATGTCCCTG TTCTCAGCTT TGACTCGGTT      4260

AATCCCAAGC TCAACTTGGC AGCCTATGTC GATATCAATA GTTTAGAGCT TGGTCGTGTT      4320

TCCCTTGAAA CTATTCTCCA GATTATTAAT GATAATAAAA ACAATAAACA AATTTGTTAC      4380

CGTCAATTGA TCGCCCACAA AATTATCGAA AAATAAGAGA CTGGGCAAAA AGTCGTTAAA      4440

AGCAAAAACG CATACTATCA GGTATTGAAA AAACTTGATA CTATGCGTTT TATTGTGGGA      4500

AGATTTACTT CCTTTTCTAC TGAAATTGAG TCTTTTCCCA AGATCTTTTT ATACTCAATG      4560

AAAATCAAAG TGCAAACTAG GAAGCTAGCC GCAGGTTGCT CAAAACACTG TTTTGAGGTT      4620

GTAGATGAAA CTGACGAAGT CAGTAACCAT ACCTACGGCA AGGTGAAGCT GACGTGGTTT      4680

GAAGAGATTT TCGAAGAGTA TTAATCACTA ATTATCTATC TCAACAAATC TTCCTAGAAT      4740

ATGAACATTT TCCGAGACAG AGACAAAGGA GCTTGGATCC ACTTGTGTCA TAATCTGTTT      4800

AAATTCATTA AACTCTGCAC GTGTAATGAC AGTGATTAAA ACTGCCTTTC TCTCGTGATT      4860

ATAGGTTCCT TCTGCATCGT GGATCATGGT TGCTCCGCGG TGCAATTTTT TATGGATTTT      4920

TTCAATTACC TTCTCTGGAT GATTTGTCAC AATCATGGCC TGCATACGCT TTTGCTTAGT      4980

AAAGACTGCG TCTGTCACAC GGCTAGAGAC AAAGATGGTA ATCATAGAAT AAAGAGCGTA      5040
```

```
TTTCCAACCA AAGGTCAAAC CTGCTATCAG CATGATAGTT CCATTTACCA AGAAAGAAAT    5100
ACTACCGACA TTCTTACCCG TTTTCTTACG AATAGTCAGG CTGACGATAT CCGTCCCACC    5160
ACTGGAGATA TTGTTTCGAA GAGCAAAACC AATCCCCAAA CCCATAACAA CACCCCCAAA    5220
AAGGGAATTG ATAATGGGAT CCTCTGTCAA GGTTGCCACA GGGACAAACT GGATAAAGAA    5280
GGAACTCATA GATACCGTGA TAAAGGTAAA GACGGTGAAC TTATGGCCAA TCTGATACCA    5340
AGCTAAGACC ATCAAAGGGA AGTTAATGGC GTAGAAGCTT AGCGAAATCG GAATATGAAA    5400
ACCAAACCAG TGATTACTCA AGGCAGAGAT AATCTGTGCC AGACCTGTTG CACCACTCGA    5460
ATACACATGC CCTGGTTGGA AAAAGAAATT AACTGCTACT GCTGATAAAA AACCATAGAC    5520
CAGAGAGGCC GAAATCTTCT CATCATACTT TTCTCGAGAG ATACTTTGTA AGACACGTAA    5580
AATTTTTATC TGATAAGCAA AGCGGCGCAG ATAATAGCGC CACCGCTTAA TTCGTTTTGT    5640
TTGTTTCATC TTCTTCTACT TGTAAGCTGA GTTCCTCTAG TTGTTTGAGA GCGACTGTTG    5700
ATGGAGCTTG TGTCATTGGG TCAGTTGCCT TGTTGTTCTT AGGAAAGGCA ATGACTTCAC    5760
GGATATTTTC TTCTCCAGCA AGCAACATGA CAAAACGGTC AAGCCCGATA GCCAAACCAC    5820
CGTGTGGTGG GAAACCATAG TCCATGGCTT CAAGAAGGAA ACCAAACTGG TCATTGGCTT    5880
CTTCAGTTGA GAAACCAAGA GCCTTGAACA TGCGTTCTTG AAGGTCTTTT TGGTTGATAC    5940
GAAGGCTACC ACCACCAAGC TCATAACCGT TCAAGACGAT ATCGTAAGCA ATGGCACGAA    6000
CCTTAGCCAA ATCACCTTCT AATTCATGAG CACTCTCTTC CTGTGGAAGT GTGAAAGGAT    6060
GGTGGGCGCT CATGTAGCGG CCTTCTTCTT CAGACCATTC AAACATCGGC CAGTCAACCA    6120
CCCAAAGGAA GTTGAACTTA TCATTATCAA TCAAGCCAAG CTCTTTAGCA ATACGTCCAC    6180
GAAGGGCACC CAGTGTTGCA TTAGCCACTT CAAGCGTATC CGCCACAAAG AGAACCAAGT    6240
CCTTATCTTC AAGAACAAGC GCTGTTGTCA ATTCTTCTTG GATACCAGTC AAGAACTTGG    6300
CAACTGGTCC GTTTAATTCT CCATCAACCA CCTTGACCCA AGCAAGACCT TTGGCACCAT    6360
ACTGTTTGGC TACTTCCGTC ATCTTGTCGA TGTCTTTACG TGAATAGTTG TCCGCAGCTC    6420
CTGTGACCAC AATCGCTTTT ACAGCAGGTG CTTCTGAAAA GACTTTAAAG TCTACACCTC    6480
GGACCACTTC TGTCAAGTCC TGAAGCAACA TGTCAAAACG AGTATCTGGC TTGTCAGAAC    6540
CGTAAAGAGC CATAGCATCA TCGTATTTCA TACGAGGGAA TGGTAGCGTT ACTTCGATGC    6600
CTTTTGTTTC CTTCATCACG CGCGCGATCA AGCTTTCTGT AATATCTTGG ATTTCTTGCT    6660
CAGTAAGGAA GGACGTTTCC AAGTCGACCT GAGTAAATTC AGGCTGGCGG TCTCCACGCA    6720
AGTCCTCGTC ACGGAAACAT TTAACGATTT GGTAGTAACG GTCAAAACCA GCATTCATCA    6780
```

```
AGAGCTGTTT CGTGATTTGT GGACTTTGAG GAAGAGCGTA AAAATGCCCC TTATTAACAC     6840
GAGACGGCAC TAAATAATCA CGCGCCCCTT CAGGCGTTGA CTTAGAAAGG AATGGTGTCT     6900
CCACGTCGAT AAACTCCAAC TCATCCAAGT AGTTGCGGAT AGAGTGGGTC ACCTTGGCAC     6960
GAAGTTTAAG ATTTTCCAAC ATTTCTGGAC GACGAAGGTC AAGGTAACGG TAACGCAAAC     7020
GTGTATCGTC ATTTGCCTCA ATGCCATCCT TAATCTCAAA TGGTGTTGTC TTAGCTGTGT     7080
TAAGCACAAT AAGAGCTGTC ACGTTTAACT CAACCGCACC AGTTGGCAAC TTATCATTGG     7140
CTTGTCACGC GCAGCGACCT GACCAGTCAC CTCAATAACA AATTCGCTAC GAAGGcTTTC     7200
AGCTGTTGCC ATAACCTCTG CAGATACTTT TTCAGGGTTG ATAACCAACT GCATGATTCC     7260
TTCACGGTCA CGAAGATCGA TAAAGATCAA ACCACCAAGG TCACGACGAC GGCCAACCCA     7320
TCCTTTCAAG GTTATTTCTT GTCCGATGTG TTCCTCACGA ACACGACCAG CATACATACT     7380
ACGTTTCATT ATTTCTCTCC TCTTTTATTC TGTTACTATT TTACCATAAA AGCGCAGCTC     7440
TTCATGAAAA TCATCAGAAA AGTTTGCCAG TCTTTAAAAG TCAGGTGAAA GCCCTAAAAA     7500
TTAGCGCTAA TACTCTTCGA AAATCTCTTC AAACCACGTC AGCGTCGCCT TACCGTATGT     7560
ATGGTTACTG ACTTCGTCAG TTTCATCTAC AACCTCAAAA CCATGTTTTG AGCTGACTTC     7620
GTCAGTTCTA TCCACAACCT CAAAACAGTG TTTTGAGCAA CCTGCGGCTA GCTTCCTAGT     7680
TTGCTCTTTG ATTTTCATTG AGTATAATAC AAAAATCCGA TGAACTTCAC CGGACTCTTT     7740
TATTTTGAAT TTTTGCCTGC TTTACGCTTT TCAGCGATTT CGGCTGCCTT TCGAGGCAAG     7800
ACAATTTCCG TTATGTAAGC CGTCCCAAAA CGCAGTACAC CTGCAATAGG AGCAAAGACA     7860
ACTGCTAGAT AGTTATAGAA GAAATCGCCT TTGAAGGCAT AAGCTAGCGC TCCAATGATG     7920
AAAAATAGAA CGACTGCCTG AATCACTGCT AATAAAATTA CTCGTTTCAT GTGACCTCCT     7980
GACTCTATTA TAGCATGAGA ATCATCAAAA AGCCGACTAA ATTATTCAAA GCGTGAAGAG     8040
AAATACTGTA GACCAGACCT TTTCTGCTAA TGTAAGCCAA ACCCAAACTA AAACCAAGGC     8100
TAAAATAGAC AAAAAATTGT TGCACATCAC CTGGAAAATG AATCAAGGCA AATAGAAGAC     8160
TAGATACCAG AAGAAAAATC AGGGTTCGTT TACTATTGTC CTGCTTAGGA AAGAGATAGC     3220
GTGCTAACAT CCCTCTAAAA ACAATCTCTT CCGTCAAAGG AGCAAAAATA ACCACAGCAA     8280
AGAATGAGAA AAGTGGTTGA GACAAGGTCA AGTCTGTCGC TATTTGCTGA TTTACTGAAG     8340
GATCATCTGG CAAGAAGAAT TGAACGACCA GAGATAAGAA CCAAACCAAG ACAGGAAGCC     8400
AAATAAATCG ATTAAAGCCG CTCTTCTCAA TATGAACAGG AGCCTTCTGA TACCATTTGT     8460
AAATGCCGTA CACATATACT CCAGCCAAGG CCACATAGAG TAGAGTAACA GCATAGGGTG     8520
AAGCGCCTAA AGCAAGCGAC GCAGTCGCGA GCCCCTGAAT AAAGCCATAG ATAAATAAAA     8580
```

```
AGGATAGAAG GGCTAGAAGA ATCCAGCCAA GGTTTTTAAG TAATTTCATA GATAACTCCT      8640
TTATTTGAAA TAACGTTTTA CCATAGGTAA CTGCATCACA TTGATATAAA CATGGATGGC      8700
TCCTACAAGC AAGAAAGCTA GTAACTGAAT CTCTCCTGTC AAGAAAGAAA TGATAATAAG      8760
AAAAATATAT AAGGCTGGTA AGACATATTG GTGTAATTGG AATAAAATTC GAAAACTCTG      8820
TTCCAAATTA GCCTGACGCT CCCCTTCATC ATAAGAATTT ATATAGTTCA AGACATCCTT      8880
TGGTGTAGCG AAAAATTCCA AATCAAACTG ACGAACAATC GCAATGGTTT TAAAAAGAGA      8940
TTTTTGAGCG ACTAAGAATA CCACAAAGAG TAAGAAAGAA AGGAAAAATG TTTGAGGGTT      9000
TGTATGCAAT ATAATCACCT CACTTAATGA AATAAAAATA GCCAATGGAA TCGCTACACC      9060
TGTAATATTA AAAGCAATGG TTCCAAACTC AAGATTCCGA TACATTTGCA CATAATAGGT      9120
TTCATTCAGA TCGTCATCCA TTTCCTCTTG ATACAAAGAA TGAAATTTTC TGCTTTTCTT      9180
TAAGAAATTG AAAGTCAAAA ACATACTAAT GAAACCTATC AGTAAACAAA TAGCTGATAT      9240
CCATGGCATC AAGGCTTTTA CATCTAAAAT AATTTCGTGG GATTCGACAC GTGCCTTAAA      9300
CATCCCTACA AACATGCCCA AGAACCCCCC AAGACAATAG ACATCAAAAA TAACAATCTA      9360
CGTTTCTTTT TCATATTCAT TCTCCTTTTT CACTTGCTAG ATTTTTGGAT TTCTTTTCAA      9420
TCCATTCAAT TACTGGGATG AGAGCAAAGT AGACCCAAAC AAATTGGTCG CTTTGATAGG      9480
GATTAAACCA GCTTAGGTCC ATCCCAATCA GTAGAAATAC GCTGACTAAT AAAGCTATGA      9540
CCACTACATA ATAAATCACT TTATACTTGT TCATCACTCC TCCTCCTCCA AACGAAATAC      9600
CGATTCGACT GTTTCGTTGA AAATTTGAGA TATTTTCAGG GCAATGATAA TGGATGGGGT      9660
GTACTCATCC CGTTCTAGTA GGCTAATGGT CTGTCTGGAA ACCCCTGCCA GTTTGGCTAG      9720
GTCGGTTTGA TTGAGACCAT CGCGAGCTCG AAGCTCTTTT AGACGATTTT TTAGTTGCAT      9780
GTTACACACC TACTCTCCGT CAAATTCAAC GGTTTGGATA TCCTCAATAC GTTGCAACTT      9840
GAATTTTTCT TTTCCCGTAT TATCTACACG TCGTAGCTTT ACCCATTCCT CATCAACATC      9900
CACAACTTCC CAGTTATCTG GCCCAATATA CACTCCCGTT ATAATTGGTT CCTTTCCAAT      9960
CATTTCTTGT AATAATCTCG ACATTTCTGC GTTTCCTTTC TCTTTTCGCT CAAGTCTTTT     10020
GATTTTATTC TCTAGTTTCT TGATTTTTTT AGAATTATTA GAATAAAAGA AAATCATAAA     10080
TAGTATAAAT CCTAGTACCC ACATTATAAC TCCTTTCTGC TTCCTATTTC TTAACTTGAA     10140
TTCATTGTAA CATATCTTTT TCTTTTTGAC AAGTATAGTT GTCAAAAAAA TTATGATTTT     10200
TGTCATTTTG CAAAAGAAAA AGGTCAGGAG TAGGTTCCTG ACCACTTTAT CTATCATTAA     10260
TACTCTTCTA AAATCTCTTC AAACCACGTC AGCTTCACCT TGCCGTAGGT ATGGTTACTG     10320
```

```
ACTTCGTCAG TTTCATCTAC AACCTCAAAA CCATGTTTTG AGCTGACTTC GTCAGTTCTA     10380

TCCACAACCT CAAAACCATG TTTTGAGCTG ACTTCGTCAG TTCTATCCAC AACCTCAAAA     10440

CCATGTTTTG AGCTGACTTC GTCAGTTCTA TCCACAACCT CAAAACAGTG TTTTGAGCAA     10500

CCTGCGGCTA GCTTCCTAGT TTGCTCTTTG ATTTTTATTG AGTATAAAAT CCTAGTTTTT     10560

CAAAGATTTC TGAGAAGTTT TGGCTGATTG TCTCAAGTGA CACTTGCACT TCTTCTCGGG     10620

TTTGGTTGTT CTTGACCGTC ACTTGTCCGC TTTCGACTTC GCTCTCTCCT AGGGTGATGA     10680

GGGTCTTAGC CGCAAAGACA TCGGCTGACT TGAACTGAGC TTTTAGTTTA CGGTTGAGGT     10740

AATCACGCTC TGCTTTGAAA CCTTGTTGGC GAAGAGCCTG TACCAATTCC AAGGCCTTGA     10800

TATTTGCCCC TTCGCCCAAG ACTGCGATAT AGACATCTAG GGCGTTTTCG ATAGGGAGGG     10860

TCACACCTTG CTTTTCAAGG ATGAGAAGCA GGCGCTCTAC ACCAAGTCCA AAACCAAATC     10920

CAGCAGTTTC AGGGCCTCCA AAGTAAGCAA CCAAACCATC GTAGCGACCA CCCGCACAGA     10980

CGGTCAGGTC ATTGCCCTCA ATCTCTGTGA TAAACTCGAA AATGGTGTGG TTGTAGTAGT     11040

CCAGACCACG CACCATATTG GTATCGATGA TGTAATCTAC TCCAAGATTT TCCAACATCT     11100

GACGCACAGC ATCAAAATGA GCTTGGCTTT CTTCATCAAG AAAGTCCAAG ATAGACGGCG     11160

CATTCTCTAC TGCCACCTTG TCTTCTTTTT CCTTAGAGTC CAAGACACGA AGAGGATTTT     11220

CCTCCAAGCG ACGTTGGCTA TCCTTAGACA AGGTCTCCTT GAGCGGTGTC AAATAGTCAA     11280

TCAAGGCTTG GCGGTAGGCT GCACGGCTCT CAGGATTTCC AAGAGTGTTG AGGTGCAATT     11340

TGACACCTTG AATACCGATT TCCTTCAAAA AATGGGCTGC CATAGCGATT GTTTCCACAT     11400

CGGTAGCTGG ATTGCTAGAG CCAAAACACT CAACACCAAT CTGGTGGAAT TGGCGCAAGC     11460

GCCCTGCCTG TGGACGCTCA TAACGGAACA TAGGTCCCAT GTAGTAGAAC TTGCTTGGCT     11520

TTTGCACTTC TGGGGCGAAA AGTTTATTTT CCACATAGGA ACGGACAACG GGTGCAGTTC     11580

CTTCTGGACG GAGGGTAATA TGACGGTCAC CCTTGTCATA AAAATCGTAC ATTTCCTTGG     11640

TTACGATATC CGTTGTATCT CCGACAGAGC GACTGATAAC CTCGTAATGC TCAAAAATAG     11700

GCGTGCGCAC TTCTGCATAG TTGTAGCGTT TGAAAATCTC ACGGGCAAAG CCCTCAACGT     11760

ACTGCCACTT AGCAGACTCA GCAGGTAAAA TATCCTGCGT TCCTTTTGGT TTTTGTAATT     11820

TCATAGGGAA TCCTCTTTAA ACTTAATAGT CTTATTTTAC CATAAATAGA GGGATTAAAA     11880

CAGTAAGAAA AAAATTAGGA TTTAGATATC ATTTTTGAGA TTAAGAATTG TCAAAAAAAT     11940

AGCTAGCAAG GAAAGACCAA CAAATAGCAT CCAAGTCAAC TGTATATTCC ATACGGCTAC     12000

TAGTGAAAAA CAAGCTGTTC CCACAGGTAT GGATAAGGTA AACAATAGAC CTAAAAAATT     12060

ACTAGTACGA GCTAGAACCT CTGGAGCTAG ATTTTTCATG AGCATGGCAC TAATCTTTGG     12120
```

TTGAACTTTA CCAGACACAT ACAGAGTAAA GAAGAGAAAT AGCAAACCAA GCACGACTTG 12180

ATTGAATAAA TTAGCCAAAC CAACTAGACT AAGTCCTACG GTCTCCCACA TCATCAATCT 12240

AGGCAAGGAC TGCTTCCCAA AATAATCATT GCCCGTAAGG CTACTGATGA TGACTGATAC 12300

TAAAACACAG AATTGATTGA TAAATAGTGC CTCTGTATAA GAAAAATTCA AGAGAGAATG 12360

GCTCAAAAAG AAGATATTAT AAATTCCACC CAAAGCGCCA CCCAAGGAAT TAATAAGCAA 12420

GACAGCAAAG AGCATAAAAC CAAAGTTTTT CTGTCCACTT TTAAGAAAAA CGAGACGTAA 12480

ATTTCGGTAA ATTGTTAGGA ACTGGTCTTT GATAGAAAGC TTCTCATTTT TTAAGTTTTC 12540

ACCATCAGCA GATGACATTG ACAGGCTCAA TTTGCTTTTT CCTAAAAAGA GGATAGTGGC 12600

TGATACTAGG AAAAAGCAGG CATTGATTCC CGCAACGAGA GAAAAATTGT TGACCGATAG 12660

AGCTAAGAGC CAGACTCCGA AAGCTTGACC ACCAATAGCT GAAATATAGG TGATGAACTG 12720

TGAAAAAGAA TAAGCCTCCA TCAGATCATC TTCAGCTACT TTTTCCTTAA TAAGAGGCAT 12780

ACGCAGGCCA CCTGCAAAAT CACTGATGAT ATCACTAATG ACATTGATCA AACACAGGCT 12840

AGAAAAGGCA AAGAGACTAG CTTGCTGAAC AACTAGGGCT GCTAGAAAAA ATAGAACCGC 12900

CTGAAACAAA CCGCTATAGA CCATCCATTT GACCTTGTCC CTCGTGTAAT CTGCCCGAAT 12960

CCCTGCAAAA ACTGTAAAGA GGGTCGGAAG AATCATGACA ATATTCGCCA TAGCAACAGC 13020

AAAAGATGCT TGTGACAAGG TCGATGCATA GACGATAAAG ACCAGGTTGA AAATCGAAAC 13080

ACCAAAAGCA TTGAACAACC GTGG 13104

(2) INFORMATION FOR SEQ ID NO: 35:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 19250 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:

CCGGGCAAAT AGTTTTGAAC TTTTCATCAT TTTCTCCTTT AAAACTTTCT CTCCATTATA 60

GACTCTTTTC AGAAAGTTGT CAACAGAATT TTCAGAATTT TTGAAAATTA TTTTTCAAAC 120

AACATCTTTG CAAAAAATAT GAATATCGTA AGCGCGTCAT AACAAGGTAT CTATCATTCA 180

TGGAGCTCCT CCTGTATACT ATTAGTAAAG TAAATATTGG AGGATATTTT AATGCCACAA 240

CCTATTGTTC CTGTAGAGAT TCCACAATCT CGTCGTTTTG ATTCTAAAAA GAGAAATGAT 300

ATTCTrCTTA AAATTCGTAT TGGCAAGCTT GAAGTAAGTT TTTTTCAATC TCTCAATCTC 360

```
GAAATGATAG AACAGCTTTT GGATAAGGTG TTGCTCTATG ACAATTCATC TATCTAGCCT       420

AGGGCAGGTC TATCTCGTGT GTGGGAAAAC TGATATGAGA CAAGGAATCG ATTCACTGGC       480

TTATCTCGTT AAAACCCACT TTGAATTGGA TCCTTTCTCC GGTCAAATCT TTCTCTTTTG       540

TGGTGGACGT AAAGACCGCT TTAAAGTCCT TTACTGGGAT GGTCAAGGAT TTTGGCTACT       600

ATATAAACGC TTTGAGAACG GCAGACTGAC TTGGCCCAGT ACAGAAAAGG ATGTCAAAGC       660

TCTCGCACCT GAACAAGTAG ATTGGCTGAT GAAAGGCTTT TCTATCACTC CAAAAATATA       720

GTAGATTGAA ACTAGAATAG TACACCTCTG CTTCTAAAAC ATTGTTAGAA ATCGATTTTA       780

CTGTCCTGAT CGATTTGTCC TGTTATTATT TCATTTTACT ATAAATCCAT CAGAAAGTCG       840

TGATTTCTAT TGAAATGAGG ACTTTCTTTT TATACTCATC TGCTTTCAAA AAGCACTCTA       900

GTCCATCTCC GATTAACGAT GGACTTTATC ACCTCCTTCT CCAGTCCTTG TATAACATCT       960

TGAAGTTGAT TCATGACATC TTCCAAAGTT CGAAAGGCTT TATTCTTAAA TCCACGTTTA      1020

CGAATCTCTT TCCACACTTG TTCAATGGGG TTCATCTCTG GTGTGTATGG AGGAATAAAT      1080

GCAAAGCCAA TATTAGTCGG AATCTTTAAG GTACTTGATT TATGCCATAT AGCATTGTCC      1140

ATAACGAGTA AAAGATAATC ATCTGGATAA GCTTGTGAAA GCTCCTATTC CTAAAGCCCC      1200

TTTATAACCT CTTGCGAGAG AGACTATTGA CTCAGCCCTT ACTTCATGCG GATGAAACCT      1260

CCTATCGGGT TCTAGAGAGT GATAGCCATC TGACCTACTA TTGGACTTTT TTGTCAGGTA      1320

AAGCAGAGAA ACAAGGGATT ACGCTTTACC ACCATGATCA GTGTCGAAGT GGTTCAGTAG      1380

TACAAGAATT CCTAGGAGAT TATTCTGGCT ATGTTCATTG TGATATGTTG CGGCAGTAAC      1440

TTAGGACTTT AGTCCTCTAG TTCTGCCTAT GCGATAGCAG TCCAAGGTTT AGGAGTAAGG      1500

CGACGCTAAG CTTGGTAAAC TGCGAACAGC TAGAAGCTTA TCGTCAACTG GAAGAAGCTG      1560

CACTTGTTGG ATGTTGGGCG CATGTGAGAA GGAAGTTTTT TGAAGTGCCC CCCAAGCAAG      1620

CAGATAAATC ATCCTTAGGA GCTAAAGGTT TAGCCTATTG TGATCAGTTA TTTTCCTTGG      1680

AAAGAGACTG GGAGGCTTTG CCAGCTGATG AACGGCTACA GAAACGTCAA GAACATCTCC      1740

AACCCCTACT GGAAGACTTC TTTGCTTGGT GCCGTCGTCA GTCAGTTTTA TCGGGTTCAA      1800

AACTAGGAAG GGCAATTGAA TACAGCCTCA AGTATGAAGA AACCTTTAAG ACCATTTTAA      1860

AAGACGGACA TCTGGTCCTT TCCAATAATC TAGCTGAACG CGCCATTAAA TCATTGGTTA      1920

TGGGACGGAG TAAAAGAGTC CAGTGGACTC TTTTAGCCTA AGCTCAGTTT AAAAAAACGA      1980

GGGTGGTTAT TTTTAAAAAA GCGAGGGTGG TTATTTTCTC AAAGTTTTGA AGGAGCTAAA      2040

GCAAGAGCTA TTATTATGAG TTTGTTGGAA ACAGCTAAAC GTCATCAATT ATAGTGCGTT      2100

GAATCTATAA CAGTACGCAT CGACTGCTAA AATATTTCTA TAAATCAATT TTCCTTTCCT      2160
```

```
AATCGATTTG TTCATATCTT ATTACAATCC ATTATAAATA GCGAGAAATA TCTATCCTAT    2220
CTTCTAGAAT GTCTTCCAAA CGAGGAAACT CTCGTAAACA AAGAGGTTTT AGAGGCCTAT    2280
TTACCGTGGA CTAAAGTTGT ACAAGAAAAG TGCAAATAAG AAATCTCCAG ATTAGGAACT    2340
ATATATGAGT TCTCTAGTCT GGAGATTTTT CAATAGACTT CGTTATTGGG CGGTTACTTT    2400
CGAAACTTTG AAAACTTCAA AAAACGGATT TTTATCGCTC TGAACATCAA AAAAGAAAGG    2460
ACGAAATTTG TCCTTTCTCA AGCTTAGCTT TTCTTCAACC CACTACAGTT GACAAAGAGC    2520
CCTTTATTCT ATCAAACATG AAGCGCAAAA ACAAGCCAAA AATCCGATAG AATGGCTATC    2580
CCTCGACTAT CAAGTAAGAC ATTTCCATCA AATACGTTCA ATTTTACTCT TGTTCTACTA    2640
AGAATTAATC ATCTCGTTTT GATTTATTAA AAATATACAA TTCAGCTTTT CCTCCAAACT    2700
ATTTTATCCA CTATCCCTGT ATAGCTCTGT ATTATCTTAA CAACTTTAGT AGAGACATTT    2760
TCCTCAACAT AATCCGGAAC CGGTAATCCA AAATCCTCAT CTTGTGCCAA GCTAACAGCA    2820
GTTTCAACTG CTTGAAGAAG AGAATTTTCA TCAATGCCTG CCAAAATAAA TCCTGCCTTA    2880
TCTAAGGACT CAGGACGTTC TGTACTTGTA CGAATACATA CAGCGGGAAA AGGATAACCT    2940
TGACTAGTAA AGAAACTACT TTCTTCCGGT AAAGTTCCCG AATCAGATAC TACAACAAAT    3000
GCATTCATCT GTAAACAATT ATAGTCATGG AATCCTAGTG GCTCATGCTG AATCACACGT    3060
TTATCTAGTT TAAAACCGCT CTCTTGTAGC CTTTTCTTTG ATCTAGGATG GCAAGAATAT    3120
AAGATTGGCA TATTATACTT TTCAGCTAAT TGATTAATTG CTGTAAAGAG AGAAATAAAA    3180
TTTTTATCTG TATCAATATT TTCCTCACGG TGAGCTGAAA GTAAGATATA ACCTCCTTTT    3240
TTCAATCCCA AACGTTCATG GATATCTGAA GACTCAATAG CAGATAAATT TTTATGTAAC    3300
ACTTCTGCCA TAGGAGAACC AGTTACATAT GTGCGCTCTT TAGGTAAACC ACACTCATGT    3360
AAATACTTAC GTGCATGTTC AGAGTATGCT AAGTTAACAT CTGAAATAAC ATCAACAATC    3420
CGACGATTAG TCTCTTCCGG TAGGCACTCA TCTTTACAGC GATTGCCAGC CTCCATATGA    3480
AAAATTGGAA TATGTAAACG CTTGGCAGCA ATAGCTGATA AACAAGAATT TGTATCCCCT    3540
AAAATCAATA AAGCATCTGG TTTAATTTGA TTCATCAATT TGTATGAAGT ATTAATAATA    3600
TTCCCTACAG TAGCACCAAG ATCATCTCCA ACAGCATCCA TGTATACGTC CGGAGTGTCT    3660
AACCCTAAAT TATCAAAGAA AATACCATTT AAATTGTAAT CATAGTTTTG TCCAGTATGT    3720
GCCAAAATAA CATCAAAATA CTTTCGACAT TTAGTGATAA CACTACTTAG ACGTATAATC    3780
TCTGGACGTG TTCCCACAAT AATCAATAAC TTAAGTTTGC CATTATCTTT AAAGTGAATA    3840
TCACTATAAT CTGTCTTAAT TTTCATTTAT TTCTCCACTT GTTCAAAAAA AGTATCTGGA    3900
```